

Exam Questions 220-1001

CompTIA A+ Certification Exam: Core 1

<https://www.2passeasy.com/dumps/220-1001/>



NEW QUESTION 1

A technician upgraded the memory on a server from two 8GB sticks to eight 32GB. The server memory is now at full capacity per the user guide. When the technician powers on the system, only 128 GB of memory is recognized by the OS and the BIOS. The technician decides to upgrade to the latest version of the firmware on the system, which does not help. Next, the technician installs the memory in sets of 64GB at a time. Each individual set of 64GB is fully recognized by the server.

Which of the following will not allow the server to recognize all of the memory installed at the same time?

- A. The power supply is not supplying enough power for the memory.
- B. The memory has too many ECC errors and is shutting down
- C. The server is overheating when all of the memory is installed.
- D. The server needs DDR4 memory, and DDR3 is installed.

Answer: D

NEW QUESTION 2

A client needs to upgrade the hard drive on a laptop and would like one that is fast and has drop protection. Which of the following is the BEST option for the client?

- A. 5400rpm HDD
- B. 7200rpm HDD
- C. NVMe SSD
- D. Hybrid HDD/SSD

Answer: C

NEW QUESTION 3

A technician is setting up a laptop and projector for a presentation. When plugging in the projector, it mirrors the desktop screen from the laptop but everything appears distorted and compressed. Which of the following should the technician do to correct the appearance of the image on the projector?

- A. Update the laptop graphics driver
- B. Change the scaling options.
- C. Change the desktop resolution
- D. Replace the video cable.
- E. Utilize a USB VGA graphics adapter
- F. Adjust the keystone settings on the projector

Answer: C

NEW QUESTION 4

Which of the following channels would commonly be used on an 802.11 wireless network?

- A. 6
- B. 17
- C. 802
- D. 8080

Answer: A

NEW QUESTION 5

Several company users are frequently forgetting passwords for their mobile devices and applications. Which of the following should the systems administrator do to reduce the number of help desk tickets submitted?

- A. Implement single sign-on.
- B. Enable multifactor authentication.
- C. Configure biometric authentication.
- D. Remove complex password requirements.

Answer: A

NEW QUESTION 6

Which of the following devices can be used to connect multiple devices within broadcasting to every network port?

- A. Unmanaged switch
- B. Hub
- C. Firewall
- D. Cable modem

Answer: A

NEW QUESTION 7

Joe, a user, wants his desktop RAID configured to allow the fastest speed and the most storage capacity. His desktop has three hard drives. Which of the following RAID types should a technician configure to achieve this?

- A. 1

- B. 5
- C. 10

Answer: A

NEW QUESTION 8

An office has a network that has all computers connected to two switches. The switches are connected with a fiber cable. The computers and switches are all located in the same building. Which of the following network types does this describe?

- A. WAN
- B. PAN
- C. LAN
- D. MAN

Answer: C

NEW QUESTION 9

A user received the following error message while trying to access a shared drive: Network Path was Not Found. Which of the following should be performed to resolve the issue? (Select TWO).

- A. Set the NIC to full duplex.
- B. Disable the local firewall.
- C. Reset the TCP/IP stack.
- D. Disable the Ethernet adapter.
- E. Use static IP addressing instead of DHCP.
- F. Flush the DNS cache.

Answer: CF

NEW QUESTION 10

A customer wants to upgrade a PC's internal storage to have more room to store backups, photos, and videos. The new storage should be large enough to avoid expanding again next year.

Which of the following BEST meets these needs?

- A. 3TB HDD
- B. 50GB NAS
- C. 500TB SAN
- D. 512GB SSD

Answer: A

NEW QUESTION 10

Which of the following connector types is used to terminate household telephone cabling?

- A. RG-6
- B. RJ-11
- C. RJ-45
- D. RG-59

Answer: B

NEW QUESTION 14

Which of the following cable types should be used to connect a cable modem to a SOHO router?

- A. Thunderbolt
- B. Coaxial
- C. USB
- D. Ethernet

Answer: D

NEW QUESTION 16

A user's laptop is shutting down unexpectedly. The technician discovers the shutdowns only happen when the laptop is moved from one room to another. The technician reseated the hard drive, memory, battery, and LCD cable, but the laptop continues to shut down.

Which of the following is the MOST probable cause of the issue?

- A. Residual energy on the motherboard
- B. System overheating
- C. Distended capacitors
- D. Loose battery connection
- E. CMOS battery failure

Answer: D

NEW QUESTION 18

Which of the following resources is the MOST critical when using cloud file-storage synchronization applications?

- A. Disk speed
- B. I/O bandwidth
- C. RAM utilization
- D. CPU utilization

Answer: B

NEW QUESTION 22

A user is experiencing issues synchronizing a smartphone. The user is able to connect to individual services, but each requires a different password. Which of the following needs to be configured to allow the user to access web services securely with a unique password?

- A. SIM
- B. SMB
- C. SSL
- D. SSO

Answer: D

NEW QUESTION 27

Which of the following adapters may suffer signal degradation or data loss due to conversion?

- A. DVI to HDMI
- B. HDMI to DisplayPort
- C. USB to Ethernet
- D. DVI-D to VGA

Answer: D

NEW QUESTION 32

A customer recently moved a high-end graphics card from a known-working computer to a different computer. The computer works without issue when viewing email and web pages or when using certain applications. However, when a game with high-end graphics requirements is opened, the program will run for a few minutes before the computer shuts down. Which of the following is MOST likely causing the problem?

- A. Power supply wattage
- B. Video RAM
- C. CPU frequency
- D. Monitor resolution

Answer: A

NEW QUESTION 37

A technician wants the number of virtual machines hosting a web application in the public cloud environment to scale based on real-time traffic on the website. Which of the following should the technician configure?

- A. Resource pooling
- B. Rapid elasticity
- C. Measured service
- D. High availability

Answer: B

NEW QUESTION 38

A printer stops working in the billing department and cannot be repaired. A new printer has been ordered and a technician is tasked with allowing other users to print to the billing manager's printer until the new printer arrives. The manager's printer is currently used via USB connection, and there are no network jacks available for use.

Which of the following is the BEST way for the technician to allow access to the printer?

- A. Create a share on the manager's computer and give the users rights to the share.
- B. Install the printer on the users' desktops and point it to the IP address of the manager's computer.
- C. Purchase a wireless printer so the users can access the printer via network.
- D. Provide flash drives to the users so they can transfer data to the manager's computer for printing.

Answer: C

NEW QUESTION 39

A technician receives a cellular from a manager. The technician is instructed to download a service manual directly from the Internet to a laptop. However, there is no WiFi signal or wired Ethernet. Which of the following would be the MOST appropriate connections for the technician to use?

- A. Hotspot
- B. NFC
- C. Bluetooth
- D. VPN

Answer: A

NEW QUESTION 44

The ability for new computers to be automatically connected to the network is provided by the:

- A. DHCP server
- B. DNS server
- C. proxy server
- D. TACACS server

Answer: A

NEW QUESTION 46

Which of the following devices would enable a VLAN user to communicate with a user in another VLAN?

- A. Router
- B. Access point
- C. Repeater
- D. Bridge

Answer: A

NEW QUESTION 47

A technician replaced a broken LED screen on a mobile computer. The operating system can be seen perfectly on screen, but the touch screen is non-responsive. Which of the following are the MOST probable root causes for the given failure? (Choose three.)

- A. The hardware replacement used is a non-touch-screen.
- B. The touch screen must be calibrated after a replacement.
- C. The digitizer cable is not seated properly on the motherboard.
- D. The new touch-screen drivers must be installed.
- E. The replacement part is dead-on-arrival.
- F. The LCD panel firmware must be updated.
- G. The grounding screws are not securely attached.

Answer: ACD

NEW QUESTION 49

Which of the following would provide power to an access point?

- A. POE injector
- B. Switch
- C. Repeater
- D. Modern

Answer: A

NEW QUESTION 51

A technician is configuring a high-performance workstation. The technician needs to choose storage for the boot drive with the highest performance possible. Which of the following drive types BEST meets this requirement?

- A. MicroSD
- B. 15K rpm
- C. NVMe
- D. USB flash

Answer: C

NEW QUESTION 56

Which of the following Ethernet cables would BEST support an application that requires a 600 Mbps throughput at the lowest price point?

- A. Cat 3
- B. Cat 5
- C. Cat 5e
- D. Cat 6

Answer: C

NEW QUESTION 60

Which of the following resource types would be BEST suited to saving photographs from a mobile device with limited onboard storage?

- A. Cloud file services
- B. Virtual desktop
- C. Off-site email
- D. Resource pooling

Answer: A

NEW QUESTION 64

An end user is unable to connect to the network, and a technician has visually verified the lights on the back of the PC are active and there is no physical damage to the Ethernet jack. Which of the following tools should the technician use to continue troubleshooting the connection?

- A. Punchdown tool
- B. Tone generator and probe
- C. Cable tester
- D. Crimper

Answer: C

NEW QUESTION 66

Which of the following is the main purpose of the +5VSB output of a power supply?

- A. It allows peripherals to draw power when the machine is off
- B. It provides power to the audio and sound boards of the machine
- C. It acts as the main voltage supply to the motherboard and processor
- D. It powers all expansion cards and external device hubs

Answer: A

NEW QUESTION 69

A user is experiencing email problems and explains to a technician that all emails with graphics or images do not display the graphics. Which of the following configurations would correct this behavior?

- A. Change the email settings in antivirus.
- B. Change the security settings of the email client.
- C. Change the firewall security settings.
- D. Change the email proxy settings.
- E. Change the trusted sites in the browser settings.

Answer: B

NEW QUESTION 74

A customer's workstation will not boot. A technician runs diagnostics on the system and discovers it is set up in a RAID 0 configuration, and a single SATA hard drive failed. The system was set up for Performance. Once repaired, the customer requests redundancy be built into the system and an increase in performance. Which of the following describes how the technician should set up the new RAID configuration?

- A. RAID 1 configuration that will utilize new SSD.
- B. RAID 2 configuration that will allow the loss of a hard drive without failure.
- C. RAID 6 configuration that will allow the loss of two hard drives without failure.
- D. RAID 10 configuration utilizing HDD

Answer: D

NEW QUESTION 77

Whenever a user's machine is turned on, a black screen appears prompting the user for an administrative password. The technician has no such password on file for this machine.

Which of the following steps should the technician take to resolve this issue?

- A. Press and hold the CPU power button for five seconds, and then power back on.
- B. Disconnect and reconnect the internal hard drive.
- C. Remove the CMOS battery and reinsert it after ten seconds.
- D. Remove the motherboard and place it back into the machine after ten minutes.

Answer: C

NEW QUESTION 80

Drag each mobile technology to the description of its use. Some answers will not be used.

Description	Wireless technology
Devices use haptic confirmation for sharing data wirelessly.	NFC
Devices are paired using a code for sharing data wirelessly.	Hotspot
Devices are placed in close proximity within line of sight for sharing data wirelessly.	IR
Devices are connected via a wire for sharing data or connectivity.	Tethering
	Bluetooth
	Cellular
	Lightning

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- 1 – IR
- 2 – Bluetooth
- 3 – NFC
- 4 – Tethering

NEW QUESTION 83

An end user reports a printer error that states "Replace filament". With which of the following types of printer is the end user MOST likely having problems?

- A. ink jet
- B. Laser
- C. 3-D
- D. Thermal

Answer: C

NEW QUESTION 86

A technician is ordering a new motherboard and processors for a company email server. When reviewing the vendor licensing agreement, the technician sees that there is a flat per-socket licensing fee.

Which of the following motherboard/processor combinations should the technician order get the BEST performance while minimizing licensing fees?

- A. A dual-processor motherboard with six hyper threaded cores each.
- B. A single-processor motherboard with hyper threaded eight cores.
- C. A dual-processor motherboard with eight overclocked cores each.
- D. A single-processor motherboard with ten overclocked cores.

Answer: D

NEW QUESTION 88

A user accidentally spills liquid on a laptop. The user wants the device to be fixed and would like to know how much it will cost. Which of the following steps should the technician take NEXT to verify if the device is repairable before committing to a price? (Choose two.)

- A. Remove the case and organize the parts.
- B. Document the screw locations.
- C. Search the Internet for repair tutorials.
- D. Consult colleagues for advice.
- E. Place the device in rice for a few days.

Answer: AB

NEW QUESTION 93

A technician is replacing an older video card with a new high-end video card in a workstation. The installation was successful, the new card seated properly, and power is connected. However, upon booting, the computer now emits several beeps and will not boot, but shows no error messages. Which of the following is

MOST likely the cause of this issue?

- A. The BIOS is out-of-date
- B. The is not enough PSU output
- C. There is an onboard RAM mismatch
- D. GPU is overlocked
- E. The firmware is out-of-date

Answer: B

NEW QUESTION 94

Which of the following is used to connect a headset to a laptop?

- A. eSATA
- B. BNC
- C. RG-6
- D. USB

Answer: D

NEW QUESTION 99

An engineer is working at a remote site that does not have Internet access. Which of the following features should the engineer use to connect a laptop to the Internet if hotspot functionality is unavailable?

- A. Tethering
- B. Near field communication
- C. Wireless LAN
- D. Virtual private network

Answer: A

NEW QUESTION 102

A user printed several documents to a shared network copier and noticed that they have very faint color density. A technician investigates the issue and verifies that the printer had a maintenance kit installed recently. Which of the following next steps will MOST likely resolve the issue? (Select two.)

- A. Replace the toner cartridges
- B. Replace the fuser module
- C. Clean the paper tray rollers
- D. Adjust the printer settings
- E. Replace the developer
- F. Empty the waste toner bottles

Answer: AC

NEW QUESTION 105

A user receives the following error message when powering on a computer:
Hard drive cannot be found.

A technician restarts the computer, and it boots the OS normally. Several days later, the user reports another problem, but rebooting the computer does not resolve the issue. The technician replaces the motherboard, keeping the same CPU, battery, RAM, and hard drive. The user cannot authenticate at the login screen Which of the following would BEST explain the causes of the problem? (Select TWO)

- A. POST error code beeps indicate RAM failure.
- B. The system time is not set correctly in the BIOS
- C. The voltage on the coin cell is drained completely
- D. UEFI firmware has the Secure Boot setting enabled
- E. Capacitors on the motherboard are distended
- F. Incorrect settings are booting the wrong device
- G. A BSOD error indicates the system is crashing

Answer: CE

NEW QUESTION 110

The touch-screen feature on a Windows device has stopped working. Which of the following should the technician check FIRST?

- A. Device Manager
- B. Performance Monitor
- C. System configuration
- D. Digitizer settings

Answer: D

NEW QUESTION 114

Which of the following technologies can be used for wireless payments?

- A. NFC
- B. Bluetooth
- C. IR

D. LTE

Answer: A

NEW QUESTION 117

An ISP has notified a SOHO user of a usage increase on the user's network. The user is concerned the WiFi network is being utilized by unauthorized users. Which of the following would minimize the unauthorized use of the WiFi network?

- A. Implement MAC filtering
- B. Enable NAT
- C. Create a network DMZ
- D. Upgrade the encryption standards

Answer: A

NEW QUESTION 119

A user wants to build a computer with a high-end CPU, plenty of RAM, and a high-end graphics card for online gaming. The user wants to verify that the graphics card is compatible with the motherboard. Which of the following connection types would the user MOST likely utilize to connect the video card to the motherboard?

- A. PCIe
- B. ISA
- C. AGP
- D. USB

Answer: A

NEW QUESTION 122

After upgrading a smartphone's OS, Joe, a user, reports the smartphone no longer connects to his automobile automatically when near it, Joe, restarts the smartphone, but the problem persists. Which of the following should a technician do NEXT to restore the previous functionality?

- A. Connect the smartphone to the automobile via USB
- B. Reenable the smartphone's Bluetooth radio
- C. Perform a rollback of the smartphone's OS
- D. Pair the smartphone with the automobile

Answer: B

NEW QUESTION 124

A user has reported application connectivity problems to the network administrator. The network administrator knows there have been firewall configuration changes recently by a security vendor and believes the issue could be related to a port being closed on the firewall. Which of the following should the network administrator do NEXT?

- A. See if the same application fails on another workstation
- B. Go into the firewall and open the port
- C. Verify system functionality on the user's workstation
- D. Document the issue for future reference

Answer: C

NEW QUESTION 126

The network administrator has changed the IP address of ComputerA from 192.168.1.20 to 10.10.10.20 and now jane, a user, is unable to connect to file shares on ComputerA from ComputerB using the computer name.

INSTRUCTIONS

Using the available tools, resolve the connectivity issues. After troubleshooting the issue, verify a successful connection. If at any time you would like to bring back the initial state of the simulation? please click the Reset All button.

```
-----  
--- Welcome to Computer A -----  
-----  
  
c: > |
```

```
Reply from 10.10.10.10.30: bytes=32 time=13ms TTL=52
Reply from 10.10.10.10.30: bytes=32 time=13ms TTL=52

Ping statistics for 10.10.10.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 13ms, Maximum = 13ms, Average = 13ms

c:\> ?
    % Invalid input detected, query help for valid commands.
c:\> help

    ipconfig
    nslookup
    ping
    tracert

    help

c:\> nslookup
    % Invalid input detected, query help for valid commands.
c:\> nslookup
    % Invalid input detected, query help for valid commands.
c:\> help

    ipconfig
    nslookup
    ping
    tracert
    help

c:\>
```

```
-----
--- Welcome to Computer B -----
-----

c:\>
```

```
-----  
c:\> ipconfig  
  
Windows IP Configuration  
  
Ethernet adapter Ethernet:  
  
    Connection-specific DNS Suffix . . . . . : local.net  
    IPv4 Address . . . . . : 10.10.10.30  
    Subnet Mask . . . . . : 255.255.255.0  
    Default Gateway . . . . . : 10.10.10.1  
  
c:\> ping 10.10.10.20  
  
Pinging 10.10.10.20 with 32 bytes of data:  
Reply from 10.10.10.20: bytes=32 time=13ms TTL=52  
  
Ping statistics for 10.10.10.20:  
    Packets: Sent = 4, Received = 4, Loat = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 13ms, Maximum = 13ms, Average = 13ms  
  
c:\> nslookup  
    * Invalid input detected, query help for valid commands.  
c:\>  
computerB
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

We need to flush the DNS to have the new IP address assigned to the same computer name. Use the ipconfig/flushdns command.

NEW QUESTION 130

An end user wants to have a second monitor installed on a laptop. Which of the following would allow a technician to configure the laptop to show both screens once the cable is connected?

- A. Plug an external monitor into the USB port.
- B. Use the Fn and function key combination
- C. Adjust the monitor display settings.
- D. Enable DisplayPort.

Answer: C

NEW QUESTION 132

Which of the following Internet connection types often terminates at a switching center and then requires the use of a different media for the last mile to the customer?

- A. ISDN

- B. DSL
- C. Fiber
- D. Cable

Answer: B

NEW QUESTION 137

The cloud model that represents a company maintaining some data in on-premise storage and some data in cloud-based storage is known as:

- A. hybrid
- B. private
- C. public
- D. community

Answer: A

NEW QUESTION 141

A client has three locations within city limits that need to be networked. Vendor network requirements for all three locations are a minimum of 1GB. Which of the following are the types of networks that will MOST likely be used for internal office and office-to-office networking? (Choose two.)

- A. MAN
- B. LAN
- C. WAN
- D. PAN
- E. SAN
- F. WLAN

Answer: AB

NEW QUESTION 143

A workstation was just moved to a new work location without a surge protector. It was working the day before, but now the PC will not power on, the fans will not spin, and there are no signs of activity. Which of the following should the technician do FIRST?

- A. Check the power cable connection
- B. Check the voltage of the PSU with a tester
- C. Test for distended capacitors
- D. Check the voltage switch

Answer: A

NEW QUESTION 148

A company is using a high-speed impact printer to create invoices on multi-layer forms. The printing on the top copy looks OK, but the lower copies are almost unreadable. Which of the following parts is MOST likely causing the problem?

- A. Print head
- B. Ribbon
- C. Pickup rollers
- D. Tractor feed

Answer: A

NEW QUESTION 151

A technician is setting up RAID 5 on a server that needs to be highly available. Which of the following is the BEST option to use for the array?

- A. Hot spare drives
- B. Large capacity drives
- C. Hot swappable drives
- D. Solid state drives

Answer: D

NEW QUESTION 152

A user states the department laser printer continues to display a paper jam error message despite the jam being cleared. Which of the following should a technician do to troubleshoot this problem?

- A. Check the paper path for blocked sensors
- B. Replace the duplex assembly
- C. Run the printer's internal diagnostics
- D. Verify the pickup rollers are in working order

Answer: A

NEW QUESTION 155

A network administrator would like to increase network bandwidth to iGbps between two office buildings that are 0.5mi (805m) apart. Which of the following would be the BEST solution?

- A. Fiber
- B. Coaxial
- C. Plenum
- D. Cat 6

Answer: A

NEW QUESTION 158

A technician is setting up a WiFi-enabled thermostat for a customer, but the customer is concerned about IoT devices getting hacked. Which of the following BEST address the customer's concerns? (Choose two.)

- A. Use the latest encryption standard on the wireless network and set a strong password.
- B. Enable two-factor authentication for the IoT device's cloud account, if it is available.
- C. Separate the IoT thermostat by segregating it in a DMZ network.
- D. Disable wireless access on the thermostat to make it unshakable.
- E. Upgrade the customer's router to the latest version to improve network security.
- F. Upgrade the customer's wireless network encryption to WPA.

Answer: AC

NEW QUESTION 161

A technician is setting up a VM for use in testing software deployments. The VM is offline, but the hypervisor is not. Which of the following settings should the technician change to resolve this issue?

- A. Virtual security
- B. Virtual storage
- C. Virtual CPU
- D. Virtual switch
- E. Virtual RAM

Answer: C

NEW QUESTION 165

A technician would like to install an internal storage drive for a computer. Which of the following cable connectors would MOST likely be used to transfer data? (Select TWO).

- A. USB-C
- B. IDE
- C. SATA
- D. USB-A
- E. Motex
- F. Lightning

Answer: BC

NEW QUESTION 166

A company has very strict rules regarding proprietary information leaving the premises. All computers host proprietary information. A technician is called to repair a computer on-site at the company's corporate office. The technician identifies the troubleshooting steps to create a plan of action. The technician determines the computer needs to be taken off-site for repair.

Which of the following should the technician do NEXT?

- A. Check corporate policies for guidance.
- B. Get authorization from the manager.
- C. Delete proprietary data before leaving the building.
- D. Remove the HDD and send the device for repair.

Answer: A

NEW QUESTION 168

A customer has two 8GB sticks of 2400-speed DDR4 installed in slots 1 and 2 of a computer and wants to add more RAM. The customer purchases two additional 4GB sticks of 3200-speed DDR4 and installs them in slots 3 and 4. While installing the RAM into the board, the user notices the board has "quad channel" etched near the RAM slots.

Which of the following can be said about the user's channel configuration after upgrading the RAM?

- A. The computer is utilizing one channel.
- B. The computer is utilizing two channels.
- C. The computer is utilizing three channels.
- D. The computer is utilizing four channels.

Answer: D

NEW QUESTION 170

Users report they have to select the output tray at the printer, even though the correct tray is selected in the print dialog. Which of the following should a technician perform FIRST to attempt to solve the problem?

- A. Check the user's account for the correct printing privileges.
- B. Reinstall the driver on the print server.

- C. Update the firmware on the commercial office printer.
- D. Run Windows Update on the affected computers.

Answer: B

NEW QUESTION 173

A technician is troubleshooting network connectivity issues after a new wireless router was installed in an office. Users who connect to the new router are unable to access LAN resources. Which of the following is the MOST likely cause of the issue?

- A. There are conflicting DHCP servers on the network
- B. There are conflicting ARP records
- C. There are conflicting gateways on the network
- D. There are conflicting IP protocols

Answer: A

NEW QUESTION 174

Virtual machines hosted in the cloud that are used by developers to code applications are an example of:

- A. FaaS
- B. BaaS
- C. PaaS
- D. SaaS
- E. IaaS

Answer: C

NEW QUESTION 177

Joe, a user, has purchased a new mobile device that uses a different OS than his previous one. Joe wants to copy his contacts and appointments from his corporate account without entering them manually.

Which of the following would be the BEST way for a technician to assist Joe?

- A. Log into the same email provider on the new device, and restore the contacts and dates.
- B. Create a Bluetooth connection between Joe's devices, and copy his contacts and calendar.
- C. Back up the old mobile device to a PC, and import the contacts and schedule from the PC.
- D. Use NFC to transfer all compatible data from one device to the other.

Answer: A

NEW QUESTION 178

A technician is troubleshooting a flickering screen on a laptop. After reseating the video cable and replacing the whole screen, the flickering issue remains the same. Which of the following steps should the technician take to try to isolate and fix the screen flickering issue prior to replacing the screen? (Select TWO).

- A. Update all device drivers on the computer
- B. Uninstall video-related programs, even the ones not running
- C. Update chipset and video drivers
- D. Configure the laptop to work on a high-performance state
- E. Flash the GPU RAM
- F. Check the behavior on an external monitor

Answer: AD

NEW QUESTION 181

An employee's mobile device no longer charges, and the employee believes the battery is bad. A technician tests the mobile device and finds it will charge on a wireless charging pad but not when it is connected to a charging cable. Other devices charge without issue when the cable is used. Which of the following should the technician perform FIRST to resolve the issue?

- A. Clean out the charging port on the device
- B. Replace the mobile device's battery
- C. Issue a new charging cable to the employee
- D. Send the device for service and give the employee a loaner

Answer: A

NEW QUESTION 186

A user's smartphone has been slow recently. A technician sees the phone was purchased two months ago, and it is top of the line. About a month ago, a new OS update was installed. To address the issue, the technician runs a hardware diagnostic on the device, and it reports no problems. Which of the following is MOST likely the cause of the performance issue on the device?

- A. Too many applications are running updates
- B. The device is currently running in airplane mode
- C. The internal memory is failing on the device
- D. The OS update is too resource intensive for the device

Answer: A

NEW QUESTION 190

A server needs a RAM upgrade, and a technician has been tasked with retrieving the RAM from storage and then installing it. Which of the following is the BEST RAM type for the technician to retrieve?

- A. SoDIMM
- B. DDR4
- C. Single channel
- D. ECC

Answer: B

NEW QUESTION 191

A technician needs to routinely run scripting commands in Linux but does not want to walk over the server room every time to perform the task. The technician also travels between buildings and has a Windows 10 laptop with 4GB of memory and a fully partitioned 500GB hard drive. Which of the following steps should the technician take to resolve this issue? (Choose two.)

- A. Increase the memory to 8GB.
- B. Install a Linux guest VM.
- C. Add another 500GB hard drive.
- D. Create a Linux LiveBoot CD.
- E. Repartition the hard drive.
- F. Install Linux on a new ext3 partition.

Answer: EF

NEW QUESTION 196

A customer asks a technician to help set up a specialized computing system for video editing. Which of the following should the technician install on the workstation to BEST meet the customer's specifications? (Choose two.)

- A. SSD
- B. Dual monitors
- C. Gigabit NIC
- D. Hypervisor
- E. Docking station
- F. NAS

Answer: AB

NEW QUESTION 199

Which of the following cloud computing concepts facilitates automated server deployment?

- A. NaaS
- B. IaaS
- C. PaaS
- D. SaaS

Answer: B

NEW QUESTION 203

Which of the following is designed to function BEST in harsh lighting conditions?

- A. Large tablet
- B. E-reader
- C. Smart watch
- D. Virtual reality headset

Answer: D

NEW QUESTION 206

A technician is replacing a broken screen on a new company laptop but does not have repair information from the vendor. Which of the following is the BEST way to proceed?

- A. Document and label the cable and screw locations.
- B. Replace the screen with a non-OEM.
- C. Update the firmware on the device before repairing it.
- D. Wait for the vendor to provide more information.

Answer: A

NEW QUESTION 207

A company is concerned about security of sensitive data on a laptop a user frequently takes off-site. Which of the following enables hardware encryption to secure user data?

- A. BIOS password
- B. Hibernation mode
- C. Trusted Platform Module

D. Screen-saver lock

Answer: C

NEW QUESTION 208

Which of the following peripherals would a company use to take inventory quickly and update price tags for products? (Choose two.)

- A. Barcode scanner
- B. Label printer
- C. Magnetic reader
- D. KVM switch
- E. NFC device
- F. Flatted scanner

Answer: AC

NEW QUESTION 213

Ann, an accountant, reports that after turning on her new laptop, she received a message stating her IP address is already in use on the system. She tried going back to her old desktop, which she now only uses for email, but received the same message. The technician checks the account and sees a comment that Ann requires a special network setup to connect to the banking software. Which of the following should the technician do to resolve the issue?

- A. Remove the static IP configuration from the desktop.
- B. Set the laptop configuration to DHCP to prevent conflicts.
- C. Replace the network card in the laptop, as it may be defective.
- D. Bridge the LAN connection between the laptop and the desktop.

Answer: B

NEW QUESTION 217

An end user has signed up to use a web-based calendar application. Which of the following solutions has the user purchased?

- A. DaaS
- B. SaaS
- C. PaaS
- D. IaaS

Answer: B

NEW QUESTION 220

A customer is using a cloud storage program that maintains a copy of local file on the cloud storage servers. The WF network is not very fast, and the customer users bandwidth intensive video streaming all day. Which of the following parameters should be adjust to keep the cloud storage program from using too much bandwidth?

- A. Synchronization settings
- B. Wireless settings
- C. Video streaming settings
- D. QoS settings

Answer: D

NEW QUESTION 222

A small business owner with a limited budget wants to host a company website and ERP applications in the cloud. Which of the following would be the BEST cloud model to accomplish this task?

- A. DaaS
- B. IaaS
- C. PaaS
- D. SaaS

Answer: C

NEW QUESTION 227

A technician is setting up a new SOHO router for a home user. The user has a media server to be accessible from the Internet while the user is traveling. Which of the following should the technician configure to allow access to the server from the Internet?

- A. Port forwarding
- B. NAT
- C. MAC filtering
- D. QoS

Answer: A

NEW QUESTION 229

An end user reports a Windows based PC just had a BSOD. The PC rebooted, and the user is now logged back in and working without any issues. Which of the following should a technician check FIRST to begin troubleshooting?

- A. Hard drive S.M.A.R.
- B. data
- C. Event Viewer
- D. Device Manager
- E. BIOS settings
- F. Performance Monitor

Answer: B

NEW QUESTION 230

A technician is configuring a new web server and must have over 10TB of fault-tolerant storage, while minimizing the number of failure points. The applications on the server also require the highest performance available. Which of the following configurations would the technician MOST likely select?

- A. RAID 0 with 1500rpm 15TB drives
- B. RAID 1 with 1000rpm 8TB drives
- C. RAID 5 with 7200rpm 5TB drives
- D. RAID 10 with 5400rpm 6TB drives

Answer: D

NEW QUESTION 234

Which of the following features will save the battery life of a laptop significantly if they are disabled? (Choose two.)

- A. Touchpad
- B. Volume
- C. Screen orientation
- D. Cellular
- E. Bluetooth
- F. Fingerprint reader

Answer: DE

NEW QUESTION 238

A technician is setting up a new wireless network at a branch office that previously had only wired connectivity with statically assigned IP addresses. After setting up the network, the technician configures a server to provide IP addresses to wireless clients. During testing, the technician is unable to access the Internet or named network resources. The technician receives a valid IP address from the DHCP server and can ping the default gateway. Which of the following should be technician check NEXT to resolve this issue?

- A. Ensure the options are configured to provide a DNS server.
- B. Verify the Windows Firewall is turned off.
- C. Configure the wireless network's SSID to be hidden.
- D. Enable file and printer sharing in the OS.

Answer: A

NEW QUESTION 243

A client brings in a smartphone with a cracked screen to be repaired. During the repair process, the technician places the screws in a small container to prevent losing them. The technician tests the replacement screen to ensure it works properly before dosing the device. Once the device is back together however it does not power on. The technician disassembles the device once again to test the screen and finds it has shorted out. Which of the following disassembly procedures should the technician have followed to prevent this from occurring?

- A. Label the locations of the screws
- B. Refer to manufacturer resources
- C. Document the orientation of the cables
- D. Use the appropriate hand tools

Answer: A

NEW QUESTION 246

A user reports that printing on heavy cardstock paper results in the image smearing if touched. When printing on plain paper, the problem does not occur. Which of the following would be the NEXT troubleshooting step to perform?

- A. Increase the fuser temperature.
- B. Change the paper feed rate.
- C. Clean the transfer roller.
- D. Replace the toner cartridge.

Answer: A

NEW QUESTION 248

A network administrator is troubleshooting a notebook that is not loading the local Windows 10 operating system. All the computers inside the company are installed using UEFI mode selected. The message on the screen shows a failed attempt to connect to a PXE server. When requested, the end user reported trying to improve the computer's speed by changing some BIOS configurations randomly. Which of the following should the network administrator check FIRST inside BIOS?

- A. C-states should be configured to 2
- B. Secure Boot should be enabled

- C. Wake-on-LAN should be unchecked
- D. The PXE server address should be set

Answer: D

NEW QUESTION 253

Which of the following is considered a connection-oriented protocol?

- A. UDP
- B. TCP
- C. SSH
- D. HTTP

Answer: B

NEW QUESTION 257

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 220-1001 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 220-1001 Product From:

<https://www.2passeasy.com/dumps/220-1001/>

Money Back Guarantee

220-1001 Practice Exam Features:

- * 220-1001 Questions and Answers Updated Frequently
- * 220-1001 Practice Questions Verified by Expert Senior Certified Staff
- * 220-1001 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 220-1001 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year