



Salesforce

Exam Questions Platform-Developer-I

Platform Developer I

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

The sales management team at Universal Container requires that the Lead Source field of the Lead record be populated when a.. converted. What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Use a formula field.
- B. Use a validation rule.
- C. Use Lead Conversation field mapping.
- D. Create an after trigger on Lead.

Answer: B

NEW QUESTION 2

A custom Visualforce controller calls the `ApexPages.addMessage ()` method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. `<apex: pageMessages />`
- B. `<apex: pageMessage severity="info"/>`
- C. `<Apex: facet name=" message"/>`
- D. `<Apex: message for=" info"/>`

Answer: B

NEW QUESTION 3

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple subjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL.

Which three statements are useful inside the unit test to effectively test the custom controller? Choose 3 answers

- A. `insert pageRef.`
- B. `Test.setCurrentPage(pageRef);`
- C. `public ExtendedController(ApexPages StandardController cntrl) { }`
- D. `ApexPages.CurrentPage().getParameters().put('input', 'TestValue');`
- E. `String nextPage - controller.save().getUrl();`

Answer: BDE

NEW QUESTION 4

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

Answer: D

NEW QUESTION 5

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.

In which two ways can this be accomplished? Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a public property to pass the data to the child component.

Answer: AD

NEW QUESTION 6

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

Answer: CDE

NEW QUESTION 7

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

Answer: AB

NEW QUESTION 8

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, `Engineering_Support__c`. Users should be able to associate multiple `Engineering_Support__c` records to a single Opportunity record. Additionally, aggregate information about the `Engineering_support__c` records should be shown on the Opportunity record. What should a developer implement to support these requirements?

- A. Master-detail field from `Engineering_Support__c` to Opportunity.
- B. Master-detail field from Opportunity to `Engineering_Support__c`
- C. Lookup field from `Engineering_support__c` to Opportunity
- D. Lookup field from Opportunity to `Engineering_Support__c`

Answer: A

NEW QUESTION 9

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders. What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

Answer: D

NEW QUESTION 10

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. `emit()`
- B. `fireEvent()`
- C. `fire()`
- D. `registerEvent()`

Answer: C

NEW QUESTION 10

A developer wants to get access to the standard price book in the org while writing a test class that covers an OpportunityLineItem trigger. Which method allows access to the price book?

- A. Use `Test.loadData()` and a static resource to load a standard price book
- B. Use `@TestVisible` to allow the test method to see the standard price book.
- C. Use `Test.getStandardPricebookid()` to get the standard price book ID.
- D. Use `@IsTest (SeeAllData=True)` and delete the existing standard price book

Answer: C

NEW QUESTION 11

What are three characteristics of change set deployments? Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Change sets can be used to transfer records.
- C. Sending a change set between two orgs requires a deployment connection.
- D. Change sets can deploy custom settings data.
- E. Deployment is done in a one-way, single transaction.

Answer: ABE

NEW QUESTION 12

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships
- D. Process Builder
- E. Custom Objects and Fields

Answer: ACD

NEW QUESTION 13

A developer has an integer variable called maxAttempts. The developer needs to ensure that once maxAttempts is initialized, it preserves its value for the length of the Apex transaction; while being able to share the variable's state between trigger executions. How should the developer declare maxAttempts to meet these requirements?

- A. Declare maxAttempts as a member variable on the trigger definition.
- B. Declare maxAttempts as a private static variable on a helper class
- C. Declare maxAttempts as a constant using the static and final keywords
- D. Declare maxAttempts as a variable on a helper class

Answer: C

NEW QUESTION 17

The following code snippet is executed by a Lightning web component in an environment with more than 2,000 lead records:

```
@AuraEnabled
public void static updateLeads() {
    for(Lead thisLead : [SELECT Origin__c FROM Lead]){
        thisLead.LeadSource = thisLead.Origin;
        update thisLead;
    }
}
```

Which governor limit will likely be exceeded within the Apex transaction?

- A. Total number of DML statement issued
- B. Total number of SOQL queries issued
- C. Total number of records retrieved by SOQL queries
- D. Total number of records processed as a result of DML statements

Answer: C

NEW QUESTION 18

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers
- B. helper
- C. Design
- D. Style
- E. Renderer

Answer: ABE

NEW QUESTION 22

A developer wants to import 500 Opportunity records into a sandbox. Why should the developer choose to use data Loader instead of Data Import Wizard?

- A. Data Loader runs from the developer's browser.
- B. Data Import Wizard does not support Opportunities.
- C. Data Loader automatically relates Opportunities to Accounts.
- D. Data Import Wizard can not import all 500 records.

Answer: B

NEW QUESTION 26

Assuming that name is a String obtained by an <apex:inputText> tag on a Visualforce page, which two SOQL queries performed are safe from SOQL injection? Choose 2 answers

- A)


```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '\'';
List<Account> results = Database.query(query);
```
- B)


```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '\'';
List<Account> results = Database.query(query);
```
- C)


```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '\'';
List<Account> results = Database.query(query);
```
- D)


```
String query = '\'' + name + '\'';
List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: CD

NEW QUESTION 31

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

Answer: AB

NEW QUESTION 35

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

Answer: AC

NEW QUESTION 40

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

Answer: B

NEW QUESTION 44

The values 'High', 'Medium', and 'Low' are Identified as common values for multiple picklist across different object. What is an approach a developer can take to streamline maintenance of the picklist and their values, while also restricting the values to the ones mentioned above?

- A. Create the Picklist on each object and use a Global Picklist Value Set containing the Values.
- B. Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- C. Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".
- D. Create the Picklist on each and add a validation rule to ensure data integrity.

Answer: A

NEW QUESTION 49

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

Answer: B

NEW QUESTION 54

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked
- D. Cascading delete operations

Answer: A

NEW QUESTION 56

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

- A. Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}
- B. Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}
- C. Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}
- D. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /*implementation*/ }public void draw() { /* implementation */}}

Answer: C

NEW QUESTION 59

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. ApexPages.currentPage() .getParameters() .get('url_param')
- B. ApexPages.currentPage() .getParameters() .get('url_param') .escapeHtml4()
- C. String.ValueOf(ApexPages.currentPage() .getParameters() .get('url_param'))
- D. String.escapeSingleQuotes(ApexPages.currentPage() .getParameters(). get('url_param'))

Answer: B

NEW QUESTION 64

A custom picklist field, Food_Preference__c, exist on a custom object. The picklist contains the following options: 'Vegan','Kosher','No Preference'. The developer must ensure a value is populated every time a record is created or updated. What is the most efficient way to ensure a value is selected every time a record is saved?

- A. Set "Use the first value in the list as the default value" as True.
- B. Set a validation rule to enforce a value is selected.
- C. Mark the field as Required on the field definition.
- D. Mark the field as Required on the object's page layout.

Answer: C

NEW QUESTION 68

A developer migrated functionality from JavaScript Remoting to a Lightning web component and wants to use the existing getOpportunities() method to provide data.

What to do now?

- A. The method must be decorated with (cacheable=true).
- B. The method must be decorated with @AuraEnabled.
- C. The method must return a JSON Object.
- D. The method must return a String of a serialized JSON Array.

Answer: A

NEW QUESTION 69

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

Answer: BDE

NEW QUESTION 70

Universal Containers has a Visualforce page that displays a table of every Container__c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 74

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.
- C. Remove the failing test methods from the test class.
- D. Increase the test class coverage on the helper class

Answer: C

NEW QUESTION 78

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use Test.loadDataO < > and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use Test.loadDataO and reference a JSON file in Documents.

Answer: B

NEW QUESTION 82

Universal Containers recently transitioned from Classic to Lightning Experience. One of its business processes requires certain value from the opportunity object to be sent via HTTP REST callout to its external order management system based on a user-initiated action on the opportunity page. Example values are as follow

- > Name
- > Amount
- > Account

Which two methods should the developer implement to fulfill the business requirement? (Choose 2 answers)

- A. Create a Lightning component that performs the HTTP REST callout, and use a Lightning Action to expose the component on the Opportunity detail page.
- B. Create a Process Builder on the Opportunity object that executes an Apex immediate action to perform the HTTP REST callout whenever the Opportunity is updated.
- C. Create an after update trigger on the Opportunity object that calls a helper method using @Future(Callout=true) to perform the HTTP REST callout.
- D. Create a Visualforce page that performs the HTTP REST callout, and use a Visualforce quick action to expose the component on the Opportunity detail page.

Answer: AC

NEW QUESTION 86

Universal Containers wants to back up all of the data and attachments in its Salesforce org once month. Which approach should a developer use to meet this requirement?

- A. Use the Data Loader command line.
- B. Create a Schedulable Apex class.
- C. Schedule a report.
- D. Define a Data Export scheduled job.

Answer: D

Explanation:

Scheduling a Data Export job is the best way to back up all the data and attachments in a Salesforce org once a month. The Data Export job can be scheduled to run at a certain frequency so that the data can be backed up on a regular basis. This makes it easy to restore the data in case of any emergency.

NEW QUESTION 87

A business has a proprietary Order Management System (OMS) that creates orders from their website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order. As the order goes through different stages in the OMS, the integration also updates It in Salesforce. It is noticed that each update from the OMS creates a new order record in Salesforce. Which two actions will prevent the duplicate order records from being created in Salesforce? Choose 2 answers

- A. Ensure that the order number in the OMS is unique.
- B. Use the order number from the OMS as an external ID.
- C. Use the email on the contact record as an external ID.
- D. Write a before trigger on the order object to delete any duplicates.

Answer: AD

NEW QUESTION 92

A development team wants to use a deployment script lo automatically deploy lo a sandbox during their development cycles.

Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

Answer: AB

NEW QUESTION 94

A Salesforce Administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component.

Which tag should a developer use to display the flow in the component?

- A. Lightning-flow
- B. Aura:flow
- C. Lightning:flow
- D. Aura:flow

Answer: C

NEW QUESTION 99

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

Answer: C

NEW QUESTION 100

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService(public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Answer: D

NEW QUESTION 104

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

Answer: ABE

NEW QUESTION 107

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use Test.loadData to populate data in your test methods.
- C. Use the @isTest(seeAllData=true) annotation in the test class.
- D. Create a static resource containing test data.

Answer: BD

NEW QUESTION 112

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /* implementation*/ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /*implementation*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /*implementation*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /*implementation*/ }

Answer: A

NEW QUESTION 115

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type? ns

- A. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() | metho
- B.]]
- C. Use Opportunit
- D. SObjectType.getDescribe().getRecordTypeInfo() to get a list of record types, and iterate through them until [JisDefaultRecordTypeMapping() is tru
- E. Pencil & Paper |
- F. Use the Schema.userInfo.Opportunity.getDefaultRecordType() metho
- G. <Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current Dal user's default record type.

Answer: B

NEW QUESTION 117

Consider the following code snippet:

```
public static List<Lead> obtainAllFields(Set<Id> leadIds) {
    List<Lead> result = new List<Lead>();
    for(Id leadId : leadIds){
        result.add([SELECT FIELDS (ALL) FROM Lead WHERE Id = :leadId]);
    }
    return result;
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. Avoid executing queries without a limit clause.
- B. Avoid returning an empty List of records.
- C. Avoid using variables as query filters.
- D. Avoid performing queries inside for loops.

Answer: D

NEW QUESTION 122

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components. Which annotation should the developer add to the Apex method to achieve this?

- A) `@AuraEnabled(cacheable=true)`
- B) `@AuraEnabled`
- C) `@RemoteAction`
- D) `@RemoteAction(cacheable=true)`

- A. Option
- B. Option
- C. Option
- D. Option

Answer: B

NEW QUESTION 126

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

Answer: C

NEW QUESTION 130

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in the class constructor.
- B. Use the final keyword and assign its value in the class constructor.
- C. Use the static keyword and assign its value in a static initializer.
- D. Use the final keyword and assign its value when declaring the variable.

Answer: BD

NEW QUESTION 131

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIS.

Answer: B

NEW QUESTION 136

A developer is tasked to perform a security review of the ContactSearch Apex class that exists in the system. Within the class, the developer identifies the following method as a security threat: `List<Contact> performSearch(String lastName){ return Database.query('Select Id, FirstName, LastName FROM Contact WHERE LastName Like %'+lastName+'%'); }` What are two ways the developer can update the method to prevent a SOQL injection attack? Choose 2 answers

- A. Use variable binding and replace the dynamic query with a static SOQL.
- B. Use the `escapeSingleQuote` method to sanitize the parameter before its use.
- C. Use a regular expression on the parameter to remove special characters.
- D. Use the `@ReadOnly` annotation and the `with sharing` keyword on the class.

Answer: AB

NEW QUESTION 137

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

Answer: A

NEW QUESTION 138

An org tracks customer orders on an Order object and the items of an Order on the Line Item object. The Line Item object has a MasterDetail relationship to the order object. A developer has a requirement to calculate the order amount on an Order and the line amount on each Line item based on quantity and price. What is the correct implementation?

- A. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- C. Implement the Line amount as a currency field and the order amount as a SUM formula field.
- D. Write a process on the Line item that calculates the item amount and order amount and updates the field on the Line Item and the order.

Answer: C

NEW QUESTION 142

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component
- C. Lightning page
- D. Lightning flow

Answer: B

Explanation:

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

NEW QUESTION 147

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

Answer: AB

NEW QUESTION 148

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. `@BeforeTest`

- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

Answer: C

NEW QUESTION 152

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

Answer: A

NEW QUESTION 154

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accounted, name), contacted, name)
- B. FIND Universal Containers' IN CompanyName Fields RETURNING lead{I
- C. name), accounted, name), contacted, name)
- D. SELECT lead(id, name). accountOd, name), contacted, name) FROM Lead, Account, Contact WHERE Name = "universal Containers'
- E. SELECT Lead.i
- F. Lead.Name, Account.Id, AccountName, Contacted, Contact.Name FROM Lead, Account, Contact WHERE CompanyName * Universal Containers'

Answer: A

NEW QUESTION 156

What are three ways for a developer to execute tests in an org? Choose 3.

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. Salesforce DX
- E. Metadata API.

Answer: BCD

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_testing.htm https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuit

NEW QUESTION 160

Which two settings must be defined in order to update a record of a junction object? Choose 2 answers

- A. Read access on the primary relationship
- B. Read/Write access on the secondary relationship
- C. Read/Write access on the primary relationship
- D. Read/Write access on the junction object

Answer: BC

NEW QUESTION 164

Which Apex class contains methods to return the amount of resources that have been used for a particular governor, such as the number of DML statements?

- A. Exception
- B. Messaging
- C. OrgLimits
- D. Limits

Answer: D

NEW QUESTION 168

A developer is integrating with a legacy on-premise SQL database.

What should the developer use to ensure the data being integrated is matched to the right records in Salesforce?

- A. Lookup field
- B. External ID field
- C. Formula field
- D. External Object

Answer: B

NEW QUESTION 172

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use the Flow properties page.
- B. Use the code Coverage Setup page
- C. Use the Apex testresult class
- D. Use SOQL and the Tooling API

Answer: D

NEW QUESTION 174

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL? Choose 2 answers

- A. SOSL is able to return more records.
- B. SOQL is faster for text searches.
- C. SOSL is faster for text searches.
- D. SOQL is able to return more records.

Answer: CD

NEW QUESTION 179

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a CEILING formula on each of the Latest availability date fields.
- B. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
- C. Use a LATEST formula on each of the latest availability date fields.
- D. Use a Max Roll-Up Summary field on the Latest availability date fields.

Answer: D

NEW QUESTION 182

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

Answer: AB

NEW QUESTION 184

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience. What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

Answer: A

NEW QUESTION 188

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /*implementation*/ } }
- B. Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- C. Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- D. Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /*Implementation*/ } }

Answer: A

NEW QUESTION 189

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the Laptop Interface within the SilverLaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop

- B. public class SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

Answer: B

NEW QUESTION 193

A developer created a Lightning web component called statusComponent to be inserted into the Account record page. Which two things should the developer do to make the component available?

- A. Add <isExposed> true</isExposed> to the statusComponent.js-meta ml file.
- B. Add <target> lightning_RecordPage </target> to the statusComponent.js-meta ml file.
- C. Add < masterLabel>Account</master Label> to the statusComponent.js-meta ml file.
- D. Add<target> Lightning_RecordPage </target> to the statusComponent.js file.

Answer: AB

NEW QUESTION 196

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class list view in Salesforce Setup.
- C. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

Answer: B

NEW QUESTION 197

A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Line Item has a re-parentable master-detail field to Order.
- B. Order has a re-parentable master-detail field to Line Item.
- C. Line Item has a re-parentable lookup field to Order.
- D. Order has a re-parentable lookup field to Line Item.

Answer: A

NEW QUESTION 199

A developer wrote Apex code that calls out to an external system. How should a developer write the test to provide test coverage?

- A. Write a class that extends HTTPCalloutMock.
- B. Write a class that implements the HTTPCalloutMock interface.
- C. Write a class that implements the WebserviceMock interface.
- D. Write a class that extends WebserviceMock

Answer: B

NEW QUESTION 203

Universal Containers has a Visualforce page that displays a table of every Container_c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 207

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. public interface PaymentProcessor { void pay(Decimal amount); } Which is the correct implementation to use the PaymentProcessor interface class?

- A. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }
- B. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }
- C. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }
- D. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }

Answer: B

NEW QUESTION 211

The Job_Application__c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job_Application__c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job_Applications_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job_Application_c) FROM Contact WHERE Account.Industry = 'Technology'];

Answer: B

NEW QUESTION 215

.....

Relate Links

100% Pass Your Platform-Developer-I Exam with Exam Bible Prep Materials

<https://www.exambible.com/Platform-Developer-I-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>