


CTFL-Foundation Dumps

Certified Tester Foundation Level

<https://www.certleader.com/CTFL-Foundation-dumps.html>



NEW QUESTION 1

You are about to release a test progress report to a senior manager, who is not a test specialist. Which of the following topics should NOT be included in the test progress report? 1 credit

- A. Product risks which have been mitigated and those which are outstanding.
- B. Recommendations for taking controlling actions
- C. Status compared against the started exit criteria
- D. Detailed overview of the risk-based test approach being used to ensure the exit criteria to be achieved

Answer: D

NEW QUESTION 2

Considerable attention will be given in this project to defining exit criteria and on reporting back on their status. Which combination of TWO exit criteria from the list would be best to use? 1 credit

- A. Total number of defects foundI
- B. Percentage of test cases executedII
- C. Total test effort planned versus total actual test effort spentI
- D. Defect trend (number of defects found per test run over time
- E. (i) and (ii)
- F. (i) and (iv)
- G. (ii) and (iii)
- H. (ii) and (iv)

Answer: D

NEW QUESTION 3

As part of the improvement program, the organization is also looking at tool support. Which type of tool could be used to ensure higher quality of the code to be reviewed? 1 credit

- A. Review tool
- B. Test execution tool
- C. Static analysis tool
- D. Test design tool

Answer: C

NEW QUESTION 4

Which of the following is a project risk mitigation step you might take as test manager? 1 credit

- A. Testing for performance problems
- B. Hiring a contractor after a test analyst leaves the company
- C. Arranging a back-up test environment in case the existing one fails during testing
- D. Performing a project retrospective meeting using the test results after each increment

Answer: C

NEW QUESTION 5

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk? 2 credits

- A. Component testing: decision testing; System testing: exploratory testing
- B. Component testing: decision testing; System testing: decision table testing
- C. Component testing: statement testing; System testing: equivalence partitioning
- D. Component testing: statement testing; System testing: decision table partitioning

Answer: B

NEW QUESTION 6

What is the Risk Priority Number for risk item number 2? 2 credits

- A. 16
- B. 2
- C. 1
- D. 63

Answer: D

NEW QUESTION 7

Which of the following is a benefit of independent testing? 1 credit

- A. Code cannot be released into production until independent testing is complete.
- B. Testing is isolated from development.
- C. Independent testers find different defects and are unbiased.
- D. Developers do not have to take as much responsibility for quality

Answer: C

NEW QUESTION 8

Which of the following is a valid drawback of independent testing? 1 credit

- A. Developer and independent testing will overlap and waste resources.
- B. Developers lose the sense of responsibility and independent testers may become a bottleneck.
- C. Independent testers need extra education and always cost more.
- D. Independent testers will become a bottleneck and introduce problems in incident management

Answer: B

NEW QUESTION 9

Which aspect in the test estimate is the main risk in this project? 1 credit

- A. Quality of the specification
- B. Availability of end-users
- C. The costs of hardware and tools
- D. Unknown input quality due to third party development

Answer: D

NEW QUESTION 10

Comparing TMMi and TPI, which is not a valid reason for choosing either TPI or TMMi? 2 credits

- A. If the scope of test performance improvement covers all test levels, TMMi is preferred since TPI focuses mainly on black-box testing.
- B. If the organization is already applying CMMI, TMMi may be preferred since it has the same structure and uses the same terminology
- C. TMMi addresses management commitment very strongly and is therefore more suitable to support a top-down improvement process.
- D. TPI is much more a bottom-up model that is suitable for addressing test topics for a specific (test) project.
- E. TMMi can only be used with the traditional V model, whereas TPI can be used with all types of software life cycle

Answer: D

NEW QUESTION 10

Which THREE activities would be valid steps during the development of the test strategy? 2 credits (2 out correct 1 credit)

- A. Identify test staff members that will be involved in the system test
- B. Define test career paths
- C. Understand the software development life cycle used by the software house
- D. Assess the testing that needs to be done to minimize the risks
- E. Issue the test strategy document for review
- F. Define a master test plan template
- G. Perform a project risk analysis

Answer: CDE

NEW QUESTION 12

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test strategy document
 - B. The overall estimated costs, timescales and resource requirements
 - C. A detailed schedule of testing activities
 - D. The development deliverables to be tested
 - E. Which test staff members (names) will be involved and when
 - F. Level of requirements coverage achieved
- Which THREE of the above mentioned characteristics relate to the master test plan? 1 credit
- G. a
 - H. b
 - I. c
 - J. d
 - K. e
 - L. f

Answer: ABD

NEW QUESTION 13

Which of the following is NOT a typical key challenge for testing in a RAD based development approach? 1 credit

- A. Re-usable test scripts for (automated) regression testing
- B. Project management and control
- C. No complete requirements specification
- D. Time-boxing

Answer: B

NEW QUESTION 16

Continuing with the Scenario described in the previous question, which of the following topics would you need to address in detail in the master test plan? 3 credits

- A. An approach to regression testing
- B. A list of boundary values for "advance amount"
- C. A description of dependencies between test cases
- D. A logical collection of test cases

Answer: A

NEW QUESTION 20

The effect of testing is to:

- A. Increase software quality;
- B. Give an indication of the software quality;
- C. Enable those responsible for software failures to be identified;
- D. Show there are no problems remaining?

Answer: B

NEW QUESTION 22

Which of the following statements describes a key principle of software testing?

- A. Automated tests allow better statements of confidence about the quality of software products.
- B. For a software system, it is normally impossible to test all the input and output combinations.
- C. Exhaustive software testing is, with enough effort and tool support, feasible for all software.
- D. The purpose of software testing is demonstrating the absence of defects in software product

Answer: B

NEW QUESTION 25

Which of the following are aids to good communication, and which hinder it?

- A. Try to understand how the other person feels.i
- B. Communicate personal feelings, concentrating upon individuals.ii
- C. Confirm the other person has understood what you have said and vice versa.i
- D. Emphasize the common goal of better quality.
- E. Each discussion is a battle to be won.
- F. (i), (ii) and (iii) aid, (iv) and (v) hinder.
- G. (iii), (iv) and (v) aid, (i) and (ii) hinder.
- H. (i), (iii) and (iv) aid, (ii) and (v) hinder.
- I. (ii), (iii) and (iv) aid, (i) and (v) hinder

Answer: C

NEW QUESTION 28

Designing the test environment set-up and identifying any required infrastructure and tools are a part of which phase:

- A. Test Implementation and execution
- B. Test Analysis and Design
- C. Evaluating the Exit Criteria and reporting
- D. Test Closure Activities

Answer: B

NEW QUESTION 30

Non-functional system testing includes:

- A. Testing to see where the system does not function properly
- B. Testing quality attributes of the system including performance and usability
- C. Testing a system feature using only the software required for that action
- D. Testing a system feature using only the software required for that function
- E. Testing for functions that should not exist

Answer: B

NEW QUESTION 33

A tool that supports traceability, recording of incidents or scheduling of tests is called..?

- A. A dynamic analysis tool
- B. A test execution tool
- C. A debugging tool
- D. A test management tool
- E. A configuration management tool

Answer: D

NEW QUESTION 35

Which of the following is most likely to cause failure in the implementation of a test tool?

- A. Underestimating the demand for a tool.
- B. The purchase price of the tool.
- C. No agreed requirements for the tool.
- D. The cost of resources to implement and maintain the too

Answer: C

NEW QUESTION 37

A test management tool is most likely to integrate with which of the following tools?

- A. Performance testing tool
- B. Test data preparation tool
- C. Static analysis tool
- D. Requirements management tool

Answer: D

Explanation:

Requirements management tools (option (D)) often have interfaces with test management tools. In some cases they will be sold as a package or in other cases a test management tool may have its own requirements module. The use of such interfaces or integrated packages aids traceability from requirements through to test scripts and defects.

Performance management tools (option (A)), test data preparation tools (option (B)) and static analysis tools (option (C)) are unlikely to have an interface or be integrated with a test management tool. They serve different purposes and therefore there is little need for such interfaces.

NEW QUESTION 38

According to the ISTQB Glossary, regression testing is required for what purpose?

- A. To verify the success of corrective actions.
- B. To prevent a task from being incorrectly considered completed.
- C. To ensure that defects have not been introduced by a modification.
- D. To motivate better unit testing by the programmer

Answer: C

NEW QUESTION 39

Tools like change Man, Clear case are used as..?

- A. functional automation tools
- B. performance testing tools
- C. configuration management tools
- D. none of the above

Answer: C

NEW QUESTION 42

Which is not the testing objective?

- A. Finding defects
- B. Gaining confidence about the level of quality and providing information
- C. Preventing defects.
- D. Debugging defects

Answer: D

NEW QUESTION 44

Hand over of Testware is a part of which Phase:

- A. Test Analysis and Design
- B. Test Planning and control
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

Answer: C

NEW QUESTION 48

A new system is about to be developed. Which of the following functions has the highest level of risk?

- A. Likelihood of failure = 20%; impact value = £100,000
- B. Likelihood of failure = 10%; impact value = £150,000
- C. Likelihood of failure = 1%; impact value = £500,000
- D. Likelihood of failure = 2%; impact value = £200,000

Answer: A

Explanation:

In (B) the product of probability \times impact has the value £15,000; in (C) the value is £5,000 and in (D) it is £4,000. The value of £20,000 in (A) is therefore the highest.

NEW QUESTION 51

Which of the following defects is most likely to be found by a test harness?

- A. Variance from programming standards.
- B. A defect in middleware.
- C. Memory leaks.
- D. Regression defects.

Answer: B

Explanation:

Variance from programming standards defects (option (A)) are found during the review or static testing process.

Therefore a test harness is unlikely to find a defect in programming standards.

Memory leak defects (option (C)) could potentially be found by a test harness designed to run many test cases. Regression defects (option (D)) could be found using many types of test tool.

Defects in middleware (option (B)) are generally more likely to be found by a test harness or a dynamic analysis tool than by any other type of tool.

NEW QUESTION 54

Which of the following are most characteristic of structure-based testing?

- (i) Information about how the software is constructed is used to derive test cases.
- (ii) Statement coverage and/or decision coverage can be measured for existing test cases.
- (iii) The knowledge and experience of people are used to derive test cases.
- (iv) Test cases are derived from a model or specification of the system.

- A. (i) and (ii)
- B. (ii) and (iii)
- C. (ii) and (iv)
- D. (i) and (iii)

Answer: A

NEW QUESTION 56

For which of the following activities in the fundamental test process would an incident management tool be most useful?

- A. Test planning and control
- B. Test analysis and design
- C. Test implementation and execution
- D. Evaluating exit criteria and reporting

Answer: C

Explanation:

Incident management tools are most useful during test implementation and execution as this is the stage at which the tool is used to raise, manage, retest and close incidents.

The data collected during the defect life cycle can then be manipulated into information that is useful for other activities within the fundamental test process.

Information on numbers of defects outstanding may be useful for evaluating exit criteria (option (D)). This information could also be used for planning future testing and for taking control (option (A)).

Incident management tools can also assist in test analysis and design (option (B)) as information about defects found when testing the previous release of the system could be used when analyzing the type of testing required for the next enhancement.

NEW QUESTION 57

A washing machine has three temperature bands for different kinds of fabrics: fragile fabrics are washed at temperatures between 15 and 30 degrees Celsius; normal fabrics are washed at temperatures between 31 and 60 degrees Celsius; heavily soiled and tough fabrics are washed at temperatures between 61 and 100 degrees Celsius.

Which of the following contains only values that are in different equivalence partitions? A. 15, 30, 60

- A. 20, 35, 60
- B. 25, 45, 75
- C. 12, 35, 55

Answer: C

Explanation:

Answer (A) includes two values from the lower partition, answer (B) contains two values from the second partition, answer (D) contains one value that is invalid (out of range).

NEW QUESTION 61

During the software development process, at what point can the test process start?

- A. When the code is complete.
- B. When the design is complete.
- C. When the software requirements have been approved.
- D. When the first code module is ready for unit testing

Answer: C

NEW QUESTION 64

Which of the following statements BEST describes the difference between testing and debugging?

- A. Testing pinpoints (identifies the source of) the defect
- B. Debugging analyzes the faults and proposes prevention activities.
- C. Dynamic testing shows failures caused by defect
- D. Debugging finds, analyzes, and removes the causes of failures in the software.
- E. Testing removes fault
- F. Debugging identifies the causes of failures.
- G. Dynamic testing prevents causes of failure
- H. Debugging removes the failure

Answer: B

NEW QUESTION 67

When what is visible to end-users is a deviation from the specific or expected behavior, this is called..?

- A. An error
- B. A fault
- C. A failure
- D. A defect
- E. A mistake

Answer: C

NEW QUESTION 69

Which statement is most true?

- A. Different testing is needed depending upon the application.
- B. All software is tested in the same way.
- C. A technique that finds defects will always find defects.
- D. A technique that has found no defects is not useful.

Answer: A

Explanation:

This is a restatement of the testing principle 'Testing is context dependent'

NEW QUESTION 73

Consider the following pseudo code: 1 Begin

2 Read Time

3 If Time < 12 Then

4 Print(Time, "am")

5 Endif

6 If Time > 12 Then

7 Print(Time 12, "pm")

8 Endif

9 If Time = 12 Then 10 Print (Time, "noon") 11 Endif

12 End

How many test cases are needed to achieve 100 per cent decision coverage?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

Explanation:

The three decisions are in sequence and the conditions are all mutually exclusive (if any one is true the others must be false). Hence a test case that makes the first decision true will make the second and third decisions false and so on.

So test case 1 (say Time = 6) would exercise the path True, False, False, test case 2 (say Time = 15) would exercise the path False, True, False. Test case 3 would have to be Time = 12. This combination achieves 100 per cent decision coverage because each decision has been exercised through its true and its false outcomes.

NEW QUESTION 78

What if the project isn't big enough to justify extensive testing..?

- A. Use automation tool for testing
- B. Use risk based analysis to find out which areas need to be tested
- C. Both a and b
- D. None of the above

Answer: B

NEW QUESTION 80

Which of the following is MOST important in the selection of a test approach?

- A. Availability of tools to support the proposed techniques.
- B. The budget allowed for training in proposed techniques.
- C. Available skills and experience in the proposed techniques.
- D. The willingness of the test team to learn new technique

Answer: C

NEW QUESTION 83

Which of the following could be a disadvantage of independent testing?

- A. Developer and independent testing will overlap and waste resources.
- B. Communication is limited between independent testers and developers.
- C. Independent testers are too slow and delay the project schedule.
- D. Developers can lose a sense of responsibility for quality

Answer: D

NEW QUESTION 85

What are the key features to be concentrated upon when doing a testing for world wide web sites ..?

- A. Interaction between html pages
- B. Performance on the client side
- C. Security aspects
- D. All of the above

Answer: D

NEW QUESTION 87

Which of the following statements are true?

- (i) For every development activity there is a corresponding testing activity.
- (ii) Each test level has the same test objectives.
- (iii) The analysis and design of tests for a given test level should begin after the corresponding development activity.
- (iv) Testers should be involved in reviewing documents as soon as drafts are available in the development life cycle.

- A. (i) and (ii)
- B. (iii) and (iv)
- C. (ii) and (iii)
- D. (i) and (iv)

Answer: D

Explanation:

Option (ii) is incorrect: each test level has a different objective.

Option (iii) is also incorrect: test analysis and design should start once the documentation has been completed.

NEW QUESTION 89

Fault Masking is:

- A. Error condition hiding another error condition
- B. Creating a test case which does not reveal a fault
- C. Masking a fault by developer
- D. Masking a fault by a tester

Answer: A

NEW QUESTION 91

Which of the following is not a part of the Test Implementation and Execution Phase?

- A. Creating test suites from the test cases
- B. Executing test cases either manually or by using test execution tools
- C. Comparing actual results
- D. Designing the Tests

Answer: D

NEW QUESTION 93

One of the roles in a review is that of moderator, which of the following best describes this role?

- A. Plans the review, runs the review meeting and ensures that follow-up activities are completed.
- B. Allocates time in the plan, decides which reviews will take place and that the benefits are delivered.
- C. Writes the document to be reviewed, agrees that the document can be reviewed, and updates the document with any changes.
- D. Documents all issues raised in the review meeting, records problems and open points

Answer: A

NEW QUESTION 96

What should be the MAIN objective during development testing?

- A. To cause as many failures as possible so that defects in the software are identified and can be fixed
- B. To confirm that the system works as expected and that requirements have been met
- C. To assess the quality of the software with no intention of fixing defects
- D. To give information to stakeholders of the risk of releasing the system at a given time

Answer: A

NEW QUESTION 98

When is testing complete?

- A. When time and budget are exhausted.
- B. When there is enough information for sponsors to make an informed decision about release.
- C. When there are no remaining high priority defects outstanding.
- D. When every data combination has been exercised successfully.

Answer: B

Explanation:

Sometimes time/money does signify the end of testing, but it is really complete when everything that was set out in advance has been achieved.

NEW QUESTION 103

Which of the following is not a type of incremental testing approach?

- A. Top down
- B. Big-bang
- C. Bottom up
- D. Functional incrementatio

Answer: B

NEW QUESTION 104

A bug or defect is:

- A. A mistake made by a person;
- B. A run-time problem experienced by a user;
- C. The result of an error or mistake;
- D. The result of a failure, which may lead to an error?

Answer: C

NEW QUESTION 106

What is important to do when working with software development models?

- A. To adapt the models to the context of project and product characteristics.
- B. To choose the waterfall model because it is the first and best proven model.
- C. To start with the V-model and then move to either iterative or incremental models.
- D. To only change the organization to fit the model and not vice vers

Answer: A

NEW QUESTION 108

Which of the following is not decided in the test-planning phase..?

- A. Schedules and deliverables
- B. Hardware and software
- C. Entry and exit criteria
- D. Types of test cases

Answer: D

NEW QUESTION 113

Which activities form part of test planning?

- i) Developing test cases.
- ii) Defining the overall approach to testing.
- iii) Assigning resources.
- iv) Building the test environment.
- v) Writing test conditions.

- A. i, ii & iv are true, iii & v are false.
- B. ii & iii are true, i, iv & v are false.

- C. iv & v are true, i, ii & iii are false.
D. i, ii & iii are true iv & v are fals

Answer: B

NEW QUESTION 118

Pick the best definition of quality:

- A. Quality is job one
B. Zero defects
C. Conformance to requirements
D. Work as designed

Answer: C

NEW QUESTION 119

What test roles (or parts in the testing process) is a developer most likely to perform?

- (i) Executing component integration tests.
(ii) Static analysis.
(iii) Setting up the test environment.
(iv) Deciding how much testing should be automated.

- A. (i) and (ii)
B. (i) and (iv)
C. (ii) and (iii)
D. (iii) and (iv)

Answer: A

Explanation:

- (i) Executing component integration tests is usually done by developers. Developers are usually responsible for unit and component integration testing. Independent testing usually follows at system and acceptance test levels.
(ii) Static analysis is usually done by developers because: it requires an understanding of the code and therefore the person doing this needs skills in the programming language; and it can be done as soon as the code is written. Therefore it is quick and effective for the developer to do it. The risk of a lack of test independence can be mitigated by performing independent system and acceptance testing.
(iii) Setting up the test environment is an activity typically performed by a tester. It may require support from developers and staff from other departments and on some occasions environments could be set up by developers. However, it is a task that could be done by a tester rather than a developer.
(iv) Deciding how much testing should be automated is typically a decision made by the test leader, who will consult other staff in the decision-making process. Developers may be involved and their skills may be required to automate some tests. However, the decision on how much to automate should not be made by developers.

NEW QUESTION 121

Which statement below BEST describes non-functional testing?

- A. The process of testing an integrated system to verify that it meets specified requirements.
B. The process of testing to determine the compliance of a system to coding standards.
C. Testing without reference to the internal structure of a system.
D. Testing system attributes, such as usability, reliability or maintainabilit

Answer: A

NEW QUESTION 124

Which of the following has the typical formal review activities in the correct sequence?

- A. Kick-off, review meeting, planning, follow-up.
B. Kick-off, planning, review meeting, re-work.
C. Planning, kick-off, individual preparation, review meeting.
D. Planning, individual preparation, follow-up, re-work.

Answer: C

Explanation:

The correct sequence is: planning, kick-off, individual preparation, review meeting, re-work, follow-up. All of the other options have either the activities in the wrong order or activities missing from the strict flow.

NEW QUESTION 127

Which of the following best describes the purpose of non-functional testing?

- A. To measure characteristics of a system which give an indication of how the system performs its functions
B. To ensure that a system complies with the quality standards set by ISO 9126
C. To ensure that the system deals appropriately with software malfunctions
D. To measure the extent to which a system has been tested by functional testing

Answer: A

NEW QUESTION 131

Complete statement and branch coverage means..?

- A. That you have tested every statement in the program
- B. That you have tested every statement and every branch in the program
- C. That you have tested every IF statement in the program
- D. That you have tested every combination of values of IF statements in the program

Answer: B

NEW QUESTION 135

Which of the following, if observed in reviews and tests, would lead to problems (or conflict) within teams?

- A. Testers and reviewers are not curious enough to find defects.
- B. Testers and reviewers are not qualified enough to find failures and faults.
- C. Testers and reviewers communicate defects as criticism against persons and not against the software product.
- D. Testers and reviewers expect that defects in the software product have already been found and fixed by the developer

Answer: C

NEW QUESTION 137

Which of the following statements are correct for walkthroughs?

- (i) Often led by the author.
- (ii) Documented and defined results.
- (iii) All participants have defined roles.
- (iv) Used to aid learning.
- (v) Main purpose is to find defects.

- A. (i) and (v) are correct.
- B. (ii) and (iii) are correct.
- C. (i) and (iv) are correct.
- D. (iii) and (iv) are correct

Answer: C

NEW QUESTION 140

Which of the following comparisons of component testing and system testing are TRUE?

- A. Component testing verifies the functioning of software modules, program objects, and classes that are separately testable, whereas system testing verifies interfaces between components and interactions with different parts of the system.
- B. Test cases for component testing are usually derived from component specifications, design specifications, or data models, whereas test cases for system testing are usually derived from requirement specifications, functional specifications or use cases.
- C. Component testing focuses on functional characteristics, whereas system testing focuses on functional and non- functional characteristics.
- D. Component testing is the responsibility of the technical testers, whereas system testing typically is the responsibility of the users of the system.

Answer: B

NEW QUESTION 143

Which of the following statements about risks is most accurate?

- A. Project risks rarely affect product risk.
- B. Product risks rarely affect project risk.
- C. A risk-based approach is more likely to be used to mitigate product rather than project risks.
- D. A risk-based approach is more likely to be used to mitigate project rather than product risks.

Answer: C

Explanation:

In general, project risk and product risk can be hard to differentiate. Anything that impacts on the quality of the delivered system is likely to lead to delays or increased costs as the problem is tackled. Anything causing delays to the project is likely to threaten the delivered system's quality. The risk-based approach is an approach to managing product risk through testing, so it impacts most directly on product risk.

NEW QUESTION 144

Maintenance testing is:

- A. updating tests when the software has changed
- B. testing a released system that has been changed
- C. testing by users to ensure that the system meets a business need
- D. testing to maintain business advantage

Answer: B

NEW QUESTION 149

What is a test condition?

- A. A statement of test objectives and test ideas on how to test.
- B. An item or event that could be verified by one or more test cases.
- C. The process of identifying differences between the actual results and the expected results for a test.

D. All documents from which the requirements of a component or system can be inferred

Answer: B

NEW QUESTION 152

Equivalence Partitioning is best defined as:

- A. An analysis technique that divides inputs into groups that are expected to exhibit similar behaviors.
- B. Applying to time-related data classes only.
- C. A form of white-box testing.
- D. A method to reduce test coverage

Answer: A

NEW QUESTION 154

Which of the following would typically be identified using static analysis by tools? [K1]

- A. Spelling mistake on an error message
- B. A potential infinite loop
- C. Memory leakage
- D. A variable set to the wrong value

Answer: B

NEW QUESTION 157

Which of the following are 'Exit Criteria?'

- A. Acceptance criteria, completion criteria, pass/fail criteria.
- B. Coverage of code, schedule, estimates of defect density.
- C. The last executable statement within a component.
- D. Cost overrun

Answer: B

NEW QUESTION 158

Which of the following statements about software development models is most accurate? [K1]

- A. The 4 stage V model is always the best choice of software development model for any project
- B. The agile development model is usually most appropriate for short projects
- C. The choice of software development model depends on product and project characteristics
- D. The 2 stage V model is the most appropriate development model for simple products

Answer: C

NEW QUESTION 162

Which of the following risks represents the highest level of risk to the project?

- A. Likelihood of failure = 1%, potential cost of impact = \$1m.
- B. Likelihood of failure = 10%, potential cost of impact = \$500,000.
- C. Likelihood of failure = 20%, potential cost of impact = \$150,000.
- D. Likelihood of failure = 5%, potential cost of impact = \$500,000.

Answer: B

NEW QUESTION 163

What other details should be included in the following incident report when it is first submitted? Date of Issue: 23/11/05 Severity: P1

Build: Version15.6

Details: Expected field to be limited to 15 chars, able to enter 27

- A. Suggested solution, priority and number of defects assigned to this developer.
- B. Status of the incident, degree of impact, Test Case Number.
- C. History, related defects and expected fix time.
- D. Line of code, number of defects found, time of day

Answer: B

NEW QUESTION 166

Which of the following BEST defines static techniques? [K1]

- A. Executing the software work product
- B. Manually examining the code or project documentation
- C. Automated analysis of the code or project documentation
- D. Manual examination and automated analysis of code or project documentation

Answer: D

NEW QUESTION 169

A bank is developing a new service that will be delivered via the web. The user interactions are defined as a set of use cases and the service is designed to be available continuously 24/7. In view of the challenging characteristics of the service the test manager has decided that the code should be thoroughly tested at component level.

Which of the following test types will be required during the development? [K2]

- A. Functional testing to test security at the system level, load testing at the system level to ensure the system availability is acceptable, regression testing at all levels, structure based testing at the component level only
- B. Functional testing to test the use cases at component level, reliability testing to test availability at the integration level, regression testing at the system testing level only, structure based testing at all levels
- C. Functional testing of the use cases at system level, load testing at component level to ensure availability is acceptable, regression testing at the system and acceptance levels only, and structure based testing at the integration level only
- D. Functional testing to test security at the acceptance level, load testing at the acceptance test level to ensure availability is acceptable, regression testing at the acceptance level only to ensure late changes are made correctly, and structure based testing at the component level

Answer: A

NEW QUESTION 173

Dynamic Analysis Tools are used to:

- A. Determine differences between files or databases.
- B. Monitor and report on how a system behaves under a variety of conditions.
- C. Find defects, such as memory leaks, while software is executing.
- D. Measure the percentage of specific types of code structure that have been exercised

Answer: C

NEW QUESTION 174

Which of the following is a valid objective of testing? [K1]

- A. Correcting defects
- B. Locating defects in the code
- C. Preventing defects
- D. Ensuring no defects are present

Answer: C

NEW QUESTION 179

What can testing demonstrate?

- A. Testing can demonstrate that there are no defects
- B. Testing can demonstrate that there are defects
- C. Testing can demonstrate that the software is correct
- D. Testing can demonstrate that there are no hidden defects in the software

Answer: B

NEW QUESTION 184

Which of the main activities of the fundamental test process does the task 'verify the test environment set up is correct' relate to? [K1]

- A. Planning and control
- B. Analysis and design
- C. Implementation and execution
- D. Evaluating exit criteria and reporting

Answer: C

NEW QUESTION 186

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost-effective
- D. To ensure the tool fits existing processes without change

Answer: C

NEW QUESTION 187

Which of the following is a role of a formal review? [K1]

- A. Adjudicator
- B. Moderator
- C. Governor
- D. Corrector

Answer:

B

NEW QUESTION 191

Which of the following processes ensures that all items of testware are identified, version controlled, tracked for changes, so that traceability can be maintained throughout the test process?

- A. Software traceability process
- B. Incidence management process
- C. Testing design process
- D. Configuration management process

Answer: D

NEW QUESTION 193

What are metrics NOT used for?

- A. To identify the percentage of work done in test environment preparation.
- B. To identify the percentage of work done in test case preparation.
- C. To apply to the RAD development model.
- D. To measure whether dates of test milestones were met

Answer: C

NEW QUESTION 195

Which of the following statements about use-case testing are most accurate? (i) In a use-case diagram an actor represents a type of user. (ii) Use-cases are the most common test basis for unit testing. (iii) A use-case describes interactions between actors. (iv) An actor is always a human user that interacts with the system. (v) Test cases can be based on use-case scenarios. (vi) Use-case testing will often identify gaps not found by testing individual components.

- A. ii, iii, iv, v
- B. i, iii, v, vi
- C. i, ii, iv, v
- D. iii, iv, v, vi

Answer: B

NEW QUESTION 200

Of the following, select the best description of the fundamental test process:

- A. Planning and control, analysis, design, implementation, execution, evaluation of exit criteria and reporting, test closure.
- B. Executing tests, identifying and recording defects and preparing recommendation and closure reports.
- C. Controls, preparation of test cases, execution of test cases, execution of regression packs, communicating with developers, writing recommendations for release.
- D. Static testing, dynamic testing, defect reporting, reporting and closure

Answer: A

NEW QUESTION 205

Testing effort can depend on a number of factors, which one of the following is MOST likely to impact the amount of effort required?

- A. The predicted number of defects and the amount of rework required
- B. The ratio of developers to testers in the project team
- C. The planned use of a project management tool to schedule tasks
- D. The responsibilities for testers and developers being clearly defined

Answer: C

NEW QUESTION 210

Which of the following type of defect would NOT be typically found by using a static analysis tool?

- A. A variable is defined but is then not used
- B. A variable is used in a calculation before it is defined
- C. A variable has the wrong numeric value passed into it
- D. A variable is used but not declared

Answer: C

NEW QUESTION 212

Which of the following is NOT a valid objective of testing?

- A. Preventing defects from being introduced into the code
- B. Investigating and fixing defects in the software under test
- C. Gaining confidence that the system is fit-for-purpose
- D. Providing information for stakeholders' decision making

Answer:

D

NEW QUESTION 217

A live defect has been found where a code component fails to release memory after it has finished using it. Which of the following tools would have been the MOST effective at detecting this defect prior to live implementation?

- A. Dynamic analysis tool
- B. Monitoring tool
- C. Configuration management tool
- D. Coverage measurement tool

Answer: A

NEW QUESTION 221

During which stage of the fundamental test process is the testability of requirements evaluated?

- A. Test Implementation and Execution
- B. Test Planning and Control
- C. Evaluating Exit Criteria and Reporting
- D. Test Analysis and Design

Answer: D

NEW QUESTION 225

A new testing tool has been selected for an organisation and a pilot project has successfully completed. The next step is to deploy the tool within the organization. What is a key success factor in tool deployment?

- A. Estimate a cost-benefit ratio based on a firm business case
- B. Determine whether benefits will be achieved at reasonable cost
- C. Provide support for the test team using the tool
- D. Assessment of organisational maturity, strengths and weaknesses

Answer: A

NEW QUESTION 228

Your company is developing a system with complex business rules and many branches in the structure of its code components. You need to choose one black box technique and one white box technique for test case design. Which one of the following offers the BEST choice?

- A. Statement testing and exploratory testing
- B. Decision testing and equivalence partitioning
- C. Decision testing and decision table testing
- D. Boundary value analysis and decision table testing

Answer: D

NEW QUESTION 231

Which of the following is NOT a valid use of decision coverage?

- A. Checking that all decisions have been exercised in a single program
- B. Checking that all decisions have been exercised in a business process
- C. Checking that all calls from one program module to another have been made correctly
- D. Checking that at least 50% of decisions have been exercised by a test case suite

Answer: D

NEW QUESTION 232

Which of the following would achieve the HIGHEST level of testing independence for a project's test level?

- A. Training developers to design good tests for the test team to execute
- B. Outsourcing test design and execution to a different company
- C. Having the company's independent test team design and execute the tests
- D. Minimising contact between testers and developers during test design to avoid bias

Answer: A

NEW QUESTION 237

Which of the following options explain why it is often beneficial to have an independent test function in an organisation?

- A. To improve defect finding during reviews and testing
- B. To ensure that developers adhere to coding standards
- C. To limit communication between developers and testers
- D. To provide better metrics for the stakeholders

Answer: D

NEW QUESTION 242

Which of the following does NOT represent one of the three triggers for maintenance testing an operational system?

- A. Data migration
- B. System retirement
- C. System modification
- D. Introduction of a test management tool

Answer: A

NEW QUESTION 247

When considering the roles of test leader and tester, which of the following tasks would NOT typically be performed by a tester?

- A. Prepare and acquire the test data
- B. Set up and check the test environment
- C. Write test summary reports
- D. Review tests developed by others

Answer: D

NEW QUESTION 251

Which of the following is a defect that is more likely to be found by a static analysis tool than by other testing techniques?

- A. Omission of a major requirement
- B. Inadequate decision coverage
- C. Component memory leakage
- D. Variables that are not used improperly declared

Answer: D

NEW QUESTION 252

When can functional and structural testing BOTH be applied?

- A. System and Component test levels only
- B. All 'Development' test levels, i.
- C. those before Acceptance testing
- D. Component and Component integration test levels only
- E. All test levels

Answer: D

NEW QUESTION 253

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your CTFL-Foundation Exam with Our Prep Materials Via below:

<https://www.certleader.com/CTFL-Foundation-dumps.html>