

# Exam Questions JN0-104

Junos - Associate (JNCIA-Junos)

<https://www.2passeasy.com/dumps/JN0-104/>



#### NEW QUESTION 1

- (Exam Topic 1)

Which command allows you to execute operational mode commands while in configuration mode?

- A. activate
- B. show
- C. run
- D. set

**Answer: C**

#### NEW QUESTION 2

- (Exam Topic 1)

Which statement is true about a virtual router routing instance?

- A. It can be used for Layer 3 VPN implementations.
- B. It can be used to create a separate routing table.
- C. An interface in the routing instance can also reside in the default routing instance.
- D. It automatically has import and export policies applied.

**Answer: B**

#### NEW QUESTION 3

- (Exam Topic 1)

What are two benefits of class of service (CoS)? (Choose two.)

- A. CoS can increase the performance of a slow network.
- B. CoS can manage traffic congestion
- C. CoS can prioritize latency-sensitive traffic
- D. CoS can increase network bandwidth.

**Answer: BC**

#### NEW QUESTION 4

- (Exam Topic 1)

By default, which Junos directory contains the primary syslog file?


- A. /var/syslog
- B. /var/home
- C. /var/log
- D. /var/tmp

**Answer: C**

#### NEW QUESTION 5

- (Exam Topic 1)

Click the Exhibit button



```
user@router> show route 10.10.102.0/30
inet.0: 20 destinations, 21 routes (20 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
10.10.102.0/30    *([Static/5] 00:00:07
                  > to 10.10.4.2 via ge-0/0/2.0
                  [OSPF/10] 00:06:32, metric 2
                  > to 10.10.101.1 via ge-0/0/1.0
```

Referring to the exhibit, which statement is correct?

- A. Traffic destined to 10.10.102.0/30 will be forwarded to 10.10.101.1.
- B. Traffic destined to 10.10.102.0/30 will be load-balanced across both next hops.
- C. Traffic destined to 10.10.102.0/30 will be silently dropped.
- D. Traffic destined to 10.10.102.0/30 will be forwarded to 10.10.4.2

**Answer: D**

#### NEW QUESTION 6

- (Exam Topic 1)

Which two statements about login classes are correct? (Choose two.)


- A. Login class permissions can be overridden for certain commands.
- B. Users can be members of multiple login classes.
- C. Login classes define access privileges for a user.
- D. There are no system-defined login classes.

**Answer:** AC

#### NEW QUESTION 7

- (Exam Topic 1)

Click the Exhibit button



```
[edit]
user@router# show firewall family inet filter test-filter
term 1 {
    from {
        source-address {
            1.0.0.0/23;
        }
    }
    then policer test-policer;
}
term 2 {
    then accept;
}
[edit]
user@router# show firewall policer test-policer
if-exceeding {
    bandwidth-limit 1g;
    burst-size-limit 100k;
}
then discard;
```

Referring to the exhibit, what will happen to traffic that is less than the bandwidth limit from source address 1.0.0.207

- A. The traffic will be discarded by the policer.
- B. The traffic will be accepted by term 2.
- C. The traffic will be discarded by term 1.
- D. The traffic will be accepted by term 1.

**Answer:** D

#### NEW QUESTION 8

- (Exam Topic 1)

You are asked to determine when a Junos device was booted Which command would you use to obtain this information?


- A. show system statistics
- B. show system commit
- C. show system information
- D. show system uptime

**Answer:** D

#### NEW QUESTION 9

- (Exam Topic 1)

Click the Exhibit button



```
user@router> show system alarms
1 alarms currently active
Alarm time          Class Description
2021-08-16 23:45:17 UTC Minor  Rescue configuration is not set
```

Which command will solve the problem shown in the exhibit?


- A. user@router# request system configuration rescue commit
- B. user@router> request system configuration rescue save
- C. user@router# file copy current /config/rescue.conf
- D. user@router> file copy current /config/rescue.conf

**Answer:** B

## NEW QUESTION 10

- (Exam Topic 1)

Click the Exhibit button



```
user@router# show protocols isis | display set
set protocols isis traceoptions file is-is-logs.log
set protocols isis traceoptions flag hello
set protocols isis traceoptions flag packets
set protocols isis traceoptions flag normal
set protocols isis level 1 disable
set protocols isis interface ge-0/0/0.0 point-to-point
```

You are capturing logs to troubleshoot an issue with IS-IS; however, the logs are increasing in size too quickly. Referring to the exhibit, which configuration statement would solve this problem?

- A. set protocols isis traceoptions flag hello detail
- B. set protocols isis traceoptions file files 10
- C. delete protocols isis traceoptions flag normal
- D. delete protocols isis traceoptions file is-is-logs.log

Answer: A

## NEW QUESTION 10

- (Exam Topic 1)

Which layer of the OSI model does a router use to make forwarding decisions?

- A. Layer 3
- B. Layer 4
- C. Layer 5
- D. Layer 2

Answer: A

## NEW QUESTION 11

- (Exam Topic 1)

You are asked to configure a Junos device to perform regular configuration backups

Which feature will you configure under the [edit system] hierarchy to accomplish this task?


- A. archival
- B. backup-router
- C. syslog
- D. tracing

Answer: B

## NEW QUESTION 12

- (Exam Topic 1)

Click the Exhibit button



```
user@router> show interfaces terse
Interface      Admin Link Proto  Local                Remote
ge-0/0/0       up    up
ge-0/0/0.0     up    up   inet    172.18.36.1/24
ge-0/0/0.1     up    up
ge-0/0/0.1.0   up    up   inet6   fd73:5d2a:f03b:15e0::1/64
                                   fe80::217:cbff:fe4e:a281/64
ge-0/0/2       up    up
ge-0/0/2.0     down  up   inet    172.19.25.1/28
ge-0/0/2.1     down  up   inet    10.0.0.10/24
ge-0/0/2.2     down  up   inet    192.168.1.1/24
...
```

Referring to the exhibit, you are unable to reach devices in the 172.19.25.0/28 subnet. What should you do to solve this problem?


- A. Enable the ge-0/0/2 interface.
- B. Enable the ge-0/0/2.2 interface.
- C. Enable the ge-0/0/2.0 interface.
- D. Enable the ge-0/0/2.1 interface.

Answer: C

### NEW QUESTION 13

- (Exam Topic 1)

Click the Exhibit button.



```
[edit]
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```

Referring to the exhibit, which statement is correct?

- A. The device will attempt to authenticate using the local database if RADIUS and TACACS+ are unresponsive.
- B. The device will never attempt to authenticate using the local database.
- C. The device will attempt to authenticate using RADIUS and TACACS+ at the same time.
- D. The device will randomly select the authentication method used for each new login attempt.

**Answer:** B

### NEW QUESTION 14

- (Exam Topic 1)

Which two statements about the configure exclusive command are correct? (Choose two.)

- A. The command excludes other users from editing the configuration.
- B. The command retains all uncommitted changes when exiting exclusive mode
- C. The command causes the loss of all uncommitted changes when exiting exclusive mode
- D. The command allows multiple users to edit private copies of the configuration concurrently.

**Answer:** AC

### NEW QUESTION 19

- (Exam Topic 2)

Your firewall filters are not in the correct order, what would solve this problem?

- A. Use the next-term action to force an evaluation of the next-term
- B. Use the commit parameter to ensure that terms are evaluated correctly
- C. Use the reject action to change the action of the filter
- D. Use the filter command to reorder the terms with the filter

**Answer:** D

### NEW QUESTION 23

- (Exam Topic 2)

What is the initial prompt displayed when logging in as the root user?

- A. root@router>
- B. root@router%
- C. root@router#
- D. root@router\*

**Answer:** B

### NEW QUESTION 27

- (Exam Topic 2)

Click the Exhibit button.

```
user@router> show interfaces terse | match ge-
ge-0/0/0          up      up
ge-0/0/1          up      up
ge-0/0/1.0        up      up   inet   172.26.133.105/24
ge-0/0/2          up      up
ge-0/0/2.0        down    up   inet   172.40.1.2/24
```

Referring to the exhibit, which logical interface is able to forward IP traffic?

- A. ge-0/0/0
- B. ge-0/0/2.0
- C. ge-0/0/2
- D. ge-0/0/1.0

**Answer:** D



### NEW QUESTION 28

- (Exam Topic 2)

Refer to the exhibit.

```
user@router> show rip statistics

RIPv2 info: port 520; holddown 120s.
    rts learned    rts held down    rqsts dropped    resps dropped
          0              0              0              0
fe-1/2/0.1: 0 routes learned; 0 routes advertised; timeout 180s; update
interval 30s
Counter              Total              Last 5 min              Last minute
-----
Updates Sent              2669              0              0
Triggered Updates Sent    2              0              0
Responses Sent            0              0              0
Bad Messages              0              0              0
RIPv1 Updates Received    0              0              0
RIPv1 Bad Route Entries   0              0              0
RIPv1 Updates Ignored     0              0              0
RIPv2 Updates Received    2675              0              0
RIPv2 Bad Route Entries   0              0              0
RIPv2 Updates Ignored     0              0              0
Authentication Failures   0              11             2
RIP Requests Received     0              0              0
RIP Requests Ignored      0              0              0
none                      0              0              0
```

A customer reports that they have recently lost connectivity to a remote site over a shared architecture. Referring to the exhibit, what is the problem?

- A. The remote link is down.
- B. The remote router has been powered off.
- C. The authentication method or key has been changed.
- D. The remote site router has been configured for OSPF.

**Answer: C**

### NEW QUESTION 30

- (Exam Topic 2)

```
user@router>
```

```
*** System shutdown message from user@router ***
```

```
System going down at 08:28
```

```
The system will be powered down in 10 minutes for maintenance.
```

```
user@router>
```

While working on a Junos device, you receive the message shown in the exhibit. In this scenario, what should you do to stop the shutdown process?  
 In this scenario, what should you do to stop the shutdown process?

- A. Issue the request system halt in 0 command
- B. Issue the request system power-off in 0 command
- C. Issue the clear system reboot command
- D. Issue the clear system commit command

**Answer: C**

**Explanation:**

[https://www.juniper.net/documentation/en\\_US/junos/topics/reference/command-summary/clear-system-reboot.h](https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/clear-system-reboot.h)

### NEW QUESTION 34

- (Exam Topic 2)

Which command verifies configuration syntax without applying the changes?

- A. commit and –quit
- B. commit check
- C. commit comment
- D. commit confirmed

**Answer: B**

### NEW QUESTION 39

- (Exam Topic 2)

Which command allows you to view the raw packet data of interface ge-1/0/5?

- A. monitor interface traffic ge-1/0/5
- B. monitor traffic interface ge-1/0/5
- C. show interface ge-1/0/5 media
- D. show interface ge-1/0/5 extensive

**Answer:** B

#### NEW QUESTION 42

- (Exam Topic 2)

Which two statements describe IPv4 default behavior for BGP? Choose Two

- A. All Active BGP routes are exported to configured EBGP neighbors
- B. All BGP routes are exported to configured EBGP neighbors
- C. All BGP routes are imported into the inet.0 routing table
- D. All BGP routes are imported into the inet4.0 routing table

**Answer:** AC

#### NEW QUESTION 46

- (Exam Topic 2)

Exhibit.

```
[edit policy-options policy-statement my-policy]
user@router# show
term 1 {
  from {
    route-filter 10.0.0.0/8 orlonger;
  }
  then reject;
}
term 2 {
  from {
    route-filter 10.1.1.0/24 exact;
    route-filter 10.1.1.0/24 orlonger;
  }
  then accept;
}
```

You have the policy configuration shown in the exhibit applied to your BGP peering. You find that your customer routes coming from the 10.1.1.0/24 network are being rejected.

Which command should be used to correct the problem?

- A. [edit policy-options policy-statement my-policy] user@router# insert term 1 before term 2
- B. [edit policy-options policy-statement my-policy] user@router# insert term 2 before term 1
- C. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 0
- D. [edit policy-options policy-statement my-policy]

**Answer:** B

#### NEW QUESTION 51

- (Exam Topic 2)

You are considering to upgrade from 19.1R1 and want to ensure that only bug fixes are included. Which two software versions should you use in the current situation? Choose Two

- A. 19.3R2
- B. 19.1R3
- C. 19.1R1-S2
- D. 19.3R1-S1

**Answer:** BC

#### Explanation:

R release : Maintenance and introduce bug fixes

\* 19.1R1 ==> 19.1R2 introduces only bug fixes 19.1R1 ==> 19.2R2 Introduces new features

#### NEW QUESTION 53

- (Exam Topic 2)

Click the Exhibit button.

```
[edit protocol ospf]
user@router# show
traceoptions {
    file ospf-trace size 64k files 5 no-world-readable;
    flag event detail;
    flag error detail;
}
area 0.0.0.0 {
    interface ge-0/0/0.0;
    interface ge-0/0/1.0;
}
```

Which statement is correct regarding the configuration shown in the exhibit?

- A. When the ospf-trace file has created five files, it will stop logging additional information.
- B. When the ospf-trace file reaches the 64 KB file size, it is renamed and begins a new file.
- C. The ospf-trace file will automatically replace any existing trace file with the same name.
- D. Timestamp information will not be included for each line of ospf-trace

**Answer: B**

#### NEW QUESTION 56

- (Exam Topic 2)

In which directory the traceoption files stored by default?

- A. /var/db/
- B. /var/tmp/
- C. /var/log/
- D. /var/home/

**Answer: C**

#### NEW QUESTION 59

- (Exam Topic 2)

What are three interface prefixes for a 40-gigabit interface? (Choose three.)

- A. et
- B. es
- C. fte
- D. xe
- E. xle

**Answer: ABE**

#### NEW QUESTION 62

- (Exam Topic 2)

Exhibit:

```
user@router> show route
inet.0: 5 destinations, 5 routes (5 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
10.210.0.0/16      *[Static/5] 1w0d 20:17:39
                  > to 172.25.11.254 via fxp0.0
172.18.6.0/30     *[Direct/0] 00:00:30
                  > via ge-0/0/0.0
172.31.20.0/24    *[BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
                  to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
172.31.17.0/24    *[OSPF/150] 00:00:25, metric 1
                  > to 192.168.11.2 via ge-0/0/4.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
                  to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
...
```



You notice traffic destined to 172.31.17.0/24 is traversing an OSPF path rather than BGP Path.  
What is causing this behavior?

- A. The 172.31.17.0/24 BGP route is missing a valid default next hop
- B. The 172.31.17.0/24 BGP has a higher route preference
- C. The 172.31.17.0/24 route does not have a valid BGP entry
- D. The 172.31.17.0/24 BGP route's outgoing interface is down

**Answer:** B

#### NEW QUESTION 63

- (Exam Topic 2)

Which two keystrokes will auto-complete a command? (Choose two.)

- A. Esc
- B. Tab
- C. Spacebar
- D. End

**Answer:** BC

#### NEW QUESTION 66

- (Exam Topic 2)

Exhibit:

```
... Hit [Enter] to boot immediately, or space bar for command prompt. <user  
presses Spacebar> Type '?' for a list of commands, 'help' for more detailed  
help. loader> boot -s  
... Enter full pathname of shell or 'recovery' for root password recovery or  
RETURN for / bin/sh: recovery
```

Refer to exhibit, What will be the result?

- A. The device will boot in a multi-user mode at the configuration prompt
- B. The device will boot in a Single-user mode at the operational prompt
- C. The device will boot in a multi-user mode at the shell prompt
- D. The device will boot in a Single-user mode at the shell prompt

**Answer:** A

#### NEW QUESTION 71

- (Exam Topic 2)

What is the minimum system-defined user class required to issue clear commands?

- A. read-only
- B. super-user
- C. operator
- D. authorized

**Answer:** C

#### NEW QUESTION 74

- (Exam Topic 2)

You have configured logging to the console port but are uncertain of the impact to the device while troubleshooting.  
In this scenario, which command would allow you to minimize the impact?

- A. commit synchronize comment troubleshoot
- B. commit confirmed 1 comment troubleshoot
- C. set system svsloq console any none
- D. set system svsloq log-rotate-frequency 15

**Answer:** C

#### NEW QUESTION 78

- (Exam Topic 2)

Depending on the device type, Junos is built upon which two OS kernels? (Choose two.)

- A. NetBSD
- B. FreeBSD
- C. Linux
- D. OpenBSD

**Answer:** BC

#### NEW QUESTION 82

- (Exam Topic 2)

You have received a request from the user, SecurityTeam, to notify their terminal connection only when someone commits a change to the configuration of a specific networking device. Which command would you input in this scenario?

- A. set system syslog user SecurityTeam change-log alert
- B. set system syslog user SecurityTeam change-log any
- C. set system syslog user SecurityTeam interactive-commands any
- D. set system syslog user SecurityTeam interactive-commands

**Answer:** B

#### NEW QUESTION 85

- (Exam Topic 2)

Which two features are implemented on the Packet Forwarding Engine? (Choose Two)

- A. Chassis Management
- B. Firewall Filters
- C. Class of Service
- D. Routing protocol update

**Answer:** BC

#### NEW QUESTION 87

- (Exam Topic 2)

What is responsible for processing multicast transit traffic?

- A. Control plane
- B. Management plane
- C. RE
- D. PFE

**Answer:** D

#### NEW QUESTION 92

- (Exam Topic 2)

Click the Exhibit button.

```
user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0      *[BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
                to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16  *[Static/5] 1w0d 20:17:39
                > to 172.25.11.254 via fxp0.0
172.18.6.0/30  *[Direct/0] 00:00:30
                > via ge-0/0/0.0
172.18.6.2/32  *[Local/0] 00:00:30
                Local via ge-0/0/0.0
172.31.16.0/24 *[BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:28, localpref 100
                AS path: 802 5512 3318 65000 I, validation-state: unverified
                > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32 *[OSPF/10] 00:00:25, metric 1
                > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28 *[BGP/170] 00:00:24, localpref 100, from 172.18.6.1
                AS path: 65000 I, validation-state: unverified
                to 172.18.6.1 via ge-0/0/0.0
                > to 172.18.7.1 via ge-0/0/1.0
                [BGP/170] 00:00:24, localpref 100
                AS path: 65000 I, validation-state: unverified
                > to 172.18.7.1 via ge-0/0/1.0
224.0.0.5/32   *[OSPF/10] 00:01:11, metric 1
                MultiRecv
```

What is the next hop for a packet destined to 192.168.80.98 as shown in the exhibit?

- A. 192.168.11.2
- B. 172.18.6.1
- C. 172.25.11.254
- D. 172.18.7.1

**Answer:** D

#### NEW QUESTION 94

- (Exam Topic 2)

What are two examples of transit traffic? (Choose two.)

- A. SCP traffic that is destined for the router's loopback interface.
- B. SCP traffic that enters one interface and exits another interface on the local router.
- C. SFTP traffic that enters and exits the same interface on the local router.
- D. SFTP traffic that enters one interface and is destined for another interface on the local router

**Answer:** AD

#### NEW QUESTION 95

- (Exam Topic 2)

Which two statements about the Junos OS are true? (Choose two.)

- A. It uses a different software source code base for each platform.
- B. It supports Java for automation on all platforms.
- C. It supports XML for automation on all platforms.
- D. It uses the same software source code base for all platforms.

**Answer:** CD

#### NEW QUESTION 96

- (Exam Topic 2)

What are three valid software release designations for the junos OS? (Choose three.)

- A. X
- B. R
- C. T
- D. Z
- E. B

**Answer:** ABE

#### NEW QUESTION 100

- (Exam Topic 2)

Which routing table is used for multicasting forwarding cache?

- A. Inet.3
- B. Inet.0
- C. Inet.1
- D. Inet.2

**Answer:** C

#### NEW QUESTION 101

- (Exam Topic 2)

Which statement is correct regarding exception traffic on Junos devices?

- A. The Junos OS does not provide congestion control for exception traffic sent to the RE.
- B. The built-in rate limiter for exception traffic is configurable.
- C. All exception traffic destined for the RE is sent over the out-of-band management link.
- D. The Junos OS has a built-in rate limiter for exception traffic.

**Answer:** D

#### NEW QUESTION 106

- (Exam Topic 2)

Which two statements are true about the default behavior of Junos routing policies? (Choose two.)

- A. Routing policies can export active and inactive routes.
- B. Routing policies can export only active routes.
- C. Routing policies control the flow of routing information going to and from the routing table.
- D. Routing policies control the flow of routing information going to and from the forwarding table.

**Answer:** BC

#### NEW QUESTION 108

- (Exam Topic 2)

A Junos device is in a factory-default configuration and no host name is set. What is used in place of a host name in this scenario?

- A. amnesiac
- B. router
- C. Junos
- D. user

**Answer:** A

#### NEW QUESTION 111

- (Exam Topic 2)

What are two benefits realized by the disaggregated Junos? (Choose two.)

- A. There is increased flexibility to use different control plane versions.
- B. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- C. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform APIs.
- D. The platform drivers and forwarding engine are removed from the control plane to increase performance.

**Answer:** CD

#### NEW QUESTION 115

- (Exam Topic 2)

What are three functions of the RE? (Choose three.)

- A. to maintain the forwarding tables
- B. to enforce stateless firewall filters
- C. to manage the PFE
- D. to monitor the chassis
- E. to implement policing

**Answer:** ABD

#### NEW QUESTION 120

- (Exam Topic 2)

Referring to the exhibit,

Specific System Log Message Information	
Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

which command will cause this event message?

- A. request system logout
- B. request system commit
- C. request system recover
- D. request system halt

**Answer:** D

#### NEW QUESTION 122

- (Exam Topic 2)

You are in configuration mode at the top of the hierarchy. How would you save your configuration to a file on the router?

- A. save configuration <filename>
- B. save config <filename>
- C. save <filename>
- D. save run <filename>

**Answer:** C

#### NEW QUESTION 127

- (Exam Topic 2)

What is minimum configuration required for a Junos device to respond to SNMP requests?

- A. set snmp community public authorization read only
- B. set snmp public version v2
- C. set snmp community public
- D. set snmp trap-group public version v1

**Answer:** C

#### NEW QUESTION 129

- (Exam Topic 2)

What are three characteristics of Layer 2 switches? (Choose Three)

- A. Layer 2 switches separates multicast domains.



- B. Layer 2 switches separates collision domains.
- C. Layer 2 switches forward traffic addressed to hosts that reside on the same collision domain.
- D. Layer 2 switches forward traffic addressed to hosts that reside on a different collision domain.
- E. Layer 2 switches forward broadcast traffic.

**Answer:** BDE

#### NEW QUESTION 134

- (Exam Topic 2)

What is the default firewall filter behavior when a term is matched but no terminating action is specified?

- A. an implicit deny and the filter evaluation terminates
- B. an implicit accept and the filter evaluation terminates
- C. an implicit accept and the filter evaluation continues to the next term
- D. an implicit deny and the filter evaluation continues to the next term

**Answer:** C

#### NEW QUESTION 138

- (Exam Topic 2)

Which two interfaces are considered physical interface? Choose TWO

- A. Ge-0/0/0
- B. Et-3/0/0:0.501
- C. Et-7/1/4:0
- D. Xe-10/2/1

**Answer:** AD

#### NEW QUESTION 141

- (Exam Topic 2)

When you first log in to a router, how does the router indicate that factory defaults are being used? Junos Configuration Basics

- A. The router's host name is Amnesiac.
- B. The password you used to log in is junos.
- C. The router immediately enters configuration mode after you log in.
- D. The router allows you to enter configuration mode without logging in.

**Answer:** A

#### NEW QUESTION 146

- (Exam Topic 2)

Which parameter would you use to prohibit the redistribution of a static route used for management traffic?

- A. no-readvertise
- B. discard
- C. reject
- D. passive

**Answer:** A

#### NEW QUESTION 147

- (Exam Topic 2)

Which command is used to replace the current configuration?

- A. load replace
- B. load patch
- C. load override
- D. load set

**Answer:** C

#### NEW QUESTION 151

- (Exam Topic 2)

Click the Exhibit button.

[edit]

```
user@router# show system authentication-order
```

```
authentication-order [ radius password ];
```

A user attempts to log in to a Junos device. but the RADIUS server is unreachable. Referring to the exhibit, what is the default action of a Junos device in this scenario?

- A. The Junos device retries every 30 seconds until the connection is restored.


- B. The Junos device uses the local authentication database.
- C. The Junos device displays a RADIUS connection error.
- D. The Junos device prompts for a cached RADIUS password.

**Answer: C**

#### NEW QUESTION 152

- (Exam Topic 2)

Referring to the exhibit,



which dynamic routing protocol would be used for this topology?

- A. IGMPv3
- B. OSPFv2
- C. RIPng
- D. RIP

**Answer: C**

#### NEW QUESTION 155

- (Exam Topic 2)

At which hierarchy would you configure a static MAC address for interface ge-0/0/0?

- A. [edit interfaces ge-0/0/0 unit 0]
- B. [edit interfaces ge-0/0/0]
- C. [edit interfaces ge-0/0/0 unit 0 family inet]
- D. [edit interfaces ge-0/0/0 unit 0 family inet address 172.25.11.2/24]

**Answer: D**

#### NEW QUESTION 158

- (Exam Topic 2)

Exhibit:

```
{master:0}[edit routing-instances]
root@switch# top set interfaces xe-0/0/39.0 family ethernet-switching
```

Which statement is true about the command shown in the exhibit?

- A. There needs to be a ; after top for the command to be accepted as a valid command.
- B. Only top should be used, no other options are allowed on the same line.
- C. The command shown in the exhibit would be accepted as a valid command.
- D. If you replace top with up command, it becomes valid.

**Answer: C**

#### NEW QUESTION 163

- (Exam Topic 2)

```

user@router> show route

inet.0: 1222 destinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

0.0.0.0/0          *[Static/5] 1w2d 22:59:01
                  > to 10.10.10.1 via fxp0.0
10.10.10.0/25      *[Direct/0] 1w2d 22:59:01
                  > via fxp0.0
                  [Direct/0] 1w2d 22:58:57
                  > via fxp0.0
10.10.10.7/32      *[Local/0] 1w2d 22:59:01
                  Local via fxp0.0
10.10.10.9/32      *[Local/0] 1w2d 22:58:57
                  Local via fxp0.0
10.200.200.0/23    *[Direct/0] 1w2d 22:30:24
                  > via xe-0/0/3.100
  
```

What does the number inside the square bracket represent?

- A. Metric
- B. Local preference
- C. Protocol reference number
- D. Route preference

**Answer: D**

**Explanation:**

<https://www.juniper.net/documentation/us/en/software/junos/bgp/topics/ref/command/show-route.html#show-ro> Module 9 of Juniper Open Learning, Routing Fundamentals describes the [Source/Route Preference]. The metric is 'how' a protocol calculates the best path to a destination. RIP = Hops, OSPF = Cost. Metrics are unique to protocols.

```

user@host> show route
inet.0: 11 destinations, 12 routes (11 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both 1:65500:1:10.0.0.20/240
*[MVPN/70] 19:53:41, metric2 1
Indirect
1:65500:1:10.0.0.40/240
*[BGP/170] 19:53:29, localpref 100, from 10.0.0.30 AS path: I
> to 10.0.24.4 via lt-0/3/0.24, label-switched-path toD [BGP/170] 19:53:26, localpref 100, from 10.0.0.33 AS path: I
> to 10.0.24.4 via lt-0/3/0.24, label-switched-path toD inside square brackets -> route preference
metric and localpref are optional and after the date
  
```

**NEW QUESTION 167**

- (Exam Topic 2)

When multiple users are editing the configuration on a Junos device, What is the default behavior when a user issues a commit command?

- A. The user's configuration changes are committed, other users configuration changes are still pending
- B. The user's configuration changes are committed, other users will be exited from the configuration mode
- C. All valid configuration changes made by all users will take effect
- D. The user will receive an error message disallowing a commit of the configuration

**Answer: A**

**NEW QUESTION 172**

- (Exam Topic 2)

Which two commands would you use to reset the candidate configuration to the active configuration? (Choose two.)

- A. rollback 0
- B. rollback 1
- C. rollback 2
- D. rollback

**Answer: AD**

**NEW QUESTION 174**

- (Exam Topic 2)

What information would you find using the CLI help function? (Choose two.)

- A. tip of the day
- B. Junos technical publications
- C. explanation of specific system log error messages
- D. explanation of traceoption events

**Answer: AC**

**NEW QUESTION 175**

- (Exam Topic 2)

Which two statements describe the connection between control plane and the forwarding plane?

Choose Two

- A. No rate limiter is configured by default
- B. A rate limiter is configured by default
- C. Exception traffic is preferred over the control traffic during congestion
- D. Control traffic is preferred over the exception traffic during congestion

**Answer:** AD

#### NEW QUESTION 177

- (Exam Topic 2)

Exhibit:

```
[edit snmp]
user@router# show
community my-community {
    authorization read-only;
    clients {
        10.21.15.16/32;
    }
}
trap-group my-first-trap-group {
    version v2;
    categories {
        chassis;
        link;
    }
    targets {
        10.21.15.180;
    }
}
trap-group my-second-trap-group {
    targets {
        10.21.15.181;
    }
}
```

Referring to the exhibit, which statement is true?

- A. Traps are allowed from 10.21.15.180
- B. Traps are sent to 10.21.15.180
- C. Traps are sent to 10.21.15.16
- D. Traps are allowed from 10.21.15.16

**Answer:** D

#### NEW QUESTION 178

- (Exam Topic 2)

Which command is used to validate the syntax of a configuration without applying the configuration?

- A. commit check
- B. commit confirmed
- C. commit synchronize
- D. commit and-quit

**Answer:** A

#### NEW QUESTION 183

- (Exam Topic 2)

Which two interfaces are considered as physical interface? (Choose two.)

- A. xe-1/1/1
- B. ge-2/0/2.0
- C. et-5/0/0
- D. ae1.1

**Answer:** AB

#### NEW QUESTION 188

- (Exam Topic 2)

Which set of IP addresses are in the same subnet?

- A. 185.114.16.91/28 and 185.114.16.96/28
- B. 185.114.16.77/28 and 185.114.16.82/28
- C. 185.114.16.40/28 and 185.114.16.45/28
- D. 185.114.16.59/28 and 185.114.16.82/28

**Answer:** C



#### NEW QUESTION 192

- (Exam Topic 2)

Which command causes the Junos OS to temporarily activate a configuration?

- A. commit and-quit
- B. commit synchronize
- C. commit check
- D. commit confirmed

**Answer:** D

#### NEW QUESTION 197

- (Exam Topic 2)

You are in configuration mode at the top of the hierarchy. You need to abort the changes that you have made and start again with a fresh copy of the active configuration. Which command should you use to accomplish this task?

- A. rollback 0
- B. load active
- C. reset config
- D. clear candidate config

**Answer:** A

#### NEW QUESTION 199

- (Exam Topic 2)

Which keystroke is used to auto-complete user-defined variables?

- A. Spacebar
- B. Home
- C. Esc
- D. Tab

**Answer:** D

#### NEW QUESTION 200

- (Exam Topic 2)

Which two interfaces are considered logical interfaces? (Choose two.)

- A. xe-1/1/1
- B. ge-2/0/2.0
- C. et-5/0/0
- D. ae1.1

**Answer:** CD

#### NEW QUESTION 202

- (Exam Topic 2)

You must configure the 2bfc:0000:0000:beef:0217:cbff:0000:5c85 IPv6 address on your device. In this scenario, which three addresses are correct? (Choose three.)

- A. 2bfc::beef:217:cbff:0:5c85
- B. 2bfc:0:0:beef:0217:cbff:0:5c85
- C. 2BFcBEEF:0217:CBFF:0:5C85
- D. 2bfc:0:beef:0217:cbff:0:5c85
- E. 2BFC::BEEF:217:CBFF::5C85

**Answer:** ABC

#### NEW QUESTION 204

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual JN0-104 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the JN0-104 Product From:

<https://www.2passeasy.com/dumps/JN0-104/>

## Money Back Guarantee

### JN0-104 Practice Exam Features:

- \* JN0-104 Questions and Answers Updated Frequently
- \* JN0-104 Practice Questions Verified by Expert Senior Certified Staff
- \* JN0-104 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* JN0-104 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year