

JN0-104 Dumps

Junos - Associate (JNCIA-Junos)


<https://www.certleader.com/JN0-104-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

Click the Exhibit button



You are connecting to a new device in your network and are presented with the information and prompt shown in the exhibit. Which three steps must be carried out to edit the configuration on this device? (Choose three.)

- A. Type configure at the > prompt.
- B. Log in using the root user with no password.
- C. Type cli at the = prompt
- D. Type cli at the > prompt
- E. Log in using the root user with the root 123 password.

Answer: AB

NEW QUESTION 2

- (Exam Topic 1)

Which two Juniper Networks products are available in virtual machine (VIM) format? (Choose two.)


- A. vSRX
- B. vIDP
- C. vPTX
- D. vMx

Answer: AD

NEW QUESTION 3

- (Exam Topic 1)

Click the Exhibit button



What is the next-hop interface for traffic destined to 172.19.52.101 as shown in the exhibit?

- A. ge-0/0/3.0
- B. ge-0/0/0.0
- C. ge-0/0/2.0
- D. ge-0/0/1.0

Answer: D

NEW QUESTION 4

- (Exam Topic 1)


Which command allows you to execute operational mode commands while in configuration mode?

- A. activate
- B. show
- C. run
- D. set

Answer: C

NEW QUESTION 5

- (Exam Topic 1)
Click the Exhibit button.



The next hop identified in the static route command is not directly connected to your router. Referring to the exhibit, what must be added to the command for the static route to work?

- A. retain
- B. resolve
- C. readvertise
- D. install

Answer: B

NEW QUESTION 6

- (Exam Topic 1)
By default, which Junos directory contains the primary syslog file?

- A. /var/syslog
- B. /var/home
- C. /var/log
- D. /var/tmp

Answer: C

NEW QUESTION 7

- (Exam Topic 1)
Which statement about the forwarding table is correct?

- A. It contains all known routes including IPv6
- B. It is only available on the PFE
- C. It is only available on the RE
- D. It is available on both the RE and the PFE.

Answer: B

NEW QUESTION 8

- (Exam Topic 1)
Click the Exhibit button

```

Exhibit

[edit firewall family inet filter input-ff]
user@router# show
term else-accept {
  then {
    count outbound-accepted;
    accept;
  }
}
term discard-outbound-traffic {
  from {
    source-address {
      0.0.0.0/0;
      172.27.102.0/24 except;
    }
  }
  then {
    log;
    discard;
  }
}

```

A packet destined to the 172.27.102.65 IP address is received by the ge-0/0/1.0 interface on your Junos device. The input firewall filter shown in the exhibit is applied to the ge-0/0/1.0 interface.

Which two actions are performed in this scenario? (Choose two.)

- A. The packet is logged
- B. The packet is accepted
- C. The packet is counted
- D. The packet is discarded.

Answer: BC

NEW QUESTION 9

- (Exam Topic 1)

You just received a new factory-default Junos device.

Which two steps must be completed to connect and log in to the device? (Choose two.)

- A. Connect to the device using an SSH connection.
- B. Log in with the user root and no password.
- C. Connect to the device using the console connection.
- D. Log in with the user root and password of root123.

Answer: BC

NEW QUESTION 10

- (Exam Topic 1)

Click the Exhibit button

```

Exhibit

user@router> show route 10.10.102.0/30
inet.0: 20 destinations, 21 routes (20 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
10.10.102.0/30    *([Static/5] 00:00:07
                 > to 10.10.4.2 via ge-0/0/2.0
                 [OSPF/10] 00:06:32, metric 2
                 > to 10.10.101.1 via ge-0/0/1.0

```

Referring to the exhibit, which statement is correct?

- A. Traffic destined to 10.10.102.0/30 will be forwarded to 10.10.101.1.
- B. Traffic destined to 10.10.102.0/30 will be load-balanced across both next hops.
- C. Traffic destined to 10.10.102.0/30 will be silently dropped.
- D. Traffic destined to 10.10.102.0/30 will be forwarded to 10.10.4.2

Answer: D

NEW QUESTION 10

- (Exam Topic 1)

You must verify that interface ge-0/0/0.0 is administratively up and that the link is up. In this scenario, which command will accomplish this task?

- A. show configuration interfaces ge-0/0/0.0
- B. show chassis fpc pic-status
- C. show system information
- D. show interfaces terse

Answer: D

NEW QUESTION 13

- (Exam Topic 1)

Which statement is true about using custom login class permissions?


- A. If you allow and deny the same command, the command is allowed.
- B. If you allow and deny the same command, the command is denied.
- C. If you allow and deny the same command, Junos OS will randomly choose the action.
- D. If you allow and deny the same command, the Junos OS will fail the commit check.

Answer: B

NEW QUESTION 16

- (Exam Topic 1)

Click the Exhibit button.



User 1 pings Router C to determine its status.

Which router shown in the exhibit, treats the traffic generated by the ping command as exception traffic?

- A. Router A
- B. Router B
- C. Router D
- D. Router C

Answer: C

NEW QUESTION 18

- (Exam Topic 1)

You want to temporarily apply a candidate configuration to the active configuration and automatically roll back after 10 minutes.

In this scenario, which command will accomplish this task?

- A. commit at
- B. commit confirmed
- C. commit check
- D. commit

Answer: B

Explanation:

```
[edit]
user@host# commit confirmed
commit confirmed will be automatically rolled back in 10 minutes unless confirmed commit complete
#commit confirmed will be rolled back in 10 minutes [edit]
user@host#
```

<https://www.juniper.net/documentation/us/en/software/junos/cli/topics/topic-map/junos-configuration-commit.ht>

NEW QUESTION 21

- (Exam Topic 1)

Click the Exhibit button.

Exhibit

```
[edit policy-options]
user@router# show
prefix-list rfc1918 {
  10.0.0.0/8;
  172.16.0.0/12;
  192.168.0.0/16;
}
policy-statement BGP-import-policy {
  term term-1 {
    from {
      route-filter 172.16.0.0/12 orlonger;
      route-filter 10.10.0.0/16 orlonger;
    }
    then accept;
  }
  term term-2 {
    from {
      prefix-list-filter rfc1918 orlonger reject;
    }
  }
}
```

You have applied the policy shown in the exhibit as an import policy to your BGP group. In this scenario, what will happen when the router receives the 192.168.30.48/32 route?

- A. It will be sent to the default BGP policy
- B. It will match term-1 and be accepted.
- C. It will match term-2 and be accepted
- D. It will match term-2 and be rejected.

Answer: D

NEW QUESTION 23

- (Exam Topic 1)

Click the Exhibit button.

Exhibit

```
[edit policy-options]
user@router# show
policy-statement BGP-to-OSPF {
  term 10 {
    from protocol bgp;
    then accept;
  }
}
```

You must apply the policy shown in the exhibit to readvertise BGP routes to OSPF neighbors. Which action will accomplish this task?

- A. You must apply the policy as an import policy within the BGP configuration
- B. You must apply the policy as an import policy within the OSPF configuration.
- C. You must apply the policy as an export policy within the BGP configuration
- D. You must apply the policy as an export policy within the OSPF configuration

Answer: D

NEW QUESTION 28

- (Exam Topic 1)

Click the Exhibit button

Exhibit

```
[edit interfaces]
user@router# show
et-0/0/34 {
  unit 0 {
    family inet {
      address 10.10.0.1/24;
      address 10.20.0.1/24 {
        preferred;
      }
      address 10.30.0.1/24 {
        primary;
      }
      address 10.40.0.1/24 {
        primary;
      }
    }
  }
}
```

Referring to the exhibit, what will be the source address for packets egressing et-0/0/34.07

- A. 10.20.0.1
- B. 10.30.0.1
- C. 10.10.0.1
- D. 10.40.0.1

Answer: A

NEW QUESTION 33

- (Exam Topic 1)

Click the Exhibit button,

Exhibit

```
[edit]
user@router# show policy-options
policy-statement block-routes {
  term 1 {
    from {
      route-filter 10.10.10.0/24 <match type>;
    }
    then reject;
  }
}
```

You are creating a new routing policy on your Junos device. You are currently receiving multiple routes within the 10.10. 10.0/24 subnet from the same upstream BGP neighbor. Your policy should only allow the 10.10. 10.0/24 route and reject all other routes within that /24 range Referring to the exhibit, which route filter match type would satisfy this requirement?

- A. exact
- B. orlonger
- C. prefix-length-range /24-/32
- D. longer

Answer: D

NEW QUESTION 34

- (Exam Topic 1)

Which two statements describe firewall filters? (Choose two.)

- A. Firewall filters are applied to interfaces.
- B. Firewall filters are applied to security policies
- C. Firewall filters provide stateless security.
- D. Firewall filters provide stateful security.

Answer: AC

NEW QUESTION 39

- (Exam Topic 1)

Which statement regarding transit traffic processing is correct?

- A. Transit traffic is processed by both the control plane and forwarding plane.
- B. Transit traffic is only processed by the control plane.
- C. Transit traffic is only processed by the forwarding plane
- D. Transit traffic is not processed by the local device.

Answer: C

NEW QUESTION 40

- (Exam Topic 1)

Which address correctly represents a valid abbreviation for the 2bfc:0000:0000:0000:0217:0000:fe8c:5c85/128 IPv6 address?

- A. 2bfe::217:0:fe8c:5c85/128
- B. 2bfe:0:217:-fe8c:5c85/128
- C. 2bfe::0217::fe8e:5e85/128
- D. 2bfe:0:217:0:fe8e:5c85/128

Answer: A

NEW QUESTION 42

- (Exam Topic 1)

Which two statements about login classes are correct? (Choose two.)

- A. Login class permissions can be overridden for certain commands.
- B. Users can be members of multiple login classes.
- C. Login classes define access privileges for a user.
- D. There are no system-defined login classes.

Answer: AC

NEW QUESTION 44

- (Exam Topic 1)

Which statement about the Junos OS forwarding table is correct?

- A. The forwarding table consolidates routes from multiple sources.
- B. The forwarding table is populated with active routes from the routing table
- C. The forwarding table is responsible for identifying and selecting active routes.
- D. The forwarding table is only stored on the Routing Engine.

Answer: B

NEW QUESTION 47

- (Exam Topic 1)

You must recover a device by loading the rescue configuration file. In this scenario, which command will accomplish this task?


- A. {master:0}user@router> load override rescue
- B. {master:0}user@router> rollback rescue
- C. {master:0} [edit]user@router# load override rescue
- D. {master:0} [edit]user@router# rollback rescue

Answer: B

NEW QUESTION 51

- (Exam Topic 1)

Click the Exhibit button



Referring to the exhibit, which two statements are correct? (Choose two.)

- A. All other traffic from the Web destined to 172.19.20.50 is accepted.
- B. All other traffic from the Web destined to 172.19.20.50 is discarded
- C. The HTTP traffic destined to 172.19.20.50 is accepted.
- D. The HTTP traffic from source 172.19.20.50 is accepted.

Answer: BC

NEW QUESTION 56

- (Exam Topic 1)

You are asked to determine when a Junos device was booted Which command would you use to obtain this information?

- A. show system statistics
- B. show system commit
- C. show system information
- D. show system uptime

Answer: D

NEW QUESTION 57

- (Exam Topic 1)

Which operational mode command will provide real-time usage statistics for the ge-0/0/0 interface?


- A. show interfaces ge-0/0/0 extensive
- B. monitor interface traffic
- C. show interfaces statistics
- D. monitor traffic interface ge-0/0/0

Answer: B

NEW QUESTION 61

- (Exam Topic 1)

Click the Exhibit button.



Which operational mode command in Junos OS produces the output shown in the exhibit?

- A. show system users
- B. show system connections
- C. show system commit

D. show system reboot

Answer: C

NEW QUESTION 63

- (Exam Topic 1)

Click the Exhibit button

Exhibit

```
user@router> show system alarms
1 alarms currently active
Alarm time          Class Description
2021-08-16 23:45:17 UTC Minor  Rescue configuration is not set
```

Which command will solve the problem shown in the exhibit?

- A. user@router# request system configuration rescue commit
- B. user@router> request system configuration rescue save
- C. user@router# file copy current /config/rescue.conf
- D. user@router> file copy current /config/rescue.conf

Answer: B

NEW QUESTION 64

- (Exam Topic 1)

You are creating a route filter that will match the network address of 192.168.64.0/24 In this scenario, which configuration statement will accomplish this task?

- A. from route-filter 192.168.32.0/24 longer
- B. from route-filter 152.168.128.0/24 orlonger
- C. from route-filter 192.168.64.0/24 longer
- D. from route-filter 192.168.64.0/24 orlonger

Answer: D

NEW QUESTION 69

- (Exam Topic 1)

What are two important steps when upgrading an SRX300 Series device? (Choose two.)

- A. Verify that enough space exists to upload the software package.
- B. Clear all alarms.
- C. Reboot the device.
- D. Verify that the NETCONF protocol is enabled.

Answer: AC

NEW QUESTION 71

- (Exam Topic 1)

Which two parameters are considered action modifiers in the firewall filters then statement? (Choose two.)

- A. next term
- B. reject
- C. policer
- D. counter

Answer: AB

NEW QUESTION 75

- (Exam Topic 1)

What are two characteristics of UDP? (Choose two.)

- A. UDP is connection-oriented.
- B. UDP packets are sent best-effort.
- C. UDP is more reliable than TCP.
- D. UDP operates at the transport layer.

Answer: BD

NEW QUESTION 80

- (Exam Topic 1)

Which layer of the OSI model does a router use to make forwarding decisions?

- A. Layer 3
- B. Layer 4
- C. Layer 5
- D. Layer 2

Answer: A

NEW QUESTION 82

- (Exam Topic 1)

Which command will replace the entire candidate configuration with the configuration stored in the reset.config file?

- A. load replace reset.config
- B. load override reset.config
- C. load merge reset.config
- D. rollback 1

Answer: B

NEW QUESTION 84

- (Exam Topic 1)

Click the Exhibit button

```

user@router> show interfaces terse
Interface          Admin Link Proto  Local          Remote
ge-0/0/0           up    up
ge-0/0/0.0         up    up  inet    172.18.36.1/24
ge-0/0/1           up    up
ge-0/0/1.0         up    up  inet6   fd73:5d2a:f03b:15e0::1/64
                  fe80::217:cbff:fe4e:a281/64
ge-0/0/2           up    up
ge-0/0/2.0         down  up  inet    172.19.25.1/28
ge-0/0/2.1         down  up  inet    10.0.0.10/24
ge-0/0/2.2         down  up  inet    192.168.1.1/24
...

```

Referring to the exhibit, you are unable to reach devices in the 172.19.25.0/28 subnet. What should you do to solve this problem?

- A. Enable the ge-0/0/2 interface.
- B. Enable the ge-0/0/2.2 interface.
- C. Enable the ge-0/0/2.0 interface.
- D. Enable the ge-0/0/2.1 interface.

Answer: C

NEW QUESTION 88

- (Exam Topic 1)

Which two statements about exception traffic processing are correct? (Choose two.)

- A. When congestion occurs, only exception traffic is given preference.
- B. By default, a rate-limiter for exception traffic exists on the internal link between the control plane and the forwarding plane
- C. When congestion occurs, local and control traffic are given preference.
- D. By default, no rate-limiter for exception traffic exists on the internal link between the control plane and the forwarding plane.

Answer: BC

NEW QUESTION 93

- (Exam Topic 1)

Click the Exhibit button.

Exhibit

```
[edit]
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```

Referring to the exhibit, which statement is correct?

- A. The device will attempt to authenticate using the local database if RADIUS and TACACS+ are unresponsive.
- B. The device will never attempt to authenticate using the local database.
- C. The device will attempt to authenticate using RADIUS and TACACS+ at the same time.
- D. The device will randomly select the authentication method used for each new login attempt.

Answer: B

NEW QUESTION 97

- (Exam Topic 1)

Which two statements about the configure exclusive command are correct? (Choose two.)

- A. The command excludes other users from editing the configuration.
- B. The command retains all uncommitted changes when exiting exclusive mode
- C. The command causes the loss of all uncommitted changes when exiting exclusive mode
- D. The command allows multiple users to edit private copies of the configuration concurrently.

Answer: AC

NEW QUESTION 102

- (Exam Topic 2)

Which two interfaces are considered physical interfaces? (Choose two.)

- A. xe-10/2/1
- B. ge-0/0/0
- C. et-3/0/0/0:0.501
- D. et-7/1/4.0

Answer: AB

NEW QUESTION 104

- (Exam Topic 2)

Which two statements are true about static routes in the Junos OS (Choose Two)

- A. Static routes remain in the routing table until you remove them or until they become inactive
- B. Static routes are learned by neighboring devices and added to their routing tables
- C. Static routes are defined at the [edit routing-instance] hierarchy
- D. Static routes must have next hop defined

Answer: AD

NEW QUESTION 107

- (Exam Topic 2)

A packet enters a Junos device. No matching destination entry exists in the forwarding table. How will the device respond?

- A. The RE responds to the source with a destination unreachable notification message
- B. The PFE responds to the destination with a source unreachable notification message
- C. The PFE responds to the source with a destination unreachable notification message
- D. The RE responds to the destination with a source unreachable notification message

Answer: B

NEW QUESTION 109

- (Exam Topic 2)

Refer to the exhibit.

```

user@router> show rip statistics

RIPv2 info: port 520; holddown 120s.
  rts learned   rts held down   rqsts dropped   resps dropped
      0           0             0             0
fe-1/2/0.1: 0 routes learned; 0 routes advertised; timeout 180s; update
interval 30s
Counter          Total          Last 5 min          Last minute
-----          -
Updates Sent          2669             0             0
Triggered Updates Sent    2             0             0
Responses Sent          0             0             0
Bad Messages           0             0             0
RIPv1 Updates Received   0             0             0
RIPv1 Bad Route Entries  0             0             0
RIPv1 Updates Ignored    0             0             0
RIPv2 Updates Received  2675            0             0
RIPv2 Bad Route Entries  0             0             0
RIPv2 Updates Ignored    0             0             0
Authentication Failures  0             11            2
RIP Requests Received   0             0             0
RIP Requests Ignored     0             0             0
none                    0             0             0

```

A customer reports that they have recently lost connectivity to a remote site over a shared architecture. Referring to the exhibit, what is the problem?

- A. The remote link is down.
- B. The remote router has been powered off.
- C. The authentication method or key has been changed.
- D. The remote site router has been configured for OSPF.

Answer: C

NEW QUESTION 114

- (Exam Topic 2)

How does the PFE determine how to forward transit traffic?

- A. The PFE performs a destination lookup based on its own routing table.
- B. The PFE determines network destinations itself based on the RE's routing table.
- C. The PFE uses the following table provided by the RE.
- D. The PFE uses the routing table provided by the RE.

Answer: C

NEW QUESTION 118

- (Exam Topic 2)

```
user@router>
```

```
*** System shutdown message from user@router ***
```

```
System going down at 08:28
```

```
The system will be powered down in 10 minutes for maintenance.
```

```
user@router>
```

While working on a Junos device, you receive the message shown in the exhibit. In this scenario, what should you do to stop the shutdown process?
In this scenario, what should you do to stop the shutdown process?

- A. Issue the request system halt in 0 command
- B. Issue the request system power-off in 0 command
- C. Issue the clear system reboot command
- D. Issue the clear system commit command

Answer: C

Explanation:

https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/clear-system-reboot.h

NEW QUESTION 119

- (Exam Topic 2)

Which command verifies configuration syntax without applying the changes?

- A. commit and -quit
- B. commit check
- C. commit comment

D. commit confirmed

Answer: B

NEW QUESTION 124

- (Exam Topic 2)

```
... Hit [Enter] to boot immediately, or space bar for command prompt. <user presses Spacebar> Type '?' for a list of commands, 'help' for more detailed help. loader> boot -s  
... Enter full pathname of shell or 'recovery' for root password recovery or RETURN for / bin/sh: recovery
```

Referring to the exhibit, what will be the result?

- A. The device will boot in single-user mode at the operational prompt.
- B. The device will boot into single-user mode at the shell prompt.
- C. The device will boot into multi-user mode at the shell prompt.
- D. The device will boot in multi-user mode at the configuration prompt.

Answer: C

NEW QUESTION 129

- (Exam Topic 2)

Which two commands will provide the current configuration of the MX1-PE1 BGP group on your router? (Choose two.)

- A. user@router# show groups | display set | match MX1-PE1
- B. user@router# show | display set | match MX1-PE1
- C. user@router> show configuration | match set | match MX1-PE1
- D. user@router> show configuration | display set | match MX1-PE1

Answer: BD

NEW QUESTION 132

- (Exam Topic 2)

Which keystrokes are used to auto-complete user-defined variables?

- A. Spacebar
- B. Home
- C. End
- D. Tab CC

Answer: D

NEW QUESTION 134

- (Exam Topic 2)

Which two statements describe IPv4 default behavior for BGP? Choose Two

- A. All Active BGP routes are exported to configured EBGP neighbors
- B. All BGP routes are exported to configured EBGP neighbors
- C. All BGP routes are imported into the inet.0 routing table
- D. All BGP routes are imported into the inet4.0 routing table

Answer: AC

NEW QUESTION 136

- (Exam Topic 2)

Exhibit:

```
[edit routing-options]  
user@router# show  
rib inet6.0 {  
    static {  
        route 0::/0 next-hop 3001::1,  
    }  
}
```

Which type of route does the configuration create?

- A. an indirect next hop
- B. a generated route
- C. a non-advertised route
- D. a default gateway

Answer: D

NEW QUESTION 140

- (Exam Topic 2)

Which source of routing information is preferred by default?

- A. static
- B. RIP
- C. direct
- D. BGP

Answer: A

NEW QUESTION 145

- (Exam Topic 2)

Which IP protocol number is assigned to TCP?

- A. 4
- B. 6
- C. 18
- D. 17

Answer: B

NEW QUESTION 146

- (Exam Topic 2)

Which CIDR notation is the equivalent of the subnet mask of 255.255.192.0?

- A. /19
- B. /18
- C. /20
- D. /17

Answer: B

NEW QUESTION 150

- (Exam Topic 2)

What are three acceptable modifiers to a terminating action on a firewall filter? (Choose three.)

- A. policer
- B. count
- C. log
- D. discard
- E. syslog

Answer: BCE

NEW QUESTION 155

- (Exam Topic 2)

What is a valid IPv6 address?

- A. 00:05:85:23:45:67
- B. 127.0.0.1
- C. 2001:0db8:3000:2215:0000:0000:aaaa:llll
- D. 49.0001.0192.0168.1001.00

Answer: C

NEW QUESTION 157

- (Exam Topic 2)

Which command prompt indicates that you are in operational mode?

- A. user @ router &
- B. user @ router #
- C. user @ router \$
- D. user @ router >

Answer: D

NEW QUESTION 160

- (Exam Topic 2)

You have configuration groups applied on your router.

Which command would you use to see all components of the interface hierarchy?

- A. show configuration interfaces | display detail
- B. show configuration interfaces | display changed
- C. show configuration interfaces | display set
- D. show configuration interfaces | display inheritance

Answer: D

NEW QUESTION 163

- (Exam Topic 2)
What does the "3" in Junos version 14.2R3.2 represent?

- A. a single-threaded version of the Junos OS.
- B. a major release number.
- C. a minor release number.
- D. a service build number.

Answer: C

NEW QUESTION 166

- (Exam Topic 2)
You are troubleshooting an issue and want to monitor syslog in real time. Which operational command accomplish this task?

- A. Show log message
- B. Monitor start message
- C. Show log message | refresh i
- D. Monitor traffic interface fxp0.0

Answer: B

NEW QUESTION 170

- (Exam Topic 2)
What configuration parameter on a Junos device modifies the default next-hop resolution behavior of a static route?

- A. Resolve
- B. No-readvertise
- C. Passive
- D. Preference

Answer: A

NEW QUESTION 173


- (Exam Topic 2)
What is the name of the volume containing the software and files used for the day-to day operation of a device using Junos with upgraded FreeBSD?

- A. /var
- B. /active
- C. /junos
- D. /oam

Answer: C

NEW QUESTION 175

- (Exam Topic 2)
Referring to the Exhibit,



what does the number inside the square bracket represent?

- A. local preference
- B. router preference
- C. metric
- D. protocol reference number

Answer: C

NEW QUESTION 179

- (Exam Topic 2)

Exhibit:

```
... Hit [Enter] to boot immediately, or space bar for command prompt. <user presses Spacebar> Type '?' for a list of commands, 'help' for more detailed help. loader> boot -s
... Enter full pathname of shell or 'recovery' for root password recovery or RETURN for / bin/sh: recovery
```


Refer to exhibit, What will be the result?

- A. The device will boot in a multi-user mode at the configuration prompt
- B. The device will boot in a Single-user mode at the operational prompt
- C. The device will boot in a multi-user mode at the shell prompt
- D. The device will boot in a Single-user mode at the shell prompt

Answer: A**NEW QUESTION 182**

- (Exam Topic 2)

Your configuration contains the static routes shown in the exhibit.



```
set routing-options static route 166.74.67.131/32 qualified-next-hop
166.113.123.37 interface irb.222
set routing-options static route 166.74.67.131/32 community 3175:0568
set routing-options static route 166.74.68.132/32 qualified-next-hop
166.113.122.33 interface irb.111
set routing-options static route 166.74.68.132/32 community 3175:0568
```

Which command will successfully remove the 166.74.67.131 static route?

- A. delete routing-options static route 166.74.67.131/32 qualified-next-hop 166.113.123.37 interface irb.222
- B. delete routing-options static route 166.74.67.131/32
- C. delete routing-options static route 166.74.67.131/32 qualified-next-hop 166.113.123.37
- D. delete routing-options static route 166.74.67.131/32 qualified-next-hop

Answer: B**NEW QUESTION 185**

- (Exam Topic 2)

The marketing team needs access to a server on subnet 172.0.46.0/24. The next-hop router is 10.0.4.2/30. A static route on their gateway has been configured to accomplish the task. You want to keep the static route from being redistributed into dynamic routing protocols.

Which command will satisfy this requirement?

- A. set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30
- B. set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30 no-resolve
- C. set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30 no-redistribute
- D. set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30 no readvertise

Answer: A**NEW QUESTION 188**

- (Exam Topic 2)

What's is the minimum system-defined user class required to issue clear commands?

- A. read-only
- B. operator
- C. authorized
- D. super-user

Answer: B**NEW QUESTION 189**

- (Exam Topic 2)

What are two modes of unicast reverse path forwarding? (Choose two.)

- A. Strict
- B. High
- C. Low
- D. Loose

Answer: AD**Explanation:**

There are two modes of unicast RPF, strict mode, and loose mode. The default is strict mode, which means the switch forwards a packet only if the receiving interface is the best return path to the packet's unicast source address.

https://www.juniper.net/documentation/en_US/junos/topics/topic-map/l3-vpns-unicast-reverse-path.html#:~:text=

NEW QUESTION 192

- (Exam Topic 2)

Which three protocols are connectionless? (Choose three.)

- A. ICMP
- B. Telnet
- C. SSH
- D. TFTP
- E. DNS

Answer: ADE

NEW QUESTION 197

- (Exam Topic 2)

Which keystroke combination allows users to move the cursor to the beginning of the command line without deleting text?

- A. Ctrl + u
- B. Ctrl + w
- C. Ctrl + a
- D. Ctrl + b

Answer: C

NEW QUESTION 202

- (Exam Topic 2)

Which two features are implemented on the Packet Forwarding Engine? (Choose Two)

- A. Chassis Management
- B. Firewall Filters
- C. Class of Service
- D. Routing protocol update

Answer: BC

NEW QUESTION 203

- (Exam Topic 2)

Which command displays the output shown in the exhibit?

| Item | Fan speed | | Yellow alarm | | Red alarm | | Fire Shutdown | |
|------------------|-------------|-------------|--------------|-------------|-------------|-------------|---------------|--|
| | (degrees C) | (degrees C) | (degrees C) | (degrees C) | (degrees C) | (degrees C) | (degrees C) | |
| | Normal | High | Normal | Bad fan | Normal | Bad fan | Normal | |
| Chassis default | 48 | 54 | 65 | 55 | 75 | 65 | 100 | |
| Routing Engine 0 | 55 | 80 | 95 | 95 | 105 | 100 | 108 | |

- A. show chassis temperature-thresholds
- B. show chassis environment
- C. show chassis hardware
- D. show chassis alarms

Answer: A

NEW QUESTION 205

- (Exam Topic 2)

What is responsible for processing multicast transit traffic?

- A. Control plane
- B. Management plane
- C. RE
- D. PFE

Answer: D

NEW QUESTION 210

- (Exam Topic 2)

What happens when a route does not match any user-configured policies?

- A. The route is rejected.
- B. The route is accepted.
- C. The route is given a lower priority.
- D. The route is sent to the default policy.

Answer: D

NEW QUESTION 215

- (Exam Topic 2)

How many IP addresses can be configured on a given interface?

- A. one primary and one secondary
- B. one
- C. as many as you want
- D. one primary and multiple secondary

Answer: C

NEW QUESTION 216

- (Exam Topic 2)

Which process is responsible for controlling all interfaces on a Junos device?

- A. rpd
- B. chassisd
- C. dcd
- D. mgd

Answer: C

NEW QUESTION 221

- (Exam Topic 2)

Click the Exhibit button.

```

user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0      *[BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.6.1 via ge-0/0/0.0
               to 172.18.7.1 via ge-0/0/1.0
               [BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16  *[Static/5] 1w0d 20:17:39
               > to 172.25.11.254 via fxp0.0
172.18.6.0/30  *[Direct/0] 00:00:30
               > via ge-0/0/0.0
172.18.6.2/32  *[Local/0] 00:00:30
               Local via ge-0/0/0.0
172.31.16.0/24 *[BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.7.1 via ge-0/0/1.0
               [BGP/170] 00:00:28, localpref 100
               AS path: 802 5512 3318 65000 I, validation-state: unverified
               > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32 *[OSPF/10] 00:00:25, metric 1
               > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28 *[BGP/170] 00:00:24, localpref 100, from 172.18.6.1
               AS path: 65000 I, validation-state: unverified
               to 172.18.6.1 via ge-0/0/0.0
               > to 172.18.7.1 via ge-0/0/1.0
               [BGP/170] 00:00:24, localpref 100
               AS path: 65000 I, validation-state: unverified
               > to 172.18.7.1 via ge-0/0/1.0
224.0.0.5/32  *[OSPF/10] 00:01:11, metric 1
               MultiRecv

```

What is the next hop for a packet destined to 192.168.80.98 as shown in the exhibit?

- A. 192.168.11.2
- B. 172.18.6.1
- C. 172.25.11.254
- D. 172.18.7.1

Answer: D

NEW QUESTION 225

- (Exam Topic 2)

Click the Exhibit Button.

```
[edit]
user@router# show firewall policer policer1
if-exceeding [
  bandwidth-limit 1g;
  burst-size-limit 100k;
]
then discard;
```

You are asked to limit traffic on interface xe-0/0/3 to 1G using the policer shown in the exhibit. Which configuration would accomplish this task?

- A. [edit]
user@router# show interfaces xe-0/0/3
unit 0 {
 accounting-profile policer1;
 family inet {
 address 1.1.1.1/23;
 }
}
- B. [edit]
user@router# show interfaces xe-0/0/3
unit 0 {
 family inet {
 policer {
 input policer1;
 }
 address 1.1.1.1/23;
 }
}
- C. [edit]
user@router# show interfaces xe-0/0/3
accounting-profile policer1;
unit 0 {
 family inet {
 address 1.1.1.1/23;
 }
}
- D. [edit]
user@router# show interfaces xe-0/0/3
unit 0 {
 bandwidth 1g;
 family inet {
 address 1.1.1.1/23;
 }
}

- A. Option A
B. Option B
C. Option C
D. Option D

Answer: B

NEW QUESTION 230

- (Exam Topic 2)

```
user@router> show route
```

```
inet.0: 1222 destinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
```

```
0.0.0.0/0          *[Static/5] 1w2d 22:59:01
                  > to 10.10.10.1 via fxp0.0
10.10.10.0/25     *[Direct/0] 1w2d 22:59:01
                  > via fxp0.0
                  [Direct/0] 1w2d 22:58:57
                  > via fxp0.0
10.10.10.7/32     *[Local/0] 1w2d 22:59:01
                  Local via fxp0.0
10.10.10.9/32     *[Local/0] 1w2d 22:58:57
                  Local via fxp0.0
10.200.200.0/23  *[Direct/0] 1w2d 22:30:24
                  > via xe-0/0/3.100
```

Referring to the exhibit, what does the number inside the square brackets represent?

- A. local preference
- B. metric
- C. protocol reference number
- D. route preference

Answer: B

NEW QUESTION 235

- (Exam Topic 2)

A Junos device is configured with multiple routing protocols to the same destination prefix. By Default, which route will be active in the forwarding table?

- A. A static route
- B. An OSPF route
- C. An IS-IS route
- D. A BGP route

Answer: A

NEW QUESTION 236

- (Exam Topic 2)

What statement is true about the orlonger route-filter match type?

- A. All routes within the specified prefix that are longer than the given prefix are considered a match
- B. All routes within the specified prefix that are longer or equal to the given prefix up to a defined acceptable prefix length are considered a match
- C. All routes within the specified prefix that are longer or equal to the given prefix are considered a match
- D. All routes within the specified prefix that are longer than the given prefix up to a defined acceptable prefix length are considered a match

Answer: A

NEW QUESTION 238

- (Exam Topic 2)

Routing policies contain which two type of statements? (Choose two.)

- A. and
- B. from
- C. default
- D. then

Answer: BD

NEW QUESTION 239

- (Exam Topic 2)

Referring to the exhibit,

```
user@router> show route forwarding-table
routing table: inet
internet:
Destination Type RtRef next hop Type Index NhRef Netif
default user 0 0:32.51.07.89.2 ucst 520 ge-0/0/0.0
default perm 0 rjct 36 1
0.0.0.0/32 perm 0 dscd 34 1
10.21.0.0/16 user 0 192.168.10.100 ucast 535 3 ge-0/0/2.0
10.21.14.0/24 user 0 192.168.11.100 ucast 528 3 ge-0/0/1.0
10.21.14.10/30 user 0 192.168.12.100 ucast 530 3 ge-0/0/3.0
```

Which next-hop interface will be used to reach the 10.21.14.16 destination?

- A. ge-0/0/1.0
- B. ge-0/0/0.0
- C. ge-0/0/3.0
- D. ge-0/0/2.0

Answer: A

NEW QUESTION 244

- (Exam Topic 2)

Which two platforms are supported in physical and virtual form factors? (Choose two.)

- A. NFX Series
- B. SRX Series
- C. MX Series
- D. ACX Series

Answer: BC

NEW QUESTION 246

- (Exam Topic 2)

What is the decimal equivalent of 00000100?

- A. 2
- B. 4
- C. 9
- D. 12

Answer: B

NEW QUESTION 249

- (Exam Topic 2)

What is the maximum number of configurations, by default, that are recoverable using the rollback command?

- A. 50
- B. 25
- C. 100
- D. 75

Answer: A

NEW QUESTION 253

- (Exam Topic 2)

Given the following configuration,

```
set system authentication-order [ tacplus ]
```

Which two statements are correct? (Choose two.)

- A. If the TACACS+ server is available and rejects the username/password provided, the user is not allowed to access the device.
- B. If the TACACS+ server is available and rejects the username/password provided, the local password database is checked.
- C. If the TACACS+ server is not available, the user is not allowed to access the device.
- D. If the TACACS+ server is not available, the local user database is checked.

Answer: CD

NEW QUESTION 255

- (Exam Topic 2)

Which statement is correct regarding exception traffic on Junos devices?

- A. The Junos OS does not provide congestion control for exception traffic sent to the RE.
- B. The built-in rate limiter for exception traffic is configurable.
- C. All exception traffic destined for the RE is sent over the out-of-band management link.
- D. The Junos OS has a built-in rate limiter for exception traffic.

Answer: D

NEW QUESTION 257

- (Exam Topic 2)

A Junos device is in a factory-default configuration and no host name is set. What is used in place of a host name in this scenario?

- A. amnesiac
- B. router
- C. Junos
- D. user

Answer: A

NEW QUESTION 258

- (Exam Topic 2)

What are two benefits realized by the disaggregated Junos? (Choose two.)

- A. There is increased flexibility to use different control plane versions.
- B. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- C. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform APIs.
- D. The platform drivers and forwarding engine are removed from the control plane to increase performance.

Answer: CD

NEW QUESTION 263

- (Exam Topic 2)

Which two conditions must exist in a Junos device for traffic to transit the device to a specific destination? (Choose two.)

- A. A routing table entry for that destination must exist.
- B. A firewall filter must exist to allow traffic to reach that destination.
- C. A forwarding table entry for that destination must exist.
- D. A routing policy must be in place on the device.

Answer: AC

NEW QUESTION 264

- (Exam Topic 2)

Which three statements are true about IPv6 link local addresses? (Choose three.)

- A. They begin with the prefix fe80::/64.
- B. They can be assigned manually or dynamically.
- C. They are not guaranteed to be unique outside of the network segment.
- D. They are optional addresses.
- E. They provide reachability to the internet.

Answer: ABC

NEW QUESTION 265

- (Exam Topic 2)

Refer to the exhibit.

```
[edit]
user@router# show firewall
filter count-no-header {
  term 1 {
    from {
      protocol no-next-header;
    }
    then {
      count count-no-header;
      accept;
    }
  }
}

[edit]
user@router# show interfaces ge-0/0/0
unit 0 {
  family inet {
    address 10.10.10.3/24;
  }
  family inet6 {
    filter {
      input count-no-header;
    }
    address 2001::1/64;
  }
}

[edit]
user@router# commit
[edit interfaces ge-0/0/0 unit 0 family inet6]
'filter'
  Referenced filter 'count-no-header' is not defined
error: configuration check-out failed
```

You asked to create a firewall filter to count IPv6 packets that arrive with a no next header value. As shown in the exhibit, you have created and applied the count-no-header firewall filter to the ge-0/0/0 interface. The commit operation fails. What is causing this problem?

- A. IPv6 interfaces do not support firewall filters.
- B. The filter name must be different than the counter name.
- C. The firewall term does not include inet6 in the from statement.
- D. The firewall family is not correct.

Answer: D

NEW QUESTION 266

- (Exam Topic 2)

Click the Exhibit button.

```
[edit system ntp]
user@router# show
server 172.25.11.254;
```

Referring to the exhibit, which action would synchronize the local router's clock with the NTP server?

- A. Configure the correct NTP trusted key using the net trusted-key <key-value> configuration command under the [edit system ntp] hierarchy.
- B. Issue the set date ntp operational command.
- C. Configure the NTP server using the set boot-server 172.25.11.254 configuration command under the [edit system ntp] hierarchy.
- D. Reboot the router.

Answer: B

NEW QUESTION 271

- (Exam Topic 2)

Click the Exhibit button.

```

user@router> show chassis routing-engine
Routing Engine status:
  Temperature           0 degrees C / 32 degrees F
  CPU temperature       0 degrees C / 32 degrees F
  Total memory          931 MB Max 270 MB used ( 29 percent)
  Memory utilization    28 percent
  5 sec CPU utilization:
    User                 1 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 98 percent
  1 min CPU utilization:
    User                 0 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 99 percent
  5 min CPU utilization:
    User                 0 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 99 percent
  15 min CPU utilization:
    User                 0 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 99 percent
  Model                 VSRX-S
  Serial ID             BUILTIN
  Start time            2020-01-16 15:21:32 UTC
  Uptime                12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason    0x4000:VJUNOS reboot
  
```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The memory utilization is 28%
- B. The memory utilization is 72%
- C. The CPU kernel utilization is 1%
- D. The 15 minute CPU load average is 99%

Answer: AC

NEW QUESTION 276

- (Exam Topic 2)

Which two methods keep a Junos device operational if the primary storage device fails? (Choose two.)

- A. Create a recovery snapshot.
- B. Enable the ephemeral database.
- C. Enable J-Web for device management.
- D. Create a rescue configuration.

Answer: AD

NEW QUESTION 277

- (Exam Topic 2)

Referring to the exhibit,

| Specific System Log Message Information | |
|---|---|
| Name | CHASSISD_TERM_SIGNAL |
| Message | Received SIGTERM request, shutting down |
| Help | chassisd received termination signal |
| Desc | The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing. |
| Type | Event: This message reports an event, not an error |
| Sev | Info |
| Facility | LOG_DAEMON |
| Platforms Supported | Common Junos |

which command will cause this event message?

- A. request system logout
- B. request system commit
- C. request system recover
- D. request system halt

Answer: D

NEW QUESTION 279

- (Exam Topic 2)

The monitor traffic command provides access to which utility?

- A. tcpdump
- B. telnet
- C. traceroute
- D. netstat

Answer: A

NEW QUESTION 282

- (Exam Topic 2)

Which two statements describe the default behavior for OSPF? (Choose two)

- A. OSPF imports all routes into the inet4.0 routing table.
- B. OSPF exports all static routes into the OSPF database.
- C. OSPF imports all routes into the inet.O routing table.
- D. OSPF does not export static routes into the OSPF database.

Answer: CD

NEW QUESTION 286

- (Exam Topic 2)

Given the configuration shown below: set system authentication-order [tacplus] Which two statement are correct? (Choose two.)

- A. If the TACACS+ server is no available, the user is not allowed to access the device.
- B. If the TACACS+ server is no available, the local database is checked.
- C. If the TACACS+ server is available, and rejects the username/password provided, the local password database is checked.
- D. If the TACACS+ server is available, and rejects the username/password provided, the user is not allowed to access the device.

Answer: BD

NEW QUESTION 290

- (Exam Topic 2)

Which statement is true when using the allow command and deny command attributes when creating user permissions?

- A. If you allow and deny the same commands, the Junos OS will fail the commit check.
- B. If you allow and deny the same command, the allow command permissions take precedence over the deny command permissions.
- C. If you specify a regular expression for allow and deny with two variants of a command, both will be ignored.
- D. The all login class permission bits take precedence over allow and deny when a user issues the rollback command.

Answer: B

NEW QUESTION 293

- (Exam Topic 2)

What are three characteristics of Layer 2 switches? (Choose Three)

- A. Layer 2 switches separates multicast domains.
- B. Layer 2 switches separates collision domains.
- C. Layer 2 switches forward traffic addressed to hosts that reside on the same collision domain.
- D. Layer 2 switches forward traffic addressed to hosts that reside on a different collision domain.
- E. Layer 2 switches forward broadcast traffic.

Answer: BDE

NEW QUESTION 295

- (Exam Topic 2)

The IP address 10.1.1.1 belongs to which class of IP address space?

- A. Class A
- B. Class B
- C. Class C
- D. Class D

Answer: A

NEW QUESTION 296

- (Exam Topic 2)

Which parameter would you use to prohibit the redistribution of a static route used for management traffic?

- A. no-readvertise
- B. discard
- C. reject
- D. passive

Answer: A

NEW QUESTION 301

- (Exam Topic 2)

Which logical interface is able to forward IP traffic?

- A. Ge-0/0/0
- B. Ge-0/0/2
- C. Ge-0/0/2.0
- D. Ge-0/0/1.0

Answer: C

NEW QUESTION 306

- (Exam Topic 2)

Which parameter must be included when executing operational mode commands from within configuration mode?

- A. run
- B. prompt
- C. insert
- D. do

Answer: A

NEW QUESTION 309

- (Exam Topic 2)

How would you change the display so that 40 lines will be displayed in the terminal program when you are logged into a Junos device?

- A. Issue the set cli screen-length 40 command from operational mode.
- B. Issue the set cli screen-length 40 command from configuration mode
- C. Set the display options in your terminal program.
- D. Set the window size of your terminal program.

Answer: A

NEW QUESTION 314

- (Exam Topic 2)

Refer to Exhibit:

```
user@router> monitor traffic interface et-0/0/1.0 matching arp count 10
```

Which parameter at the end of the command would provide information for troubleshooting purposes?

- A. No-timestamp
- B. Extensive
- C. Print-ascii
- D. No-resolve

Answer: B

NEW QUESTION 316

- (Exam Topic 2)

Which command is used to replace the current configuration?

- A. load replace

- B. load patch
- C. load override
- D. load set

Answer: C

NEW QUESTION 320

- (Exam Topic 2)

What are two configurable physical interface properties? (Choose two.)

- A. MTU
- B. address
- C. protocol family
- D. link mode

Answer: AC

NEW QUESTION 324

- (Exam Topic 2)

You issue a "request system zeroize" command. Which statement is correct in this scenario?

- A. All data files remain unchanged but all configuration settings returned to factory defaults.
- B. All data files are deleted and all configuration settings are returned to factory defaults.
- C. All data files are deleted and all configuration settings remain unchanged
- D. Disk space is freed by rotating log files and a proposed list of files to be deleted is presented.

Answer: B

NEW QUESTION 326

- (Exam Topic 2)

What are two services performed by the Packet Forwarding Engine? (Choose two.)

- A. to process transit traffic
- B. to implement stateless firewall filtering
- C. to handle processes that control the device's Interfaces
- D. to maintain the routing tables

Answer: AB

NEW QUESTION 329

- (Exam Topic 2)

```

user@router> show route

inet.0: 1222 destinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

0.0.0.0/0          * [Static/5] 1w2d 22:59:01
                   > to 10.10.10.1 via fxp0.0
10.10.10.0/25     * [Direct/0] 1w2d 22:59:01
                   > via fxp0.0
                   [Direct/0] 1w2d 22:58:57
                   > via fxp0.0
10.10.10.7/32     * [Local/0] 1w2d 22:59:01
                   Local via fxp0.0
10.10.10.9/32     * [Local/0] 1w2d 22:58:57
                   Local via fxp0.0
10.200.200.0/23  * [Direct/0] 1w2d 22:30:24
                   > via xe-0/0/3.100
    
```

What does the number inside the square bracket represent?

- A. Metric
- B. Local preference
- C. Protocol reference number
- D. Route preference

Answer: D

Explanation:

<https://www.juniper.net/documentation/us/en/software/junos/bgp/topics/ref/command/show-route.html#show-ro> Module 9 of Juniper Open Learning, Routing Fundamentals describes the [Source/Route Preference]. The metric is 'how' a protocol calculates the best path to a destination. RIP = Hops, OSPF = Cost. Metrics are unique to protocols.

```

user@host> show route
inet.0: 11 destinations, 12 routes (11 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both 1:65500:1:10.0.0.20/240
*[MVPN/70] 19:53:41, metric2 1
Indirect
1:65500:1:10.0.0.40/240
    
```

*[BGP/170] 19:53:29, localpref 100, from 10.0.0.30 AS path: I
> to 10.0.24.4 via It-0/3/0.24, label-switched-path toD [BGP/170] 19:53:26, localpref 100, from 10.0.0.33 AS path: I
> to 10.0.24.4 via It-0/3/0.24, label-switched-path toD inside square brackets -> route preference metric and localpref are optional and after the date

NEW QUESTION 333

- (Exam Topic 2)

For the interface ge-1/2/3.4, what does "ge" represent?

- A. SONET/SDH
- B. Gigabit EthernetC Aggregated Ethernet
- C. GRE

Answer: B

NEW QUESTION 334

- (Exam Topic 2)

When multiple users are editing the configuration on a Junos device, What is the default behavior when a user issues a commit command?

- A. The user's configuration changes are committed, other users configuration changes are still pending
- B. The user's configuration changes are committed, other users will be exited from the configuration mode
- C. All valid configuration changes made by all users will take effect
- D. The user will receive an error message disallowing a commit of the configuration

Answer: A

NEW QUESTION 337

- (Exam Topic 2)

What is the default route preference for OSPF internal?

- A. 100
- B. 150
- C. 5
- D. 10

Answer: D

NEW QUESTION 340

- (Exam Topic 2)

Which two commands would you use to reset the candidate configuration to the active configuration? (Choose two.)

- A. rollback 0
- B. rollback 1
- C. rollback 2
- D. rollback

Answer: AD

NEW QUESTION 344

- (Exam Topic 2)

Click the Exhibit button.

```

user@router> show route forwarding-table
Routing table: default.inet
Internet:
Enabled protocols: Bridging,
Destination      Type  RtRef  Next hop      Type  Index   NhRef  Netif
default          perm   0      rjct          36    1
0.0.0.0/32       perm   0      dscd          34    1
10.5.0.0/16      user   0      10.102.70.254 ucst   355   18  fxp0.0
10.10.0.0/16     user   0      10.102.70.254 ucst   355   18  fxp0.0
10.12.14.0/24    intf   0      rslv          589   1   ge-2/0/0.0
10.12.14.0/32   dest   0      10.12.14.0    recv   587   1   ge-2/0/0.0
10.12.14.254/32 intf   0      10.12.14.254 locl   588   2
10.12.14.254/32 dest   0      10.12.14.254 locl   588   2
10.12.14.255/32 dest   0      10.12.14.255 bcst   586   1   ge-2/0/0.0
10.13.10.0/23   user   0      10.102.70.254 ucst   355   18  fxp0.0
10.84.0.0/16    user   0      10.102.70.254 ucst   355   18  fxp0.0
10.102.70.0/24  intf   0      rslv          354   1   fxp0.0
224.0.0.0/4     perm   0      mdsc          35    1
224.0.0.1/32    perm   0      224.0.0.1     mcst   31    2
224.0.0.5/32    user   0      224.0.0.5     mcst   31    2
255.255.255.255/32 perm   0      bcst          32    1

```

Referring to the exhibit, what happens to a packet that has a destination address of 172.17.0.1?

- A. The packet is forwarded to the next hop defined in the default route.

- B. The packet is silently discarded.
- C. The packet is rejected and an ICMP network unreachable message is sent to the source address.
- D. The packet is forwarded to the next hop of the management network.

Answer: C

NEW QUESTION 345

- (Exam Topic 2)

Which two statements describe the connection between control plane and the forwarding plane?
Choose Two

- A. No rate limiter is configured by default
- B. A rate limiter is configured by default
- C. Exception traffic is preferred over the control traffic during congestion
- D. Control traffic is preferred over the exception traffic during congestion

Answer: AD

NEW QUESTION 350

- (Exam Topic 2)

What is the maximum number of rollback files a Junos device can store?

- A. 5
- B. 10
- C. 49
- D. 50

Answer: D

NEW QUESTION 353

- (Exam Topic 2)

Which key could you use to auto-complete a command in the Junos CLI?

- A. Delete
- B. Ctrl+Z
- C. Spacebar
- D. Right Arrow

Answer: C

NEW QUESTION 354

- (Exam Topic 2)

Exhibit:

```
[edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}
trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}
trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}
```

Referring to the exhibit, which statement is true?

- A. Traps are allowed from 10.21.15.180
- B. Traps are sent to 10.21.15.180
- C. Traps are sent to 10.21.15.16
- D. Traps are allowed from 10.21.15.16

Answer: D

NEW QUESTION 359

- (Exam Topic 2)

In which directory are trace option files stored by default?

- A. /var/tmp/
- B. /var/log/
- C. /var/home/
- D. /var/db/

Answer: B

NEW QUESTION 364

- (Exam Topic 2)

In your configuration, an interface contains multiple IP addresses belonging to the same subnet. You want to identify the IP address to use for packets sent to hosts on the same subnet. Which parameter would you use to accomplish this task?

- A. relative
- B. preferred
- C. primary
- D. patch

Answer: B

NEW QUESTION 365

- (Exam Topic 2)

What are three benefits of using a dynamic routing protocol? (Choose three.)

- A. increased network security
- B. decreased network latency
- C. increased network availability
- D. greater network scalability
- E. lower administrative overhead

Answer: CDE

NEW QUESTION 368

- (Exam Topic 2)

Exhibit:

```
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
```

Which statement is correct when traffic is received from 10.10.10.4?

- A. The traffic is counted and accepted
- B. The traffic is counted and rejected
- C. The traffic is only rejected
- D. The traffic is only accepted

Answer: B

NEW QUESTION 371

- (Exam Topic 2)

Which set of IP addresses are in the same subnet?

- A. 185.114.16.91/28 and 185.114.16.96/28
- B. 185.114.16.77/28 and 185.114.16.82/28
- C. 185.114.16.40/28 and 185.114.16.45/28
- D. 185.114.16.59/28 and 185.114.16.82/28

Answer: C

NEW QUESTION 376

- (Exam Topic 2)

Which command causes the Junos OS to temporarily activate a configuration?

- A. commit and-quit
- B. commit synchronize
- C. commit check
- D. commit confirmed

Answer: D

NEW QUESTION 379

- (Exam Topic 2)

What is the purpose of the discard action of a firewall filter?

- A. The system drops the packet and logs the entry.
- B. The system drops the packet and sends an ICMP message.
- C. The system silently drops the packet.
- D. The system evaluates the next term in the policy.

Answer: C

NEW QUESTION 382

- (Exam Topic 2)

Which three statements describe the Transmission Control Protocol (TCP)? (Choose three.)

- A. TCP is a transport layer protocol.
- B. TCP is faster than the User Datagram Protocol (UDP).
- C. TCP provides delivery notification and error-checking mechanisms.
- D. TCP uses a best-effort delivery approach.
- E. TCP application examples include HTTP and SMTP.

Answer: ACE

NEW QUESTION 386

- (Exam Topic 2)

Which command will completely turn off a Junos device?

- A. request system halt
- B. request chassis fpc offline
- C. request system power-off
- D. request system recover

Answer: C

NEW QUESTION 387

- (Exam Topic 2)

You must configure the 2bfc:0000:0000:beef:0217:cbff:0000:5c85 IPv6 address on your device. In this scenario, which three addresses are correct? (Choose three.)

- A. 2bfc::beef:217:cbff:0:5c85
- B. 2bfc:0:0:beef:0217:cbff:0:5c85
- C. 2BFCnBEEF:0217:CBFF:0:5C85
- D. 2bfc:0:beef:0217:cbff:0:5c85
- E. 2BFC::BEEF:217:CBFF::5C85

Answer: ABC

NEW QUESTION 390

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your JN0-104 Exam with Our Prep Materials Via below:

<https://www.certleader.com/JN0-104-dumps.html>