



Salesforce

Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer (SU21)

About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A developer has a requirement to create a child FlexCard that contains all of its parent FlexCard’s records In a Datable How should the developer configure the parent FlexCard’s Node?

- A. {Records{0}}
- B. {Records}
- C. {Params, records}
- D. {Recorded}

Answer: C

NEW QUESTION 2

Refer to the exhibit.

Account		Contact		Contact	
Name	Acme	Name	Edward Stamos	Name	Howard Jones
Phone	(222) 154-6450	Cell Phone	(212) 154-8562	Cell Phone	(650) 156-1102

The card layout uses an integration Procedure as a data source. Thecards use the layout data source. Which JSON data structure supports this card layout and follows best practices?

- A)
- ```
{
 "Contact": [
 {
 "cellphone": "(212) 154-8562",
 "Name": "Edward Stamos"
 },
 {
 "CellPhone": "(650) 156-1102",
 "Name": "Howard Jones"
 }
],
 "Account": {
 "phone": "2221546450",
 "Name": "Acme"
 }
}
```
- B)
- ```
{
  "contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "cellphone": "(650) 156-1102",
      "Name": "Howard Jones"
    }
  ],
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}
```
- C)
- ```
[
 {
 "Account": {
 "Phone": "2221546450",
 "Name": "Acme"
 },
 "ContactCellPhone": "(212) 154-8562",
 "ContactName": "Edward Stamos"
 },
 {
 "Account": {
 "Phone": "2221546450",
 "Name": "Acme"
 },
 "Contactcellphone": "(650) 156-1102",
 "ContactName": "Howard Jones"
 }
]
```

A. Option A

- B. Option B
- C. Option C

**Answer:** C

### NEW QUESTION 3

..... configure Additional input to send exactly the same data?  
Assume that the develop checked Send Only Additional input.

#### ▼ SEND/RESPONSE TRANSFORMATIONS

| Send JSON Path ①        | Send JSON Node ①   |
|-------------------------|--------------------|
| DRExtractAction Account | SecondaryAccount   |
| Response JSON Path ②    | Response JSON Node |

A)

| Key              | Value                     |
|------------------|---------------------------|
| SecondaryAccount | {DRExtractAction:Account} |

B)

| Key                     | Value            |
|-------------------------|------------------|
| DRExtractAction:Account | SecondaryAccount |

C)

| Key                       | Value            |
|---------------------------|------------------|
| {DRExtractAction:Account} | SecondaryAccount |

D)

| Key              | Value                    |
|------------------|--------------------------|
| SecondaryAccount | {DRExtractAction}Account |

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** D

### NEW QUESTION 4

Users receive an APEC CPU limit Exceeded error when running an OmniScript in a Salesfoce Community. The OmniScript includes an Integration Procedure that contains two DataRaptors.

Which two Location should the developer check to troubleshoot the issue? Choose 2 answers

- A. Script configuration
- B. Community logs
- C. DataRaptor configuration
- D. Action Debugger

**Answer:** CD

### NEW QUESTION 5

A developer needs to display the following information together on one FlexCard:

\* Account name, address, phone number, website

\* Primary contact first name, contact name, address, phone number,email

The account information must always be visible, and the contact information should only be visible as needed by the user.

What approach should the developer use to display the contact information on the card?

- A. Use a Datatable element
- B. Set the class" collapsible" on the block element
- C. Set the collapsible property on the block element
- D. Use a conditional FlexCard State

**Answer:** C

### NEW QUESTION 6

Which two of these options can a developer use to retrieve data from a Salesforce object? Choose 2 answers

- A. A DataRaptor Load Action
- B. A DataRaptor Extract Action
- C. A Lookup Input Element
- D. A DataRaptor Post Action

**Answer:** BD

#### NEW QUESTION 7

In a calculation procedure, what is required for the output of a calculation step to be used in an aggregation step?

- A. It must be included in constants.
- B. It must be a matrix lookup step.
- C. It must be a calculation step.
- D. It must be included in the calculation output.

**Answer:** D

#### NEW QUESTION 8

A developer is configuring the API URL in an HTTP Action element within an Integration procedure. What is the merge code syntax for passing a Date node from an element named SetValues in the URL?


- A. x%SetValues.Date%
- B. (' Setvalues'] [ 'Date']
- C. %SetValues Date
- D. {(SetValue
- E. Date))}

**Answer:** C

#### NEW QUESTION 9

A developer has an existing DataRaptor Load that insert Contact records with inputs as LastName and firstName. The DataRaptor works as expected when previewed.

The developer creates an integration Procedure to test the DataRaptor and is using a SetValues element in the Integration Procedure to set the first name and last name for the contact record. The DataRaptor and Integration Procedure are set up as shown in the exhibit below.



When the developer executes the Integration procedure in preview, the following error message displays: Required fields are missing: [last Name]". How should the developer address this issue?

- A. SetValuesContactDetails should have been added to Additional input of DataRaptor Post Action in Integration Procedure
- B. The Set values Action Keys should include the DataRaptor Post Action element name path, e.g LoadContactDetails, lastname
- C. The DataRaptor Post Action in the integration procedure should have been executed before the Set Values Action
- D. The valid field names should be added in the Domain object field in the DataRaptor

**Answer:** A

#### NEW QUESTION 10



An OmniScript displays data from an API using Integration Procedure, but some of the data is missing. Which two configuration errors could cause this? Choose 2 answers

- A. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- B. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- C. The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure
- D. The missing data is trimmed in the Integration Procedure Action Response JSON Path.

**Answer:** AD

#### NEW QUESTION 10

Refer to the exhibit.

| Input Data                                                                                           | Output Data                                                                                      |
|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| ProductCode (Text)  | BasePrice (\$)  |
| <input type="text" value="Search column"/>                                                           | <input type="text" value="Search column"/>                                                       |
| ACC154                                                                                               | 10.23                                                                                            |
| CAA876B                                                                                              | 20.36                                                                                            |
| HRA320                                                                                               | 12.99                                                                                            |
| HRA320B                                                                                              | 13.99                                                                                            |

All inputs to the Calculation Matric are set correctly.  
The Calculation Matrix has the following input:

```
{
 "input": {
 "ProductCode": "HRA320"
 }
}
```

What is the output?

- A. Null
- B. 13.99
- C. 12.99,13.99
- D. 12.99

Answer: D

NEW QUESTION 11

Refer to the exhibit below.

| STRUCTURE               |
|-------------------------|
| Procedure Configuration |
| DRReadCase              |
| HTTPGetCaseDetails      |
| DRXformCaseData         |
| ResponseAction          |

What is the marge code needed for this integration procedure structure to pass a CaseNumber node from the DRReadCase DataRaptor Extract Action to the HTTP Action's HTTP URL?

- A. %DRReadCase: CaseNumber%
- B. ((DRRCase,CaseNumber))
- C. MTTOPDetCaseDetail: CaseNumber%
- D. ((CaseNumber))

Answer: A

NEW QUESTION 13

.....

## Relate Links

**100% Pass Your OmniStudio-Developer Exam with Exambible Prep Materials**

<https://www.exambible.com/OmniStudio-Developer-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>