

CompTIA

Exam Questions CS0-002

CompTIA Cybersecurity Analyst (CySA+) Certification Exam



NEW QUESTION 1

A security analyst needs to reduce the overall attack surface.
Which of the following infrastructure changes should the analyst recommend?

- A. Implement a honeypot.
- B. Air gap sensitive systems.
- C. Increase the network segmentation.
- D. Implement a cloud-based architecture.

Answer: C

NEW QUESTION 2

A security analyst conducted a risk assessment on an organization's wireless network and identified a high-risk element in the implementation of data confidentiality protection. Which of the following is the BEST technical security control to mitigate this risk?

- A. Switch to RADIUS technology
- B. Switch to TACACS+ technology.
- C. Switch to 802.1X technology
- D. Switch to the WPA2 protocol.

Answer: B

NEW QUESTION 3

Which of the following is the MOST important objective of a post-incident review?

- A. Capture lessons learned and improve incident response processes
- B. Develop a process for containment and continue improvement efforts
- C. Identify new technologies and strategies to remediate
- D. Identify a new management strategy

Answer: A

NEW QUESTION 4

An organization developed a comprehensive modern response policy. Executive management approved the policy and its associated procedures. Which of the following activities would be MOST beneficial to evaluate personnel's familiarity with incident response procedures?

- A. A simulated breach scenario evolving the incident response team
- B. Completion of annual information security awareness training by all employees
- C. Tabletop activities involving business continuity team members
- D. Completion of lessons-learned documentation by the computer security incident response team
- E. External and internal penetration testing by a third party

Answer: A

NEW QUESTION 5

A security analyst has discovered suspicious traffic and determined a host is connecting to a known malicious website. The MOST appropriate action for the analyst to take would be to implement a change request to:

- A. update the antivirus software
- B. configure the firewall to block traffic to the domain
- C. add the domain to the blacklist
- D. create an IPS signature for the domain

Answer: B

NEW QUESTION 6

An analyst is reviewing a list of vulnerabilities, which were reported from a recent vulnerability scan of a Linux server. Which of the following is MOST likely to be a false positive?

- A. OpenSSH/OpenSSL Package Random Number Generator Weakness
- B. Apache HTTP Server Byte Range DoS
- C. GDI+ Remote Code Execution Vulnerability (MS08-052)
- D. HTTP TRACE / TRACK Methods Allowed (002-1208)
- E. SSL Certificate Expiry

Answer: E

NEW QUESTION 7

A web developer wants to create a new web part within the company website that aggregates sales from individual team sites. A cybersecurity analyst wants to ensure security measurements are implemented during this process. Which of the following remediation actions should the analyst take to implement a vulnerability management process?

- A. Personnel training
- B. Vulnerability scan
- C. Change management

D. Sandboxing

Answer: C

NEW QUESTION 8

A security analyst discovered a specific series of IP addresses that are targeting an organization. None of the attacks have been successful. Which of the following should the security analyst perform NEXT?

- A. Begin blocking all IP addresses within that subnet.
- B. Determine the attack vector and total attack surface.
- C. Begin a kill chain analysis to determine the impact.
- D. Conduct threat research on the IP addresses

Answer: D

NEW QUESTION 9

The security team at a large corporation is helping the payment-processing team to prepare for a regulatory compliance audit and meet the following objectives:

Reduce the number of potential findings by the auditors.
Limit the scope of the audit to only devices used by the payment-processing team for activities directly impacted by the regulations.
Prevent the external-facing web infrastructure used by other teams from coming into scope.
Limit the amount of exposure the company will face if the systems used by the payment-processing team are compromised.
Which of the following would be the MOST effective way for the security team to meet these objectives?

- A. Limit the permissions to prevent other employees from accessing data owned by the business unit.
- B. Segment the servers and systems used by the business unit from the rest of the network.
- C. Deploy patches to all servers and workstations across the entire organization.
- D. Implement full-disk encryption on the laptops used by employees of the payment-processing team.

Answer: B

NEW QUESTION 10

A security analyst is investigating malicious traffic from an internal system that attempted to download proxy avoidance software as identified from the firewall logs but the destination IP is blocked and not captured. Which of the following should the analyst do?

- A. Shut down the computer
- B. Capture live data using Wireshark
- C. Take a snapshot
- D. Determine if DNS logging is enabled.
- E. Review the network logs.

Answer: A

NEW QUESTION 10

Which of the following software assessment methods would be BEST for gathering data related to an application's availability during peak times?

- A. Security regression testing
- B. Stress testing
- C. Static analysis testing
- D. Dynamic analysis testing
- E. User acceptance testing

Answer: B

NEW QUESTION 14

An organization was alerted to a possible compromise after its proprietary data was found for sale on the Internet. An analyst is reviewing the logs from the next-generation UTM in an attempt to find evidence of this breach. Given the following output:

Which of the following should be the focus of the investigation?

- A. webserver.org-dmz.org
- B. sftp.org-dmz.org
- C. 83hht23.org-int.org

D. ftps.bluedmed.net

Answer: A

NEW QUESTION 16

A security analyst is reviewing the following log from an email security service.

Which of the following BEST describes the reason why the email was blocked?

- A. The To address is invalid.
- B. The email originated from the www.spamfilter.org URL.
- C. The IP address and the remote server name are the same.
- D. The IP address was blacklisted.
- E. The From address is invalid.

Answer: D

NEW QUESTION 18

A Chief Information Security Officer (CISO) wants to upgrade an organization's security posture by improving proactive activities associated with attacks from internal and external threats.

Which of the following is the MOST proactive tool or technique that feeds incident response capabilities?

- A. Development of a hypothesis as part of threat hunting
- B. Log correlation, monitoring, and automated reporting through a SIEM platform
- C. Continuous compliance monitoring using SCAP dashboards
- D. Quarterly vulnerability scanning using credentialed scans

Answer: A

NEW QUESTION 23

A web-based front end for a business intelligence application uses pass-through authentication to authenticate users. The application then uses a service account, to perform queries and look up data in a database. A security analyst discovers employees are accessing data sets they have not been authorized to use. Which of the following will fix the cause of the issue?

- A. Change the security model to force the users to access the database as themselves
- B. Parameterize queries to prevent unauthorized SQL queries against the database
- C. Configure database security logging using syslog or a SIEM
- D. Enforce unique session IDs so users do not get a reused session ID

Answer: B

NEW QUESTION 25

A Chief Information Security Officer (CISO) is concerned the development team, which consists of contractors, has too much access to customer data. Developers use personal workstations, giving the company little to no visibility into the development activities.

Which of the following would be BEST to implement to alleviate the CISO's concern?

- A. DLP
- B. Encryption
- C. Test data
- D. NDA

Answer: D

NEW QUESTION 29

Ransomware is identified on a company's network that affects both Windows and MAC hosts. The command and control channel for encryption for this variant uses TCP ports from 11000 to 65000. The channel goes to good1. lholdbadkeys.com, which resolves to IP address 72.172.16.2.

Which of the following is the MOST effective way to prevent any newly infected systems from actually encrypting the data on connected network drives while causing the least disruption to normal Internet traffic?

- A. Block all outbound traffic to web host good1 lholdbadkeys.com at the border gateway.
- B. Block all outbound TCP connections to IP host address 172.172.16.2 at the border gateway.
- C. Block all outbound traffic on TCP ports 11000 to 65000 at the border gateway.
- D. Block all outbound traffic on TCP ports 11000 to 65000 to IP host address 172.172.16.2 at the border gateway.

Answer: A

NEW QUESTION 31

A security analyst is reviewing packet captures from a system that was compromised. The system was already isolated from the network, but it did have network access for a few hours after being compromised. When viewing the capture in a packet analyzer, the analyst sees the following:

Which of the following can the analyst conclude?

- A. Malware is attempting to beacon to 128.50.100.3.
- B. The system is running a DoS attack against ajgidwle.com.
- C. The system is scanning ajgidwle.com for PII.
- D. Data is being exfiltrated over DNS.

Answer: D

NEW QUESTION 33

An organization that handles sensitive financial information wants to perform tokenization of data to enable the execution of recurring transactions. The organization is most interested in a secure, built-in device to support its solution. Which of the following would MOST likely be required to perform the desired function?

- A. TPM
- B. eFuse
- C. FPGA
- D. HSM
- E. UEFI

Answer: D

NEW QUESTION 36

A security analyst at a technology solutions firm has uncovered the same vulnerabilities on a vulnerability scan for a long period of time. The vulnerabilities are on systems that are dedicated to the firm's largest client. Which of the following is MOST likely inhibiting the remediation efforts?

- A. The parties have an MOU between them that could prevent shutting down the systems
- B. There is a potential disruption of the vendor-client relationship
- C. Patches for the vulnerabilities have not been fully tested by the software vendor
- D. There is an SLA with the client that allows very little downtime

Answer: D

NEW QUESTION 40

A pharmaceutical company's marketing team wants to send out notifications about new products to alert users of recalls and newly discovered adverse drug reactions. The team plans to use the names and mailing addresses that users have provided.

Which of the following data privacy standards does this violate?

- A. Purpose limitation
- B. Sovereignty
- C. Data minimization
- D. Retention

Answer: A

NEW QUESTION 45

An analyst identifies multiple instances of node-to-node communication between several endpoints within the 10.200.2.0/24 network and a user machine at the IP address 10.200.2.5. This user machine at the IP address 10.200.2.5 is also identified as initiating outbound communication during atypical business hours with several IP addresses that have recently appeared on threat feeds.

Which of the following can be inferred from this activity?

- A. 10.200.2.0/24 is infected with ransomware.
- B. 10.200.2.0/24 is not routable address space.
- C. 10.200.2.5 is a rogue endpoint.
- D. 10.200.2.5 is exfiltrating data.

Answer: D

NEW QUESTION 49

A large software company wants to move «s source control and deployment pipelines into a cloud-computing environment. Due to the nature of the business management determines the recovery time objective needs to be within one hour. Which of the following strategies would put the company in the BEST position to achieve the desired recovery time?

- A. Establish an alternate site with active replication to other regions
- B. Configure a duplicate environment in the same region and load balance between both instances
- C. Set up every cloud component with duplicated copies and auto scaling turned on
- D. Create a duplicate copy on premises that can be used for failover in a disaster situation

Answer: A

NEW QUESTION 50

Which of the following sets of attributes BEST illustrates the characteristics of an insider threat from a security perspective?

- A. Unauthorized, unintentional, benign
- B. Unauthorized, intentional, malicious
- C. Authorized, intentional, malicious
- D. Authorized, unintentional, benign

Answer: C

NEW QUESTION 51

Ann, a user, reports to the security team that her browser began redirecting her to random sites while using her Windows laptop. Ann further reports that the OS shows the C: drive is out of space despite having plenty of space recently. Ann claims she not downloaded anything. The security team obtains the laptop and begins to investigate, noting the following:

File access auditing is turned off.

When clearing up disk space to make the laptop functional, files that appear to be cached web pages are immediately created in a temporary directory, filling up the available drive space.

All processes running appear to be legitimate processes for this user and machine.

Network traffic spikes when the space is cleared on the laptop.

No browser is open.

Which of the following initial actions and tools would provide the BEST approach to determining what is happening?

- A. Delete the temporary files, run an Nmap scan, and utilize Burp Suite.
- B. Disable the network connection, check Sysinternals Process Explorer, and review netstat output.
- C. Perform a hard power down of the laptop, take a dd image, and analyze with FTK.
- D. Review logins to the laptop, search Windows Event Viewer, and review Wireshark captures.

Answer: B

NEW QUESTION 55

A cybersecurity analyst has access to several threat feeds and wants to organize them while simultaneously comparing intelligence against network traffic.

Which of the following would BEST accomplish this goal?

- A. Continuous integration and deployment
- B. Automation and orchestration
- C. Static and dynamic analysis
- D. Information sharing and analysis

Answer: B

NEW QUESTION 60

A security analyst is reviewing a web application. If an unauthenticated user tries to access a page in the application, the user is redirected to the login page. After successful authentication, the user is then redirected back to the original page. Some users have reported receiving phishing emails with a link that takes them to the application login page but then redirects to a fake login page after successful authentication.

Which of the following will remediate this software vulnerability?

- A. Enforce unique session IDs for the application.
- B. Deploy a WAF in front of the web application.
- C. Check for and enforce the proper domain for the redirect.
- D. Use a parameterized query to check the credentials.
- E. Implement email filtering with anti-phishing protection.

Answer: D

NEW QUESTION 61

As part of a review of modern response plans, which of the following is MOST important for an organization to understand when establishing the breach notification period?

- A. Organizational policies
- B. Vendor requirements and contracts
- C. Service-level agreements
- D. Legal requirements

Answer: D

NEW QUESTION 63

An organization wants to move non-essential services into a cloud computing environment. Management has a cost focus and would like to achieve a recovery time objective of 12 hours. Which of the following cloud recovery strategies would work BEST to attain the desired outcome?

- A. Duplicate all services in another instance and load balance between the instances.
- B. Establish a hot site with active replication to another region within the same cloud provider.
- C. Set up a warm disaster recovery site with the same cloud provider in a different region
- D. Configure the systems with a cold site at another cloud provider that can be used for failover.

Answer: C

NEW QUESTION 67

A cybersecurity analyst needs to rearchitect the network using a firewall and a VPN server to achieve the highest level of security To BEST complete this task, the analyst should place the:

- A. firewall behind the VPN server
- B. VPN server parallel to the firewall
- C. VPN server behind the firewall
- D. VPN on the firewall

Answer: B

NEW QUESTION 69

Because some clients have reported unauthorized activity on their accounts, a security analyst is reviewing network packet captures from the company's API server. A portion of a capture file is shown below:

```
POST /services/v1_0/Public/Members.svc/soap <s:Envelope+xmlns:s="http://schemas.s/soap/envelope/ "><s:Body><GetIPLocation+xmlns="http://tempuri.org/">
<request+xmlns:a="http://schemas.somesite.org"+xmlns:i="http://www.w3.org/2001/XMLSchema-instance "></s:Body></s:Envelope> 192.168.1.22 - -
api.somesite.com 200 0 1006 1001 0 192.168.1.22
POST /services/v1_0/Public/Members.svc/soap
<<a:Password>Password123</a:Password><a:ResetPasswordToken+i:nil="true"/>
<a:ShouldImpersonatedAuthenticationBePopulated+i:nil="true"/><a:Username>somebody@companyname.com 192.168.5.66 - - api.somesite.com 200 0 11558
1712 2024 192.168.4.89
POST /services/v1_0/Public/Members.svc/soap <s:Envelope+xmlns:s="
http://schemas.xmlsoap.org/soap/envelope/"><s:Body><GetIPLocation+xmlns="http://tempuri.org/">
<a:IPAddress>516.7.446.605</a:IPAddress><a:ZipCode+i:nil="true"/></request></GetIPLocation></s:Body>< 192.168.1.22 - - api.somesite.com 200 0 1003 1011
307 192.168.1.22
POST /services/v1_0/Public/Members.svc/soap <s:Envelope+xmlns:s="
http://schemas.xmlsoap.org/soap/envelope/"><s:Body><IsLoggedIn+xmlns="http://tempuri.org/">
<request+xmlns:a="http://schemas.datacontract.org/2004/07/somesite.web+xmlns:i="
http://www.w3.org/2001/XMLSchema-instance"><a:Authentication>
<a:ApiToken>kmL4krG2CwwWBan5BReGv5Djb7syxXTNKcWfuSjd</a:ApiToken><a:ImpersonateUserId>0
<a:NetworkId>4</a:NetworkId><a:ProviderId>"1=1</a:ProviderId><a:UserId>13026046</a:UserId></a:Authe 192.168.5.66 - - api.somesite.com 200 0 1378 1209
48 192.168.4.89
```

Which of the following MOST likely explains how the clients' accounts were compromised?

- A. The clients' authentication tokens were impersonated and replayed.
- B. The clients' usernames and passwords were transmitted in cleartext.
- C. An XSS scripting attack was carried out on the server.
- D. A SQL injection attack was carried out on the server.

Answer: A

NEW QUESTION 73

Which of the following attacks can be prevented by using output encoding?

- A. Server-side request forgery
- B. Cross-site scripting
- C. SQL injection
- D. Command injection
- E. Cross-site request forgery
- F. Directory traversal

Answer: B

NEW QUESTION 78

A security analyst is reviewing the logs from an internal chat server. The chat.log file is too large to review manually, so the analyst wants to create a shorter log

file that only includes lines associated with a user demonstrating anomalous activity. Below is a snippet of the log:

Which of the following commands would work BEST to achieve the desired result?

- A. `grep -v chatter14 chat.log`
- B. `grep -i pythonfun chat.log`
- C. `grep -i javashark chat.log`
- D. `grep -v javashark chat.log`
- E. `grep -v pythonfun chat.log`
- F. `grep -i chatter14 chat.log`

Answer: D

NEW QUESTION 83

An executive assistant wants to onboard a new cloud based product to help with business analytics and dashboarding. When of the following would be the BEST integration option for the service?

- A. Manually log in to the service and upload data files on a regular basis.
- B. Have the internal development team script connectivity and file translate to the new service.
- C. Create a dedicated SFTP sue and schedule transfers to ensue file transport security
- D. Utilize the cloud products API for supported and ongoing integrations

Answer: A

NEW QUESTION 87

A security analyst has received information from a third-party intelligence-sharing resource that indicates employee accounts were breached. Which of the following is the NEXT step the analyst should take to address the issue?

- A. Audit access permissions for all employees to ensure least privilege.
- B. Force a password reset for the impacted employees and revoke any tokens.
- C. Configure SSO to prevent passwords from going outside the local network.
- D. Set up privileged access management to ensure auditing is enabled.

Answer: B

NEW QUESTION 90

An analyst is performing penetration testing and vulnerability assessment activities against a new vehicle automation platform. Which of the following is MOST likely an attack vector that is being utilized as part of the testing and assessment?

- A. FaaS
- B. RTOS
- C. SoC
- D. GPS
- E. CAN bus

Answer: E

NEW QUESTION 93

After a breach involving the exfiltration of a large amount of sensitive data a security analyst is reviewing the following firewall logs to determine how the breach occurred:

Which of the following IP addresses does the analyst need to investigate further?

- A. 192.168.1.1
- B. 192.168.1.10
- C. 192.168.1.12
- D. 192.168.1.193

Answer: C

NEW QUESTION 95

Which of the following technologies can be used to store digital certificates and is typically used in high-security implementations where integrity is paramount?

- A. HSM
- B. eFuse
- C. UEFI
- D. Self-encrypting drive

Answer: A

NEW QUESTION 97

A security analyst receives an alert that highly sensitive information has left the company's network. Upon investigation, the analyst discovers an outside IP range has had connections from three servers more than 100 times in the past month. The affected servers are virtual machines. Which of the following is the BEST course of action?

- A. Shut down the servers as soon as possible, move them to a clean environment, restart, run a vulnerability scanner to find weaknesses, determine the root cause, remediate, and report.
- B. Report the data exfiltration to management, take the affected servers offline, conduct an antivirus scan, remediate all threats found, and return the servers to service.
- C. Disconnect the affected servers from the network, use the virtual machine console to access the systems, determine which information has left the network, find the security weakness, and remediate.
- D. Determine if any other servers have been affected, snapshot any servers found, determine the vector that was used to allow the data exfiltration.
- E. Fix any vulnerabilities, remediate, and report.

Answer: A

NEW QUESTION 98

A security analyst gathered forensics from a recent intrusion in preparation for legal proceedings. The analyst used EnCase to gather the digital forensics, cloned the hard drive, and took the hard drive home for further analysis. Which of the following of the security analyst violated?

- A. Cloning procedures
- B. Chain of custody
- C. Hashing procedures
- D. Virtualization

Answer: B

NEW QUESTION 101

A small organization has proprietary software that is used internally. The system has not been well maintained and cannot be updated with the rest of the environment Which of the following is the BEST solution?

- A. Virtualize the system and decommission the physical machine.
- B. Remove it from the network and require air gapping.
- C. Only allow access to the system via a jumpbox
- D. Implement MFA on the specific system.

Answer: A

NEW QUESTION 105

An organization has not had an incident for several month. The Chief information Security Officer (CISO) wants to move to proactive stance for security investigations. Which of the following would BEST meet that goal?

- A. Root-cause analysis
- B. Active response
- C. Advanced antivirus
- D. Information-sharing community
- E. Threat hunting

Answer: E

NEW QUESTION 110

Which of me following BEST articulates the benefit of leveraging SCAP in an organization's cybersecurity analysis toolset?

- A. It automatically performs remedial configuration changes lo enterprise security services
- B. It enables standard checklist and vulnerability analysis expressions for automaton
- C. It establishes a continuous integration environment for software development operations
- D. It provides validation of suspected system vulnerabilities through workflow orchestration

Answer: B

NEW QUESTION 115

A user receives a potentially malicious email that contains spelling errors and a PDF document. A security analyst reviews the email and decides to download the attachment to a Linux sandbox for review.

Which of the following commands would MOST likely indicate if the email is malicious?

- A. sha256sum ~/Desktop/file.pdf
- B. file ~/Desktop/file.pdf
- C. strings ~/Desktop/file.pdf | grep "<script"
- D. cat < ~/Desktop/file.pdf | grep -i .exe

Answer: A

NEW QUESTION 118

Which of the following roles is ultimately responsible for determining the classification levels assigned to specific data sets?

- A. Data custodian
- B. Data owner
- C. Data processor
- D. Senior management

Answer: B

NEW QUESTION 119

A product manager is working with an analyst to design a new application that will perform as a data analytics platform and will be accessible via a web browser. The product manager suggests using a PaaS provider to host the application.

Which of the following is a security concern when using a PaaS solution?

- A. The use of infrastructure-as-code capabilities leads to an increased attack surface.
- B. Patching the underlying application server becomes the responsibility of the client.
- C. The application is unable to use encryption at the database level.
- D. Insecure application programming interfaces can lead to data compromise.

Answer: D

NEW QUESTION 123

A security analyst has discovered trial developers have installed browsers on all development servers in the company's cloud infrastructure and are using them to browse the Internet. Which of the following changes should the security analyst make to BEST protect the environment?

- A. Create a security rule that blocks Internet access in the development VPC
- B. Place a jumpbox m between the developers' workstations and the development VPC
- C. Remove the administrator profile from the developer user group in identity and access management
- D. Create an alert that is triggered when a developer installs an application on a server

Answer: A

NEW QUESTION 125

While analyzing logs from a WAF, a cybersecurity analyst finds the following:

Which of the following BEST describes what the analyst has found?

- A. This is an encrypted GET HTTP request
- B. A packet is being used to bypass the WAF
- C. This is an encrypted packet
- D. This is an encoded WAF bypass

Answer: D

NEW QUESTION 130

The help desk provided a security analyst with a screenshot of a user's desktop:

For which of the following is aircrack-ng being used?

- A. Wireless access point discovery
- B. Rainbow attack
- C. Brute-force attack
- D. PCAP data collection

Answer: B

NEW QUESTION 132

A team of security analysts has been alerted to potential malware activity. The initial examination indicates one of the affected workstations is beaconing on TCP port 80 to five IP addresses and attempting to spread across the network over port 445. Which of the following should be the team's NEXT step during the detection phase of this response process?

- A. Escalate the incident to management, who will then engage the network infrastructure team to keep them informed.
- B. Depending on system criticality, remove each affected device from the network by disabling wired and wireless connections.
- C. Engage the engineering team to block SMB traffic internally and outbound HTTP traffic to the five IP addresses.
- D. Identify potentially affected systems by creating a correlation search in the SIEM based on the network traffic.

Answer: D

NEW QUESTION 133

A security analyst is providing a risk assessment for a medical device that will be installed on the corporate network. During the assessment, the analyst discovers the device has an embedded operating system that will be at the end of its life in two years. Due to the criticality of the device, the security committee makes a risk-based policy decision to review and enforce the vendor upgrade before the end of life is reached.

Which of the following risk actions has the security committee taken?

- A. Risk exception
- B. Risk avoidance
- C. Risk tolerance
- D. Risk acceptance

Answer: D

NEW QUESTION 136

An audit has revealed an organization is utilizing a large number of servers that are running unsupported operating systems.

As part of the management response phase of the audit, which of the following would BEST demonstrate senior management is appropriately aware of and addressing the issue?

- A. Copies of prior audits that did not identify the servers as an issue
- B. Project plans relating to the replacement of the servers that were approved by management
- C. Minutes from meetings in which risk assessment activities addressing the servers were discussed
- D. ACLs from perimeter firewalls showing blocked access to the servers
- E. Copies of change orders relating to the vulnerable servers

Answer: C

NEW QUESTION 140

Bootloader malware was recently discovered on several company workstations. All the workstations run Windows and are current models with UEFI capability. Which of the following UEFI settings is the MOST likely cause of the infections?

- A. Compatibility mode
- B. Secure boot mode
- C. Native mode
- D. Fast boot mode

Answer: A

NEW QUESTION 141

A security analyst, who is working for a company that utilizes Linux servers, receives the following results from a vulnerability scan:

Which of the following is MOST likely a false positive?

- A. ICMP timestamp request remote date disclosure
- B. Windows SMB service enumeration via \srvsvc
- C. Anonymous FTP enabled
- D. Unsupported web server detection

Answer: B

NEW QUESTION 142

A security analyst working in the SOC recently discovered Balances m which hosts visited a specific set of domains and IPs and became infected with malware. Which of the following is the MOST appropriate action to take in the situation?

- A. implement an IPS signature for the malware and update the blacklisting for the associated domains and IPs
- B. Implement an IPS signature for the malware and another signature request to Nock all the associated domains and IPs
- C. Implement a change request to the firewall setting to not allow traffic to and from the IPs and domains
- D. Implement an IPS signature for the malware and a change request to the firewall setting to not allow traffic to and from the IPs and domains

Answer: C

NEW QUESTION 144

During an investigation, a security analyst identified machines that are infected with malware the antivirus was unable to detect. Which of the following is the BEST place to acquire evidence to perform data carving?

- A. The system memory
- B. The hard drive
- C. Network packets
- D. The Windows Registry

Answer: A

NEW QUESTION 148

When attempting to do a stealth scan against a system that does not respond to ping, which of the following Nmap commands BEST accomplishes that goal?

- A. nmap -sA -O <system> -noping
- B. nmap -sT -O <system> -P0
- C. nmap -sS -O <system> -P0
- D. nmap -sQ -O <system> -P0

Answer: C

NEW QUESTION 151

An information security analyst is reviewing backup data sets as part of a project focused on eliminating archival data sets. Which of the following should be considered FIRST prior to disposing of the electronic data?

- A. Sanitization policy
- B. Data sovereignty
- C. Encryption policy
- D. Retention standards

Answer: D

NEW QUESTION 153

A security analyst has received reports of very slow, intermittent access to a public-facing corporate server. Suspecting the system may be compromised, the analyst runs the following commands:

Based on the output from the above commands, which of the following should the analyst do NEXT to further the investigation?

- A. Run `crontab -r; rm -rf /tmp/.t` to remove and disable the malware on the system.
- B. Examine the server logs for further indicators of compromise of a web application.
- C. Run `kill -9 1325` to bring the load average down so the server is usable again.
- D. Perform a binary analysis on the `/tmp/.t/t` file, as it is likely to be a rogue SSHD server.

Answer: B

NEW QUESTION 157

During an incident, a cybersecurity analyst found several entries in the web server logs that are related to an IP with a bad reputation . Which of the following would cause the analyst to further review the incident?

- A)
- B)
- C)
- D)
- E)

A. Option A

- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: D

NEW QUESTION 160

As part of a merger with another organization, a Chief Information Security Officer (CISO) is working with an assessor to perform a risk assessment focused on data privacy compliance. The CISO is primarily concerned with the potential legal liability and fines associated with data privacy. Based on the CISO's concerns, the assessor will MOST likely focus on:

- A. qualitative probabilities.
- B. quantitative probabilities.
- C. qualitative magnitude.
- D. quantitative magnitude.

Answer: D

NEW QUESTION 164

A user's computer has been running slowly when the user tries to access web pages. A security analyst runs the command `netstat -aon` from the command line and receives the following output:

Which of the following lines indicates the computer may be compromised?

- A. Line 1
- B. Line 2
- C. Line 3
- D. Line 4
- E. Line 5
- F. Line 6

Answer: D

NEW QUESTION 166

A SIEM solution alerts a security analyst of a high number of login attempts against the company's webmail portal. The analyst determines the login attempts used credentials from a past data breach. Which of the following is the BEST mitigation to prevent unauthorized access?

- A. Single sign-on
- B. Mandatory access control
- C. Multifactor authentication
- D. Federation
- E. Privileged access management

Answer: E

NEW QUESTION 169

An organization suspects it has had a breach, and it is trying to determine the potential impact. The organization knows the following:

- The source of the breach is linked to an IP located in a foreign country.
- The breach is isolated to the research and development servers.
- The hash values of the data before and after the breach are unchanged.
- The affected servers were regularly patched, and a recent scan showed no vulnerabilities.

Which of the following conclusions can be drawn with respect to the threat and impact? (Choose two.)

- A. The confidentiality of the data is unaffected.
- B. The threat is an APT.
- C. The source IP of the threat has been spoofed.
- D. The integrity of the data is unaffected.
- E. The threat is an insider.

Answer: BD

NEW QUESTION 172

Which of the following would a security engineer recommend to BEST protect sensitive system data from being accessed on mobile devices?

- A. Use a UEFI boot password.
- B. Implement a self-encrypted disk.
- C. Configure filesystem encryption

D. Enable Secure Boot using TPM

Answer: A

NEW QUESTION 173

A security architect is reviewing the options for performing input validation on incoming web form submissions. Which of the following should the architect as the MOST secure and manageable option?

- A. Client-side whitelisting
- B. Server-side whitelisting
- C. Server-side blacklisting
- D. Client-side blacklisting

Answer: B

NEW QUESTION 177

An organization has several system that require specific logons Over the past few months, the security analyst has noticed numerous failed logon attempts followed by password resets. Which of the following should the analyst do to reduce the occurrence of legitimate failed logons and password resets?

- A. Use SSO across all applications
- B. Perform a manual privilege review
- C. Adjust the current monitoring and logging rules
- D. Implement multifactor authentication

Answer: B

NEW QUESTION 179

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

CS0-002 Practice Exam Features:

- * CS0-002 Questions and Answers Updated Frequently
- * CS0-002 Practice Questions Verified by Expert Senior Certified Staff
- * CS0-002 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * CS0-002 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The CS0-002 Practice Test Here](#)