

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

<https://www.2passeasy.com/dumps/1Y0-204/>



NEW QUESTION 1

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 2

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444
add service sslsvc1 192.168.0.14 SSL 443
add service sslsvc2 192.168.0.15 SSL 443
bind lb vserver sslvserver sslsvc1
bind lb vserver sslvserver sslsvc2
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state.

What could be the reason the SSL virtual server is in a down state?

- A. The SSL services are NOT on the 10.102.29.X network.
- B. SSLv3 is disabled.
- C. The virtual server SSL port is NOT set to port 443.
- D. The SSL Certificate is NOT bound to the virtual server.

Answer: D

NEW QUESTION 3

Scenario: A Citrix Administrator has executed the following command:

```
set cs vserver Vserver-CS-1 -caseSensitive ON
add cs action CS_Act_1 -targetLBVserver MYVPN_http
add cs policy CS_Pol_1 -rule "http.REQ.HOTSNAME.CONTAINS(\"server.citrix.lab\")" -action CS_Act_1
bind cs vserver CS_vserver1 -policyName CS_Pol_1 -priority 100
```

What will be the outcome of this configuration?

- A. The users trying to access HTTP://SERVER.CITRIX.LAB will NOT be connected to the Vserver MYVPN_http.
- B. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to the Vserver MYVPN_http.
- C. The users trying to access http://server.citrix.lab will be connected to CS Vserver Vserver-CS-1.
- D. The users trying to access HTTP://SERVER.CITRIX.LAB will be connected to CS Vserver Vserver-CS-1.

Answer: B

NEW QUESTION 4

Which two options would provide an end-to-end encryption of data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

- A. SSL Bridge protocol for the services
- B. SSL Bridge protocol for the virtual server
- C. HTTP protocol for the services
- D. HTTP protocol for the virtual server
- E. SSL protocol for the services
- F. SSL protocol for the virtual server

Answer: CF

NEW QUESTION 5

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C

NEW QUESTION 6

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day. Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 7

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 8

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 9

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA heartbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled interface of the Primary Node.

Answer: D

NEW QUESTION 10

Scenario: A Citrix Administrator suspects an attack on a load balancing virtual server. The administrator needs to restrict access to the load balancing virtual server (192.168.100.25) for 10 minutes.

Which Access Control List (ACL) will help to accomplish this requirement?

- A. add simpleacl rule1 DENY -srcIP 192.168.100.25-TTL 600
- B. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600
- C. add simpleacl rule1 DENY -srcIP 192.168.100.25 -TTL 600000
- D. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600000

Answer: B

NEW QUESTION 10

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available. The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 15

Which component can optionally be hosted in Citrix Cloud or in a customer-controlled resource location, when using the Citrix Virtual Apps and Desktops service?

- A. Citrix License Server
- B. Citrix Gateway
- C. Site database
- D. Virtual Delivery Agent (VDA) machines

Answer: B

NEW QUESTION 17

Scenario: A Citrix ADC MPX is using one of four 10G ports available in an environment. A Citrix Administrator found a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add another 10G Citrix ADC port to the switch and configure Link Aggregation Control Protocol (LACP).
- B. Purchase another Citrix ADC MPX appliance.
- C. Add two more 10 Citrix ADC ports to the network and configure VLAN.
- D. Plug another 10G Citrix ADC port into the router.

Answer: A

NEW QUESTION 18

Scenario: A Citrix Administrator has deployed machines using Machine Creation Services (MCS). A user logs on to a desktop from a random/non-persistent pool of Windows 10 desktops. During the session, the user installs Microsoft Office 2016. To which disk is the Microsoft Office installation data written during the session?

- A. Differencing
- B. Identity
- C. Temporary
- D. Personal

Answer: A

NEW QUESTION 23

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Answer: C

NEW QUESTION 25

Scenario: A Citrix Administrator configured Citrix ADC with multiple admin partitions, with different resources running one each. The administrator receives an SNMP alert stating 'a Load Balanced Virtual Server is down'. When the administrator checks the Citrix ADC, the resource on the partition that was usually managed is NOT there.

Now, the administrator has to check each partition to find the load balanced virtual server that is down.

What can the administrator do to add the partition information to the SNMP traps to avoid this from happening in the future?

- A. Configure additional SNMP trap listeners.
- B. Change SNMP trap options.
- C. Add the partition information to the SNMP traps.
- D. Configure the SNMP Manager to send the partition information.

Answer: C

NEW QUESTION 27

Which two options should a Citrix Administrator configure to stop the First-Time wizard from automatically popping up? (Choose two.)

- A. Host Name is NOT configured on the appliance.
- B. The Default Admin Password has NOT been changed.
- C. Licenses are NOT present on the appliance.
- D. The appliance is configured with the default IP address (192.168.100.1)

Answer: CD

NEW QUESTION 29

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. Get-Service -DisplayName *site*
- B. Get-Service -DisplayName *citrix*
- C. Get-Service -DisplayName *controller*
- D. Get-Service -DisplayName *broker*

Answer: B

NEW QUESTION 31

Which utility can a Citrix Administrator use to resolve the Domain Name System (DNS) request being looked up frequently?

- A. nslookup
- B. dig +trace
- C. curl -K -d
- D. ping

Answer: B

Explanation:

<https://www.citrix.com/blogs/2019/05/31/dig-into-gslb-dns-problems-with-citrix-adc-no-shovel-required/>

NEW QUESTION 32

When users log on to Citrix Receiver, they are NOT able to see their line-of-business application by default and are frequently calling the help desk to locate the application.

Which phrase can a Citrix Administrator add to the application properties, so that line-of-business application is added to Favorites and users cannot remove the application from Favorites?

- A. "KEYWORDS: Prefer"
- B. "KEYWORDS: Mandatory"
- C. "KEYWORDS: Auto"
- D. "KEYWORDS: Featured"

Answer: B

NEW QUESTION 33

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client event after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed.

Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

Answer: B

NEW QUESTION 34

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 36

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

- A. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- B. One of the two Cloud Connectors is down and unresponsive.
- C. The Citrix policies have NOT been migrated to Citrix Cloud.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: A

NEW QUESTION 40

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

A

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

B

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" DROP
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

C

```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ
```

D

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY(\"BAD_URL\")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 42

Scenario: Client connections to certain virtual servers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management to accomplish this requirement?

- A. Configure TCP Insight on the Citrix Application Delivery Management.
- B. Configure specific alerts for virtual servers using Citrix Application Delivery Management.
- C. Configure SMTP Reporting on the Citrix Application Delivery Management by adding the threshold and email address.
- D. Configure Network Reporting on the Citrix Application Delivery Management by setting the threshold and email address.

Answer: D

NEW QUESTION 45

A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page. However, after executing the command, the webpage access entered a loop, as shown in the second screenshot. Click on the 'Exhibit' buttons to view the screenshots.

```
>
>
> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\" -responseStatusCode 302

Done


> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act

Done

> bind lb vserver lb_vsrv_www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST

Done

>
>
```



How will the administrator rectify this issue?

- A. Change Responder action expression to "/"
- B. Change Responder Policy expression to http.REQ.URL.Contains("/")
- C. Change Responder Action expression to http.REQ.URL
- D. Change Responder Policy expression to http.REQ.URL.EQ("/")

Answer: D

NEW QUESTION 46

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from HTTP 1.1 to HTTP 1.0 in every request?

- A
- ```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.0\""
add rewrite policy RW_POL true RW_ACT
```
- B
- ```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.0\""  
add rewrite policy RW_POL true RW_ACT
```
- C
- ```
add rewrite action RW_ACT replace http.res.version "\"HTTP/1.1\""
add rewrite policy RW_POL true RW_ACT
```
- D
- ```
add rewrite action RW_ACT replace http.req.version "\"HTTP/1.1\""  
add rewrite policy RW_POL true RW_ACT
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 51

Scenario: A Citrix Administrator configured the "-denySSLReneg" Parameter using the below command on Citrix ADC to enhance security.
set ssl parameter -denySSLReneg <option>

Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Answer: AC

NEW QUESTION 52

What is the first thing a Citrix Administrator should create when creating a Server Certificate for Citrix ADC to secure traffic?

- A. A Private Key
- B. A Certificate key-pair
- C. A Certificate Signing Request
- D. A Certificate Revocation list

Answer: C

NEW QUESTION 57

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 62

What must a Citrix Administrator do to encrypt XML traffic between StoreFront and the Delivery Controllers?

- A. Install a private server certificate on each StoreFront server and then add a new Internet Information Services (IIS) binding for HTTPS.
- B. Install a private server certificate on each Delivery Controller and bind the certificates to port 443.

- C. Install a private certificate on each Delivery Controller and StoreFront serve
- D. Restart each server to force XML communication to be encrypted.
- E. Install a private server certificate on each StoreFront serve
- F. Open the StoreFront console and use the https:// prefix with the base URL.

Answer: A

NEW QUESTION 67

Scenario: A Citrix Administrator is managing a Citrix ADC SDX running eight Citrix ADC instances. The administrator first needs to upgrade the firmware on the instances. However; the administrator is concerned that it needs to be done all at once.
What upgrading flexibility does SDX provide in this scenario?

- A. The Citrix ADC instances have to be upgraded at the same time.
- B. It is NOT possible to upgrade the Citrix ADC instances to different firmware versions.
- C. The Citrix ADC instance can be upgraded at the SDX management level, allowing all instances to be upgraded at once.
- D. The Citrix ADC instance can be upgraded on an individual basis, allowing all instances to run different firmware versions.

Answer: A

NEW QUESTION 69

Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

- A. Application names
- B. Installed locally
- C. Keyword
- D. Application category
- E. Delivery Group

Answer: ACD

Explanation:

You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

NEW QUESTION 72

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: A

NEW QUESTION 77

Scenario: A Citrix Administrator is working on a published application. The network connection remains active for 240 seconds but is interrupted and applications become unusable. The session then prompts for authentication. After the administrator successfully authenticates, the session is reconnected.
Which policy makes this possible?

- A. Load Management
- B. Auto Client Reconnect
- C. Session Reliability
- D. ICA Keep Alive

Answer: C

NEW QUESTION 82

Scenario: A Citrix Administrator is concerned about the amount of health checks the Citrix ADC is sending to the backend resources. The administrator would like to find a way to remove health checks from specific bound services.
How can the administrator accomplish this?

- A. Use reverse condition monitoring.
- B. Use the No-Monitor option.
- C. Unbind the current monitor.
- D. Use Service Groups to minimize health checks.

Answer: B

NEW QUESTION 87

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

- Read-only access
- The ability to enable and disable services and servers

Which built-in Command Policy permission level can the administrator use?

- A. Network
- B. Read-Only
- C. Operator
- D. Sysadmin

Answer: C

NEW QUESTION 88

A Citrix Administrator needs to confirm that all the client certificates presented to the authentication vServer are valid until year 2020. Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- B. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2020)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- D. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2020)

Answer: A

NEW QUESTION 90

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment:

```
set gslb site SiteB -triggerMonitor MEPDOWN
```

What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The service monitor will take precedence over Metric Exchange Protocol (MEP)
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.
- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

Answer: B

NEW QUESTION 91

Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1GB more bandwidth to accommodate increased traffic requests.

What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

- A. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0.
- B. Purchase an SDX license to increase the bandwidth on the instances.
- C. Configure burst capacity of 1GB with priority 10.
- D. Configure LA channel to increase the bandwidth.

Answer: C

NEW QUESTION 95

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-204 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-204 Product From:

<https://www.2passeasy.com/dumps/1Y0-204/>

Money Back Guarantee

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year