



Amazon

Exam Questions AWS-Certified-Machine-Learning-Specialty

AWS Certified Machine Learning - Specialty

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A Data Scientist is developing a machine learning model to predict future patient outcomes based on information collected about each patient and their treatment plans. The model should output a continuous value as its prediction. The data available includes labeled outcomes for a set of 4,000 patients. The study was conducted on a group of individuals over the age of 65 who have a particular disease that is known to worsen with age. Initial models have performed poorly. While reviewing the underlying data, the Data Scientist notices that, out of 4,000 patient observations, there are 450 where the patient age has been input as 0. The other features for these observations appear normal compared to the rest of the sample population. How should the Data Scientist correct this issue?

- A. Drop all records from the dataset where age has been set to 0.
- B. Replace the age field value for records with a value of 0 with the mean or median value from the dataset.
- C. Drop the age feature from the dataset and train the model using the rest of the features.
- D. Use k-means clustering to handle missing features.

Answer: A

NEW QUESTION 2

An e-commerce company wants to launch a new cloud-based product recommendation feature for its web application. Due to data localization regulations, any sensitive data must not leave its on-premises data center, and the product recommendation model must be trained and tested using nonsensitive data only. Data transfer to the cloud must use IPsec. The web application is hosted on premises with a PostgreSQL database that contains all the data. The company wants the data to be uploaded securely to Amazon S3 each day for model retraining. How should a machine learning specialist meet these requirements?

- A. Create an AWS Glue job to connect to the PostgreSQL DB instance.
- B. Ingest tables without sensitive data through an AWS Site-to-Site VPN connection directly into Amazon S3.
- C. Create an AWS Glue job to connect to the PostgreSQL DB instance.
- D. Ingest all data through an AWS Site-to-Site VPN connection into Amazon S3 while removing sensitive data using a PySpark job.
- E. Use AWS Database Migration Service (AWS DMS) with table mapping to select PostgreSQL tables with no sensitive data through an SSL connection.
- F. Replicate data directly into Amazon S3.
- G. Use PostgreSQL logical replication to replicate all data to PostgreSQL in Amazon EC2 through AWS Direct Connect with a VPN connection.
- H. Use AWS Glue to move data from Amazon EC2 to Amazon S3.

Answer: C

NEW QUESTION 3

A data scientist has a dataset of machine part images stored in Amazon Elastic File System (Amazon EFS). The data scientist needs to use Amazon SageMaker to create and train an image classification machine learning model based on this dataset. Because of budget and time constraints, management wants the data scientist to create and train a model with the least number of steps and integration work required. How should the data scientist meet these requirements?

- A. Mount the EFS file system to a SageMaker notebook and run a script that copies the data to an Amazon FSx for Lustre file system.
- B. Run the SageMaker training job with the FSx for Lustre file system as the data source.
- C. Launch a transient Amazon EMR cluster.
- D. Configure steps to mount the EFS file system and copy the data to an Amazon S3 bucket by using S3DistCp.
- E. Run the SageMaker training job with Amazon S3 as the data source.
- F. Mount the EFS file system to an Amazon EC2 instance and use the AWS CLI to copy the data to an Amazon S3 bucket.
- G. Run the SageMaker training job with Amazon S3 as the data source.
- H. Run a SageMaker training job with an EFS file system as the data source.

Answer: A

NEW QUESTION 4

An office security agency conducted a successful pilot using 100 cameras installed at key locations within the main office. Images from the cameras were uploaded to Amazon S3 and tagged using Amazon Rekognition, and the results were stored in Amazon ES. The agency is now looking to expand the pilot into a full production system using thousands of video cameras in its office locations globally. The goal is to identify activities performed by non-employees in real time. Which solution should the agency consider?

- A. Use a proxy server at each local office and for each camera, and stream the RTSP feed to a unique Amazon Kinesis Video Streams video stream.
- B. On each stream, use Amazon Rekognition Video and create a stream processor to detect faces from a collection of known employees, and alert when non-employees are detected.
- C. Use a proxy server at each local office and for each camera, and stream the RTSP feed to a unique Amazon Kinesis Video Streams video stream.
- D. On each stream, use Amazon Rekognition Image to detect faces from a collection of known employees and alert when non-employees are detected.
- E. Install AWS DeepLens cameras and use the DeepLens_Kinesis_Video module to stream video to Amazon Kinesis Video Streams for each camera.
- F. On each stream, use Amazon Rekognition Video and create a stream processor to detect faces from a collection on each stream, and alert when nonemployees are detected.
- G. Install AWS DeepLens cameras and use the DeepLens_Kinesis_Video module to stream video to Amazon Kinesis Video Streams for each camera.
- H. On each stream, run an AWS Lambda function to capture image fragments and then call Amazon Rekognition Image to detect faces from a collection of known employees, and alert when non-employees are detected.

Answer: C

NEW QUESTION 5

A retail company intends to use machine learning to categorize new products. A labeled dataset of current products was provided to the Data Science team. The dataset includes 1,200 products. The labeled dataset has 15 features for each product such as title, dimensions, weight, and price. Each product is labeled as belonging to one of six categories such as books, games, electronics, and movies. Which model should be used for categorizing new products using the provided dataset for training?

- A. An XGBoost model where the objective parameter is set to multi: softmax.

- B. A deep convolutional neural network (CNN) with a softmax activation function for the last layer
- C. A regression forest where the number of trees is set equal to the number of product categories
- D. A DeepAR forecasting model based on a recurrent neural network (RNN)

Answer: A

NEW QUESTION 6

A Machine Learning Specialist was given a dataset consisting of unlabeled data. The Specialist must create a model that can help the team classify the data into different buckets. What model should be used to complete this work?

- A. K-means clustering
- B. Random Cut Forest (RCF)
- C. XGBoost
- D. BlazingText

Answer: A

NEW QUESTION 7

A Machine Learning Specialist is implementing a full Bayesian network on a dataset that describes public transit in New York City. One of the random variables is discrete, and represents the number of minutes New Yorkers wait for a bus given that the buses cycle every 10 minutes, with a mean of 3 minutes. Which prior probability distribution should the ML Specialist use for this variable?

- A. Poisson distribution ,
- B. Uniform distribution
- C. Normal distribution
- D. Binomial distribution

Answer: A

NEW QUESTION 8

A Machine Learning Specialist is preparing data for training on Amazon SageMaker. The Specialist is transformed into a numpy .array, which appears to be negatively affecting the speed of the training. What should the Specialist do to optimize the data for training on SageMaker'?

- A. Use the SageMaker batch transform feature to transform the training data into a DataFrame
- B. Use AWS Glue to compress the data into the Apache Parquet format
- C. Transform the dataset into the Recordio protobuf format
- D. Use the SageMaker hyperparameter optimization feature to automatically optimize the data

Answer: C

NEW QUESTION 9

The Chief Editor for a product catalog wants the Research and Development team to build a machine learning system that can be used to detect whether or not individuals in a collection of images are wearing the company's retail brand. The team has a set of training data. Which machine learning algorithm should the researchers use that BEST meets their requirements?

- A. Latent Dirichlet Allocation (LDA)
- B. Recurrent neural network (RNN)
- C. K-means
- D. Convolutional neural network (CNN)

Answer: C

NEW QUESTION 10

A manufacturer of car engines collects data from cars as they are being driven. The data collected includes timestamp, engine temperature, rotations per minute (RPM), and other sensor readings. The company wants to predict when an engine is going to have a problem so it can notify drivers in advance to get engine maintenance. The engine data is loaded into a data lake for training. Which is the MOST suitable predictive model that can be deployed into production'?

- A. Add labels over time to indicate which engine faults occur at what time in the future to turn this into a supervised learning problem. Use a recurrent neural network (RNN) to train the model to recognize when an engine might need maintenance for a certain fault.
- B. This data requires an unsupervised learning algorithm. Use Amazon SageMaker k-means to cluster the data.
- C. Add labels over time to indicate which engine faults occur at what time in the future to turn this into a supervised learning problem. Use a convolutional neural network (CNN) to train the model to recognize when an engine might need maintenance for a certain fault.
- D. This data is already formulated as a time series. Use Amazon SageMaker seq2seq to model the time series.

Answer: B

NEW QUESTION 10

A bank wants to launch a low-rate credit promotion. The bank is located in a town that recently experienced economic hardship. Only some of the bank's customers were affected by the crisis, so the bank's credit team must identify which customers to target with the promotion. However, the credit team wants to make sure that loyal customers' full credit history is considered when the decision is made. The bank's data science team developed a model that classifies account transactions and understands credit eligibility. The data science team used the XGBoost algorithm to train the model. The team used 7 years of bank transaction historical data for training and hyperparameter tuning over the course of several days. The accuracy of the model is sufficient, but the credit team is struggling to explain accurately why the model denies credit to some customers. The credit team has almost no skill in data science. What should the data science team do to address this issue in the MOST operationally efficient manner?

- A. Use Amazon SageMaker Studio to rebuild the mode
- B. Create a notebook that uses the XGBoost training container to perform model trainin
- C. Deploy the model at an endpoint
- D. Enable Amazon SageMaker Model Monitor to store inference
- E. Use the inferences to create Shapley values that help explain model behavio
- F. Create a chart that shows features and SHapley Additive explanation (SHAP) values to explain to the credit team how the features affect the model outcomes.
- G. Use Amazon SageMaker Studio to rebuild the mode
- H. Create a notebook that uses the XGBoost training container to perform model trainin
- I. Activate Amazon SageMaker Debugger, and configure it to calculate and collect Shapley value
- J. Create a chart that shows features and SHapley Additive explanation (SHAP) values to explain to the credit team how the features affect the model outcomes.
- K. Create an Amazon SageMaker notebook instanc
- L. Use the notebook instance and the XGBoost library to locally retrain the mode
- M. Use the plot_importance() method in the Python XGBoost interface to create a feature importance char
- N. Use that chart to explain to the credit team how the features affect the model outcomes.
- O. Use Amazon SageMaker Studio to rebuild the mode
- P. Create a notebook that uses the XGBoost training container to perform model trainin
- Q. Deploy the model at an endpoint
- R. Use Amazon SageMakerProcessing to post-analyze the model and create a feature importance explainability chart automatically for the credit team.

Answer: C

NEW QUESTION 13

A power company wants to forecast future energy consumption for its customers in residential properties and commercial business properties. Historical power consumption data for the last 10 years is available. A team of data scientists who performed the initial data analysis and feature selection will include the historical power consumption data and data such as weather, number of individuals on the property, and public holidays.

The data scientists are using Amazon Forecast to generate the forecasts.

Which algorithm in Forecast should the data scientists use to meet these requirements?

- A. Autoregressive Integrated Moving Average (AIRMA)
- B. Exponential Smoothing (ETS)
- C. Convolutional Neural Network - Quantile Regression (CNN-QR)
- D. Prophet

Answer: B

NEW QUESTION 18

A data scientist is developing a pipeline to ingest streaming web traffic data. The data scientist needs to implement a process to identify unusual web traffic patterns as part of the pipeline. The patterns will be used downstream for alerting and incident response. The data scientist has access to unlabeled historic data to use, if needed.

The solution needs to do the following:

- Calculate an anomaly score for each web traffic entry.
- Adapt unusual event identification to changing web patterns over time. Which approach should the data scientist implement to meet these requirements?

- A. Use historic web traffic data to train an anomaly detection model using the Amazon SageMaker Random Cut Forest (RCF) built-in mode
- B. Use an Amazon Kinesis Data Stream to process the incoming webtraffidat
- C. Attach a preprocessing AWS Lambda function to perform data enrichment by calling the RCF modelto calculate the anomaly score for each record.
- D. Use historic web traffic data to train an anomaly detection model using the Amazon SageMaker built-inXGBoost mode
- E. Use an Amazon Kinesis Data Stream to process the incoming web traffic dat
- F. Attach apreprocessing AWS Lambda function to perform data enrichment by calling the XGBoost model to calculate the anomaly score for each record.
- G. Collect the streaming data using Amazon Kinesis Data Firehos
- H. Map the delivery stream as an inputsource for Amazon Kinesis Data Analytic
- I. Write a SQL query to run in real time against the streaming datawith the k-Nearest Neighbors (kNN) SQL extension to calculate anomaly scores for each record using a tumbling window.
- J. Collect the streaming data using Amazon Kinesis Data Firehos
- K. Map the delivery stream as an inputsource for Amazon Kinesis Data Analytic
- L. Write a SQL query to run in real time against the streaming datawith the Amazon Random Cut Forest (RCF) SQL extension to calculate anomaly scores for each record using a sliding window.

Answer: D

NEW QUESTION 22

A Machine Learning Specialist is configuring automatic model tuning in Amazon SageMaker

When using the hyperparameter optimization feature, which of the following guidelines should be followed to improve optimization?

Choose the maximum number of hyperparameters supported by

- A. Amazon SageMaker to search the largest number of combinations possible
- B. Specify a very large hyperparameter range to allow Amazon SageMaker to cover every possible value.
- C. Use log-scaled hyperparameters to allow the hyperparameter space to be searched as quickly as possible
- D. Execute only one hyperparameter tuning job at a time and improve tuning through successive rounds of experiments

Answer: C

NEW QUESTION 26

A Data Scientist received a set of insurance records, each consisting of a record ID, the final outcome among 200 categories, and the date of the final outcome.

Some partial information on claim contents is also provided, but only for a few of the 200 categories. For each outcome category, there are hundreds of records distributed over the past 3 years. The Data Scientist wants to predict how many claims to expect in each category from month to month, a few months in advance.

What type of machine learning model should be used?

- A. Classification month-to-month using supervised learning of the 200 categories based on claim contents.
- B. Reinforcement learning using claim IDs and timestamps where the agent will identify how many claims in each category to expect from month to month.
- C. Forecasting using claim IDs and timestamps to identify how many claims in each category to expect from month to month.
- D. Classification with supervised learning of the categories for which partial information on claim contents is provided, and forecasting using claim IDs and timestamps for all other categories.

Answer: C

NEW QUESTION 29

An ecommerce company is automating the categorization of its products based on images. A data scientist has trained a computer vision model using the Amazon SageMaker image classification algorithm. The images for each product are classified according to specific product lines. The accuracy of the model is too low when categorizing new products. All of the product images have the same dimensions and are stored within an Amazon S3 bucket. The company wants to improve the model so it can be used for new products as soon as possible.

Which steps would improve the accuracy of the solution? (Choose three.)

- A. Use the SageMaker semantic segmentation algorithm to train a new model to achieve improved accuracy.
- B. Use the Amazon Rekognition DetectLabels API to classify the products in the dataset.
- C. Augment the images in the dataset
- D. Use open source libraries to crop, resize, flip, rotate, and adjust the brightness and contrast of the images.
- E. Use a SageMaker notebook to implement the normalization of pixels and scaling of the image
- F. Store the new dataset in Amazon S3.
- G. Use Amazon Rekognition Custom Labels to train a new model.
- H. Check whether there are class imbalances in the product categories, and apply oversampling or undersampling as required.
- I. Store the new dataset in Amazon S3.

Answer: BCE

NEW QUESTION 33

A company is using Amazon Polly to translate plaintext documents to speech for automated company announcements. However, company acronyms are being mispronounced in the current documents. How should a Machine Learning Specialist address this issue for future documents?

- A. Convert current documents to SSML with pronunciation tags
- B. Create an appropriate pronunciation lexicon.
- C. Output speech marks to guide in pronunciation
- D. Use Amazon Lex to preprocess the text files for pronunciation

Answer: A

NEW QUESTION 35

A Data Scientist is working on an application that performs sentiment analysis. The validation accuracy is poor and the Data Scientist thinks that the cause may be a rich vocabulary and a low average frequency of words in the dataset.

Which tool should be used to improve the validation accuracy?

- A. Amazon Comprehend syntax analysts and entity detection
- B. Amazon SageMaker BlazingText allow mode
- C. Natural Language Toolkit (NLTK) stemming and stop word removal
- D. Scikit-learn term frequency-inverse document frequency (TF-IDF) vectorizers

Answer: A

NEW QUESTION 37

A trucking company is collecting live image data from its fleet of trucks across the globe. The data is growing rapidly and approximately 100 GB of new data is generated every day. The company wants to explore machine learning use cases while ensuring the data is only accessible to specific IAM users.

Which storage option provides the most processing flexibility and will allow access control with IAM?

- A. Use a database, such as Amazon DynamoDB, to store the images, and set the IAM policies to restrict access to only the desired IAM users.
- B. Use an Amazon S3-backed data lake to store the raw images, and set up the permissions using bucket policies.
- C. Set up Amazon EMR with Hadoop Distributed File System (HDFS) to store the files, and restrict access to the EMR instances using IAM policies.
- D. Configure Amazon EFS with IAM policies to make the data available to Amazon EC2 instances owned by the IAM users.

Answer: C

NEW QUESTION 39

A Machine Learning Specialist is building a convolutional neural network (CNN) that will classify 10 types of animals. The Specialist has built a series of layers in a neural network that will take an input image of an animal, pass it through a series of convolutional and pooling layers, and then finally pass it through a dense and fully connected layer with 10 nodes. The Specialist would like to get an output from the neural network that is a probability distribution of how likely it is that the input image belongs to each of the 10 classes.

Which function will produce the desired output?

- A. Dropout
- B. Smooth L1 loss
- C. Softmax
- D. Rectified linear units (ReLU)

Answer: C

NEW QUESTION 44

A machine learning (ML) specialist must develop a classification model for a financial services company. A domain expert provides the dataset, which is tabular with 10,000 rows and 1,020 features. During exploratory data analysis, the specialist finds no missing values and a small percentage of duplicate rows. There are correlation scores of > 0.9 for 200 feature pairs. The mean value of each feature is similar to its 50th percentile. Which feature engineering strategy should the ML specialist use with Amazon SageMaker?

- A. Apply dimensionality reduction by using the principal component analysis (PCA) algorithm.
- B. Drop the features with low correlation scores by using a Jupyter notebook.
- C. Apply anomaly detection by using the Random Cut Forest (RCF) algorithm.
- D. Concatenate the features with high correlation scores by using a Jupyter notebook.

Answer: C

NEW QUESTION 47

A company that promotes healthy sleep patterns by providing cloud-connected devices currently hosts a sleep tracking application on AWS. The application collects device usage information from device users. The company's Data Science team is building a machine learning model to predict if and when a user will stop utilizing the company's devices. Predictions from this model are used by a downstream application that determines the best approach for contacting users. The Data Science team is building multiple versions of the machine learning model to evaluate each version against the company's business goals. To measure long-term effectiveness, the team wants to run multiple versions of the model in parallel for long periods of time, with the ability to control the portion of inferences served by the models.

Which solution satisfies these requirements with MINIMAL effort?

- A. Build and host multiple models in Amazon SageMaker
- B. Create multiple Amazon SageMaker endpoints, one for each mode
- C. Programmatically control invoking different models for inference at the application layer.
- D. Build and host multiple models in Amazon SageMaker
- E. Create an Amazon SageMaker endpoint configuration with multiple production variant
- F. Programmatically control the portion of the inferences served by the multiple models by updating the endpoint configuration.
- G. Build and host multiple models in Amazon SageMaker Neo to take into account different types of medical device
- H. Programmatically control which model is invoked for inference based on the medical device type.
- I. Build and host multiple models in Amazon SageMaker
- J. Create a single endpoint that accesses multiple model
- K. Use Amazon SageMaker batch transform to control invoking the different models through the single endpoint.

Answer: B

Explanation:

A/B testing with Amazon SageMaker is required in the Exam. In A/B testing, you test different variants of your models and compare how each variant performs. Amazon SageMaker enables you to test multiple models or model versions behind the `same endpoint` using `production variants`. Each production variant identifies a machine learning (ML) model and the resources deployed for hosting the model. To test multiple models by `distributing traffic` between them, specify the `percentage of the traffic` that gets routed to each model by specifying the `weight` for each `production variant` in the endpoint configuration.
<https://docs.aws.amazon.com/sagemaker/latest/dg/model-ab-testing.html#model-testing-target-variant>

NEW QUESTION 48

A Machine Learning Specialist is building a model that will perform time series forecasting using Amazon SageMaker. The Specialist has finished training the model and is now planning to perform load testing on the endpoint so they can configure Auto Scaling for the model variant. Which approach will allow the Specialist to review the latency, memory utilization, and CPU utilization during the load test?

- A. Review SageMaker logs that have been written to Amazon S3 by leveraging Amazon Athena and Amazon QuickSight to visualize logs as they are being produced
- B. Generate an Amazon CloudWatch dashboard to create a single view for the latency, memory utilization, and CPU utilization metrics that are outputted by Amazon SageMaker
- C. Build custom Amazon CloudWatch Logs and then leverage Amazon ES and Kibana to query and visualize the data as it is generated by Amazon SageMaker
- D. Send Amazon CloudWatch Logs that were generated by Amazon SageMaker to Amazon ES and use Kibana to query and visualize the log data.

Answer: B

NEW QUESTION 53

A Machine Learning Specialist is training a model to identify the make and model of vehicles in images. The Specialist wants to use transfer learning and an existing model trained on images of general objects. The Specialist collated a large custom dataset of pictures containing different vehicle makes and models.

- A. Initialize the model with random weights in all layers including the last fully connected layer
- B. Initialize the model with pre-trained weights in all layers and replace the last fully connected layer.
- C. Initialize the model with random weights in all layers and replace the last fully connected layer
- D. Initialize the model with pre-trained weights in all layers including the last fully connected layer

Answer: D

NEW QUESTION 56

A media company with a very large archive of unlabeled images, text, audio, and video footage wishes to index its assets to allow rapid identification of relevant content by the Research team. The company wants to use machine learning to accelerate the efforts of its in-house researchers who have limited machine learning expertise.

Which is the FASTEST route to index the assets?

- A. Use Amazon Rekognition, Amazon Comprehend, and Amazon Transcribe to tag data into distinct categories/classes.
- B. Create a set of Amazon Mechanical Turk Human Intelligence Tasks to label all footage.
- C. Use Amazon Transcribe to convert speech to text
- D. Use the Amazon SageMaker Neural Topic Model (NTM) and Object Detection algorithms to tag data into distinct categories/classes.
- E. Use the AWS Deep Learning AMI and Amazon EC2 GPU instances to create custom models for audio transcription and topic modeling, and use object detection to tag data into distinct categories/classes.

Answer: A

NEW QUESTION 59

A machine learning (ML) specialist wants to create a data preparation job that uses a PySpark script with complex window aggregation operations to create data for training and testing. The ML specialist needs to evaluate the impact of the number of features and the sample count on model performance. Which approach should the ML specialist use to determine the ideal data transformations for the model?

- A. Add an Amazon SageMaker Debugger hook to the script to capture key metric
- B. Run the script as an AWS Glue job.
- C. Add an Amazon SageMaker Experiments tracker to the script to capture key metric
- D. Run the script as an AWS Glue job.
- E. Add an Amazon SageMaker Debugger hook to the script to capture key parameter
- F. Run the script as a SageMaker processing job.
- G. Add an Amazon SageMaker Experiments tracker to the script to capture key parameter
- H. Run the script as a SageMaker processing job.

Answer: B

NEW QUESTION 60

Amazon Connect has recently been tolled out across a company as a contact call center. The solution has been configured to store voice call recordings on Amazon S3.

The content of the voice calls are being analyzed for the incidents being discussed by the call operators. Amazon Transcribe is being used to convert the audio to text, and the output is stored on Amazon S3.

Which approach will provide the information required for further analysis?

- A. Use Amazon Comprehend with the transcribed files to build the key topics
- B. Use Amazon Translate with the transcribed files to train and build a model for the key topics
- C. Use the AWS Deep Learning AMI with Gluon Semantic Segmentation on the transcribed files to train and build a model for the key topics
- D. Use the Amazon SageMaker k-Nearest-Neighbors (kNN) algorithm on the transcribed files to generate a word embeddings dictionary for the key topics

Answer: B

NEW QUESTION 63

A financial company is trying to detect credit card fraud. The company observed that, on average, 2% of credit card transactions were fraudulent. A data scientist trained a classifier on a year's worth of credit card transactions data. The model needs to identify the fraudulent transactions (positives) from the regular ones (negatives). The company's goal is to accurately capture as many positives as possible.

Which metrics should the data scientist use to optimize the model? (Choose two.)

- A. Specificity
- B. False positive rate
- C. Accuracy
- D. Area under the precision-recall curve
- E. True positive rate

Answer: DE

NEW QUESTION 64

A company supplies wholesale clothing to thousands of retail stores. A data scientist must create a model that predicts the daily sales volume for each item for each store. The data scientist discovers that more than half of the stores have been in business for less than 6 months. Sales data is highly consistent from week to week. Daily data from the database has been aggregated weekly, and weeks with no sales are omitted from the current dataset. Five years (100 MB) of sales data is available in Amazon S3.

Which factors will adversely impact the performance of the forecast model to be developed, and which actions should the data scientist take to mitigate them? (Choose two.)

- A. Detecting seasonality for the majority of stores will be an issue
- B. Request categorical data to relate new stores with similar stores that have more historical data.
- C. The sales data does not have enough variance
- D. Request external sales data from other industries to improve the model's ability to generalize.
- E. Sales data is aggregated by week
- F. Request daily sales data from the source database to enable building a daily model.
- G. The sales data is missing zero entries for item sale
- H. Request that item sales data from the source database include zero entries to enable building the model.
- I. Only 100 MB of sales data is available in Amazon S3. Request 10 years of sales data, which would provide 200 MB of training data for the model.

Answer: AB

NEW QUESTION 65

A Data Scientist wants to gain real-time insights into a data stream of GZIP files. Which solution would allow the use of SQL to query the stream with the LEAST latency?

- A. Amazon Kinesis Data Analytics with an AWS Lambda function to transform the data.
- B. AWS Glue with a custom ETL script to transform the data.
- C. An Amazon Kinesis Client Library to transform the data and save it to an Amazon ES cluster.
- D. Amazon Kinesis Data Firehose to transform the data and put it into an Amazon S3 bucket.

Answer: A

NEW QUESTION 66


A Data Scientist is developing a binary classifier to predict whether a patient has a particular disease on a series of test results. The Data Scientist has data on 400 patients randomly selected from the population. The disease is seen in 3% of the population. Which cross-validation strategy should the Data Scientist adopt?

- A. A k-fold cross-validation strategy with k=5
- B. A stratified k-fold cross-validation strategy with k=5
- C. A k-fold cross-validation strategy with k=5 and 3 repeats
- D. An 80/20 stratified split between training and validation

Answer: B

NEW QUESTION 69

Given the following confusion matrix for a movie classification model, what is the true class frequency for Romance and the predicted class frequency for Adventure?



- A. The true class frequency for Romance is 77.56% and the predicted class frequency for Adventure is 20.85%
- B. The true class frequency for Romance is 57.92% and the predicted class frequency for Adventure is 13.12%
- C. The true class frequency for Romance is 0.78 and the predicted class frequency for Adventure is (0.47 - 0.32).
- D. The true class frequency for Romance is 77.56% * 0.78 and the predicted class frequency for Adventure is 20.85% * 0.32

Answer: B

Explanation:

<https://docs.aws.amazon.com/machine-learning/latest/dg/multiclass-model-insights.html>

NEW QUESTION 71

A data scientist has been running an Amazon SageMaker notebook instance for a few weeks. During this time, a new version of Jupyter Notebook was released along with additional software updates. The security team mandates that all running SageMaker notebook instances use the latest security and software updates provided by SageMaker.

How can the data scientist meet this requirements?

- A. Call the CreateNotebookInstanceLifecycleConfig API operation
- B. Create a new SageMaker notebook instance and mount the Amazon Elastic Block Store (Amazon EBS) volume from the original instance
- C. Stop and then restart the SageMaker notebook instance
- D. Call the UpdateNotebookInstanceLifecycleConfig API operation

Answer: C

NEW QUESTION 73

A company wants to create a data repository in the AWS Cloud for machine learning (ML) projects. The company wants to use AWS to perform complete ML lifecycles and wants to use Amazon S3 for the data storage. All of the company's data currently resides on premises and is 40 in size.

The company wants a solution that can transfer and automatically update data between the on-premises object storage and Amazon S3. The solution must support encryption, scheduling, monitoring, and data integrity validation.

Which solution meets these requirements?

- A. Use the S3 sync command to compare the source S3 bucket and the destination S3 bucket
- B. Determine which source files do not exist in the destination S3 bucket and which source files were modified.
- C. Use AWS Transfer for FTPS to transfer the files from the on-premises storage to Amazon S3.
- D. Use AWS DataSync to make an initial copy of the entire dataset
- E. Schedule subsequent incremental transfers of changing data until the final cutover from on premises to AWS.
- F. Use S3 Batch Operations to pull data periodically from the on-premises storage
- G. Enable S3 Versioning on the S3 bucket to protect against accidental overwrites.

Answer: C

Explanation:

Configure DataSync to make an initial copy of your entire dataset, and schedule subsequent incremental transfers of changing data until the final cut-over from on-premises to AWS.

NEW QUESTION 78

A Machine Learning Specialist has created a deep learning neural network model that performs well on the training data but performs poorly on the test data. Which of the following methods should the Specialist consider using to correct this? (Select THREE.)

- A. Decrease regularization.
- B. Increase regularization.
- C. Increase dropout.
- D. Decrease dropout.
- E. Increase feature combinations.
- F. Decrease feature combinations.

Answer: BCD

NEW QUESTION 80

A company sells thousands of products on a public website and wants to automatically identify products with potential durability problems. The company has 1.000 reviews with date, star rating, review text, review summary, and customer email fields, but many reviews are incomplete and have empty fields. Each review has already been labeled with the correct durability result.

A machine learning specialist must train a model to identify reviews expressing concerns over product durability. The first model needs to be trained and ready to review in 2 days.

What is the MOST direct approach to solve this problem within 2 days?

- A. Train a custom classifier by using Amazon Comprehend.
- B. Build a recurrent neural network (RNN) in Amazon SageMaker by using Gluon and Apache MXNet.
- C. Train a built-in BlazingText model using Word2Vec mode in Amazon SageMaker.
- D. Use a built-in seq2seq model in Amazon SageMaker.

Answer: B

NEW QUESTION 84

While working on a neural network project, a Machine Learning Specialist discovers that some features in the data have very high magnitude resulting in this data being weighted more in the cost function. What should the Specialist do to ensure better convergence during backpropagation?

- A. Dimensionality reduction
- B. Data normalization
- C. Model regularization
- D. Data augmentation for the minority class

Answer: D

NEW QUESTION 85

A machine learning specialist is running an Amazon SageMaker endpoint using the built-in object detection algorithm on a P3 instance for real-time predictions in a company's production application. When evaluating the model's resource utilization, the specialist notices that the model is using only a fraction of the GPU.

Which architecture changes would ensure that provisioned resources are being utilized effectively?

- A. Redeploy the model as a batch transform job on an M5 instance.
- B. Redeploy the model on an M5 instance.
- C. Attach Amazon Elastic Inference to the instance.
- D. Redeploy the model on a P3dn instance.
- E. Deploy the model onto an Amazon Elastic Container Service (Amazon ECS) cluster using a P3 instance.

Answer: B

Explanation:

<https://aws.amazon.com/machine-learning/elastic-inference/>

NEW QUESTION 89

A company that runs an online library is implementing a chatbot using Amazon Lex to provide book recommendations based on category. This intent is fulfilled by an AWS Lambda function that queries an Amazon DynamoDB table for a list of book titles, given a particular category. For testing, there are only three categories implemented as the custom slot types: "comedy," "adventure," and "documentary."

A machine learning (ML) specialist notices that sometimes the request cannot be fulfilled because Amazon Lex cannot understand the category spoken by users with utterances such as "funny," "fun," and "humor." The ML specialist needs to fix the problem without changing the Lambda code or data in DynamoDB.

How should the ML specialist fix the problem?

- A. Add the unrecognized words in the enumeration values list as new values in the slot type.
- B. Create a new custom slot type, add the unrecognized words to this slot type as enumeration values, and use this slot type for the slot.
- C. Use the AMAZON.SearchQuery built-in slot types for custom searches in the database.
- D. Add the unrecognized words as synonyms in the custom slot type.

Answer: C

NEW QUESTION 90

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC. Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS service accounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

Answer: C

NEW QUESTION 92

A data scientist has developed a machine learning translation model for English to Japanese by using Amazon SageMaker's built-in seq2seq algorithm with 500,000 aligned sentence pairs. While testing with sample sentences, the data scientist finds that the translation quality is reasonable for an example as short as five words. However, the quality becomes unacceptable if the sentence is 100 words long. Which action will resolve the problem?

- A. Change preprocessing to use n-grams.
- B. Add more nodes to the recurrent neural network (RNN) than the largest sentence's word count.
- C. Adjust hyperparameters related to the attention mechanism.
- D. Choose a different weight initialization type.

Answer: C

Explanation:

<https://docs.aws.amazon.com/sagemaker/latest/dg/seq-2-seq-howitworks.html>

NEW QUESTION 93

A company provisions Amazon SageMaker notebook instances for its data science team and creates Amazon VPC interface endpoints to ensure communication between the VPC and the notebook instances. All connections to the Amazon SageMaker API are contained entirely and securely using the AWS network. However, the data science team realizes that individuals outside the VPC can still connect to the notebook instances across the internet. Which set of actions should the data science team take to fix the issue?

- A. Modify the notebook instances' security group to allow traffic only from the CIDR ranges of the VPC
- B. Apply this security group to all of the notebook instances' VPC interfaces.
- C. Create an IAM policy that allows the sagemaker:CreatePresignedNotebookInstanceUrl and sagemaker:DescribeNotebookInstance actions from only the VPC endpoint
- D. Apply this policy to all IAM users, groups, and roles used to access the notebook instances.
- E. Add a NAT gateway to the VPC
- F. Convert all of the subnets where the Amazon SageMaker notebook instances are hosted to private subnet
- G. Stop and start all of the notebook instances to reassign only private IP addresses.
- H. Change the network ACL of the subnet the notebook is hosted in to restrict access to anyone outside the VPC.

Answer: B

NEW QUESTION 95

A company is running an Amazon SageMaker training job that will access data stored in its Amazon S3 bucket. A compliance policy requires that the data never be transmitted across the internet. How should the company set up the job?

- A. Launch the notebook instances in a public subnet and access the data through the public S3 endpoint
- B. Launch the notebook instances in a private subnet and access the data through a NAT gateway
- C. Launch the notebook instances in a public subnet and access the data through a NAT gateway
- D. Launch the notebook instances in a private subnet and access the data through an S3 VPC endpoint.

Answer: D

NEW QUESTION 97

A Data Engineer needs to build a model using a dataset containing customer credit card information. How can the Data Engineer ensure the data remains encrypted and the credit card information is secure?

- A. Use a custom encryption algorithm to encrypt the data and store the data on an Amazon SageMaker instance in a VPC
- B. Use the SageMaker DeepAR algorithm to randomize the credit card numbers.
- C. Use an IAM policy to encrypt the data on the Amazon S3 bucket and Amazon Kinesis to automatically discard credit card numbers and insert fake credit card numbers.
- D. Use an Amazon SageMaker launch configuration to encrypt the data once it is copied to the SageMaker instance in a VPC
- E. Use the SageMaker principal component analysis (PCA) algorithm to reduce the length of the credit card numbers.
- F. Use AWS KMS to encrypt the data on Amazon S3 and Amazon SageMaker, and redact the credit card numbers from the customer data with AWS Glue.

Answer: D

NEW QUESTION 101

A data scientist must build a custom recommendation model in Amazon SageMaker for an online retail company. Due to the nature of the company's products, customers buy only 4-5 products every 5-10 years. So, the company relies on a steady stream of new customers. When a new customer signs up, the company collects data on the customer's preferences. Below is a sample of the data available to the data scientist.

timestamp	user_id	product_id	preference_1	...	preference_10
2020-03-04	90	25	0	...	0.374
2020-03-04	90	61	0	...	0.374
2020-02-21	203	56	1	...	0.098

How should the data scientist split the dataset into a training and test set for this use case?

- A. Shuffle all interaction dat
- B. Split off the last 10% of the interaction data for the test set.
- C. Identify the most recent 10% of interactions for each use
- D. Split off these interactions for the test set.
- E. Identify the 10% of users with the least interaction dat
- F. Split off all interaction data from these users for the test set.
- G. Randomly select 10% of the user
- H. Split off all interaction data from these users for the test set.

Answer: B

Explanation:

<https://aws.amazon.com/blogs/machine-learning/building-a-customized-recommender-system-in-amazon-sagem>

NEW QUESTION 105

IT leadership wants Jo transition a company's existing machine learning data storage environment to AWS as a temporary ad hoc solution The company currently uses a custom software process that heavily leverages SOL as a query language and exclusively stores generated csv documents for machine learning The ideal state for the company would be a solution that allows it to continue to use the current workforce of SQL experts The solution must also support the storage of csv and JSON files, and be able to query over semi-structured data The following are high priorities for the company:

- Solution simplicity
- Fast development time
- Low cost
- High flexibility

What technologies meet the company's requirements?

- A. Amazon S3 and Amazon Athena
- B. Amazon Redshift and AWS Glue
- C. Amazon DynamoDB and DynamoDB Accelerator (DAX)
- D. Amazon RDS and Amazon ES

Answer: B

NEW QUESTION 109

A monitoring service generates 1 TB of scale metrics record data every minute A Research team performs queries on this data using Amazon Athena The queries run slowly due to the large volume of data, and the team requires better performance How should the records be stored in Amazon S3 to improve query performance?

- A. CSV files
- B. Parquet files
- C. Compressed JSON
- D. RecordIO

Answer: D

NEW QUESTION 111

A retail company is using Amazon Personalize to provide personalized product recommendations for its customers during a marketing campaign. The company sees a significant increase in sales of recommended items to existing customers immediately after deploying a new solution version, but these sales decrease a short time after deployment. Only historical data from before the marketing campaign is available for training. How should a data scientist adjust the solution?

- A. Use the event tracker in Amazon Personalize to include real-time user interactions.
- B. Add user metadata and use the HRNN-Metadata recipe in Amazon Personalize.
- C. Implement a new solution using the built-in factorization machines (FM) algorithm in Amazon SageMaker.
- D. Add event type and event value fields to the interactions dataset in Amazon Personalize.

Answer: A

NEW QUESTION 114

A Machine Learning Specialist is building a prediction model for a large number of features using linear models, such as linear regression and logistic regression During exploratory data analysis the Specialist observes that many features are highly correlated with each other This may make the model unstable What should be done to reduce the impact of having such a large number of features?

- A. Perform one-hot encoding on highly correlated features
- B. Use matrix multiplication on highly correlated features.
- C. Create a new feature space using principal component analysis (PCA)
- D. Apply the Pearson correlation coefficient

Answer: B

NEW QUESTION 117

A Machine Learning Specialist is developing a custom video recommendation model for an application. The dataset used to train this model is very large with millions of data points and is hosted in an Amazon S3 bucket. The Specialist wants to avoid loading all of this data onto an Amazon SageMaker notebook instance because it would take hours to move and will exceed the attached 5 GB Amazon EBS volume on the notebook instance.

Which approach allows the Specialist to use all the data to train the model?

- A. Load a smaller subset of the data into the SageMaker notebook and train locally.
- B. Confirm that the training code is executing and the model parameters seem reasonable.
- C. Initiate a SageMaker training job using the full dataset from the S3 bucket using Pipe input mode.
- D. Launch an Amazon EC2 instance with an AWS Deep Learning AMI and attach the S3 bucket to the instance.
- E. Train on a small amount of the data to verify the training code and hyperparameter.
- F. Go back to Amazon SageMaker and train using the full dataset.
- G. Use AWS Glue to train a model using a small subset of the data to confirm that the data will be compatible with Amazon SageMaker.
- H. Initiate a SageMaker training job using the full dataset from the S3 bucket using Pipe input mode.
- I. Load a smaller subset of the data into the SageMaker notebook and train locally.
- J. Confirm that the training code is executing and the model parameters seem reasonable.
- K. Launch an Amazon EC2 instance with an AWS Deep Learning AMI and attach the S3 bucket to train the full dataset.

Answer: A

NEW QUESTION 120

A company is observing low accuracy while training on the default built-in image classification algorithm in Amazon SageMaker. The Data Science team wants to use an Inception neural network architecture instead of a ResNet architecture.

Which of the following will accomplish this? (Select TWO.)

- A. Customize the built-in image classification algorithm to use Inception and use this for model training.
- B. Create a support case with the SageMaker team to change the default image classification algorithm to Inception.
- C. Bundle a Docker container with TensorFlow Estimator loaded with an Inception network and use this for model training.
- D. Use custom code in Amazon SageMaker with TensorFlow Estimator to load the model with an Inception network and use this for model training.
- E. Download and apt-get install the inception network code into an Amazon EC2 instance and use this instance as a Jupyter notebook in Amazon SageMaker.

Answer: AD

NEW QUESTION 123

A Data Scientist is building a model to predict customer churn using a dataset of 100 continuous numerical features. The Marketing team has not provided any insight about which features are relevant for churn prediction. The Marketing team wants to interpret the model and see the direct impact of relevant features on the model outcome. While training a logistic regression model, the Data Scientist observes that there is a wide gap between the training and validation set accuracy.

Which methods can the Data Scientist use to improve the model performance and satisfy the Marketing team's needs? (Choose two.)

- A. Add L1 regularization to the classifier.
- B. Add features to the dataset.
- C. Perform recursive feature elimination.
- D. Perform t-distributed stochastic neighbor embedding (t-SNE).
- E. Perform linear discriminant analysis.

Answer: BE

NEW QUESTION 128

A company has set up and deployed its machine learning (ML) model into production with an endpoint using Amazon SageMaker hosting services. The ML team has configured automatic scaling for its SageMaker instances to support workload changes. During testing, the team notices that additional instances are being launched before the new instances are ready. This behavior needs to change as soon as possible.

How can the ML team solve this issue?

- A. Decrease the cooldown period for the scale-in activity.
- B. Increase the configured maximum capacity of instances.
- C. Replace the current endpoint with a multi-model endpoint using SageMaker.
- D. Set up Amazon API Gateway and AWS Lambda to trigger the SageMaker inference endpoint.
- E. Increase the cooldown period for the scale-out activity.

Answer: A

NEW QUESTION 132

A large consumer goods manufacturer has the following products on sale:

- 34 different toothpaste variants
- 48 different toothbrush variants
- 43 different mouthwash variants

The entire sales history of all these products is available in Amazon S3. Currently, the company is using custom-built autoregressive integrated moving average (ARIMA) models to forecast demand for these products. The company wants to predict the demand for a new product that will soon be launched.

Which solution should a Machine Learning Specialist apply?

- A. Train a custom ARIMA model to forecast demand for the new product.
- B. Train an Amazon SageMaker DeepAR algorithm to forecast demand for the new product.
- C. Train an Amazon SageMaker k-means clustering algorithm to forecast demand for the new product.
- D. Train a custom XGBoost model to forecast demand for the new product.

Answer: B

Explanation:

The Amazon SageMaker DeepAR forecasting algorithm is a supervised learning algorithm for forecasting scalar (one-dimensional) time series using recurrent neural networks (RNN). Classical forecasting methods, such as autoregressive integrated moving average (ARIMA) or exponential smoothing (ETS), fit a single model to each individual time series. They then use that model to extrapolate the time series into the future.

NEW QUESTION 137

A telecommunications company is developing a mobile app for its customers. The company is using an Amazon SageMaker hosted endpoint for machine learning model inferences.

Developers want to introduce a new version of the model for a limited number of users who subscribed to a preview feature of the app. After the new version of the model is tested as a preview, developers will evaluate its accuracy. If a new version of the model has better accuracy, developers need to be able to gradually release the new version for all users over a fixed period of time.

How can the company implement the testing model with the LEAST amount of operational overhead?

- A. Update the ProductionVariant data type with the new version of the model by using the CreateEndpointConfig operation with the InitialVariantWeight parameter set to 0. Specify the TargetVariant parameter for InvokeEndpoint calls for users who subscribed to the preview feature
- B. When the new version of the model is ready for release, gradually increase InitialVariantWeight until all users have the updated version.
- C. Configure two SageMaker hosted endpoints that serve the different versions of the model
- D. Create an Application Load Balancer (ALB) to route traffic to both endpoints based on the TargetVariant query string parameter
- E. Reconfigure the app to send the TargetVariant query string parameter for users who subscribed to the preview feature
- F. When the new version of the model is ready for release, change the ALB's routing algorithm to weighted until all users have the updated version.
- G. Update the DesiredWeightsAndCapacity data type with the new version of the model by using the UpdateEndpointWeightsAndCapacities operation with the DesiredWeight parameter set to 0. Specify the TargetVariant parameter for InvokeEndpoint calls for users who subscribed to the preview feature
- H. When the new version of the model is ready for release, gradually increase DesiredWeight until all users have the updated version.
- I. Configure two SageMaker hosted endpoints that serve the different versions of the model
- J. Create an Amazon Route 53 record that is configured with a simple routing policy and that points to the current version of the model
- K. Configure the mobile app to use the endpoint URL for users who subscribed to the preview feature and to use the Route 53 record for other users
- L. When the new version of the model is ready for release, add a new model version endpoint to Route 53, and switch the policy to weighted until all users have the updated version.

Answer: D

NEW QUESTION 142

An employee found a video clip with audio on a company's social media feed. The language used in the video is Spanish. English is the employee's first language, and they do not understand Spanish. The employee wants to do a sentiment analysis.

What combination of services is the MOST efficient to accomplish the task?

- A. Amazon Transcribe, Amazon Translate, and Amazon Comprehend
- B. Amazon Transcribe, Amazon Comprehend, and Amazon SageMaker seq2seq
- C. Amazon Transcribe, Amazon Translate, and Amazon SageMaker Neural Topic Model (NTM)
- D. Amazon Transcribe, Amazon Translate, and Amazon SageMaker BlazingText

Answer: A

NEW QUESTION 144

A company has raw user and transaction data stored in Amazon S3, a MySQL database, and Amazon Redshift. A Data Scientist needs to perform an analysis by joining the three datasets from Amazon S3, MySQL, and Amazon Redshift, and then calculating the average of a few selected columns from the joined data. Which AWS service should the Data Scientist use?

- A. Amazon Athena
- B. Amazon Redshift Spectrum
- C. AWS Glue
- D. Amazon QuickSight

Answer: A

NEW QUESTION 148

A bank's Machine Learning team is developing an approach for credit card fraud detection. The company has a large dataset of historical data labeled as fraudulent. The goal is to build a model to take the information from new transactions and predict whether each transaction is fraudulent or not.

Which built-in Amazon SageMaker machine learning algorithm should be used for modeling this problem?

- A. Seq2seq
- B. XGBoost
- C. K-means
- D. Random Cut Forest (RCF)

Answer: C

NEW QUESTION 149

A retail company uses a machine learning (ML) model for daily sales forecasting. The company's brand manager reports that the model has provided inaccurate results for the past 3 weeks.

At the end of each day, an AWS Glue job consolidates the input data that is used for the forecasting with the actual daily sales data and the predictions of the model. The AWS Glue job stores the data in Amazon S3. The company's ML team is using an Amazon SageMaker Studio notebook to gain an understanding about the source of the model's inaccuracies.

What should the ML team do on the SageMaker Studio notebook to visualize the model's degradation MOST accurately?

- A. Create a histogram of the daily sales over the last 3 weeks
- B. In addition, create a histogram of the daily sales from before that period.
- C. Create a histogram of the model errors over the last 3 weeks
- D. In addition, create a histogram of the model errors from before that period.

- E. Create a line chart with the weekly mean absolute error (MAE) of the model.
- F. Create a scatter plot of daily sales versus model error for the last 3 week
- G. In addition, create a scatter plot of daily sales versus model error from before that period.

Answer: C

NEW QUESTION 154

A Machine Learning Specialist is assigned a TensorFlow project using Amazon SageMaker for training, and needs to continue working for an extended period with no Wi-Fi access.

Which approach should the Specialist use to continue working?

- A. Install Python 3 and boto3 on their laptop and continue the code development using that environment.
- B. Download the TensorFlow Docker container used in Amazon SageMaker from GitHub to their local environment, and use the Amazon SageMaker Python SDK to test the code.
- C. Download TensorFlow from tensorflow.org to emulate the TensorFlow kernel in the SageMaker environment.
- D. Download the SageMaker notebook to their local environment then install Jupyter Notebooks on their laptop and continue the development in a local notebook.

Answer: D

NEW QUESTION 158

A machine learning specialist stores IoT soil sensor data in Amazon DynamoDB table and stores weather event data as JSON files in Amazon S3. The dataset in DynamoDB is 10 GB in size and the dataset in Amazon S3 is 5 GB in size. The specialist wants to train a model on this data to help predict soil moisture levels as a function of weather events using Amazon SageMaker.

Which solution will accomplish the necessary transformation to train the Amazon SageMaker model with the LEAST amount of administrative overhead?

- A. Launch an Amazon EMR cluster
- B. Create an Apache Hive external table for the DynamoDB table and S3 data
- C. Join the Hive tables and write the results out to Amazon S3.
- D. Crawl the data using AWS Glue crawler
- E. Write an AWS Glue ETL job that merges the two tables and writes the output to an Amazon Redshift cluster.
- F. Enable Amazon DynamoDB Streams on the sensor table
- G. Write an AWS Lambda function that consumes the stream and appends the results to the existing weather files in Amazon S3.
- H. Crawl the data using AWS Glue crawler
- I. Write an AWS Glue ETL job that merges the two tables and writes the output in CSV format to Amazon S3.

Answer: C

NEW QUESTION 160

A company has video feeds and images of a subway train station. The company wants to create a deep learning model that will alert the station manager if any passenger crosses the yellow safety line when there is no train in the station. The alert will be based on the video feeds. The company wants the model to detect the yellow line, the passengers who cross the yellow line, and the trains in the video feeds. This task requires labeling. The video data must remain confidential. A data scientist creates a bounding box to label the sample data and uses an object detection model. However, the object detection model cannot clearly demarcate the yellow line, the passengers who cross the yellow line, and the trains.

Which labeling approach will help the company improve this model?

- A. Use Amazon Rekognition Custom Labels to label the dataset and create a custom Amazon Rekognition object detection model
- B. Create a private workforce
- C. Use Amazon Augmented AI (Amazon A2I) to review the low-confidence predictions and retrain the custom Amazon Rekognition model.
- D. Use an Amazon SageMaker Ground Truth object detection labeling task
- E. Use Amazon Mechanical Turk as the labeling workforce.
- F. Use Amazon Rekognition Custom Labels to label the dataset and create a custom Amazon Rekognition object detection model
- G. Create a workforce with a third-party AWS Marketplace vendor
- H. Use Amazon Augmented AI (Amazon A2I) to review the low-confidence predictions and retrain the custom Amazon Rekognition model.
- I. Use an Amazon SageMaker Ground Truth semantic segmentation labeling task
- J. Use a private workforce as the labeling workforce.

Answer: B

NEW QUESTION 164

A machine learning specialist is developing a proof of concept for government users whose primary concern is security. The specialist is using Amazon SageMaker to train a convolutional neural network (CNN) model for a photo classifier application. The specialist wants to protect the data so that it cannot be accessed and transferred to a remote host by malicious code accidentally installed on the training container.

Which action will provide the MOST secure protection?

- A. Remove Amazon S3 access permissions from the SageMaker execution role.
- B. Encrypt the weights of the CNN model.
- C. Encrypt the training and validation dataset.
- D. Enable network isolation for training jobs.

Answer: D

NEW QUESTION 165

A Data Scientist is training a multilayer perception (MLP) on a dataset with multiple classes. The target class of interest is unique compared to the other classes within the dataset, but it does not achieve an acceptable recall metric. The Data Scientist has already tried varying the number and size of the MLP's hidden layers, which has not significantly improved the results. A solution to improve recall must be implemented as quickly as possible.

Which techniques should be used to meet these requirements?

- A. Gather more data using Amazon Mechanical Turk and then retrain

- B. Train an anomaly detection model instead of an MLP
- C. Train an XGBoost model instead of an MLP
- D. Add class weights to the MLP's loss function and then retrain

Answer: C

NEW QUESTION 168

A Machine Learning Specialist is applying a linear least squares regression model to a dataset with 1 000 records and 50 features Prior to training, the ML Specialist notices that two features are perfectly linearly dependent
Why could this be an issue for the linear least squares regression model?

- A. It could cause the backpropagation algorithm to fail during training
- B. It could create a singular matrix during optimization which fails to define a unique solution
- C. It could modify the loss function during optimization causing it to fail during training
- D. It could introduce non-linear dependencies within the data which could invalidate the linear assumptions of the model

Answer: C

NEW QUESTION 172

A Machine Learning Specialist wants to determine the appropriate SageMakerVariant Invocations Per Instance setting for an endpoint automatic scaling configuration. The Specialist has performed a load test on a single instance and determined that peak requests per second (RPS) without service degradation is about 20 RPS As this is the first deployment, the Specialist intends to set the invocation safety factor to 0.5
Based on the stated parameters and given that the invocations per instance setting is measured on a per-minute basis, what should the Specialist set as the sageMakervariantinvocationsPerinstance setting?

- A. 10
- B. 30
- C. 600
- D. 2,400

Answer: C

NEW QUESTION 177

An insurance company is developing a new device for vehicles that uses a camera to observe drivers' behavior and alert them when they appear distracted The company created approximately 10,000 training images in a controlled environment that a Machine Learning Specialist will use to train and evaluate machine learning models
During the model evaluation the Specialist notices that the training error rate diminishes faster as the number of epochs increases and the model is not accurately inferring on the unseen test images
Which of the following should be used to resolve this issue? (Select TWO)

- A. Add vanishing gradient to the model
- B. Perform data augmentation on the training data
- C. Make the neural network architecture complex.
- D. Use gradient checking in the model
- E. Add L2 regularization to the model

Answer: BD

NEW QUESTION 182

A data scientist needs to identify fraudulent user accounts for a company's ecommerce platform. The company wants the ability to determine if a newly created account is associated with a previously known fraudulent user. The data scientist is using AWS Glue to cleanse the company's application logs during ingestion.
Which strategy will allow the data scientist to identify fraudulent accounts?

- A. Execute the built-in FindDuplicates Amazon Athena query.
- B. Create a FindMatches machine learning transform in AWS Glue.
- C. Create an AWS Glue crawler to infer duplicate accounts in the source data.
- D. Search for duplicate accounts in the AWS Glue Data Catalog.

Answer: B

NEW QUESTION 186

A Machine Learning Specialist built an image classification deep learning model. However the Specialist ran into an overfitting problem in which the training and testing accuracies were 99% and 75% respectively.
How should the Specialist address this issue and what is the reason behind it?

- A. The learning rate should be increased because the optimization process was trapped at a local minimum.
- B. The dropout rate at the flatten layer should be increased because the model is not generalized enough.
- C. The dimensionality of dense layer next to the flatten layer should be increased because the model is not complex enough.
- D. The epoch number should be increased because the optimization process was terminated before it reached the global minimum.

Answer: A

NEW QUESTION 189

A Data Science team is designing a dataset repository where it will store a large amount of training data commonly used in its machine learning models. As Data Scientists may create an arbitrary number of new datasets every day the solution has to scale automatically and be cost-effective. Also, it must be possible to explore the data using SQL.
Which storage scheme is MOST adapted to this scenario?

- A. Store datasets as files in Amazon S3.
- B. Store datasets as files in an Amazon EBS volume attached to an Amazon EC2 instance.
- C. Store datasets as tables in a multi-node Amazon Redshift cluster.
- D. Store datasets as global tables in Amazon DynamoDB.

Answer: A

NEW QUESTION 193

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs. What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image.
- B. Build the Docker container to be NVIDIA-Docker compatible.
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker CreateTrainingJob request body

Answer: B

NEW QUESTION 197

A Machine Learning Specialist is required to build a supervised image-recognition model to identify a cat. The ML Specialist performs some tests and records the following results for a neural network-based image classifier:

Total number of images available = 1,000 Test set images = 100 (constant test set)

The ML Specialist notices that, in over 75% of the misclassified images, the cats were held upside down by their owners.

Which techniques can be used by the ML Specialist to improve this specific test error?

- A. Increase the training data by adding variation in rotation for training images.
- B. Increase the number of epochs for model training.
- C. Increase the number of layers for the neural network.
- D. Increase the dropout rate for the second-to-last layer.

Answer: A

NEW QUESTION 200

A data scientist is using an Amazon SageMaker notebook instance and needs to securely access data stored in a specific Amazon S3 bucket. How should the data scientist accomplish this?

- A. Add an S3 bucket policy allowing GetObject, PutObject, and ListBucket permissions to the AmazonSageMaker notebook ARN as principal.
- B. Encrypt the objects in the S3 bucket with a custom AWS Key Management Service (AWS KMS) key that only the notebook owner has access to.
- C. Attach the policy to the IAM role associated with the notebook that allows GetObject, PutObject, and ListBucket operations to the specific S3 bucket.
- D. Use a script in a lifecycle configuration to configure the AWS CLI on the instance with an access key ID and secret.

Answer: C

NEW QUESTION 201

A Machine Learning Specialist is planning to create a long-running Amazon EMR cluster. The EMR cluster will have 1 master node, 10 core nodes, and 20 task nodes. To save on costs, the Specialist will use Spot Instances in the EMR cluster.

Which nodes should the Specialist launch on Spot Instances?

- A. Master node
- B. Any of the core nodes
- C. Any of the task nodes
- D. Both core and task nodes

Answer: A

NEW QUESTION 206

For the given confusion matrix, what is the recall and precision of the model?

		Actual	
		Yes	No
Predicted	Yes	12	3
	No	1	9

- A. Recall = 0.92 Precision = 0.84
- B. Recall = 0.84 Precision = 0.8
- C. Recall = 0.92 Precision = 0.8
- D. Recall = 0.8 Precision = 0.92

Answer: C

NEW QUESTION 210

A Machine Learning Specialist is working with multiple data sources containing billions of records that need to be joined. What feature engineering and model development approach should the Specialist take with a dataset this large?

- A. Use an Amazon SageMaker notebook for both feature engineering and model development
- B. Use an Amazon SageMaker notebook for feature engineering and Amazon ML for model development
- C. Use Amazon EMR for feature engineering and Amazon SageMaker SDK for model development
- D. Use Amazon ML for both feature engineering and model development.

Answer: B

NEW QUESTION 213

.....

Relate Links

100% Pass Your AWS-Certified-Machine-Learning-Specialty Exam with ExamBible Prep Materials

<https://www.exambible.com/AWS-Certified-Machine-Learning-Specialty-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>