



## CompTIA

### Exam Questions XK0-005

CompTIA Linux+ Certification Exam

#### NEW QUESTION 1

A Linux administrator is reviewing changes to a configuration file that includes the following section:

```
tls:
  certificates:
    - certFile: /etc/ssl/cert.cer
      keyFile: /etc/ssl/cert.key
      stores: default
    - certFile: /etc/ssl/expired.cer
      keyFile: /etc/ssl/expired.key
      stores: expired
```

The Linux administrator is trying to select the appropriate syntax formatter to correct any issues with the configuration file. Which of the following should the syntax formatter support to meet this goal?

- A. Markdown
- B. XML
- C. YAML
- D. JSON

**Answer: C**

#### NEW QUESTION 2

In order to copy data from another VLAN, a systems administrator wants to temporarily assign IP address 10.1.6 5/24 to the newly added network interface enp1s0f1. Which of the following commands should the administrator run to achieve the goal?

- A. ip addr add 10.0.6.5/24 dev enp1s0f1
- B. echo "IPV4\_ADDRESS=10.0.6.5/24" > /etc/sysconfig/network-scripts/ifcfg-enp1s0f1
- C. ifconfig 10.0.6.5/24 enp1s0f1
- D. nmcli conn add ipv4.address-10.0.6.5/24 ifname enp1s0f1

**Answer: A**

#### NEW QUESTION 3

Rugged appliances are small appliances with ruggedized hardware and like Quantum Spark appliance they use which operating system?

- A. Centos Linux
- B. Gaia embedded
- C. Gaia
- D. Red Hat Enterprise Linux version 5

**Answer: B**

#### NEW QUESTION 4

A Linux system is getting an error indicating the root filesystem is full. Which of the following commands should be used by the systems administrator to resolve this issue? (Choose three.)

- A. df -h /
- B. fdisk -l /dev/sdb
- C. growpart /dev/mapper/rootvg-rootlv
- D. pvcreate /dev/sdb
- E. lvresize -L +10G -r /dev/mapper/rootvg-rootlv
- F. lsblk /dev/sda
- G. parted -l /dev/mapper/rootvg-rootlv
- H. vgextend /dev/rootvg /dev/sdb

**Answer: DEH**

#### NEW QUESTION 5

A Linux administrator is tasked with adding users to the system. However, the administrator wants to ensure the users' access will be disabled once the project is over. The expiration date should be 2021-09-30. Which of the following commands will accomplish this task?

- A. sudo useradd -e 2021-09-30 Project\_user
- B. sudo useradd -c 2021-09-30 Project\_user
- C. sudo modinfo -F 2021-09-30 Project\_user
- D. sudo useradd -m -d 2021-09-30 Project\_user

**Answer: A**

#### NEW QUESTION 6

Users have been unable to reach [www.comptia.org](http://www.comptia.org) from a Linux server. A systems administrator is troubleshooting the issue and does the following:

**Output 1:**

```
2: eth0: <BROADCAST,MULTICAST,UP, LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000
    link/ether ac:11:22:33:44:cd brd ff:ff:ff:ff:ff:ff
    inet 192.168.168.10/24 brd 192.168.169.255 scope global dynamic noprefixroute eth0
        valid_lft 8097sec preferred_lft 8097sec
    inet fe80::4daf:8c7c:a6ff:2771/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
```

**Output 2:**

```
nameserver 192.168.168.53
```

**Output 3:**

```
FING 192.168.168.53 (192.168.168.53) 56(84) bytes of data.
64 bytes from 192.168.168.53: icmp_seq=1 ttl=64 time=2.85 ms

--- 192.168.168.53 ping statistics ---
1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 2.847/2.847/2.847/0.000 ms
```

**Output 4:**

```
192.168.168.0/24 dev eth0 proto kernel scope link src 192.168.168.10 metric 600
```

**Output 5:**

```
...
;; QUESTION SECTION:
;www.comptia.org. IN A

;; ANSWER SECTION:
. 0 CLASS4096 OPT 10 8 LqmNvk0AazU=

;; ADDITIONAL SECTION:
www.comptia.org. 3385 IN A 23.96.239.26
...
```

Based on the information above, which of the following is causing the issue?

- A. The name www.comptia.org does not point to a valid IP address.
- B. The server 192.168.168.53 is unreachable.
- C. No default route is set on the server.
- D. The network interface eth0 is disconnected.

**Answer: C**

**NEW QUESTION 7**

A cloud engineer needs to change the secure remote login port from 22 to 49000. Which of the following files should the engineer modify to change the port number to the desired value?

- A. /etc/host.conf
- B. /etc/hostname
- C. /etc/services
- D. /etc/ssh/sshd\_config

**Answer: D**

**NEW QUESTION 8**

A Linux administrator reviews a set of log output files and needs to identify files that contain any occurrence of the word denied. All log files containing entries in uppercase or lowercase letters should be included in the list. Which of the following commands should the administrator use to accomplish this task?

- A. find . -type f -print | xargs grep -ln denied
- B. find . -type f -print | xargs grep -nv denied
- C. find . -type f -print | xargs grep -wL denied
- D. find . -type f -print | xargs grep -li denied

**Answer: A**

**NEW QUESTION 9**

Which of the following technologies can be used as a central repository of Linux users and groups?

- A. LDAP
- B. MFA
- C. SSO
- D. PAM

**Answer: A**

**NEW QUESTION 10**

A Linux administrator needs to create an image named sda.img from the sda disk and store it in the /tmp directory. Which of the following commands should be used to accomplish this task?

- A. dd of=/dev/sda if=/tmp/sda.img
- B. dd if=/dev/sda of=/tmp/sda.img
- C. dd --if=/dev/sda --of=/tmp/sda.img
- D. dd --of=/dev/sda --if=/tmp/sda.img

**Answer: B**

#### NEW QUESTION 10

Based on an organization's new cybersecurity policies, an administrator has been instructed to ensure that, by default, all new users and groups that are created fall within the specified values below.

```
# Min/max values for automatic uid selection in useradd
#
UID_MIN 1000
UID_MAX 60000
# Min/max values for automatic gid selection in groupadd
#
GID_MIN 1000
GID_MAX 60000
```

To which of the following configuration files will the required changes need to be made?

- A. /etc/login.defs
- B. /etc/security/limits.conf
- C. /etc/default/useradd
- D. /etc/profile

**Answer: A**

#### NEW QUESTION 11

After installing a new version of a package, a systems administrator notices a new version of the corresponding, service file was installed. In order to use the new version of the, service file, which of the following commands must be issued FIRST?

- A. systemctl status
- B. systemctl stop
- C. systemctl reinstall
- D. systemctl daemon-reload

**Answer: D**

#### NEW QUESTION 14

A systems administrator is troubleshooting a connectivity issue pertaining to access to a system named db.example.com. The system IP address should be 192.168.20.88. The administrator issues the dig command and receives the following output:

```
;; ANSWER SECTION:
db.example.com. 15 IN A 192.168.20.89
```

The administrator runs `grep db.example.com /etc/hosts` and receives the following output:

```
192.168.20.89 db.example.com
```

Given this scenario, which of the following should the administrator do to address this issue?

- A. Modify the /etc/hosts file and change the db.example.com entry to 192.168.20.89.
- B. Modify the /etc/network file and change the db.example.com entry to 192.168.20.88.
- C. Modify the /etc/network file and change the db.example.com entry to 192.168.20.89.
- D. Modify the /etc/hosts file and change the db.example.com entry to 192.168.20.88.

**Answer: A**

#### NEW QUESTION 17

A Linux administrator is adding a new configuration file to a Git repository. Which of the following describes the correct order of Git commands to accomplish the task successfully?

- A. pull -> push -> add -> checkout
- B. pull -> add -> commit -> push
- C. checkout -> push -> add -> pull
- D. pull -> add -> push -> commit

Answer: B

#### NEW QUESTION 18

An administrator needs to make some changes in the IaC declaration templates. Which of the following commands would maintain version control?

- A. `git clone https://github.com/comptia/linux+- .git git push origin`
- B. `git clone https://qithub.com/comptia/linux+- .git git fetch New-Branch`
- C. `git clone https://github.com/comptia/linux+- .git git status`
- D. `git clone https://github.com/comptia/linux+- .git git checkout -b <new-branch>`

Answer: D

#### NEW QUESTION 20

A systems engineer is adding a new 1GB XFS filesystem that should be temporarily mounted under /ops/app. Which of the following is the correct list of commands to achieve this goal?

A. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
pvcreate -L1G /dev/app
mkfs.xfs /dev/app
mount /dev/app /opt/app
```

B. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
parted /dev/sdb --script mkpart primary xfs 1GB
mkfs.xfs /dev/sdb
mount /dev/sdb /opt/app
```

C. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
lvs --create 1G --name app
mkfs.xfs /dev/app
mount /dev/app /opt/app
```

D. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
lvcreate -L 1G -n app app_vg
mkfs.xfs /dev/app_vg/app
mount /dev/app_vg/app /opt/app
```

Answer: D

#### NEW QUESTION 23

A DevOps engineer needs to allow incoming traffic to ports in the range of 4000 to 5000 on a Linux server. Which of the following commands will enforce this rule?

- A. `iptables -f filter -I INPUT -p tcp --dport 4000:5000 -A ACCEPT`
- B. `iptables -t filter -A INPUT -p tcp --dport 4000:5000 -j ACCEPT`
- C. `iptables filter -A INPUT -p tcp --dport 4000:5000 -D ACCEPT`
- D. `iptables filter -S INPUT -p tcp --dport 4000:5000 -A ACCEPT`

Answer: B

#### NEW QUESTION 26

A Linux administrator is tasked with creating resources using containerization. When deciding how to create this type of deployment, the administrator identifies some key features, including portability, high availability, and scalability in production. Which of the following should the Linux administrator choose for the new design?

- A. Docker
- B. On-premises systems
- C. Cloud-based systems
- D. Kubernetes

Answer: D

#### NEW QUESTION 28

A systems administrator is tasked with installing GRUB on the legacy MBR of the SATA hard drive. Which of the following commands will help the administrator accomplish this task?

- A. `grub-install /dev/hda`
- B. `grub-install /dev/sda`
- C. `grub-install /dev/sr0`
- D. `grub-install /dev/hd0,0`

Answer: B

### NEW QUESTION 33

A systems administrator is notified that the mysqld process stopped unexpectedly. The systems administrator issues the following command:

```
sudo grep -i -r 'out of memory' /var/log
```

The output of the command shows the following:

```
kernel: Out of memory: Kill process 9112 (mysqld) score 511 or sacrifice child.
```

Which of the following commands should the systems administrator execute NEXT to troubleshoot this issue? (Select two).

- A. free -h
- B. nc -v 127.0.0.1 3306
- C. renice -15 \$( pidof mysql )
- D. lsblk
- E. killall -15
- F. vmstat -a 1 4

Answer: AC

### NEW QUESTION 36

A systems administrator needs to check if the service systemd-resolved.service is running without any errors. Which of the following commands will show this information?

- A. systemctl status systemd-resolved.service
- B. systemctl enable systemd-resolved.service
- C. systemctl mask systemd-resolved.service
- D. systemctl show systemd-resolved.service

Answer: A

### NEW QUESTION 37

Which of the following files holds the system configuration for journal when running systemd?

- A. /etc/systemd/journald.conf
- B. /etc/systemd/systemd-journalctl.conf
- C. /usr/lib/systemd/journalctl.conf
- D. /etc/systemd/systemd-journald.conf

Answer: A

### NEW QUESTION 40

A systems administrator is troubleshooting connectivity issues and trying to find out why a Linux server is not able to reach other servers on the same subnet it is connected to. When listing link parameters, the following is presented:

```
# ip link list dev eth0
2: eth0: <NO-CARRIER, BROADCAST, MULTICAST, UP> mtu 1500, qdisc
fq_codel state DOWN mode DEFAULT group default qlen 1000
link/ether ac:00:11:22:33:cd brd ff:ff:ff:ff:ff:ff
```

Based on the output above, which of following is the MOST probable cause of the issue?

- A. The address ac:00:11:22:33:cd is not a valid Ethernet address.
- B. The Ethernet broadcast address should be ac:00:11:22:33:ff instead.
- C. The network interface eth0 is using an old kernel module.
- D. The network interface cable is not connected to a switch.

Answer: D

### NEW QUESTION 43

A systems administrator is tasked with setting up key-based SSH authentication. In which of the following locations should the administrator place the public keys for the server?

- A. ~/.sshd/authkeys
- B. ~/.ssh/keys
- C. ~/.ssh/authorized\_keys
- D. ~/.ssh/keyauth

Answer: C

### NEW QUESTION 44

A development team asks an engineer to guarantee the persistency of journal log files across system reboots. Which of the following commands would accomplish this task?

- A. grep -i auto /etc/systemd/journald.conf && systemctl restart systemd-journald.service

- B. `cat /etc/systemd/journald.conf | awk '(print $1,$3)'`
- C. `sed -i 's/auto/persistent/g' /etc/systemd/journald.conf && sed -i 'persistent/s/^#/q/' /etc/systemd/journald.conf`
- D. `journalctl --list-boots && systemctl restart systemd-journald.service`

**Answer:** A

#### NEW QUESTION 45

A Linux system is failing to boot. The following error is displayed in the serial console: `[[1;33mDEPEND[Om] Dependency failed for /data.`  
`[[1;33mDEPEND[Om] Dependency failed for Local File Systems`

...

Welcome to emergency mode! After logging in, type "journalctl -xb" to view system logs, "systemctl reboot" to reboot, "systemctl default" to try again to boot into default mode.

Give root password for maintenance (or type Control-D to continue)

Which of the following files will need to be modified for this server to be able to boot again?

- A. `/etc/mtab`
- B. `/dev/sda`
- C. `/etc/fstab`
- D. `/etc/grub.conf`

**Answer:** C

#### NEW QUESTION 47

A junior systems administrator has just generated public and private authentication keys for passwordless login. Which of the following files will be moved to the remote servers?

- A. `id_dsa.pem`
- B. `id_rsa`
- C. `id_ecdsa`
- D. `id_rsa.pub`

**Answer:** D

#### NEW QUESTION 49

After listing the properties of a system account, a systems administrator wants to remove the expiration date of a user account. Which of the following commands will accomplish this task?

- A. `chgrp system accountname`
- B. `passwd -s accountname`
- C. `chmod -G system account name`
- D. `chage -E -1 accountname`

**Answer:** D

#### NEW QUESTION 54

A systems administrator is tasked with creating an Ansible playbook to automate the installation of patches on several Linux systems. In which of the following languages should the playbook be written?

- A. SQL
- B. YAML
- C. HTML
- D. JSON

**Answer:** B

#### NEW QUESTION 58

Which of the following directories is the mount point in a UEFI system?

- A. `/sys/efi`
- B. `/boot/efi`
- C. `/efi`
- D. `/etc/efi`

**Answer:** B

#### NEW QUESTION 62

A Linux administrator needs to redirect all HTTP traffic temporarily to the new proxy server 192.0.2.25 on port 3128. Which of the following commands will accomplish this task?

- A. `iptables -t nat -D PREROUTING -p tcp --sport 80 -j DNAT - --to-destination 192.0.2.25:3128`
- B. `iptables -t nat -A PREROUTING -p top --dport 81 -j DNAT --to-destination 192.0.2.25:3129`
- C. `iptables -t nat -I PREROUTING -p top --sport 80 -j DNAT --to-destination 192.0.2.25:3129`
- D. `iptables -t nat -A PREROUTING -p tcp --dport 80 -j DNAT --to-destination 192.0.2.25:3128`

**Answer:** D

### NEW QUESTION 63

A Linux administrator recently downloaded a software package that is currently in a compressed file. Which of the following commands will extract the files?

- A. unzip -v
- B. bzip2 -z
- C. gzip
- D. funzip

**Answer: C**

### NEW QUESTION 65

A junior administrator is trying to set up a passwordless SSH connection to one of the servers. The administrator follows the instructions and puts the key in the `authorized_key` file at the server, but the administrator is still asked to provide a password during the connection. Given the following output:

```
junior@server:~$ ls -lh .ssh/auth*
-rw----- 1 junior junior 566 sep 13 20:56 .ssh/authorized_key
```

Which of the following commands would resolve the issue and allow an SSH connection to be established without a password?

- A. `restorecon -rv .ssh/authorized_key`
- B. `mv .ssh/authorized_key .ssh/authorized_keys`
- C. `systemctl restart sshd.service`
- D. `chmod 600 mv .ssh/authorized_key`

**Answer: C**

### NEW QUESTION 68

A DevOps engineer needs to download a Git repository from `https://git.company.com/admin/project.git`. Which of the following commands will achieve this goal?

- A. `git clone https://git.company.com/admin/project.git`
- B. `git checkout https://git.company.com/admin/project.git`
- C. `git pull https://git.company.com/admin/project.git`
- D. `git branch https://git.company.com/admin/project.git`

**Answer: A**

#### Explanation:

`git clone` is the best option if its a new project. `git pull` would work best if it was an ongoing project that had multiple team members that had pushed their updates to the main repository

### NEW QUESTION 73

A systems administrator received a notification that a system is performing slowly. When running the `top` command, the systems administrator can see the following values:

```
%Cpu(s): 2.7 us, 1.9 sy, 0.0 ni, 0.4 id, 95 wa, 0.0 hi, 0.0 si 0.0 st
```

Which of the following commands will the administrator most likely run NEXT?

- A. `vmstat`
- B. `strace`
- C. `htop`
- D. `lsdf`

**Answer: A**

### NEW QUESTION 76

A Linux administrator created the directory `/project/access2all`. By creating this directory, the administrator is trying to avoid the deletion or modification of files from non-owners. Which of the following will accomplish this goal?

- A. `chmod +t /project/access2all`
- B. `chmod +rws /project/access2all`
- C. `chmod 2770 /project/access2all`
- D. `chmod ugo+rwx /project/access2all`

**Answer: A**

### NEW QUESTION 78

A Linux administrator needs to resolve a service that has failed to start. The administrator runs the following command:

```
ls -l startup file
```

The following output is returned

```
----- . root root 81k Sep 13 19:01 startupfile
```

Which of the following is MOST likely the issue?

- A. The service does not have permissions to read write the startupfile.
- B. The service startupfile size cannot be 81k.
- C. The service startupfile cannot be owned by root.
- D. The service startupfile should not be owned by the root group.

**Answer: A**

#### NEW QUESTION 81

A Linux administrator copied a Git repository locally, created a feature branch, and committed some changes to the feature branch. Which of the following Git actions should the Linux administrator use to publish the changes to the main branch of the remote repository?

- A. rebase
- B. tag
- C. commit
- D. push

**Answer: C**

#### NEW QUESTION 84

A Linux administrator was tasked with deleting all files and directories with names that are contained in the sobelete.txt file. Which of the following commands will accomplish this task?

- A. xargs -f cat toDelete.txt -rm
- B. rm -d -r -f toDelete.txt
- C. cat toDelete.txt | rm -frd
- D. cat toDelete.txt | xargs rm -rf

**Answer: B**

#### NEW QUESTION 86

A Linux engineer set up two local DNS servers (10.10.10.10 and 10.10.10.20) and was testing email connectivity to the local mail server using the mail command on a local machine when the following error appeared:

```
Send-mail: Cannot open mail:25
```

The local machine DNS settings are:

```
$ cat /etc/resolv.conf
nameserver 10.10.10.10 #web records
nameserver 10.10.10.20 #email records
```

```
Mail server: mail.example.com
```

Which of the following commands could the engineer use to query the DNS server to get mail server information?

- A. dig @example.com 10.10.10.20 a
- B. dig @10.10.10.20 example.com mx
- C. dig @example.com 10.10.10.20 ptr
- D. dig @10.10.10.20 example.com ns

**Answer: B**

#### NEW QUESTION 90

A Linux administrator needs to determine whether a hostname is in the DNS. Which of the following would supply the information that is needed?

- A. nslookup
- B. rsyn
- C. netstat
- D. host

**Answer: A**

#### NEW QUESTION 93

A Linux administrator created a new file system. Which of the following files must be updated to ensure the filesystem mounts at boot time?

- A. /etc/sysctl
- B. /etc/filesystems

- C. /etc/fstab
- D. /etc/nfsmount.conf

**Answer: C**

#### NEW QUESTION 98

A Linux administrator would like to use systemd to schedule a job to run every two hours. The administrator creates timer and service definitions and restarts the server to load these new configurations. After the restart, the administrator checks the log file and notices that the job is only running daily. Which of the following is MOST likely causing the issue?

- A. The checkdiskspace.service is not running.
- B. The checkdiskspace.service needs to be enabled.
- C. The OnCalendar schedule is incorrect in the timer definition.
- D. The system-daemon services need to be reloaded.

**Answer: D**

#### NEW QUESTION 103

A Linux systems administrator needs to persistently enable IPv4 forwarding in one of the Linux systems. Which of the following commands can be used together to accomplish this task? (Choose two.)

- A. sysctl net.ipv4.ip\_forward
- B. sysctl -w net.ipv4.ip\_forward=1
- C. echo "net.ipv4.ip\_forward=1" >> /etc/sysctl.conf
- D. echo 1 > /proc/sys/net/ipv4/ip\_forward
- E. sysctl -p
- F. echo "net.ipv6.conf.all.forwarding=1" >> /etc/sysctl.conf

**Answer: BC**

#### NEW QUESTION 104

What is the main objective when using Application Control?

- A. To filter out specific content.
- B. To assist the firewall blade with handling traffic.
- C. To see what users are doing.
- D. Ensure security and privacy of information.

**Answer: C**

#### NEW QUESTION 109

A Linux systems administrator receives reports from various users that an application hosted on a server has stopped responding at similar times for several days in a row. The administrator logs in to the system and obtains the following output:

Output 1:

```
[Tue Aug 31 16:36:42 2021] OOM: Kill process 43805 (java) score 249 or sacrifice child
[Tue Aug 31 16:36:42 2021] killed process 43805 (java) total-vx: 4446352kB, anon-rss: 4053140kB, file-rss: 68kB
```

Output 2:

```
Linux 3.10.0-328.13.1.x86_64 #1 (hostname) 31/08/2021 _x86_64_ (8 CPU)
16:00:01 PM      CPU      %user   %nice    %system %iowait  %steal     %idle
16:10:01 PM    all     17.58    0.00     9.36     0.00     0.00    73.06
16:20:01 PM    all     22.34    0.00    11.75     0.00     0.00    65.91
16:30:01 PM    all     25.49    0.00    11.69     0.00     0      62.82
```

Output 3:

```
$ free -m
              total        used        free   shared  buff/cache   available
Mem:         16704      15026         174        92         619         793
Swap:          0           0           0
```

Which of the following should the administrator do to provide the BEST solution for the reported issue?

- A. Configure memory allocation policies during business hours and prevent the Java process from going into a zombie state while the server is idle.
- B. Configure a different nice value for the Java process to allow for more users and prevent the Java process from restarting during business hours.
- C. Configure more CPU cores to allow for the server to allocate more processing and prevent the Java process from consuming all of the available resources.
- D. Configure the swap space to allow for spikes in usage during peak hours and prevent the Java process from stopping due to a lack of memory.

**Answer: A**

#### NEW QUESTION 113

Which of the following is a function of a bootloader?

- A. It initializes all the devices that are required to load the OS.
- B. It mounts the root filesystem that is required to load the OS.

- C. It helps to load the different kernels to initiate the OS startup process.
- D. It triggers the start of all the system services.

**Answer:** C

**NEW QUESTION 114**

A Linux administrator needs to ensure that Java 7 and Java 8 are both locally available for developers to use when deploying containers. Currently only Java 8 is available. Which of the following commands should the administrator run to ensure both versions are available?

- A. docker image load java:7
- B. docker image pull java:7
- C. docker image import java:7
- D. docker image build java:7

**Answer:** B

**NEW QUESTION 118**

A systems administrator is receiving tickets from users who cannot reach the application app that should be listening on port 9443/tcp on a Linux server. To troubleshoot the issue, the systems administrator runs netstat and receives the following output:

```
# netstat -anp | grep appd | grep -w LISTEN
tcp 0 0 127.0.0.1:9443 0.0.0.0:* LISTEN 1234/appd
```

Based on the information above, which of the following is causing the issue?

- A. The IP address 0.0.0.0 is not valid.
- B. The application is listening on the loopback interface.
- C. The application is listening on port 1234.
- D. The application is not running.

**Answer:** B

**Explanation:**

The server is in a "Listen" state on port 9943 using its loopback address. The "1234" is a process-id

**NEW QUESTION 119**

A systems administrator is tasked with creating a cloud-based server with a public IP address.

```
---
-name: start an instance with a public IP address
community.abc.ec2_instance:
  name: "public-compute-instance"
  key_name: "comptia-ssh-key"
  vpc_subnet_id: subnet-5cjs1
  instance_type: instance.type
  security_group: comptia
  network:
    assign_public_ip: true
  image_id: ami-1234568
  tags:
    Environment: Comptia-Items-Writing-Workshop
...

```

Which of the following technologies did the systems administrator use to complete this task?

- A. Puppet
- B. Git
- C. Ansible
- D. Terraform

**Answer:** D

**NEW QUESTION 122**

A Linux administrator is creating a primary partition on the replacement hard drive for an application server. Which of the following commands should the administrator issue to verify the device name of this partition?

- A. sudo fdisk /dev/sda
- B. sudo fdisk -s /dev/sda

- C. sudo fdisk -l
- D. sudo fdisk -h

**Answer:** C

#### NEW QUESTION 127

A Linux system is failing to boot with the following error:

```
error: no such partitions
Entering rescue mode...
grub rescue>
```

Which of the following actions will resolve this issue? (Choose two.)

- A. Execute grub-install --root-directory=/mnt and reboot.
- B. Execute grub-install /dev/sdX and reboot.
- C. Interrupt the boot process in the GRUB menu and add rescue to the kernel line.
- D. Fix the partition modifying /etc/default/grub and reboot.
- E. Interrupt the boot process in the GRUB menu and add single to the kernel line.
- F. Boot the system on a LiveCD/ISO.

**Answer:** BD

#### NEW QUESTION 131

A systems administrator wants to be sure the sudo rules just added to /etc/sudoers are valid. Which of the following commands can be used for this task?

- A. visudo -c
- B. test -f /etc/sudoers
- C. sudo vi check
- D. cat /etc/sudoers | tee test

**Answer:** A

#### NEW QUESTION 133

A user generated a pair of private-public keys on a workstation. Which of the following commands will allow the user to upload the public key to a remote server and enable passwordless login?

- A. scp ~/.ssh/id\_rsa user@server:~/
- B. rsync ~ /.ssh/ user@server:~/
- C. ssh-add user server
- D. ssh-copy-id user@server

**Answer:** D

#### NEW QUESTION 137

A Linux administrator is providing a new Nginx image from the registry to local cache. Which of the following commands would allow this to happen?

- A. docker pull nginx
- B. docker attach nginx
- C. docker commit nginx
- D. docker import nginx

**Answer:** A

#### NEW QUESTION 142

A cloud engineer needs to remove all dangling images and delete all the images that do not have an associated container. Which of the following commands will help to accomplish this task?

- A. docker images prune -a
- B. docker push images -a
- C. docker rmi -a images
- D. docker images rmi --all

**Answer:** A

#### NEW QUESTION 146

A systems administrator configured firewall rules using firewalld. However, after the system is rebooted, the firewall rules are not present:

```
Chain INPUT (policy ACCEPT)
target          prot opt source          destination
Chain FORWARD (policy ACCEPT)
target          prot opt source          destination
Chain OUTPUT (policy ACCEPT)
target          prot opt source          destination
```

The systems administrator makes additional checks:

```
- dynamic firewall daemon
  Loaded: loaded (/usr/lib/systemd/system/firewalld.service: disabled; vendor preset: enabled)
  Active: inactive (dead)
  Docs: man: firewalld (1)

firewalld is not running
```

Which of the following is the reason the firewall rules are not active?

- A. iptables is conflicting with firewalld.
- B. The wrong system target is activated.
- C. FIREWALL\_ARGS has no value assigned.
- D. The firewalld service is not enabled.

**Answer: D**

#### NEW QUESTION 150

A developer is trying to install an application remotely that requires a graphical interface for installation. The developer requested assistance to set up the necessary environment variables along with X11 forwarding in SSH. Which of the following environment variables must be set in remote shell in order to launch the graphical interface?

- A. \$RHOST
- B. SETENV
- C. \$SHELL
- D. \$DISPLAY

**Answer: D**

#### NEW QUESTION 152

Joe, a user, is unable to log in to the Linux system Given the following output:

```
# grep joe /etc/passwd /etc/shadow
/etc/passwd:joe:x:1001:1001::/home/joe:/bin/nologin
/etc/shadow:joe:$6$3uOw6qWx9876jGhgKJsdfH987634534voj.:18883:0:99999:7:::
```

Which of the following command would resolve the issue?

- A. usermod -s /bin/bash joe
- B. pam\_tally2 -u joe -r
- C. passwd -u joe
- D. chage -E 90 joe

**Answer: A**

#### NEW QUESTION 153

A Linux administrator needs to create a new user named user02. However, user02 must be in a different home directory, which is under /comptia/projects. Which of the following commands will accomplish this task?

- A. useradd -d /comptia/projects user02
- B. useradd -m /comptia/projects user02
- C. useradd -b /comptia/projects user02
- D. useradd -s /comptia/projects user02

**Answer: A**

#### NEW QUESTION 156

A Linux administrator wants to find out whether files from the wget package have been altered since they were installed. Which of the following commands will provide the correct information?

- A. rpm -i wget
- B. rpm -qf wget
- C. rpm -F wget

D. rpm -V wget

**Answer: D**

**NEW QUESTION 157**

A Linux administrator needs to obtain a list of all volumes that are part of a volume group. Which of the following commands should the administrator use to accomplish this task?

- A. vgs
- B. lvs
- C. fdisk -l
- D. pvs

**Answer: D**

**NEW QUESTION 162**

A Linux engineer has been notified about the possible deletion of logs from the file /opt/app/logs. The engineer needs to ensure the log file can only be written into without removing previous entries.

```
# lsattr /opt/app/logs
-----e---- logs
```

Which of the following commands would be BEST to use to accomplish this task?

- A. chattr +a /opt/app/logs
- B. chattr +d /opt/app/logs
- C. chattr +i /opt/app/logs
- D. chattr +c /opt/app/logs

**Answer: A**

**NEW QUESTION 165**

A Linux administrator was notified that a virtual server has an I/O bottleneck. The Linux administrator analyzes the following output:

```
root@linux:~# uptime
18:43:47 up 1 day, 19:58, 1 user, load average: 9.90, 5.83, 2.49
root@linux:~# vmstat 10 10
procs -----memory----- --swap----- --io----- -system- -----cpu-----

 r b swpd  free  buff  cache si   so bi   bo    in    cs us sy id wa st
 13 0 5520 141228 98932 2325312 0    2 10    28   192   167 1 0 99 0 0
 10 0 5608 131280 98932 2325324 0 26211 0 26211 342   393 91 9 0 0 0
 10 0 5528 1096 98932 2325324 0 5242 0 5242 333   402 96 4 0 0 0

root@linux:~# free -m
              total used  free shared buff/cache available
Mem:          3933 1454   110    33    2368    2202
Swap:         1497    5   1491
```

Given there is a single CPU in the sever, which of the following is causing the slowness?

- A. The system is running out of swap space.
- B. The CPU is overloaded.
- C. The memory is exhausted.
- D. The processes are paging.

**Answer: B**

**NEW QUESTION 168**

A Linux administrator found many containers in an exited state. Which of the following commands will allow the administrator to clean up the containers in an exited state?

- A. docker rm --all
- B. docker rm \$(docker ps -aq)
- C. docker images prune \*
- D. docker rm --state exited

**Answer: D**

**NEW QUESTION 172**

A cloud engineer is asked to copy the file deployment.yaml from a container to the host where the container is running. Which of the following commands can

accomplish this task?

- A. docker cp container\_id/deployment.yaml deployment.yaml
- B. docker cp container\_id:/deployment.yaml deployment.yaml
- C. docker cp deployment.yaml local://deployment.yaml
- D. docker cp container\_id/deployment.yaml local://deployment.yaml

**Answer:** A

#### NEW QUESTION 177

A systems administrator made some changes in the ~/.bashrc file and added an alias command. When the administrator tried to use the alias command, it did not work. Which of the following should be executed FIRST?

- A. source ~/.bashrc
- B. read ~/.bashrc
- C. touch ~/.bashrc
- D. echo ~/.bashrc

**Answer:** A

#### NEW QUESTION 180

A Linux administrator needs to analyze a failing application that is running inside a container. Which of the following commands allows the Linux administrator to enter the running container and analyze the logs that are stored inside?

- A. docker run -ti app /bin/sh
- B. podman exec -ti app /bin/sh
- C. podman run -d app /bin/bash
- D. docker exec -d app /bin/bash

**Answer:** B

#### NEW QUESTION 185

A systems administrator is investigating why one of the servers has stopped connecting to the internet.

```
#curl http://google.com
curl: (6) Could not resolve host: google.com

#cat /etc/resolv.conf
search user.company.com company.com
#nameserver 10.10.10.10

#ip route
0.0.0.0/0 via 10.0.5.1 dev eth0 proto static metric 100
10.0.0.0/16 dev eth0 proto kernel scope link src 10.0.3.60 metric 101

#nmcli connection show
NAME                UUID                                  TYPE      DEVICE
eth0                 ba4a3d30-efdc-4fa5-83d3-3721fd4aff75 ethernet  eth0
Wired connection 1  8d569d5a-22a2-356d-8532-9a2638f11b5a5 ethernet  --
```

Which of the following is causing the issue?

- A. The DNS address has been commented out in the configuration file.
- B. The search entry in the /etc/resolv.conf file is incorrect.
- C. Wired connection 1 is offline.
- D. No default route is defined.

**Answer:** A

#### NEW QUESTION 187

A systems administrator needs to verify whether the built container has the app.go file in its root directory. Which of the following can the administrator use to verify the root directory has this file?

- A. docker image inspect
- B. docker container inspect
- C. docker exec <container\_name> ls
- D. docker ps <container\_name>

**Answer:** B

#### NEW QUESTION 189

A systems administrator created a new Docker image called test. After building the image, the administrator forgot to version the release. Which of the following will allow the administrator to assign the v1 version to the image?

- A. docker image save test test:v1
- B. docker image build test:vl

- C. docker image tag test:vl
- D. docker image version test:v1

**Answer: C**

**NEW QUESTION 192**

A systems administrator is deploying three identical, cloud-based servers. The administrator is using the following code to complete the task:

```
resource "aws_instance" "ec2_instance" {

  ami                = data.aws_ami.vendor-Linux-2.id
  associate_public_ip_address = true
  count              = 3
  instance_type      = "instance_type"
  vpc_security_group_ids = [aws_security_group.allow_ssh.id]
  key_name            = aws_key_pair.key_pair.key_name

  tags = {
    Name = "${var.namespace} ${count.index}"
  }
}
```

Which of the following technologies is the administrator using?

- A. Ansible
- B. Puppet
- C. Chef
- D. Terraform

**Answer: D**

**NEW QUESTION 193**

Employees in the finance department are having trouble accessing the file /opt/work/file. All IT employees can read and write the file. Systems administrator reviews the following output:

```
admin@server:/opt/work$ ls -al file
-rw-rw----+ 1 root it 4 Sep 5 17:29 file
```

Which of the following commands would permanently fix the access issue while limiting access to IT and finance department employees?

- A. `chattr +i file`
- B. `chown it:finance file`
- C. `chmod 666 file`
- D. `setfacl -m g:finance:rw file`

**Answer: D**

**NEW QUESTION 195**

A Linux administrator booted up the server and was presented with a non-GUI terminal. The administrator ran the command `systemctl isolate graphical.target` and rebooted the system by running `systemctl reboot`, which fixed the issue. However, the next day the administrator was presented again with a non-GUI terminal. Which of the following is the issue?

- A. The administrator did not reboot the server properly.
- B. The administrator did not set the default target to `basic.target`.
- C. The administrator did not set the default target to `graphical.target`.
- D. The administrator did not shut down the server properly.

**Answer: C**

**NEW QUESTION 200**

To harden one of the servers, an administrator needs to remove the possibility of remote administrative login via the SSH service. Which of the following should the administrator do?

- A. Add the line `DenyUsers root` to the `/etc/hosts.deny` file.
- B. Set `PermitRootLogin` to `no` in the `/etc/ssh/sshd_config` file.
- C. Add the line `account required pam_nologin`

- D. so to the /etc/pam.d/sshd file.
- E. Set PubKeyAuthentication to no in the /etc/ssh/ssh\_config file.

**Answer: B**

#### NEW QUESTION 204

Which of the following enables administrators to configure and enforce MFA on a Linux system?

- A. Kerberos
- B. SELinux
- C. PAM
- D. PKI

**Answer: A**

#### NEW QUESTION 205

A systems administrator wants to test the route between IP address 10.0.2.15 and IP address 192.168.1.40. Which of the following commands will accomplish this task?

- A. route -e get to 192.168.1.40 from 10.0.2.15
- B. ip route get 192.163.1.40 from 10.0.2.15
- C. ip route 192.169.1.40 to 10.0.2.15
- D. route -n 192.168.1.40 from 10.0.2.15

**Answer: B**

#### NEW QUESTION 209

A new Linux systems administrator just generated a pair of SSH keys that should allow connection to the servers. Which of the following commands can be used to copy a key file to remote servers? (Choose two.)

- A. wget
- B. ssh-keygen
- C. ssh-keyscan
- D. ssh-copy-id
- E. ftpd
- F. scp

**Answer: DF**

#### NEW QUESTION 210

A Linux administrator is scheduling a system job that runs a script to check available disk space every hour. The Linux administrator does not want users to be able to start the job. Given the following:

```
[Unit]
Description=Check available disk space
RefuseManualstart=yes
RefuseManualStop=yes

[Timer]
Persistent=true
OnCalendar=*-*-* *:00:00
Unit=checkdiskspace.service

[Install]
WantedBy=timers.target
```

The Linux administrator attempts to start the timer service but receives the following error message:

```
Failed to start checkdiskspace.timer: Operation refused ...
```

Which of the following is MOST likely the reason the timer will not start?

- A. The checkdiskspace.timer unit should be enabled via systemctl.
- B. The timers.target should be reloaded to get the new configuration.
- C. The checkdiskspace.timer should be configured to allow manual starts.
- D. The checkdiskspace.timer should be started using the sudo command.

**Answer: C**

#### NEW QUESTION 214

A Linux administrator is troubleshooting a memory-related issue. Based on the output of the commands:

```
$ vmstat -s --unit M

968 M total memory
331 M used memory
482 M active memory
279 M inactive memory
99 M free memory

$ free -h

          total        used        free      shared  buff/cache   available
Mem:      968M         331M         95M         13M         540M         458M
Swap:      0             0             0

$ ps -aux | grep script.sh
USER  PID  %CPU %MEM  VSZ   RSS  TTY  STAT  START  TIME  COMMAND
user  8321  2.8  40.5 3224846 371687 7   SN    16:49  2:09  /home/user/script.sh
```

Which of the following commands would address the issue?

- A. top -p 8321
- B. kill -9 8321
- C. renice -10 8321
- D. free 8321

**Answer: C**

#### NEW QUESTION 215

A Linux administrator has logged in to a server for the first time and needs to know which services are allowed through the firewall. Which of the following options will return the results for which the administrator is looking?

- A. firewall-cmd --get-services
- B. firewall-cmd --check-config
- C. firewall-cmd --list-services
- D. systemctl status firewalld

**Answer: C**

#### NEW QUESTION 216

A systems administrator is investigating an issue in which one of the servers is not booting up properly. The journalctl entries show the following:

```
Sep 16 20:30:43 server kernel: acpi PNP0A03:00: _OSC failed (AE_NOT_FOUND);
-- Subject: Unit dev-mapper-centos\x2dapp.device has failed
Sep 16 20:32:15 server systemd[1]: Dependency failed for /opt/app
-- Subject: Unit opt-app.mount has failed
-- Unit opt-app.mount has failed
Sep 16 20:32:15 server systemd[1]: Dependency failed for Local File Systems.
-- Subject: Unit local-fs.target has failed
-- Unit local-fs.target has failed.
Sep 16 20:32:15 server systemd[1]: Dependency failed for Relabel all filesystem, if necessary.
-- Subject: Unit rhel-autorelabel.service has failed
-- Unit rhel-autorelabel.service has failed.
```

Which of the following will allow the administrator to boot the Linux system to normal mode quickly?

- A. Comment out the /opt/app filesystem in /etc/fstab and reboot.
- B. Reformat the /opt/app filesystem and reboot.
- C. Perform filesystem checks on local filesystems and reboot.
- D. Trigger a filesystem relabel and reboot.

**Answer: A**

#### NEW QUESTION 218

The security team has identified a web service that is running with elevated privileges A Linux administrator is working to change the systemd service file to meet security compliance standards. Given the following output:

```
[Unit]
Description=CompTIA server daemon
Documentation=man:webserver(8) man:webserver_config(5)
After=network.target

[Service]
Type=notify
EnvironmentFile=/etc/webserver/config
ExecStart=/usr/sbin/webserver -D SOPTIONS
ExecReload=/bin/kill -HUP $MAINPID
KillMode=process
Restart=on-failure
RestartSec=42s

[Install]
WantedBy=multi-user.target
```

Which of the following remediation steps will prevent the web service from running as a privileged user?

- A. Removing the ExecStarWusr/sbin/webserver -D SOPTIONS from the service file
- B. Updating the Environment File line in the [Service] section to/home/websevice/config
- C. Adding the User-websevice to the [Service] section of the service file
- D. Changing the:multi-user.target in the [Install] section to basic.target

**Answer: A**

#### NEW QUESTION 221

A newly created container has been unable to start properly, and a Linux administrator is analyzing the cause of the failure. Which of the following will allow the administrator to determine the FIRST command that is executed inside the container right after it starts?

- A. docker export <container\_id>
- B. docker info <container\_id>
- C. docker start <container\_id>
- D. docker inspect <container\_id>

**Answer: D**

#### NEW QUESTION 226

Due to low disk space, a Linux administrator finding and removing all log files that were modified more than 180 days ago. Which of the following commands will accomplish this task?

- A. find /var/log -type d -mtime +180 -print -exec rm {} \;
- B. find /var/log -type f -modified +180 -rm
- C. find /var/log -type f -mtime +180 -exec rm {} \
- D. find /var/log -type c -atime +180 -remove

**Answer: A**

#### NEW QUESTION 228

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### XK0-005 Practice Exam Features:

- \* XK0-005 Questions and Answers Updated Frequently
- \* XK0-005 Practice Questions Verified by Expert Senior Certified Staff
- \* XK0-005 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* XK0-005 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The XK0-005 Practice Test Here](#)