

## AZ-104 Dumps

### Microsoft Azure Administrator (beta)

<https://www.certleader.com/AZ-104-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 1)

You need to recommend a solution to automate the configuration for the finance department users. The solution must meet the technical requirements. What should you include in the recommended?

- A. Azure AP B2C
- B. Azure AD Identity Protection
- C. an Azure logic app and the Microsoft Identity Management (MIM) client
- D. dynamic groups and conditional access policies

**Answer: D**

**Explanation:**

Scenario: Ensure Azure Multi-Factor Authentication (MFA) for the users in the finance department only.

The recommendation is to use conditional access policies that can then be targeted to groups of users, specific applications, or other conditions.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

**NEW QUESTION 2**

- (Exam Topic 1)

You discover that VM3 does NOT meet the technical requirements. You need to verify whether the issue relates to the NSGs. What should you use?

- A. Diagram in VNet1
- B. the security recommendations in Azure Advisor
- C. Diagnostic settings in Azure Monitor
- D. Diagnose and solve problems in Traffic Manager Profiles
- E. IP flow verify in Azure Network Watcher

**Answer: E**

**Explanation:**

Scenario: Litware must meet technical requirements including:

Ensure that VM3 can establish outbound connections over TCP port 8080 to the applications servers in the Montreal office.

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

References:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

**NEW QUESTION 3**

- (Exam Topic 1)

You need to implement Role1.

Which command should you run before you create Role1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Find-RoleCapability  
Get-AzureADDirectoryRole  
Get-AzureRmRoleAssignment  
Get-AzureRmRoleDefinition

-Name "Reader" |

ConvertFrom-Json  
ConvertFrom-String  
ConvertTo-Json  
ConvertTo-Xml

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Find-RoleCapability  
Get-AzureADDirectoryRole  
Get-AzureRmRoleAssignment  
Get-AzureRmRoleDefinition

-Name "Reader" |

ConvertFrom-Json  
ConvertFrom-String  
ConvertTo-Json |  
ConvertTo-Xml

**NEW QUESTION 4**

- (Exam Topic 2)

Which blade should you instruct the finance department auditors to use?

- A. invoices
- B. partner information
- C. cost analysis
- D. External services

**Answer:** A

**NEW QUESTION 5**

- (Exam Topic 4)

You have Azure subscription that includes following Azure file shares: You have the following on-premises servers:

You create a Storage Sync Service named Sync1 and an Azure File Sync group named Group1. Group1 uses share1 as a cloud endpoint.

You register Server1 and Server2 in Sync1. You add D:\Folder1 on Server1 as a server endpoint of Group1. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
share2 can be added as a cloud endpoint for Group1	<input type="radio"/>	<input type="radio"/>
E:\Folder2 on Server1 can be added as a server endpoint for Group1	<input type="radio"/>	<input type="radio"/>
D:\Data on Server2 can be added as a server endpoint for Group1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

Group1 already has a cloud endpoint named Share1.

A sync group must contain one cloud endpoint, which represents an Azure file share and one or more server endpoints.

Box 2: Yes

Yes, one or more server endpoints can be added to the sync group. Box 3: Yes

Yes, one or more server endpoints can be added to the sync group. References:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

**NEW QUESTION 6**

- (Exam Topic 4)

You plan to deploy five virtual machines to a virtual network subnet.

Each virtual machine will have a public IP address and a private IP address. Each virtual machine requires the same inbound and outbound security rules.

What is the minimum number of network interfaces and network security groups that you require? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Minimum number of network interfaces:

- 5
- 10
- 15
- 20

Minimum number of network security groups:

- 1
- 2
- 5
- 10

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: 10

One public and one private network interface for each of the five VMs. Box 2: 1

You can associate zero, or one, network security group to each virtual network subnet and network interface in a virtual machine. The same network security group can be associated to as many subnets and network interfaces as you choose.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/security-overview>

**NEW QUESTION 7**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1 that runs Windows Server 2016.

You need to create an alert in Azure when more than two error events are logged to the System log on VM1 within an hour.

Solution: You create an Azure Log Analytics workspace and configure the data settings. You install the Microsoft Monitoring Agent on VM1. You create an alert in Azure Monitor and specify the Log Analytics workspace as the source.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**Explanation:**

Alerts in Azure Monitor can identify important information in your Log Analytics repository. They are created by alert rules that automatically run log searches at regular intervals, and if results of the log search match particular criteria, then an alert record is created and it can be configured to perform an automated response.

The Log Analytics agent collects monitoring data from the guest operating system and workloads of virtual machines in Azure, other cloud providers, and on-premises. It collects data into a Log Analytics workspace.

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/learn/tutorial-response> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agents-overview>

**NEW QUESTION 8**

- (Exam Topic 4)

This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Location	Resource group
RG1	Resource group	East US	<i>Not applicable</i>
RG2	Resource group	West Europe	<i>Not applicable</i>
RG3	Resource group	North Europe	<i>Not applicable</i>
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1.

Solution: You create NIC2 in RG1 and Central US. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface>

**NEW QUESTION 9**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named adatum.com that contains the users shown in the following table.

Name	Role
User1	<i>None</i>
User2	Global administrator
User3	Cloud device administrator
User4	Intune administrator

Adatum.com has the following configurations: Users may join devices to Azure AD is set to User1.

Additional local administrators on Azure AD joined devices is set to None.

You deploy Windows 10 to a computer named Computer. User1 joins Computer1 to adatum.com. You need to identify which users are added to the local Administrators group on Computer1.

- A. User1 only
- B. User1, User2, and User3 only
- C. User1 and User2 only
- D. User1, User2, User3, and User4
- E. User2 only

**Answer: C**

**Explanation:**

Users may join devices to Azure AD - This setting enables you to select the users who can register their devices as Azure AD joined devices. The default is All. Additional local administrators on Azure AD joined devices - You can select the users that are granted local administrator rights on a device. Users added here are added to the Device Administrators role in Azure AD. Global administrators, here User2, in Azure AD and device owners are granted local administrator rights by default.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal>

**NEW QUESTION 10**

- (Exam Topic 4)

You have an Azure subscription named Sub1.

You plan to deploy a multi-tiered application that will contain the tiers shown in the following table.

Tier	Accessible from the Internet	Number of virtual machines
Front-end web server	Yes	10
Business logic	No	100
Microsoft SQL Server database	No	5

You need to recommend a networking solution to meet the following requirements:

- > Ensure that communication between the web servers and the business logic tier spreads equally across the virtual machines.
- > Protect the web servers from SQL injection attacks.

Which Azure resource should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Ensure that communication between the web servers and the business logic tier spreads equally across the virtual machines:

▼

an application gateway that uses the Standard tier

an application gateway that uses the WAF tier

an internal load balancer

a network security group (NSG)

a public load balancer

Protect the web servers from SQL injection attacks:

▼

an application gateway that uses the Standard tier

an application gateway that uses the WAF tier

an internal load balancer

a network security group (NSG)

a public load balancer

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: an internal load balancer

Azure Internal Load Balancer (ILB) provides network load balancing between virtual machines that reside inside a cloud service or a virtual network with a regional scope.

Box 2: an application gateway that uses the WAF tier

Azure Web Application Firewall (WAF) on Azure Application Gateway provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted

by malicious attacks that exploit commonly known vulnerabilities. References:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/ag-overview>

**NEW QUESTION 10**

- (Exam Topic 4)

You have an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named adatum.com. The tenant contains 500 user accounts. You deploy Microsoft Office 365. You configure Office 365 to use the user accounts in adatum.com. You configure 60 users to connect to mailboxes in Microsoft Exchange Online. You need to ensure that the 60 users use Azure Multi-Factor Authentication (MFA) to connect to the Exchange Online mailboxes. The solution must only affect connections to the Exchange Online mailboxes. What should you do?

- A. From the multi-factor authentication page, configure the Multi-Factor Auth status for each user
- B. From Azure Active Directory admin center, create a conditional access policy
- C. From the multi-factor authentication page, modify the verification options
- D. From the Azure Active Directory admin center, configure an authentication method

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

**NEW QUESTION 13**

- (Exam Topic 4)

You have an Azure subscription that contains the resources in the following table.

Name	Type	Details
VNet1	Virtual network	Not applicable
Subnet1	Subnet	Hosted on VNet1
VM1	Virtual machine	On Subnet1
VM2	Virtual machine	On Subnet1

VM1 and VM2 are deployed from the same template and host line-of-business applications accessed by using Remote Desktop. You configure the network security group (NSG) shown in the exhibit. (Click the Exhibit button.)

→ Move Delete

Resource group (change)  
ProductionRG

Location  
North Europe

Subscription (change)  
Production subscription

Subscription ID  
14d26092-8e42-4ea7-b770-9dcef70fb1ea

Tags (change)  
[Click here to add tags](#)

---

**Inbound security rules**

PRIORITY	NAME	PORT	PROTOCOL	SOURCE	DESTINATION	ACTION
1500	Port_80	80	TCP	Internet	Any	Deny
65000	AllowVnetInBound	Any	Any	VirtualNetwork	VirtualNetwork	Allow
65001	AllowAzureLoadBalancerInBound	Any	Any	AzureLoadBalancer	Any	Allow
65500	DenyAllBound	Any	Any	Any	Any	Deny

**Outbound security rules**

PRIORITY	NAME	PORT	PROTOCOL	SOURCE	DESTINATION	ACTION
1000	DenyWebSites	80	TCP	Any	Internet	Deny
65000	AllowVnetOutBound	Any	Any	VirtualNetwork	VirtualNetwork	Allow
65001	AllowInternetOutBound	Any	Any	Any	Internet	Allow
65500	DenyAllOutBound	Any	Any	Any	Any	Deny

You need to prevent users of VM1 and VM2 from accessing websites on the Internet. What should you do?

- A. Associate the NSG to Subnet1.
- B. Disassociate the NSG from a network interface.
- C. Change the DenyWebSites outbound security rule.
- D. Change the Port\_80 inbound security rule.

**Answer:** A

**Explanation:**

You can associate or dissociate a network security group from a network interface or subnet. The NSG has the appropriate rule to block users from accessing the Internet. We just need to associate it with Subnet1. References: <https://docs.microsoft.com/en-us/azure/virtual-network/manage-network-security-group>

**NEW QUESTION 15**

- (Exam Topic 4)

You create an App Service plan named App1 and an Azure web app named webapp1. You discover that the option to create a staging slot is unavailable. You need to create a staging slot for App1. What should you do first?

- A. From webapp1, modify the Application settings.
- B. From webapp1, add a custom domain.
- C. From App1, scale up the App Service plan.
- D. From App1, scale out the App Service plan.

**Answer:** C

**Explanation:**

<https://docs.microsoft.com/en-us/azure/app-service/manage-scale-up>

**NEW QUESTION 17**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Location	Resource group
RG1	Resource group	East US	<i>Not applicable</i>
RG2	Resource group	West Europe	<i>Not applicable</i>
RG3	Resource group	North Europe	<i>Not applicable</i>
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1. Solution: You create NIC2 in RG2 and Central US. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface>

**NEW QUESTION 20**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- > A virtual network that has a subnet named Subnet1
  - > Two network security groups (NSGs) named NSG-VM1 and NSG-Subnet1
  - > A virtual machine named VM1 that has the required Windows Server configurations to allow Remote Desktop connections
- NSG-Subnet1 has the default inbound security rules only.
- NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

- > Priority: 100
- > Source: Any
- > Source port range: \*
- > Destination: \*
- > Destination port range: 3389
- > Protocol: UDP
- > Action: Allow

VM1 connects to Subnet1. NSG1-VM1 is associated to the network interface of VM1. NSG-Subnet1 is associated to Subnet1. You need to be able to establish Remote Desktop connections from the internet to VM1.

Solution: You add an inbound security rule to NSG-Subnet1 that allows connections from the Any source to the VirtualNetwork destination for port range 3389 and uses the TCP protocol. You remove NSG-VM1 from the network interface of VM1.  
Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

The default port for RDP is TCP port 3389. A rule to permit RDP traffic must be created automatically when you create your VM.  
Note on NSG-Subnet1: Azure routes network traffic between all subnets in a virtual network, by default. References:  
<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-connection>

**NEW QUESTION 24**

- (Exam Topic 4)

You have a virtual network named VNet1 that has the configuration shown in the following exhibit.

```
PS C:\> Get-AzureRmVirtualNetwork -Name Vnet1 -ResourceGroupName Production

Name                : VNet1
ResourceGroupName   : Production
Location            : westus
Id                  : /subscriptions/14d26092-8e42-4ea7-b770-9dcef70fb1ea/resourceGroups/Production/providers/Microsoft.Network/virtualNetworks/VNet1
Etag                : W/"76f7edd6-d022-455b-aeae-376059318e5d"
ResourceGuid        : 562696cc-b2ba-4cc5-9619-0a735d6c34c7
ProvisioningState    : Succeeded
Tags                :
AddressSpace        : {
  "AddressPrefixes": [
    "10.2.0.0/16"
  ]
}
DhcpOptions         : {}
Subnets             : [
  {
    "Name": "default",
    "Etag": "W/\\"76f7edd6-d022-455b-aeae-376059318e5d\\"",
    "Id": "/subscriptions/14d26092-8e42-4ea7-b770-9dcef70fb1ea/resourceGroups/Production/providers/Microsoft.Network/virtualNetworks/VNet1/subnets/default",
    "AddressPrefix": "10.2.0.0/24",
    "IpConfigurations": [],
    "ResourceNavigationLinks": [],
    "ServiceEndpoints": [],
    "ProvisioningState": "Succeeded"
  }
]
VirtualNetworkPeerings : []
EnableDDoSProtection : false
EnableVmProtection    : false
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Before a virtual machine on VNet1 can receive an IP address from 192.168.1.0/24, you must first **[answer choice]**.

- add a network interface
- add a subnet
- add an address space
- delete a subnet
- delete an address space

Before a virtual machine on VNet1 can receive an IP address from 10.2.1.0/24, you must first **[answer choice]**.

- add a network interface
- add a subnet
- add an address space
- delete a subnet
- delete an address space

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: add a subnet

Your IaaS virtual machines (VMs) and PaaS role instances in a virtual network automatically receive a private IP address from a range that you specify, based on the subnet they are connected to. We need to add the 192.168.1.0/24 subnet.

Box 2: add a network interface

The 10.2.1.0/24 network exists. We need to add a network interface. References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-static-private-ip-arm-portal>

**NEW QUESTION 26**

- (Exam Topic 4)

You have an Azure subscription that contains a storage account named account1.

You plan to upload the disk files of a virtual machine to account1 from your on-premises network. The on-premises network uses a public IP address space of 131.107.1.0/24.

You plan to use the disk files to provision an Azure virtual machine named VM1. VM1 will be attached to a virtual network named VNet1. VNet1 uses an IP address space of 192.168.0.0/24.

You need to configure account1 to meet the following requirements:

- > Ensure that you can upload the disk files to account1.
- > Ensure that you can attach the disks to VM1.
- > Prevent all other access to account1.

Which two actions should you perform? Each correct selection presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Firewalls and virtual networks blade of account1, add the 131.107.1.0/24 IP address range.
- B. From the Firewalls and virtual networks blade of account1, select Selected networks.
- C. From the Firewalls and virtual networks blade of account1, add VNet1.
- D. From the Firewalls and virtual networks blade of account1, select Allow trusted Microsoft services to access this storage account.
- E. From the Service endpoints blade of VNet1, add a service endpoint.

**Answer:** BE

**Explanation:**

B: By default, storage accounts accept connections from clients on any network. To limit access to selected networks, you must first change the default action. Azure portal

- > Navigate to the storage account you want to secure.
- > Click on the settings menu called Firewalls and virtual networks.
- > To deny access by default, choose to allow access from 'Selected networks'. To allow traffic from all networks, choose to allow access from 'All networks'.
- > Click Save to apply your changes. E: Grant access from a Virtual Network

Storage accounts can be configured to allow access only from specific Azure Virtual Networks.

By enabling a Service Endpoint for Azure Storage within the Virtual Network, traffic is ensured an optimal route to the Azure Storage service. The identities of the virtual network and the subnet are also transmitted with each request.

References: <https://docs.microsoft.com/en-us/azure/storage/common/storage-network-security>

**NEW QUESTION 30**

- (Exam Topic 4)

You have an Azure virtual machine named VM1. Azure collects events from VM1.

You are creating an alert rule in Azure Monitor to notify an administrator when an error is logged in the System event log of VM1.

You need to specify which resource type to monitor.

What should you specify?

- A. metric alert

- B. Azure Log Analytics workspace
- C. virtual machine
- D. virtual machine extension

**Answer:** D

**Explanation:**

Azure Monitor can collect data directly from your Azure virtual machines into a Log Analytics workspace for detailed analysis and correlation. Installing the Log Analytics VM extension for Windows and Linux allows Azure Monitor to collect data from your Azure VMs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/learn/quick-collect-azurevm>

**NEW QUESTION 31**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contosocloud.onmicrosoft.com. Your company has a public DNS zone for contoso.com. You add contoso.com as a custom domain name to Azure AD. You need to ensure that Azure can verify the domain name. Which type of DNS record should you create?

- A. PTR
- B. MX
- C. NSEC3
- D. RRSIG

**Answer:** B

**NEW QUESTION 34**

- (Exam Topic 4)

You manage two Azure subscriptions named Subscription1 and Subscription2. Subscription1 has the following virtual networks:

Name	Address space	Location
VNET1	10.10.10.0/24	West Europe
VNET2	172.16.0.0/16	West US

The virtual networks contain the following subnets:

Name	Address space	Location
Subnet11	10.10.10.0/24	VNET1
Subnet21	172.16.0.0/18	VNET2
Subnet22	172.16.128.0/18	VNET2

Subscription2 contains the following virtual network:

- > Name: VNETA
- > Address space: 10.10.128.0/17
- > Location: Canada Central

VNETA contains the following subnets:

Name	Address range
SubnetA1	10.10.130.0/24
SubnetA2	10.10.131.0/24

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
A Site-to-Site connection can be established between VNET1 and VNET2.	<input type="radio"/>	<input type="radio"/>
VNET1 and VNET2 can be peered.	<input type="radio"/>	<input type="radio"/>
VNET1 and VNETA can be peered.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

With VNet-to-VNet you can connect Virtual Networks in Azure across Different regions. Box 2: Yes

Azure supports the following types of peering:

Virtual network peering: Connect virtual networks within the same Azure region. Global virtual network peering: Connecting virtual networks across Azure regions.

Box 3: No

The virtual networks you peer must have non-overlapping IP address spaces. References:

<https://azure.microsoft.com/en-us/blog/vnet-to-vnet-connecting-virtual-networks-in-azure-across-different-regio> <https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-cons>

**NEW QUESTION 35**

- (Exam Topic 4)

You plan to use the Azure Import/Export service to copy files to a storage account.

Which two files should you create before you prepare the drives for the import job? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an XML manifest file
- B. a driveset CSV file
- C. a dataset CSV file
- D. a PowerShell PS1 file
- E. a JSON configuration file

**Answer: BC**

**Explanation:**

B: Modify the driveset.csv file in the root folder where the tool resides.

C: Modify the dataset.csv file in the root folder where the tool resides. Depending on whether you want to import a file or folder or both, add entries in the dataset.csv file

References: <https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-data-to-files>

**NEW QUESTION 37**

- (Exam Topic 4)

You have an Azure virtual machine named VM1.

The network interface for VM1 is configured as shown in the exhibit. (Click the Exhibit tab.) You deploy a web server on VM1, and then create a secure website that is accessible by using the

HTTPS protocol VM1 is used as a web server only.

You need to ensure that users can connect to the website from the Internet.

What should you do?

- A. Change the priority of Rule3 to 450.
- B. Change the priority of Rule6 to 100
- C. DeleteRule1.
- D. Create a new inbound rule that allows TCP protocol 443 and configure the protocol to have a priority of 501.

**Answer: D**

**NEW QUESTION 41**

- (Exam Topic 4)

You have an Azure subscription that contains the public load balancers shown in the following table.

Name	SKU
LB1	Basic
LB2	Standard

You plan to create six virtual machines and to load balancer requests to the virtual machines. Each load balancer will load balance three virtual machines.

You need to create the virtual machines for the planned solution.

How should you create the virtual machines? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The virtual machines that will be load balanced by using LB1 must:

<input type="checkbox"/>	be connected to the same virtual network.
<input type="checkbox"/>	be created in the same resource group.
<input type="checkbox"/>	be created in the same availability set or virtual machine scale set.
<input type="checkbox"/>	run the same operating system.

The virtual machines that will be load balanced by using LB2 must:

<input type="checkbox"/>	be connected to the same virtual network.
<input type="checkbox"/>	be created in the same resource group.
<input type="checkbox"/>	be created in the same availability set or virtual machine scale set.
<input type="checkbox"/>	run the same operating system.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: be created in the same availability set or virtual machine scale set.

The Basic tier is quite restrictive. A load balancer is restricted to a single availability set, virtual machine scale set, or a single machine.

Box 2: be connected to the same virtual network

The Standard tier can span any virtual machine in a single virtual network, including blends of scale sets, availability sets, and machines.

References:

<https://www.petri.com/comparing-basic-standard-azure-load-balancers>

**NEW QUESTION 42**

- (Exam Topic 4)

You have a Microsoft 365 tenant and an Azure Active Directory (Azure AD) tenant named contoso.com. You plan to grant three users named User1, User2, and User3 access to a temporary Microsoft SharePoint document library named Library1.

You need to create groups for the users. The solution must ensure that the groups are deleted automatically after 180 days.

Which two groups should you create? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a Security group that uses the Assigned membership type
- B. an Office 365 group that uses the Assigned membership type
- C. an Office 365 group that uses the Dynamic User membership type
- D. a Security group that uses the Dynamic User membership type
- E. a Security group that uses the Dynamic Device membership type

**Answer:** BC

**Explanation:**

You can set expiration policy only for Office 365 groups in Azure Active Directory (Azure AD).

Note: With the increase in usage of Office 365 Groups, administrators and users need a way to clean up unused groups. Expiration policies can help remove inactive groups from the system and make things cleaner.

When a group expires, all of its associated services (the mailbox, Planner, SharePoint site, etc.) are also deleted.

You can set up a rule for dynamic membership on security groups or Office 365 groups.

**NEW QUESTION 44**

- (Exam Topic 4)

You create a virtual machine scale set named Scale1. Scale1 is configured as shown in the following exhibit.

**INSTANCES**

\* Instance count ⓘ  ✓

\* Instance size (View full pricing details) ⓘ  ✓

Deploy as low priority ⓘ  No  Yes

Use managed disks ⓘ  No  Yes

[+ Show advanced settings](#)

**AUTOSCALE**

Autoscale ⓘ  Disabled  Enabled

\* Minimum number of VMs ⓘ  ✓

\* Maximum number of VMs ⓘ  ✓

Scale out

\* CPU threshold (%) ⓘ  ✓

\* Number of VMs to increase by ⓘ  ✓

Scale in

\* CPU threshold (%) ⓘ  ✓

\* Number of VMs to decrease by ⓘ  ✓

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

If Scale1 is utilized at 85 percent for six minutes, Scale1 will be running [answer choice].

▼
2 virtual machines
4 virtual machines
6 virtual machines
10 virtual machines
20 virtual machines

If Scale1 is first utilized at 25 percent for six minutes, and then utilized at 50 percent for six minutes, Scale1 will be running [answer choice].

▼
2 virtual machines
4 virtual machines
6 virtual machines
10 virtual machines
20 virtual machines

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1:  
The Autoscale scale out rule increases the number of VMs by 2 if the CPU threshold is 80% or higher. The initial instance count is 4 and rises to 6 when the 2 extra instances of VMs are added.

Box 2:  
The Autoscale scale in rule decreases the number of VMs by 4 if the CPU threshold is 30% or lower. The initial instance count is 4 and thus cannot be reduced to 0 as the minimum instances is set to 2. Instances are only added when the CPU threshold reaches 80%.

**References:**

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-overview> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-best-practices> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-common-scale-patterns>

**NEW QUESTION 48**

- (Exam Topic 4)

You have two Azure virtual machines named VM1 and VM2. You have two Recovery Services vaults named RSV1 and RSV2. VM2 is protected by RSV1.

You need to use RSV2 to protect VM2. What should you do first?

- A. From the RSV1 blade, click Backup items and stop the VM2 backup.
- B. From the RSV1 blade, click Backup Jobs and export the VM2 backup.
- C. From the RSV1 blade, click Backu
- D. From the Backup blade, select the backup for the virtual machine, and then click Backup.
- E. From the VM2 blade, click Disaster recovery, click Replication settings, and then select RSV2 as the Recovery Services vault.

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vms-first-look-arm>

**NEW QUESTION 49**

- (Exam Topic 4)

You have a sync group that has the endpoints shown in the following table.

Name	Type
Endpoint1	Cloud endpoint
Endpoint2	Server endpoint
Endpoint3	Server endpoint

Cloud tiering is enabled for Endpoint3.

You add a file named File1 to Endpoint1 and a file named File2 to Endpoint2.

You need to identify on which endpoints File1 and File2 will be available within 24 hours of adding the files. What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

File1:  ▼

- Endpoint1 only
- Endpoint3 only
- Endpoint2 and Endpoint3 only
- Endpoint1, Endpoint2, and Endpoint3

File2:  ▼

- Endpoint1 only
- Endpoint3 only
- Endpoint2 and Endpoint3 only
- Endpoint1, Endpoint2, and Endpoint3

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

File1: Endpoint3 only

Cloud Tiering: A switch to enable or disable cloud tiering. When enabled, cloud tiering will tier files to your Azure file shares. This converts on-premises file shares into a cache, rather than a complete copy of the dataset, to help you manage space efficiency on your server. With cloud tiering, infrequently used or accessed files can be tiered to Azure Files.

File2: Endpoint1, Endpoint2, and Endpoint3 References:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-cloud-tiering>

**NEW QUESTION 52**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com. Multi-factor authentication (MFA) is enabled for all users.

You need to provide users with the ability to bypass MFA for 10 days on devices to which they have successfully signed in by using MFA.

What should you do?

- A. From the multi-factor authentication page, configure the users' settings.
- B. From Azure AD, create a conditional access policy.
- C. From the multi-factor authentication page, configure the service settings.
- D. From the MFA blade in Azure AD, configure the MFA Server settings.

**Answer:** C

**Explanation:**

Enable remember Multi-Factor Authentication

- Sign in to the Azure portal.
- On the left, select Azure Active Directory > Users.
- Select Multi-Factor Authentication.
- Under Multi-Factor Authentication, select service settings.
- On the Service Settings page, manage remember multi-factor authentication, select the Allow users to remember multi-factor authentication on devices they trust option.
- Select Save.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

**NEW QUESTION 54**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- A virtual network that has a subnet named Subnet1
  - Two network security groups (NSGs) named NSG-VM1 and NSG-Subnet1
  - A virtual machine named VM1 that has the required Windows Server configurations to allow Remote Desktop connections
- NSG-Subnet1 has the default inbound security rules only.

NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

- Priority: 100
- Source: Any
- Source port range: \*
- Destination: \*
- Destination port range: 3389
- Protocol: UDP
- Action: Allow

VM1 connects to Subnet1. NSG1-VM1 is associated to the network interface of VM1. NSG-Subnet1 is associated to Subnet1.

You need to be able to establish Remote Desktop connections from the internet to VM1.

Solution: You modify the custom rule for NSG-VM1 to use the internet as a source and TCP as a protocol. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**Explanation:**

The default port for RDP is TCP port 3389. A rule to permit RDP traffic must be created automatically when you create your VM.


Note on NSG-Subnet1: Azure routes network traffic between all subnets in a virtual network, by default. References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-connection>

**NEW QUESTION 59**

- (Exam Topic 4)

You have peering configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

**Answer Area**

Hosts on vNET6 can communicate with hosts on [answer choice].

▼

vNET6 only
vNET6 and vNET1 only
vNET6, vNET1, and vNET2 only
all the virtual networks in the subscription

To change the status of the peering connection to vNET1 to **Connected**, you must first [answer choice].

▼

add a service endpoint
add a subnet
delete peering1
modify the address space

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: vNET6 only

Box 2: Modify the address space

The virtual networks you peer must have non-overlapping IP address spaces. References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-cons>

**NEW QUESTION 61**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named adatum.com. Adatum.com contains the groups in the following table.

Name	Group type	Membership type	Membership rule
Group1	Security	Dynamic user	(user.city -startsWith "m")
Group2	Microsoft Office 365	Dynamic user	(user.department -notIn ["HR"])
Group3	Microsoft Office 365	Assigned	Not applicable

You create two user accounts that are configured as shown in the following table.

Name	City	Department	Office 365 license assigned
User1	Montreal	Human resources	Yes
User2	Melbourne	Marketing	No

To which groups do User1 and User2 belong? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

User1:

▼

Group1 only
Group2 only
Group3 only
Group1 and Group2 only
Group1 and Group3 only
Group2 and Group3 only
Group1, Group2, and Group3

User2:

▼

Group1 only
Group2 only
Group3 only
Group1 and Group2 only
Group1 and Group3 only
Group2 and Group3 only
Group1, Group2, and Group3

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Group 1 only First rule applies

Box 2: Group1 and Group2 only Both membership rules apply.

References: <https://docs.microsoft.com/en-us/sccm/core/clients/manage/collections/create-collections>

**NEW QUESTION 62**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that has a point-to-site VPN connection to an Azure virtual network named VNet1. The point-to-site connection uses a self-signed certificate.

From Azure, you download and install the VPN client configuration package on a computer named Computer2.

You need to ensure that you can establish a point-to-site VPN connection to VNet1 from Computer2. Solution: You modify the Azure Active Directory (Azure AD) authentication policies.

Does this meet this goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 64**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers. Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Dev, you assign the Contributor role to the Developers group. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The Logic App Contributor role lets you manage logic app, but not access to them. It provides access to view, edit, and update a logic app.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles> <https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-securing-a-logic-app>

**NEW QUESTION 65**


- (Exam Topic 4)

You have Azure virtual machines that run Windows Server 2019 and are configured as shown in the following table.

Name	Virtual network name	DNS suffix configured in Windows Server
VM1	VNET1	Contoso.com
VM2	VNET2	Contoso.com

You create a public Azure DNS zone named adatum.com and a private Azure DNS zone named contoso.com.

For contoso.com, you create a virtual network link named link1 as shown in the exhibit. (Click the Exhibit tab.)



You discover that VM1 can resolve names in contoso.com but cannot resolve names in adatum.com. VM1 can resolve other hosts on the internet. You need to ensure that VM1 can resolve host names in adatum.com. What should you do?

- A. Update the DNS suffix on VM1 to be adatum.com.
- B. Create an SRV record in the contoso.com zone.
- C. Configure the name servers for adatum.com at the domain registrar.
- D. Modify the Access control (IAM) settings for link1.


**Answer: D**

**NEW QUESTION 66**

- (Exam Topic 4)

You have an Azure subscription that contains an Azure Storage account.

You plan to copy an on-premises virtual machine image to a container named vmimages. You need to create the container for the planned image. Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

azcopy make 'https://<storage-account-name>.file.core.windows.net/<file-share-name><SAS-token>'

**NEW QUESTION 68**

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain named adatum.com. The domain contains an organizational unit (OU) named OU1. OU1 contains the objects shown in the following table.

Name	Type	Member of
User1	User	Group1
Group1	Global security group	None
Group2	Universal distribution group	None
Computer1	Computer	Group1

You sync OU1 to Azure Active Directory (Azure AD) by using Azure AD Connect. You need to identify which objects are synced to Azure AD. Which objects should you identify?

- A. User1 and Group1 only
- B. User1, Group1, and Group2 only
- C. User1, Group1, Group2, and Computer1
- D. Computer1 only

**Answer:** B

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/synchronization>

**NEW QUESTION 71**

- (Exam Topic 4)

You need to use Azure Automation State Configuration to manage the ongoing consistency of virtual machine configurations.

Which five actions should you perform in sequence? To answer, move the appropriate action from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Compile a configuration into a node configuration.	
Onboard the virtual machines to Azure Automation State Configuration.	
Upload a configuration to Azure Automation State Configuration.	
Check the compliance status of the node.	
Assign tags to the virtual machines.	
Assign the node configuration.	
Create a management group.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Upload a configuration to Azure Automation State Configuration. Import the configuration into the Automation account.

Step 2: Compile a configuration into a node configuration.

A DSC configuration defining that state must be compiled into one or more node configurations (MOF document), and placed on the Automation DSC Pull Server.

Step 3: Onboard the virtual machines to Azure Automation State Configuration. Onboard the Azure VM for management with Azure Automation State Configuration

Step 4: Assign the node configuration

Step 5: Check the compliance status of the node

Each time Azure Automation State Configuration performs a consistency check on a managed node, the node sends a status report back to the pull server. You can view these reports on the page for that node.

On the blade for an individual report, you can see the following status information for the corresponding consistency check:

The report status — whether the node is "Compliant", the configuration "Failed", or the node is "Not Compliant"

References:

<https://docs.microsoft.com/en-us/azure/automation/automation-dsc-getting-started>

**NEW QUESTION 76**

- (Exam Topic 4)

You have an Azure subscription named Subscription1 that contains the resources in the following table.

You install the Web Server server role (IIS) on WM1 and VM2, and then add VM1 and VM2 to LB1. LB1 is configured as shown in the LB1 exhibit. (Click the

Exhibit button.)

Essentials ▾

Resource group ([change](#))

VMRG

Location

West Europe

Subscription name ([change](#))

Azure Pass

Subscription ID

e66d2b22-fde8-4af2-9323-d43516f6eb4e

SKU

Basic

Backend pool

Backend1 (2 virtual machines)

Health probe

Probe1 (HTTP:80/Probe1.htm)

Load balancing rule

Rule1 (TCP/80)

NAT rules

-

Public IP address

104.40.178.194 (LB1)

Rule1 is configured as shown in the Rule1 exhibit. (Click the Exhibit button.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Statements**

Yes

No

VM1 is in the same availability set as VM2.



If Probe1.htm is present on VM1 and VM2, LB1 will balance TCP port 80 between VM1 and VM2.



If you delete Rule1, LB1 will balance all the requests between VM1 and VM2 for all the ports.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Statements**

Yes

No

VM1 is in the same availability set as VM2.



If Probe1.htm is present on VM1 and VM2, LB1 will balance TCP port 80 between VM1 and VM2.



If you delete Rule1, LB1 will balance all the requests between VM1 and VM2 for all the ports.



**NEW QUESTION 79**

- (Exam Topic 4)

You have an Azure subscription that contains the following users in an Azure Active Directory tenant named contoso.onmicrosoft.com:

Name	Role	Scope
User1	Global administrator	Azure Active Directory
User2	Global administrator	Azure Active Directory
User3	User administrator	Azure Active Directory
User4	Owner	Azure Subscription

User1 creates a new Azure Active Directory tenant named external.contoso.onmicrosoft.com. You need to create new user accounts in

external.contoso.com.onmicrosoft.com.

Solution: You instruct User3 to create the user accounts.

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Only a global administrator can add users to this tenant.

References:

<https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/add-users-to-azure-ad>

**NEW QUESTION 84**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer named Computer1 that has a point-to-site VPN connection to an Azure virtual network named VNet1. The point-to-site connection uses a self-signed certificate.

From Azure, you download and install the VPN client configuration package on a computer named Computer2.

You need to ensure that you can establish a point-to-site VPN connection to VNet1 from Computer2. Solution: You export the client certificate from Computer1 and install the certificate on Computer2. Does this meet this goal?

- A. Yes
- B. No

**Answer: A**

**Explanation:**

Each client computer that connects to a VNet using Point-to-Site must have a client certificate installed. You generate a client certificate from the self-signed root certificate, and then export and install the client certificate. If the client certificate is not installed, authentication fails.

References:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-certificates-point-to-site>

**NEW QUESTION 87**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AZ-104 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AZ-104-dumps.html>