



Linux-Foundation

Exam Questions LFCS

Linux Foundation Certified System Administrator

NEW QUESTION 1

What of the following statements are true regarding /dev/ when using udev? (Choose TWO correct answers.)

- A. Entries for all possible devices get created on boot even if those devices are not connected.
- B. Additional rules for udev can be created by adding them to /etc/udev/rules.d/.
- C. When using udev, it is not possible to create block or character devices in /dev/ using mknod.
- D. The /dev/ directory is a filesystem of type tmpfs and is mounted by udev during system startup.
- E. The content of /dev/ is stored in /etc/udev/dev and is restored during system startup.

Answer: BD

NEW QUESTION 2

Which command chain will count the number of regular files with the name of foo.txt within /home?

- A. ls -lR /home | grep foo.txt | wc -l
- B. find /home -type f -name foo.txt | wc -l
- C. find /home -name foo.txt -count
- D. find /home -name foo.txt | wc -l
- E. grep -R foo.txt /home | wc -l

Answer: B

NEW QUESTION 3

Which of the following is observed and corrected by a NTP client?

- A. The skew in time between the system clock and the hardware clock.
- B. The skew in time between the system clock and the reference clock.
- C. Changes in the time zone of the current computer's location.
- D. Adjustments needed to support Daylight Saving Time.

Answer: B

NEW QUESTION 4

Which of the following commands will change the quota for a specific user?

- A. edquota
- B. repquota
- C. quota -e
- D. quota

Answer: A

NEW QUESTION 5

Which of the following commands preloads and manages keys that are used for automatic authentication while logging in to other machines using SSH?

- A. sshd
- B. ssh-agent
- C. ssh-keygen
- D. ssh-add

Answer: B

NEW QUESTION 6

Which of the following commands is used to update the list of available packages when using dpkg based package management?

- A. apt-get update
- B. apt-get upgrade
- C. apt-cache update
- D. apt-get refresh
- E. apt-cache upgrade

Answer: A

NEW QUESTION 7

Which of the following commands displays the contents of a gzip compressed tar archive?

- A. gzip archive.tar.gz | tar xvf -
- B. tar ztf archive.tar.gz
- C. gzip -d archive.tar.gz | tar tvf -
- D. tar cf archive.tar.gz

Answer: B

NEW QUESTION 8

Which of the following commands lists all defined variables and functions within Bash?

- A. env
- B. set
- C. env -a
- D. echo \$ENV

Answer: B

NEW QUESTION 9

Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose TWO correct answers.)

- A. ssh --port 2222 example.com
- B. ssh -p 2222 example.com
- C. ssh -o Port=2222 example.com
- D. ssh -o GatewayPort=2222 example.com
- E. ssh example.com:2222

Answer: BC

NEW QUESTION 10

In the vi editor, which of the following commands will copy the current line into the vi buffer?

- A. c
- B. cc
- C. 1c
- D. yy
- E. 1y

Answer: D

NEW QUESTION 10

Which of the following commands can be used to create a USB storage media from a disk image?

- A. gdisk
- B. dd
- C. cc
- D. fdisk
- E. mount

Answer: B

NEW QUESTION 12

Which of the following commands is used to change options and positional parameters for a running Bash?

- A. history
- B. set
- C. bashconf
- D. setsh
- E. envsetup

Answer: B

NEW QUESTION 14

Which of the following programs can be used to determine the routing path to a given destination?

- A. dig
- B. netstat
- C. ping
- D. route
- E. traceroute

Answer: E

NEW QUESTION 19

CORRECT TEXT

What is the name of the simple graphical login manager that comes with a vanilla X11 installation? (Specify ONLY the command without any path or parameters.)

A.

Answer: xdm

NEW QUESTION 22

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within/proc/ are only readable by the root user.

Answer: C

NEW QUESTION 25

To prevent a specific user from scheduling tasks with at, what should the administrator do?

- A. Add the specific user to /etc/at.allow file.
- B. Add the specific user to [deny] section in the /etc/atd.conf file.
- C. Add the specific user to /etc/at.deny file.
- D. Add the specific user to nojobs group.
- E. Run the following: atd --deny [user].

Answer: C

NEW QUESTION 30

Which utility would be used to change how often a filesystem check is performed on an ext2 filesystem without losing any data stored on that filesystem?

- A. mod2fs
- B. fsck
- C. tune2fs
- D. mke2fs
- E. fixe2fs

Answer: C

NEW QUESTION 33

Which of the following keywords can be used in the file /etc/nsswitch.conf to specify a source for host name lookups? (Choose TWO correct answers.)

- A. resolv
- B. dns
- C. remote
- D. files
- E. hosts

Answer: BD

NEW QUESTION 36

Which of the following commands can be used to determine how long the system has been running? (Choose TWO correct answers.)

- A. uptime
- B. up
- C. top
- D. uname -u
- E. time --up

Answer: AC

NEW QUESTION 37

Which of the following commands lists the dependencies of a given dpkg package?

- A. apt-cache depends-on package
- B. apt-cache dependencies package
- C. apt-cache depends package
- D. apt-cache requires package

Answer: C

NEW QUESTION 39

In order to display all currently mounted filesystems, which of the following commands could be used? (Choose TWO correct answers.)

- A. cat /proc/self/mounts
- B. free
- C. mount
- D. ls mounts
- E. cat /proc/filesystems

Answer: AC

NEW QUESTION 41

Which of the following IPv4 networks are reserved by IANA for private address assignment and private routing? (Choose THREE correct answers.)

- A. 127.0.0.0/8
- B. 10.0.0.0/8
- C. 169.255.0.0/16
- D. 172.16.0.0/12
- E. 192.168.0.0/16

Answer: BDE

NEW QUESTION 43

Which of the following commands determines the type of a file by using a definition database file which contains information about all common file types?

- A. magic
- B. type
- C. file
- D. pmagic
- E. hash

Answer: C

NEW QUESTION 45

CORRECT TEXT

Which file lists which users can execute commands using sudo? (Specify the full name of the file, including path.)

- A.

Answer: /etc/sudoers

NEW QUESTION 50

CORRECT TEXT

Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

- A.

Answer: jobs

NEW QUESTION 54

Which of the following options is used in a GRUB Legacy configuration file to define the amount of time that the GRUB menu will be shown to the user?

- A. hidemenu
- B. splash
- C. timeout
- D. showmenu

Answer: C

NEW QUESTION 59

CORRECT TEXT

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

- A.

Answer: dpkg-reconfigure

NEW QUESTION 60

What is the maximum niceness value that a regular user can assign to a process with the nice command when executing a new process?

- A. 9
- B. 19
- C. 49
- D. 99

Answer: B

NEW QUESTION 64

Which of the following is true about IPv6?

- A. With IPv6, the TCP port numbers of most services have changed.
- B. IPv6 no longer supports broadcast addresses.
- C. IPv4 addresses can be used without any change with IPv6.
- D. IPv6 no longer supports multicast addresses.
- E. For IPv6, UDP and TCP have been replaced by the Rapid Transmission Protocol RTP.

Answer: B

NEW QUESTION 67

Which of the following commands changes the number of days before the ext3 filesystem on /dev/sda1 has to run through a full filesystem check while booting?

- A. tune2fs -d 200 /dev/sda1
- B. tune2fs -c 200 /dev/sda1
- C. tune2fs -i 200 /dev/sda1
- D. tune2fs -n 200/dev/sda1
- E. tune2fs --days 200 /dev/sda1

Answer: C

NEW QUESTION 71

What is the default nice level when a process is started using the nice command?

- A. -10
- B. 10
- C. 20

Answer: B

NEW QUESTION 76

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

- A. Without additional configuration, no users may have user specific crontabs.
- B. Without additional configuration, all users may have user specific crontabs.
- C. The cron daemon will refuse to start and report missing files in the system's logfile.
- D. When a user creates a user specific crontab the system administrator must approve it explicitly.

Answer: A

NEW QUESTION 79

What is true about the ntpdate command?

- A. It is the primary management command for the NTP time server.
- B. It updates the local system's date (i.
- C. day, month and year) but not the time (i.
- D. hours, minutes, seconds).
- E. It queries one or more NTP time servers and adjusts the system time accordingly.
- F. It sends the local system time to one or many remote NTP time servers for redistribution.
- G. It can be used by any user to set the user clock independently of the system clock.

Answer: C

NEW QUESTION 81

CORRECT TEXT

Which command is used to add an empty group to the system? (Specify ONLY the command without any path or parameters.)

A.

Answer: groupadd/usr/sbin/groupadd

NEW QUESTION 82

CORRECT TEXT

Which environment variable should be set in order to change the time zone for the commands run from within the environment variable's scope? (Specify the variable name only.)

A.

Answer: TZ

NEW QUESTION 87

When starting a program with the nice command without any additional parameters, which nice level is set for the resulting process?

- A. -10
- B. 10
- C. 20

Answer: C

NEW QUESTION 88

CORRECT TEXT

Which command will display messages from the kernel that were output during the normal boot sequence?

A.

Answer: dmesg/bin/dmesg

NEW QUESTION 90

Which of the following commands redirects the output of cmd to the file foo.txt, in which an existing file is overwritten?

- A. cmd || foo.txt
- B. cmd | foo.txt
- C. cmd && foo.txt
- D. cmd >> foo.txt
- E. cmd > foo.txt

Answer: E

NEW QUESTION 91

Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

- A. tcpd
- B. inetd
- C. fingerd
- D. mountd
- E. xinetd

Answer: A

NEW QUESTION 94

CORRECT TEXT

On a Linux system with shadow passwords enabled, which file in the file system contains the password hashes of all local users? (Specify the full name of the file, including path.)

A.

Answer: /etc/shadow

NEW QUESTION 96

CORRECT TEXT

The system's timezone may be set by linking /etc/localtime to an appropriate file in which directory? (Provide the full path to the directory, without any country information)

A.

Answer: /usr/share/zoneinfo/

NEW QUESTION 100

Which of the following SQL queries counts the number of occurrences for each value of the field order_type in the table orders?

- A. SELECT order_type,COUNT(*) FROM orders WHERE order_type=order_type;
- B. SELECT order_type,COUNT(*) FROM orders GROUP BY order_type;
- C. COUNT(SELECT order_type FROM orders);
- D. SELECT COUNT(*) FROM orders ORDER BY order_type;
- E. SELECT AUTO_COUNT FROM orders COUNT order_type;

Answer: B

NEW QUESTION 103

Which of the following is the device file name for the second partition on the only SCSI drive?

- A. /dev/hda1
- B. /dev/sda2
- C. /dev/sd0a2
- D. /dev/sd1p2

Answer: B

NEW QUESTION 106

Which of the following characters can be combined with a separator string in order to read from the current input source until the separator string, which is on a separate line and without any trailing spaces, is reached?

- A. <<
- B. <|
- C. !<
- D. &<

Answer: A

NEW QUESTION 110

Which of the following are syslog facilities? (Choose TWO correct answers.)

- A. local7
- B. mail
- C. advanced
- D. postmaster
- E. remote

Answer: AB

NEW QUESTION 111

Which of the following steps prevents a user from obtaining an interactive login session?

- A. Run the command `chsh -s /bin/false` with the user name.
- B. Set the UID for the user to 0.
- C. Remove the user from the group staff.
- D. Add the user to `/etc/noaccess`.
- E. Create a `.nologin` file in the user's home directory.

Answer: A

NEW QUESTION 112

Which of the following commands lists all currently installed packages when using RPM package management?

- A. `yum --query --all`
- B. `yum --list --installed`
- C. `rpm --query --all`
- D. `rpm --list --installed`

Answer: C

NEW QUESTION 114

Which of the following commands kills the process with the PID 123 but allows the process to "clean up" before exiting?

- A. `kill -PIPE 123`
- B. `kill -KILL 123`
- C. `kill -STOP 123`
- D. `kill -TERM 123`

Answer: D

NEW QUESTION 115

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed
- D. bar would still exist but would be unusable.
- E. Both foo and bar would remain accessible.
- F. The user is prompted whether bar should be removed, too.

Answer: B

NEW QUESTION 119

Which of the following command sequences overwrites the file `foobar.txt`?

- A. `echo "QUIDQUIDAGIS" >> foobar.txt`
- B. `echo "QUIDQUIDAGIS" < foobar.txt`
- C. `echo "QUIDQUIDAGIS" > foobar.txt`
- D. `echo "QUIDQUIDAGIS" | foobar.txt`

Answer: :C

NEW QUESTION 124

Which of the following commands updates the linker cache of shared libraries?

- A. `mkcache`
- B. `soconfig`
- C. `mkldconfig`
- D. `lddconfig`
- E. `ldconfig`

Answer: E

NEW QUESTION 128

How many fields are in a syntactically correct line of /etc/fstab?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 7

Answer: D

NEW QUESTION 129

In the vi editor, how can commands such as moving the cursor or copying lines into the buffer be issued multiple times or applied to multiple rows?

- A. By using the command :repeat followed by the number and the command.
- B. By specifying the number right in front of a command such as 4l or 2yj.
- C. By selecting all affected lines using the shift and cursor keys before applying the command.
- D. By issuing a command such as :set repetition=4 which repeats every subsequent command 4 times.

Answer: B

NEW QUESTION 131

What is true regarding a default route?

- A. The default route is always used first.
- B. When the default route is not available more specific routes are tried.
- C. When a default route is set, all other routes are disabled until the default route is deleted.
- D. The default route is only used if there is not a more specific route to a destination host or network.
- E. Without a default route, no network communication even in directly attached networks is possible.

Answer: C

NEW QUESTION 132

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

LFCS Practice Exam Features:

- * LFCS Questions and Answers Updated Frequently
- * LFCS Practice Questions Verified by Expert Senior Certified Staff
- * LFCS Most Realistic Questions that Guarantee you a Pass on Your First Try
- * LFCS Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The LFCS Practice Test Here](#)