

300-715 Dumps


Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



NEW QUESTION 1**DRAG DROP**

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html

NEW QUESTION 2

What is a requirement for Feed Service to work?

- A. TCP port 8080 must be opened between Cisco ISE and the feed server.
- B. Cisco ISE has access to an internal server to download feed update.
- C. Cisco ISE has a base license.
- D. Cisco ISE has Internet access to download feed update.

Answer: B

NEW QUESTION 3

Which two fields are available when creating an endpoint on the context visibility page of Cisco ISE? (Choose two.)

- A. Security Group Tag
- B. Endpoint Family
- C. Policy Assignment
- D. Identity Group Assignment
- E. IP Address

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010101.html

NEW QUESTION 4

What must be configured on the Cisco ISE authentication policy for unknown MAC addresses/identities for successful authentication?

- A. continue
- B. pass
- C. drop
- D. reject

Answer: A

NEW QUESTION 5

What are two requirements of generating a single certificate in Cisco ISE by using a certificate provisioning portal, without generating a certificate signing request? (Choose two.)

- A. Enter the IP address of the device.
- B. Enter the common name.
- C. Choose the hashing method.
- D. Locate the CSV file for the device MAC.
- E. Select the certificate template.

Answer: BE

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/identity-services-engine/200534-ISE-2-0-Certificate-Provisioning-Portal.html>

NEW QUESTION 6

What gives Cisco ISE an option to scan endpoints for vulnerabilities?

- A. authentication policy
- B. authorization profile
- C. authentication profile
- D. authorization policy

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010100.html

NEW QUESTION 7

Which two values are compared by the binary comparison function in authentication that is based on Active Directory?

- A. user-presented certificate and a certificate stored in Active Directory
- B. MS-CHAPv2 provided machine credentials and credentials stored in Active Directory
- C. user-presented password hash and a hash stored in Active Directory
- D. subject alternative name and the common name

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b_ISE-ADIntegration.html

NEW QUESTION 8

A network administrator has just added a front desk receptionist account to the Cisco ISE Guest Service sponsor group. Using the Cisco ISE Guest Sponsor Portal, which guest services can the receptionist provide?

- A. Keep track of guest user activities.
- B. Create and manage guest user accounts.
- C. Configure authorization settings for guest users.
- D. Authenticate guest users to Cisco ISE.

Answer: B

NEW QUESTION 9

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

Answer: AE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html

NEW QUESTION 10

What is a valid guest portal type?

- A. Sponsor
- B. Sponsored-Guest
- C. Captive-Guest
- D. My Devices

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_01111.html

NEW QUESTION 10

What is the purpose of the ip http server command on a switch?

- A. It enables the https server for users for web authentication.
- B. It enables dot1x authentication on the switch.
- C. It enables MAB authentication on the switch.
- D. It enables the switch to redirect users for web authentication.

Answer: C

NEW QUESTION 14

What is the minimum certainty factor when creating a profiler policy?

- A. the minimum number that a predefined condition provides
- B. the maximum number that a predefined condition provides
- C. the minimum number that a device certainty factor must reach to become a member of the profile
- D. the maximum number that a device certainty factor must reach to become a member of the profile

Answer: C

NEW QUESTION 15

Which profiling probe collects the user-agent string?

- A. DHCP
- B. HTTP
- C. NMAP
- D. AD

Answer: B

NEW QUESTION 16

What service can be enabled on the Cisco ISE node to identify the types of devices connecting to a network?

- A. profiling
- B. central web authentication
- C. MAB
- D. posture

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 17

Which two probes must be enabled for the ARP cache to function in the Cisco ISE profiling service so that a user can reliably bind the IP addresses and MAC addresses of endpoints? (Choose two.)

- A. SNMP
- B. HTTP
- C. RADIUS
- D. DHCP
- E. NetFlow

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 20

Which two events trigger a CoA for an endpoint when CoA is enabled globally for ReAuth? (Choose two.)

- A. addition of endpoint to My Devices Portal
- B. endpoint marked as lost in My Devices Portal
- C. updating of endpoint dACL
- D. endpoint profile transition from Apple-device to Apple-iPhone
- E. endpoint profile transition from Unknown to Windows10-Workstation

Answer: DE

NEW QUESTION 21

Which two ports do network devices typically use for CoA? (Choose two.)

- A. 19005
- B. 443
- C. 3799
- D. 8080
- E. 1700

Answer: CE

Explanation:

Reference: [https://documentation.meraki.com/MR/Encryption_and_Authentication/Change_of_Authorization_with_RADIUS_\(CoA\)_on_MR_Access_Points](https://documentation.meraki.com/MR/Encryption_and_Authentication/Change_of_Authorization_with_RADIUS_(CoA)_on_MR_Access_Points)

NEW QUESTION 23

Which three default endpoint identity groups does Cisco ISE create? (Choose three.)

- A. endpoint
- B. unknown
- C. blacklist
- D. profiled
- E. whitelist

Answer: BCD

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html#wp1203054

NEW QUESTION 28

Which two endpoint compliance statuses are possible? (Choose two.)

- A. compliant
- B. valid
- C. unknown
- D. known
- E. invalid

Answer: AC

NEW QUESTION 31

Which Cisco ISE service allows an engineer to check the compliance of endpoints before connecting to the network?

- A. qualys
- B. posture
- C. personas
- D. nexpose

Answer: B

NEW QUESTION 32

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

Answer: BE

NEW QUESTION 36

Which two task types are included in the Cisco ISE common tasks support for TACACS+ profiles? (Choose two.)

- A. ASA
- B. Firepower
- C. Shell
- D. WLC
- E. IOS

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2--1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_0100010.html

NEW QUESTION 38

Which are two characteristics of TACACS+? (Choose two.)

- A. It separates authorization and authentication functions.
- B. It combines authorization and authentication functions.
- C. It uses UDP port 49.
- D. It encrypts the password only.
- E. It uses TCP port 49.

Answer: AE

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/remote-authentication-dial-user-service-radius/13838-10.html>

NEW QUESTION 43

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting

- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf

NEW QUESTION 48

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-715 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-715-dumps.html>