

Exam Questions CISM

Certified Information Security Manager

<https://www.2passeasy.com/dumps/CISM/>



NEW QUESTION 1

When an organization is implementing an information security governance program, its board of directors should be responsible for:

- A. drafting information security policies
- B. reviewing training and awareness program
- C. setting the strategic direction of the program
- D. auditing for compliance

Answer: C

Explanation:

A board of directors should establish the strategic direction of the program to ensure that it is in sync with the company's vision and business goals. The board must incorporate the governance program into the overall corporate business strategy. Drafting information security policies is best fulfilled by someone such as a security manager with the expertise to bring balance, scope and focus to the policies. Reviewing training and awareness programs may best be handled by security management and training staff to ensure that the training is on point and follows best practices. Auditing for compliance is best left to the internal and external auditors to provide an objective review of the program and how it meets regulatory and statutory compliance.

NEW QUESTION 2

An outcome of effective security governance is:

- A. business dependency assessment
- B. strategic alignment
- C. risk assessment
- D. planning

Answer: B

Explanation:

Business dependency assessment is a process of determining the dependency of a business on certain information resources. It is not an outcome or a product of effective security management. Strategic alignment is an outcome of effective security governance. Where there is good governance, there is likely to be strategic alignment. Risk assessment is not an outcome of effective security governance; it is a process. Planning comes at the beginning of effective security governance, and is not an outcome but a process.

NEW QUESTION 3

Who is responsible for ensuring that information is categorized and that specific protective measures are taken?

- A. The security officer
- B. Senior management
- C. The end user
- D. The custodian

Answer: B

Explanation:

Routine administration of all aspects of security is delegated, but top management must retain overall responsibility. The security officer supports and implements information security for senior management. The end user does not perform categorization. The custodian supports and implements information security measures as directed.

NEW QUESTION 4

Investments in information security technologies should be based on:

- A. vulnerability assessment
- B. value analysis
- C. business climate
- D. audit recommendation

Answer: B

Explanation:

Investments in security technologies should be based on a value analysis and a sound business case. Demonstrated value takes precedence over the current business climate because it is ever changing. Basing decisions on audit recommendations would be reactive in nature and might not address the key business needs comprehensively. Vulnerability assessments are useful, but they do not determine whether the cost is justified.

NEW QUESTION 5

An IS manager has decided to implement a security system to monitor access to the Internet and prevent access to numerous sites. Immediately upon installation, employees flood the IT helpdesk with complaints of being unable to perform business functions on Internet sites. This is an example of:

- A. conflicting security controls with organizational need
- B. strong protection of information resource
- C. implementing appropriate controls to reduce risk
- D. proving information security's protective abilities

Answer:

A

Explanation:

The needs of the organization were not taken into account, so there is a conflict. This example is not strong protection, it is poorly configured. Implementing appropriate controls to reduce risk is not an appropriate control as it is being used. This does not prove the ability to protect, but proves the ability to interfere with business.

NEW QUESTION 6

A new regulation for safeguarding information processed by a specific type of transaction has come to the attention of an information security officer. The officer should FIRST:

- A. meet with stakeholders to decide how to compl
- B. analyze key risks in the compliance proces
- C. assess whether existing controls meet the regulatio
- D. update the existing security/privacy polic

Answer: C

Explanation:

If the organization is in compliance through existing controls, the need to perform other work related to the regulation is not a priority. The other choices are appropriate and important; however, they are actions that are subsequent and will depend on whether there is an existing control gap.

NEW QUESTION 7

The chief information security officer (CISO) should ideally have a direct reporting relationship to the:

- A. head of internal audi
- B. chief operations officer (COO).
- C. chief technology officer (CTO).
- D. legal counse

Answer: B

Explanation:

The chief information security officer (CISO) should ideally report to as high a level within the organization as possible. Among the choices given, the chief operations officer (COO) would have not only the appropriate level but also the knowledge of day-to-day operations. The head of internal audit and legal counsel would make good secondary choices, although they would not be as knowledgeable of the operations. Reporting to the chief technology officer (CTO) could become problematic as the CTO's goals for the infrastructure might, at times, run counter to the goals of information security.

NEW QUESTION 8

Which of the following is the MOST important factor when designing information security architecture?

- A. Technical platform interfaces
- B. Scalability of the network
- C. Development methodologies
- D. Stakeholder requirements

Answer: D

Explanation:

The most important factor for information security is that it advances the interests of the business, as defined by stakeholder requirements. Interoperability and scalability, as well as development methodologies, are all important but are without merit if a technologically-elegant solution is achieved that does not meet the needs of the business.

NEW QUESTION 9

Which of the following is the MOST important to keep in mind when assessing the value of information?

- A. The potential financial loss
- B. The cost of recreating the information
- C. The cost of insurance coverage
- D. Regulatory requirement

Answer: A

Explanation:

The potential for financial loss is always a key factor when assessing the value of information. Choices B, C and D may be contributors, but not the key factor.

NEW QUESTION 10

The MOST complete business case for security solutions is one that.

- A. includes appropriate justificatio
- B. explains the current risk profil
- C. details regulatory requirement

D. identifies incidents and losses

Answer: A

Explanation:

Management is primarily interested in security solutions that can address risks in the most cost-effective way. To address the needs of an organization, a business case should address appropriate security solutions in line with the organizational strategy.

NEW QUESTION 10

What would a security manager PRIMARILY utilize when proposing the implementation of a security solution?

- A. Risk assessment report
- B. Technical evaluation report
- C. Business case
- D. Budgetary requirements

Answer: C

Explanation:

The information security manager needs to prioritize the controls based on risk management and the requirements of the organization. The information security manager must look at the costs of the various controls and compare them against the benefit the organization will receive from the security solution. The information security manager needs to have knowledge of the development of business cases to illustrate the costs and benefits of the various controls. All other choices are supplemental.

NEW QUESTION 11

Investment in security technology and processes should be based on:

- A. clear alignment with the goals and objectives of the organization
- B. success cases that have been experienced in previous projects
- C. best business practice
- D. safeguards that are inherent in existing technology

Answer: A

Explanation:

Organization maturity level for the protection of information is a clear alignment with goals and objectives of the organization. Experience in previous projects is dependent upon other business models which may not be applicable to the current model. Best business practices may not be applicable to the organization's business needs. Safeguards inherent to existing technology are low cost but may not address all business needs and/or goals of the organization.

NEW QUESTION 16

Which of the following would help to change an organization's security culture?

- A. Develop procedures to enforce the information security policy
- B. Obtain strong management support
- C. Implement strict technical security controls
- D. Periodically audit compliance with the information security policy

Answer: B

Explanation:

Management support and pressure will help to change an organization's culture. Procedures will support an information security policy, but cannot change the culture of the organization. Technical controls will provide more security to an information system and staff; however, this does not mean the culture will be changed. Auditing will help to ensure the effectiveness of the information security policy; however, auditing is not effective in changing the culture of the company.

NEW QUESTION 21

Which of the following is the MOST important information to include in an information security standard?

- A. Creation date
- B. Author name
- C. Initial draft approval date
- D. Last review date

Answer: D

Explanation:

The last review date confirms the currency of the standard, affirming that management has reviewed the standard to assure that nothing in the environment has changed that would necessitate an update to the standard. The name of the author as well as the creation and draft dates are not that important.

NEW QUESTION 25

From an information security perspective, information that no longer supports the main purpose of the business should be:

- A. analyzed under the retention policy

- B. protected under the information classification polic
- C. analyzed under the backup polic
- D. protected under the business impact analysis (BIA).

Answer: A

Explanation:

Option A is the type of analysis that will determine whether the organization is required to maintain the data for business, legal or regulatory reasons. Keeping data that are no longer required unnecessarily consumes resources, and, in the case of sensitive personal information, can increase the risk of data compromise. Options B, C and D are attributes that should be considered in the destruction and retention policy. A BIA could help determine that this information does not support the main objective of the business, but does not indicate the action to take.

NEW QUESTION 30

Which of the following is characteristic of centralized information security management?

- A. More expensive to administer
- B. Better adherence to policies
- C. More aligned with business unit needs
- D. Faster turnaround of requests

Answer: B

Explanation:

Centralization of information security management results in greater uniformity and better adherence to security policies. It is generally less expensive to administer due to the economics of scale. However, turnaround can be slower due to the lack of alignment with business units.

NEW QUESTION 31

A risk assessment and business impact analysis (BIA) have been completed for a major proposed purchase and new process for an organization. There is disagreement between the information security manager and the business department manager who will own the process regarding the results and the assigned risk. Which of the following would be the BEST approach of the information security manager?

- A. Acceptance of the business manager's decision on the risk to the corporation
- B. Acceptance of the information security manager's decision on the risk to the corporation
- C. Review of the assessment with executive management for final input
- D. A new risk assessment and BIA are needed to resolve the disagreement

Answer: C

Explanation:

Executive management must be supportive of the process and fully understand and agree with the results since risk management decisions can often have a large financial impact and require major changes. Risk management means different things to different people, depending upon their role in the organization, so the input of executive management is important to the process.

NEW QUESTION 33

The MOST basic requirement for an information security governance program is to:

- A. be aligned with the corporate business strateg
- B. be based on a sound risk management approac
- C. provide adequate regulatory complianc
- D. provide best practices for security- initiative

Answer: A

Explanation:

To receive senior management support, an information security program should be aligned with the corporate business strategy. Risk management is a requirement of an information security program which should take into consideration the business strategy. Security governance is much broader than just regulatory compliance. Best practice is an operational concern and does not have a direct impact on a governance program.

NEW QUESTION 36

The organization has decided to outsource the majority of the IT department with a vendor that is hosting servers in a foreign country. Of the following, which is the MOST critical security consideration?

- A. Laws and regulations of the country of origin may not be enforceable in the foreign countr
- B. A security breach notification might get delayed due to the time differenc
- C. Additional network intrusion detection sensors should be installed, resulting in an additional cos
- D. The company could lose physical control over the server and be unable to monitor the physical security posture of the server

Answer: A

Explanation:

A company is held to the local laws and regulations of the country in which the company resides, even if the company decides to place servers with a vendor that hosts the servers in a foreign country. A potential violation of local laws applicable to the company might not be recognized or rectified (i.e., prosecuted) due to the lack of knowledge of the local laws that are applicable and the inability to enforce the laws. Option B is not a problem. Time difference does not play a role in a

24/7 environment. Pagers, cellular phones, telephones, etc. are usually available to communicate notifications. Option C is a manageable problem that requires additional funding, but can be addressed. Option D is a problem that can be addressed. Most hosting providers have standardized the level of physical security that is in place. Regular physical audits or a SAS 70 report can address such concerns.

NEW QUESTION 40

Acceptable levels of information security risk should be determined by:

- A. legal counse
- B. security managemen
- C. external auditor
- D. die steering committe

Answer: D

Explanation:

Senior management, represented in the steering committee, has ultimate responsibility for determining what levels of risk the organization is willing to assume. Legal counsel, the external auditors and security management are not in a position to make such a decision.

NEW QUESTION 43

While implementing information security governance an organization should FIRST:

- A. adopt security standard
- B. determine security baseline
- C. define the security strateg
- D. establish security policie

Answer: C

Explanation:

The first step in implementing information security governance is to define the security strategy based on which security baselines are determined. Adopting suitable security-standards, performing risk assessment and implementing security policy are steps that follow the definition of the security strategy.

NEW QUESTION 45

Obtaining senior management support for establishing a warm site can BEST be accomplished by:

- A. establishing a periodic risk assessmen
- B. promoting regulatory requirement
- C. developing a business cas
- D. developing effective metric

Answer: C

Explanation:

Business case development, including a cost-benefit analysis, will be most persuasive to management. A risk assessment may be included in the business ease, but by itself will not be as effective in gaining management support. Informing management of regulatory requirements may help gain support for initiatives, but given that more than half of all organizations are not in compliance with regulations, it is unlikely to be sufficient in many cases. Good metrics which provide assurance that initiatives are meeting organizational goals will also be useful, but are insufficient in gaining management support.

NEW QUESTION 46

A security manager is preparing a report to obtain the commitment of executive management to a security program. Inclusion of which of the following would be of MOST value?

- A. Examples of genuine incidents at similar organizations
- B. Statement of generally accepted best practices
- C. Associating realistic threats to corporate objectives
- D. Analysis of current technological exposures

Answer: C

Explanation:

Linking realistic threats to key business objectives will direct executive attention to them. All other options are supportive but not of as great a value as choice C when trying to obtain the funds for a new program.

NEW QUESTION 50

Data owners must provide a safe and secure environment to ensure confidentiality, integrity and availability of the transaction. This is an example of an information security:

- A. baselin
- B. strateg
- C. procedur
- D. polic

Answer: D

Explanation:

A policy is a high-level statement of an organization's beliefs, goals, roles and objectives. Baselines assume a minimum security level throughout an organization. The information security strategy aligns the information security program with business objectives rather than making control statements. A procedure is a step-by-step process of how policy and standards will be implemented.

NEW QUESTION 51

In order to highlight to management the importance of network security, the security manager should FIRST:

- A. develop a security architecture
- B. install a network intrusion detection system (NIDS) and prepare a list of attack
- C. develop a network security policy
- D. conduct a risk assessment

Answer: D

Explanation:

A risk assessment would be most helpful to management in understanding at a very high level the threats, probabilities and existing controls. Developing a security architecture, installing a network intrusion detection system (NIDS) and preparing a list of attacks on the network and developing a network security policy would not be as effective in highlighting the importance to management and would follow only after performing a risk assessment.

NEW QUESTION 53

An information security strategy document that includes specific links to an organization's business activities is PRIMARILY an indicator of:

- A. performance measurement
- B. integration
- C. alignment
- D. value delivery

Answer: C

Explanation:

Strategic alignment of security with business objectives is a key indicator of performance measurement. In guiding a security program, a meaningful performance measurement will also rely on an understanding of business objectives, which will be an outcome of alignment. Business linkages do not by themselves indicate integration or value delivery. While alignment is an important precondition, it is not as important an indicator.

NEW QUESTION 58

To achieve effective strategic alignment of security initiatives, it is important that:

- A. Steering committee leadership be selected by rotation
- B. Inputs be obtained and consensus achieved between the major organizational unit
- C. The business strategy be updated periodically
- D. Procedures and standards be approved by all departmental heads

Answer: B

Explanation:

It is important to achieve consensus on risks and controls, and obtain inputs from various organizational entities since security needs to be aligned to the needs of the organization. Rotation of steering committee leadership does not help in achieving strategic alignment. Updating business strategy does not lead to strategic alignment of security initiatives. Procedures and standards need not be approved by all departmental heads.

NEW QUESTION 62

An organization's board of directors has learned of recent legislation requiring organizations within the industry to enact specific safeguards to protect confidential customer information. What actions should the board take next?

- A. Direct information security on what they need to do
- B. Research solutions to determine the proper solutions
- C. Require management to report on compliance
- D. Nothing; information security does not report to the board

Answer: C

Explanation:

Information security governance is the responsibility of the board of directors and executive management. In this instance, the appropriate action is to ensure that a plan is in place for implementation of needed safeguards and to require updates on that implementation.

NEW QUESTION 66

What is the MAIN risk when there is no user management representation on the Information Security Steering Committee?

- A. Functional requirements are not adequately considered
- B. User training programs may be inadequate
- C. Budgets allocated to business units are not appropriate
- D. Information security plans are not aligned with business requirements

Answer: D

Explanation:

The steering committee controls the execution of the information security strategy, according to the needs of the organization, and decides on the project prioritization and the execution plan. User management is an important group that should be represented to ensure that the information security plans are aligned with the business needs. Functional requirements and user training programs are considered to be part of the projects but are not the main risks. The steering committee does not approve budgets for business units.

NEW QUESTION 71

Logging is an example of which type of defense against systems compromise?

- A. Containment
- B. Detection
- C. Reaction
- D. Recovery

Answer: B

Explanation:

Detection defenses include logging as well as monitoring, measuring, auditing, detecting viruses and intrusion. Examples of containment defenses are awareness, training and physical security defenses. Examples of reaction defenses are incident response, policy and procedure change, and control enhancement. Examples of recovery defenses are backups and restorations, failover and remote sites, and business continuity plans and disaster recovery plans.

NEW QUESTION 73

Which of the following represents the MAJOR focus of privacy regulations?

- A. Unrestricted data mining
- B. Identity theft
- C. Human rights protection
- D. Identifiable personal data

Answer: D

Explanation:

Protection of identifiable personal data is the major focus of recent privacy regulations such as the Health Insurance Portability and Accountability Act (HIPAA). Data mining is an accepted tool for ad hoc reporting; it could pose a threat to privacy only if it violates regulator's provisions. Identity theft is a potential consequence of privacy violations but not the main focus of many regulations. Human rights addresses privacy issues but is not the main focus of regulations.

NEW QUESTION 78

Which of the following situations would MOST inhibit the effective implementation of security governance:

- A. The complexity of technology
- B. Budgetary constraints
- C. Conflicting business priorities
- D. High-level sponsorship

Answer: D

Explanation:

The need for senior management involvement and support is a key success factor for the implementation of appropriate security governance. Complexity of technology, budgetary constraints and conflicting business priorities are realities that should be factored into the governance model of the organization, and should not be regarded as inhibitors.

NEW QUESTION 82

Which of the following should be included in an annual information security budget that is submitted for management approval?

- A. A cost-benefit analysis of budgeted resources
- B. All of the resources that are recommended by the business
- C. Total cost of ownership (TC'O)
- D. Baseline comparisons

Answer: A

Explanation:

A brief explanation of the benefit of expenditures in the budget helps to convey the context of how the purchases that are being requested meet goals and objectives, which in turn helps build credibility for the information security function or program. Explanations of benefits also help engage senior management in the support of the information security program. While the budget should consider all inputs and recommendations that are received from the business, the budget that is ultimately submitted to management for approval should include only those elements that are intended for purchase. TC'O may be requested by management and may be provided in an addendum to a given purchase request, but is not usually included in an annual budget. Baseline comparisons (cost comparisons with other companies or industries) may be useful in developing a budget or providing justification in an internal review for an individual purchase, but would not be included with a request for budget approval.

NEW QUESTION 86

Information security should be:

- A. focused on eliminating all risk
- B. a balance between technical and business requirement
- C. driven by regulatory requirement
- D. defined by the board of director

Answer: B

Explanation:

Information security should ensure that business objectives are met given available technical capabilities, resource constraints and compliance requirements. It is not practical or feasible to eliminate all risks. Regulatory requirements must be considered, but are inputs to the business considerations. The board of directors does not define information security, but provides direction in support of the business goals and objectives.

NEW QUESTION 91

Temporarily deactivating some monitoring processes, even if supported by an acceptance of operational risk, may not be acceptable to the information security manager if:

- A. it implies compliance risk
- B. short-term impact cannot be determine
- C. it violates industry security practice
- D. changes in the roles matrix cannot be detecte

Answer: A

Explanation:

Monitoring processes are also required to guarantee fulfillment of laws and regulations of the organization and, therefore, the information security manager will be obligated to comply with the law. Choices B and C are evaluated as part of the operational risk. Choice D is unlikely to be as critical a breach of regulatory legislation. The acceptance of operational risks overrides choices B, C and D.

NEW QUESTION 93

Which of the following requirements would have the lowest level of priority in information security?

- A. Technical
- B. Regulatory
- C. Privacy
- D. Business

Answer: A

Explanation:

Information security priorities may, at times, override technical specifications, which then must be rewritten to conform to minimum security standards. Regulatory and privacy requirements are government-mandated and, therefore, not subject to override. The needs of the business should always take precedence in deciding information security priorities.

NEW QUESTION 95

Which of the following would be the BEST option to improve accountability for a system administrator who has security functions?

- A. Include security responsibilities in the job description
- B. Require the administrator to obtain security certification
- C. Train the system administrator on penetration testing and vulnerability assessment
- D. Train the system administrator on risk assessment

Answer: A

Explanation:

The first step to improve accountability is to include security responsibilities in a job description. This documents what is expected and approved by the organization. The other choices are methods to ensure that the system administrator has the training to fulfill the responsibilities included in the job description.

NEW QUESTION 97

Which of the following roles would represent a conflict of interest for an information security manager?

- A. Evaluation of third parties requesting connectivity
- B. Assessment of the adequacy of disaster recovery plans
- C. Final approval of information security policies
- D. Monitoring adherence to physical security controls

Answer: C

Explanation:

Since management is ultimately responsible for information security, it should approve information security policy statements; the information security manager should not have final approval. Evaluation of third parties requesting access, assessment of disaster recovery plans and monitoring of compliance with physical

security controls are acceptable practices and do not present any conflicts of interest.

NEW QUESTION 99

Who should drive the risk analysis for an organization?

- A. Senior management
- B. Security manager
- C. Quality manager
- D. Legal department

Answer: B

Explanation:

Although senior management should support and sponsor a risk analysis, the know-how and the management of the project will be with the security department. Quality management and the legal department will contribute to the project.

NEW QUESTION 102

Which of the following would be MOST useful in developing a series of recovery time objectives (RTOs)?

- A. Gap analysis
- B. Regression analysis
- C. Risk analysis
- D. Business impact analysis

Answer: D

Explanation:

Recovery time objectives (RTOs) are a primary deliverable of a business impact analysis. RTOs relate to the financial impact of a system not being available. A gap analysis is useful in addressing the differences between the current state and an ideal future state. Regression analysis is used to test changes to program modules. Risk analysis is a component of the business impact analysis.

NEW QUESTION 107

Which of the following would a security manager establish to determine the target for restoration of normal processing?

- A. Recover)' time objective (RTO)
- B. Maximum tolerable outage (MTO)
- C. Recovery point objectives (RPOs)
- D. Services delivery objectives (SDOs)

Answer: A

Explanation:

Recovery time objective (RTO) is the length of time from the moment of an interruption until the time the process must be functioning at a service level sufficient to limit financial and operational impacts to an acceptable level. Maximum tolerable outage (MTO) is the maximum time for which an organization can operate in a reduced mode. Recovery point objectives (RPOs) relate to the age of the data required for recovery. Services delivery objectives (SDOs) are the levels of service required in reduced mode.

NEW QUESTION 111

An organization has to comply with recently published industry regulatory requirements—compliance that potentially has high implementation costs. What should the information security manager do FIRST?

- A. Implement a security committee
- B. Perform a gap analysis
- C. Implement compensating control
- D. Demand immediate compliance

Answer: B

Explanation:

Since they are regulatory requirements, a gap analysis would be the first step to determine the level of compliance already in place. Implementing a security committee or compensating controls would not be the first step. Demanding immediate compliance would not assess the situation.

NEW QUESTION 113

All risk management activities are PRIMARILY designed to reduce impacts to:

- A. a level defined by the security manager
- B. an acceptable level based on organizational risk tolerance
- C. a minimum level consistent with regulatory requirement
- D. the minimum level possible

Answer: B

Explanation:

The aim of risk management is to reduce impacts to an acceptable level. "Acceptable" or "reasonable" are relative terms that can vary based on environment and circumstances. A minimum level that is consistent with regulatory requirements may not be consistent with business objectives, and regulators typically do not assign risk levels. The minimum level possible may not be aligned with business requirements.

NEW QUESTION 116

The MOST effective use of a risk register is to:

- A. identify risks and assign roles and responsibilities for mitigation
- B. identify threats and probabilities
- C. facilitate a thorough review of all IT-related risks on a periodic basis
- D. record the annualized financial amount of expected losses due to risk

Answer: C

Explanation:

A risk register is more than a simple list—it should be used as a tool to ensure comprehensive documentation, periodic review and formal update of all risk elements in the enterprise's IT and related organization. Identifying risks and assigning roles and responsibilities for mitigation are elements of the register. Identifying threats and probabilities are two elements that are defined in the risk matrix, as differentiated from the broader scope of content in, and purpose for, the risk register. While the annualized loss expectancy (ALE) should be included in the register, this quantification is only a single element in the overall risk analysis program.

NEW QUESTION 119

Ongoing tracking of remediation efforts to mitigate identified risks can BEST be accomplished through the use of which of the following?

- A. Tree diagrams
- B. Venn diagrams
- C. Heat charts
- D. Bar charts

Answer: C

Explanation:

Heat charts, sometimes referred to as stoplight charts, quickly and clearly show the current status of remediation efforts. Venn diagrams show the connection between sets; tree diagrams are useful for decision analysis; and bar charts show relative size.

NEW QUESTION 120

Previously accepted risk should be:

- A. re-assessed periodically since the risk can be escalated to an unacceptable level due to revised condition
- B. accepted permanently since management has already spent resources (time and labor) to conclude that the risk level is acceptable
- C. avoided next time since risk avoidance provides the best protection to the company
- D. removed from the risk log once it is accepted

Answer: A

Explanation:

Acceptance of risk should be regularly reviewed to ensure that the rationale for the initial risk acceptance is still valid within the current business context. The rationale for initial risk acceptance may no longer be valid due to change(s) and, hence, risk cannot be accepted permanently. Risk is an inherent part of business and it is impractical and costly to eliminate all risk. Even risks that have been accepted should be monitored for changing conditions that could alter the original decision.

NEW QUESTION 122

Phishing is BEST mitigated by which of the following?

- A. Security monitoring software
- B. Encryption
- C. Two-factor authentication
- D. User awareness

Answer: D

Explanation:

Phishing can best be detected by the user. It can be mitigated by appropriate user awareness. Security monitoring software would provide some protection, but would not be as effective as user awareness. Encryption and two-factor authentication would not mitigate this threat.

NEW QUESTION 126

Which of the following is the PRIMARY prerequisite to implementing data classification within an organization?

- A. Defining job roles
- B. Performing a risk assessment
- C. Identifying data owners
- D. Establishing data retention policies

Answer: C

Explanation:

Identifying the data owners is the first step, and is essential to implementing data classification. Defining job roles is not relevant. Performing a risk assessment is important, but will require the participation of data owners (who must first be identified). Establishing data retention policies may occur after data have been classified.

NEW QUESTION 131

Which program element should be implemented FIRST in asset classification and control?

- A. Risk assessment
- B. Classification
- C. Valuation
- D. Risk mitigation

Answer: C

Explanation:

Valuation is performed first to identify and understand the assets needing protection. Risk assessment is performed to identify and quantify threats to information assets that are selected by the first step, valuation. Classification and risk mitigation are steps following valuation.

NEW QUESTION 132

Which of the following would be the MOST relevant factor when defining the information classification policy?

- A. Quantity of information
- B. Available IT infrastructure
- C. Benchmarking
- D. Requirements of data owners

Answer: D

Explanation:

When defining the information classification policy, the requirements of the data owners need to be identified. The quantity of information, availability of IT infrastructure and benchmarking may be part of the scheme after the fact and would be less relevant.

NEW QUESTION 135

Which of the following is the PRIMARY reason for implementing a risk management program?

- A. Allows the organization to eliminate risk
- B. Is a necessary part of management's due diligence
- C. Satisfies audit and regulatory requirements
- D. Assists in incrementing the return on investment (ROI)

Answer: B

Explanation:

The key reason for performing risk management is that it is part of management's due diligence. The elimination of all risk is not possible. Satisfying audit and regulatory requirements is of secondary importance. A risk management program may or may not increase the return on investment (ROI).

NEW QUESTION 138

The MOST important function of a risk management program is to:

- A. quantify overall risk
- B. minimize residual risk
- C. eliminate inherent risk
- D. maximize the sum of all annualized loss expectancies (ALEs).

Answer: B

Explanation:

A risk management program should minimize the amount of risk that cannot be otherwise eliminated or transferred; this is the residual risk to the organization. Quantifying overall risk is important but not as critical as the end result. Eliminating inherent risk is virtually impossible. Maximizing the sum of all ALEs is actually the opposite of what is desirable.

NEW QUESTION 143

Who would be in the BEST position to determine the recovery point objective (RPO) for business applications?

- A. Business continuity coordinator
- B. Chief operations officer (COO)
- C. Information security manager
- D. Internal audit

Answer: B

Explanation:

The recovery point objective (RPO) is the processing checkpoint to which systems are recovered. In addition to data owners, the chief operations officer (COO) is the most knowledgeable person to make this decision. It would be inappropriate for the information security manager or an internal audit to determine the RPO because they are not directly responsible for the data or the operation.

NEW QUESTION 145

Which of the following measures would be MOST effective against insider threats to confidential information?

- A. Role-based access control
- B. Audit trail monitoring
- C. Privacy policy
- D. Defense-in-depth

Answer: A

Explanation:

Role-based access control provides access according to business needs; therefore, it reduces unnecessary- access rights and enforces accountability. Audit trail monitoring is a detective control, which is 'after the fact.' Privacy policy is not relevant to this risk. Defense-in-depth primarily focuses on external threats

NEW QUESTION 150

A common concern with poorly written web applications is that they can allow an attacker to:

- A. gain control through a buffer overflo
- B. conduct a distributed denial of service (DoS) attac
- C. abuse a race conditio
- D. inject structured query language (SQL) statement

Answer: D

Explanation:

Structured query language (SQL) injection is one of the most common and dangerous web application vulnerabilities. Buffer overflows and race conditions are very difficult to find and exploit on web applications. Distributed denial of service (DoS) attacks have nothing to do with the quality of a web application.

NEW QUESTION 154

Which of the following are the essential ingredients of a business impact analysis (BIA)?

- A. Downtime tolerance, resources and criticality
- B. Cost of business outages in a year as a factor of the security budget
- C. Business continuity testing methodology being deployed
- D. Structure of the crisis management team

Answer: A

Explanation:

The main purpose of a BIA is to measure the downtime tolerance, associated resources and criticality of a business function. Options B, C and D are all associated with business continuity planning, but are not related to the BIA.

NEW QUESTION 156

What mechanisms are used to identify deficiencies that would provide attackers with an opportunity to compromise a computer system?

- A. Business impact analyses
- B. Security gap analyses
- C. System performance metrics
- D. Incident response processes

Answer: B

Explanation:

A security gap analysis is a process which measures all security controls in place against typically good business practice, and identifies related weaknesses. A business impact analysis is less suited to identify security deficiencies. System performance metrics may indicate security weaknesses, but that is not their primary purpose. Incident response processes exist for cases where security weaknesses are exploited.

NEW QUESTION 158

After a risk assessment, it is determined that the cost to mitigate the risk is much greater than the benefit to be derived. The information security manager should recommend to business management that the risk be:

- A. transferre
- B. treate
- C. accepte
- D. terminate

Answer: C

Explanation:

When the cost of control is more than the cost of the risk, the risk should be accepted. Transferring, treating or terminating the risk is of limited benefit if the cost of that control is more than the cost of the risk itself.

NEW QUESTION 159

It is important to classify and determine relative sensitivity of assets to ensure that:

- A. cost of protection is in proportion to sensitivit
- B. highly sensitive assets are protecte
- C. cost of controls is minimize
- D. countermeasures are proportional to ris

Answer: D

Explanation:

Classification of assets needs to be undertaken to determine sensitivity of assets in terms of risk to the business operation so that proportional countermeasures can be effectively implemented. While higher costs are allowable to protect sensitive assets, and it is always reasonable to minimize the costs of controls, it is most important that the controls and countermeasures are commensurate to the risk since this will justify the costs. Choice B is important but it is an incomplete answer because it does not factor in risk. Therefore, choice D is the most important.

NEW QUESTION 163

The service level agreement (SLA) for an outsourced IT function does not reflect an adequate level of protection. In this situation an information security manager should:

- A. ensure the provider is made liable for losse
- B. recommend not renewing the contract upon expiratio
- C. recommend the immediate termination of the contrac
- D. determine the current level of securit

Answer: D

Explanation:

It is important to ensure that adequate levels of protection are written into service level agreements (SLAs) and other outsourcing contracts. Information must be obtained from providers to determine how that outsource provider is securing information assets prior to making any recommendation or taking any action in order to support management decision making. Choice A is not acceptable in most situations and therefore not a good answer.

NEW QUESTION 167

Which of the following techniques MOST clearly indicates whether specific risk-reduction controls should be implemented?

- A. Countermeasure cost-benefit analysis
- B. Penetration testing
- C. Frequent risk assessment programs
- D. Annual loss expectancy (ALE) calculation

Answer: A

Explanation:

In a countermeasure cost-benefit analysis, the annual cost of safeguards is compared with the expected cost of loss. This can then be used to justify a specific control measure. Penetration testing may indicate the extent of a weakness but, by itself, will not establish the cost/benefit of a control. Frequent risk assessment programs will certainly establish what risk exists but will not determine the maximum cost of controls. Annual loss expectancy (ALE) is a measure which will contribute to the value of the risk but, alone, will not justify a control.

NEW QUESTION 169

An online banking institution is concerned that the breach of customer personal information will have a significant financial impact due to the need to notify and compensate customers whose personal information may have been compromised. The institution determines that residual risk will always be too high and decides to:

- A. mitigate the impact by purchasing insuranc
- B. implement a circuit-level firewall to protect the networ
- C. increase the resiliency of security measures in plac
- D. implement a real-time intrusion detection syste

Answer: A

Explanation:

Since residual risk will always be too high, the only practical solution is to mitigate the financial impact by purchasing insurance.

NEW QUESTION 173

Which of the following attacks is BEST mitigated by utilizing strong passwords?

- A. Man-in-the-middle attack
- B. Brute force attack
- C. Remote buffer overflow
- D. Root kit

Answer: B

Explanation:

A brute force attack is normally successful against weak passwords, whereas strong passwords would not prevent any of the other attacks. Man-in-the-middle attacks intercept network traffic, which could contain passwords, but is not naturally password-protected. Remote buffer overflows rarely require a password to exploit a remote host. Root kits hook into the operating system's kernel and, therefore, operate underneath any authentication mechanism.

NEW QUESTION 176

A security risk assessment exercise should be repeated at regular intervals because:

- A. business threats are constantly changin
- B. omissions in earlier assessments can be addresse
- C. repetitive assessments allow various methodologie
- D. they help raise awareness on security in the busines

Answer: A

Explanation:

As business objectives and methods change, the nature and relevance of threats change as well. Choice B does not, by itself, justify regular reassessment. Choice C is not necessarily true in all cases. Choice D is incorrect because there are better ways of raising security awareness than by performing a risk assessment.

NEW QUESTION 179

For risk management purposes, the value of an asset should be based on:

- A. original cos
- B. net cash flo
- C. net present valu
- D. replacement cos

Answer: D

Explanation:

The value of a physical asset should be based on its replacement cost since this is the amount that would be needed to replace the asset if it were to become damaged or destroyed. Original cost may be significantly different than the current cost of replacing the asset. Net cash flow and net present value do not accurately reflect the true value of the asset.

NEW QUESTION 181

The decision as to whether a risk has been reduced to an acceptable level should be determined by:

- A. organizational requirement
- B. information systems requirement
- C. information security requirement
- D. international standard

Answer: A

Explanation:

Organizational requirements should determine when a risk has been reduced to an acceptable level. Information systems and information security should not make the ultimate determination. Since each organization is unique, international standards of best practice do not represent the best solution.

NEW QUESTION 186

The MOST effective way to incorporate risk management practices into existing production systems is through:

- A. policy developmen
- B. change managemen
- C. awareness trainin
- D. regular monitorin

Answer: B

Explanation:

Change is a process in which new risks can be introduced into business processes and systems. For this reason, risk management should be an integral component of the change management process. Policy development, awareness training and regular monitoring, although all worthwhile activities, are not as effective as change management.

NEW QUESTION 188

Which of the following steps should be performed FIRST in the risk assessment process?

- A. Staff interviews
- B. Threat identification
- C. Asset identification and valuation
- D. Determination of the likelihood of identified risks

Answer: C

Explanation:

The first step in the risk assessment methodology is a system characterization, or identification and valuation, of all of the enterprise's assets to define the boundaries of the assessment. Interviewing is a valuable tool to determine qualitative information about an organization's objectives and tolerance for risk. Interviews are used in subsequent steps. Identification of threats comes later in the process and should not be performed prior to an inventory since many possible threats will not be applicable if there is no asset at risk. Determination of likelihood comes later in the risk assessment process.

NEW QUESTION 192

Which of the following is the MOST important requirement for setting up an information security infrastructure for a new system?

- A. Performing a business impact analysis (BIA)
- B. Considering personal information devices as part of the security policy
- C. Initiating IT security training and familiarization
- D. Basing the information security infrastructure on risk assessment

Answer: D

Explanation:

The information security infrastructure should be based on risk. While considering personal information devices as part of the security policy may be a consideration, it is not the most important requirement. A BIA is typically carried out to prioritize business processes as part of a business continuity plan. Initiating IT security training may not be important for the purpose of the information security infrastructure.

NEW QUESTION 194

The purpose of a corrective control is to:

- A. reduce adverse event
- B. indicate compromise
- C. mitigate impact
- D. ensure compliance

Answer: C

Explanation:

Corrective controls serve to reduce or mitigate impacts, such as providing recovery capabilities. Preventive controls reduce adverse events, such as firewalls. Compromise can be detected by detective controls, such as intrusion detection systems (IDSs). Compliance could be ensured by preventive controls, such as access controls.

NEW QUESTION 195

Information security managers should use risk assessment techniques to:

- A. justify selection of risk mitigation strategies
- B. maximize the return on investment (ROI)
- C. provide documentation for auditors and regulator
- D. quantify risks that would otherwise be subjective

Answer: A

Explanation:

Information security managers should use risk assessment techniques to justify and implement a risk mitigation strategy as efficiently as possible. None of the other choices accomplishes that task, although they are important components.

NEW QUESTION 200

The PRIMARY goal of a corporate risk management program is to ensure that an organization's:

- A. IT assets in key business functions are protected
- B. business risks are addressed by preventive controls
- C. stated objectives are achievable
- D. IT facilities and systems are always available

Answer: C

Explanation:

Risk management's primary goal is to ensure an organization maintains the ability to achieve its objectives. Protecting IT assets is one possible goal as well as ensuring infrastructure and systems availability. However, these should be put in the perspective of achieving an organization's objectives. Preventive controls are not always possible or necessary; risk management will address issues with an appropriate mix of preventive and corrective controls.

NEW QUESTION 203

When performing a risk assessment, the MOST important consideration is that:

- A. management supports risk mitigation effort
- B. annual loss expectations (ALEs) have been calculated for critical asset
- C. assets have been identified and appropriately value
- D. attack motives, means and opportunities be understoo

Answer: C

Explanation:

Identification and valuation of assets provides the basis for risk management efforts as it relates to the criticality and sensitivity of assets. Management support is always important, but is not relevant when determining the proportionality of risk management efforts. ALE calculations are only valid if assets have first been identified and appropriately valued. Motives, means and opportunities should already be factored in as a part of a risk assessment.

NEW QUESTION 208

Quantitative risk analysis is MOST appropriate when assessment data:

- A. include customer perception
- B. contain percentage estimate
- C. do not contain specific detail
- D. contain subjective informatio

Answer: B

Explanation:

Percentage estimates are characteristic of quantitative risk analysis. Customer perceptions, lack of specific details or subjective information lend themselves more to qualitative risk analysis.

NEW QUESTION 209

Which of the following risks would BEST be assessed using qualitative risk assessment techniques?

- A. Theft of purchased software
- B. Power outage lasting 24 hours
- C. Permanent decline in customer confidence
- D. Temporary loss of e-mail due to a virus attack

Answer: C

Explanation:

A permanent decline in customer confidence does not lend itself well to measurement by quantitative techniques. Qualitative techniques are more effective in evaluating things such as customer loyalty and goodwill. Theft of software, power outages and temporary loss of e-mail can be quantified into monetary amounts easier than can be assessed with quantitative techniques.

NEW QUESTION 210

In assessing risk, it is MOST essential to:

- A. provide equal coverage for all asset type
- B. use benchmarking data from similar organization
- C. consider both monetary value and likelihood of los
- D. focus primarily on threats and recent business losse

Answer: C

Explanation:

A risk analysis should take into account the potential financial impact and likelihood of a loss. It should not weigh all potential losses evenly, nor should it focus primarily on recent losses or losses experienced by similar firms. Although this is important supplementary information, it does not reflect the organization's real situation. Geography and other factors come into play as well.

NEW QUESTION 212

Identification and prioritization of business risk enables project managers to:

- A. establish implementation milestone
- B. reduce the overall amount of slack tim
- C. address areas with most significanc
- D. accelerate completion of critical path

Answer: C

Explanation:

Identification and prioritization of risk allows project managers to focus more attention on areas of greater importance and impact. It will not reduce the overall amount of slack time, facilitate establishing implementation milestones or allow a critical path to be completed any sooner.

NEW QUESTION 215

Which of the following would be the FIRST step in establishing an information security program?

- A. Develop the security polic
- B. Develop security operating procedure
- C. Develop the security pla
- D. Conduct a security controls stud

Answer: C

Explanation:

A security plan must be developed to implement the security strategy. All of the other choices should follow the development of the security plan.

NEW QUESTION 217

Which of the following is the MOST effective solution for preventing internal users from modifying sensitive and classified information?

- A. Baseline security standards
- B. System access violation logs
- C. Role-based access controls
- D. Exit routines

Answer: C

Explanation:

Role-based access controls help ensure that users only have access to files and systems appropriate for their job role. Violation logs are detective and do not prevent unauthorized access. Baseline security standards do not prevent unauthorized access. Exit routines are dependent upon appropriate role-based access.

NEW QUESTION 221

Which of the following would be the BEST metric for the IT risk management process?

- A. Number of risk management action plans
- B. Percentage of critical assets with budgeted remedial
- C. Percentage of unresolved risk exposures
- D. Number of security incidents identified

Answer: B

Explanation:

Percentage of unresolved risk exposures and the number of security incidents identified contribute to the IT risk management process, but the percentage of critical assets with budgeted remedial is the most indicative metric. Number of risk management action plans is not useful for assessing the quality of the process.

NEW QUESTION 226

Who can BEST advocate the development of and ensure the success of an information security program?

- A. Internal auditor
- B. Chief operating officer (COO)
- C. Steering committee
- D. IT management

Answer: C

Explanation:

Senior management represented in the security steering committee is in the best position to advocate the establishment of and continued support for an information security program. The chief operating officer (COO) will be a member of that committee. An internal auditor is a good advocate but is secondary to the influence of senior management. IT management has a lesser degree of influence and would also be part of the steering committee.

NEW QUESTION 231

For virtual private network (VPN) access to the corporate network, the information security manager is requiring strong authentication. Which of the following is the strongest method to ensure that logging onto the network is secure?

- A. Biometrics
- B. Symmetric encryption keys
- C. Secure Sockets Layer (SSL)-based authentication
- D. Two-factor authentication

Answer: D

Explanation:

Two-factor authentication requires more than one type of user authentication. While biometrics provides unique authentication, it is not strong by itself, unless a PIN or some other authentication factor is used with it. Biometric authentication by itself is also subject to replay attacks. A symmetric encryption method that uses the same secret key to encrypt and decrypt data is not a typical authentication mechanism for end users. This private key could still be compromised. SSL is the

standard security technology for establishing an encrypted link between a web server and a browser. SSL is not an authentication mechanism. If SSL is used with a client certificate and a password, it would be a two-factor authentication.

NEW QUESTION 236

Which of the following is MOST important for a successful information security program?

- A. Adequate training on emerging security technologies
- B. Open communication with key process owners
- C. Adequate policies, standards and procedures
- D. Executive management commitment

Answer: D

Explanation:

Sufficient executive management support is the most important factor for the success of an information security program. Open communication, adequate training, and good policies and procedures, while important, are not as important as support from top management; they will not ensure success if senior management support is not present.

NEW QUESTION 237

When a newly installed system for synchronizing passwords across multiple systems and platforms abnormally terminates without warning, which of the following should automatically occur FIRST?

- A. The firewall should block all inbound traffic during the outage
- B. All systems should block new logins until the problem is corrected
- C. Access control should fall back to no synchronized mode
- D. System logs should record all user activity for later analysis

Answer: C

Explanation:

The best mechanism is for the system to fallback to the original process of logging on individually to each system. Blocking traffic and new logins would be overly restrictive to the conduct of business, while recording all user activity would add little value.

NEW QUESTION 240

Who can BEST approve plans to implement an information security governance framework?

- A. Internal auditor
- B. Information security management
- C. Steering committee
- D. Infrastructure management

Answer: C

Explanation:

Senior management that is part of the security steering committee is in the best position to approve plans to implement an information security governance framework. An internal auditor is secondary' to the authority and influence of senior management. Information security management should not have the authority to approve the security governance framework. Infrastructure management will not be in the best position since it focuses more on the technologies than on the business.

NEW QUESTION 241

Which of the following is MOST important to the success of an information security program?

- A. Security' awareness training
- B. Achievable goals and objectives
- C. Senior management sponsorship
- D. Adequate start-up budget and staffing

Answer: C

Explanation:

Sufficient senior management support is the most important factor for the success of an information security program. Security awareness training, although important, is secondary. Achievable goals and objectives as well as having adequate budgeting and staffing are important factors, but they will not ensure success if senior management support is not present.

NEW QUESTION 244

A digital signature using a public key infrastructure (PKI) will:

- A. not ensure the integrity of a messag
- B. rely on the extent to which the certificate authority (CA) is trustee
- C. require two parties to the message exchang
- D. provide a high level of confidentialit

Answer: B

Explanation:

The certificate authority (CA) is a trusted third party that attests to the identity of the signatory, and reliance will be a function of the level of trust afforded the CA. A digital signature would provide a level of assurance of message integrity, but it is a three-party exchange, including the CA. Digital signatures do not require encryption of the message in order to preserve confidentiality.

NEW QUESTION 249

A border router should be placed on which of the following?

- A. Web server
- B. IDS server
- C. Screened subnet
- D. Domain boundary

Answer: D

Explanation:

A border router should be placed on a (security) domain boundary. Placing it on a web server or screened subnet, which is a demilitarized zone (DMZ) would not provide any protection. Border routers are positioned on the boundary of the network, but do not reside on a server.

NEW QUESTION 250

The MAIN advantage of implementing automated password synchronization is that it:

- A. reduces overall administrative workloa
- B. increases security between multi-tier system
- C. allows passwords to be changed less frequentl
- D. reduces the need for two-factor authenticatio

Answer: A

Explanation:

Automated password synchronization reduces the overall administrative workload of resetting passwords. It does not increase security between multi-tier systems, allow passwords to be changed less frequently or reduce the need for two-factor authentication.

NEW QUESTION 252

The MOST effective way to ensure that outsourced service providers comply with the organization's information security policy would be:

- A. service level monitorin
- B. penetration testin
- C. periodically auditin
- D. security awareness trainin

Answer: C

Explanation:

Regular audit exercise can spot any gap in the information security compliance. Service level monitoring can only pinpoint operational issues in the organization's operational environment. Penetration testing can identify security vulnerability but cannot ensure information compliance Training can increase users' awareness on the information security policy, but is not more effective than auditing.

NEW QUESTION 257

Which of the following is the MOST important consideration when implementing an intrusion detection system (IDS)?

- A. Tuning
- B. Patching
- C. Encryption
- D. Packet filtering

Answer: A

Explanation:

If an intrusion detection system (IDS) is not properly tuned it will generate an unacceptable number of false positives and/or fail to sound an alarm when an actual attack is underway. Patching is more related to operating system hardening, while encryption and packet filtering would not be as relevant.

NEW QUESTION 259

Which of the following devices should be placed within a demilitarized zone (DMZ)?

- A. Network switch
- B. Web server
- C. Database server
- D. File/print server

Answer: B

Explanation:

A web server should normally be placed within a demilitarized zone (DMZ) to shield the internal network. Database and file/print servers may contain confidential or valuable data and should always be placed on the internal network, never on a DMZ that is subject to compromise. Switches may bridge a DMZ to another network but do not technically reside within the DMZ network segment.

NEW QUESTION 263

Security monitoring mechanisms should PRIMARILY:

- A. focus on business-critical informatio
- B. assist owners to manage control risk
- C. focus on detecting network intrusion
- D. record all security violation

Answer: A

Explanation:

Security monitoring must focus on business-critical information to remain effectively usable by and credible to business users. Control risk is the possibility that controls would not detect an incident or error condition, and therefore is not a correct answer because monitoring would not directly assist in managing this risk. Network intrusions are not the only focus of monitoring mechanisms; although they should record all security violations, this is not the primary objective.

NEW QUESTION 264

Which of the following security mechanisms is MOST effective in protecting classified data that have been encrypted to prevent disclosure and transmission outside the organization's network?

- A. Configuration of firewalls
- B. Strength of encryption algorithms
- C. Authentication within application
- D. Safeguards over keys

Answer: D

Explanation:

If keys are in the wrong hands, documents will be able to be read regardless of where they are on the network. Choice A is incorrect because firewalls can be perfectly configured, but if the keys make it to the other side, they will not prevent the document from being decrypted. Choice B is incorrect because even easy encryption algorithms require adequate resources to break, whereas encryption keys can be easily used. Choice C is incorrect because the application "front door" controls may be bypassed by accessing data directly.

NEW QUESTION 267

An organization without any formal information security program that has decided to implement information security best practices should FIRST:

- A. invite an external consultant to create the security strateg
- B. allocate budget based on best practice
- C. benchmark similar organization
- D. define high-level business security requirement

Answer: D

Explanation:

All four options are valid steps in the process of implementing information security best practices; however, defining high-level business security requirements should precede the others because the implementation should be based on those security requirements.

NEW QUESTION 268

Which of the following is MOST effective in preventing weaknesses from being introduced into existing production systems?

- A. Patch management
- B. Change management
- C. Security baselines
- D. Virus detection

Answer: B

Explanation:

Change management controls the process of introducing changes to systems. This is often the point at which a weakness will be introduced. Patch management involves the correction of software weaknesses and would necessarily follow change management procedures. Security baselines provide minimum recommended settings and do not prevent introduction of control weaknesses. Virus detection is an effective tool but primarily focuses on malicious code from external sources, and only for those applications that are online.

NEW QUESTION 271

A message* that has been encrypted by the sender's private key and again by the receiver's public key achieves:

- A. authentication and authorizatio
- B. confidentiality and integrit

- C. confidentiality and nonrepudiation
- D. authentication and nonrepudiation

Answer: C

Explanation:

Encryption by the private key of the sender will guarantee authentication and nonrepudiation. Encryption by the public key of the receiver will guarantee confidentiality.

NEW QUESTION 273

What is the BEST defense against a Structured Query Language (SQL) injection attack?

- A. Regularly updated signature files
- B. A properly configured firewall
- C. An intrusion detection system
- D. Strict controls on input fields

Answer: D

Explanation:

Structured Query Language (SQL) injection involves the typing of programming command statements within a data entry field on a web page, usually with the intent of fooling the application into thinking that a valid password has been entered in the password entry field. The best defense against such an attack is to have strict edits on what can be typed into a data input field so that programming commands will be rejected. Code reviews should also be conducted to ensure that such edits are in place and that there are no inherent weaknesses in the way the code is written; software is available to test for such weaknesses. All other choices would fail to prevent such an attack.

NEW QUESTION 274

Which of the following is MOST effective in preventing security weaknesses in operating systems?

- A. Patch management
- B. Change management
- C. Security baselines
- D. Configuration management

Answer: A

Explanation:

Patch management corrects discovered weaknesses by applying a correction (a patch) to the original program code. Change management controls the process of introducing changes to systems. Security baselines provide minimum recommended settings. Configuration management controls the updates to the production environment.

NEW QUESTION 279

Which of the following, using public key cryptography, ensures authentication, confidentiality and nonrepudiation of a message?

- A. Encrypting first by receiver's private key and second by sender's public key
- B. Encrypting first by sender's private key and second by receiver's public key
- C. Encrypting first by sender's private key and second decrypting by sender's public key
- D. Encrypting first by sender's public key and second by receiver's private key

Answer: B

Explanation:

Encrypting by the sender's private key ensures authentication. By being able to decrypt with the sender's public key, the receiver would know that the message is sent by the sender only and the sender cannot deny/repudiate the message. By encrypting with the sender's public key secondly, only the sender will be able to decrypt the message and confidentiality is assured. The receiver's private key is private to the receiver and the sender cannot have it for encryption. Similarly, the receiver will not have the private key of the sender to decrypt the second-level encryption. In the case of encrypting first by the sender's private key and, second, decrypting by the sender's public key, confidentiality is not ensured since the message can be decrypted by anyone using the sender's public key. The receiver's private key would not be available to the sender for second-level encryption. Similarly, the sender's private key would not be available to the receiver for decrypting the message.

NEW QUESTION 282

Which of the following is a key area of the ISO 27001 framework?

- A. Operational risk assessment
- B. Financial crime metrics
- C. Capacity management
- D. Business continuity management

Answer: D

Explanation:

Operational risk assessment, financial crime metrics and capacity management can complement the information security framework, but only business continuity management is a key component.

NEW QUESTION 284

The main mail server of a financial institution has been compromised at the superuser level; the only way to ensure the system is secure would be to:

- A. change the root password of the syste
- B. implement multifactor authenticatio
- C. rebuild the system from the original installation mediu
- D. disconnect the mail server from the networ

Answer: C

Explanation:

Rebuilding the system from the original installation medium is the only way to ensure all security vulnerabilities and potential stealth malicious programs have been destroyed. Changing the root password of the system does not ensure the integrity of the mail server. Implementing multifactor authentication is an aftermeasure and does not clear existing security threats. Disconnecting the mail server from the network is an initial step, but does not guarantee security.

NEW QUESTION 285

Access control to a sensitive intranet application by mobile users can BEST be implemented through:

- A. data encryptio
- B. digital signature
- C. strong password
- D. two-factor authenticatio

Answer: D

Explanation:

Two-factor authentication through the use of strong passwords combined with security tokens provides the highest level of security. Data encryption, digital signatures and strong passwords do not provide the same level of protection.

NEW QUESTION 287

Which of the following controls is MOST effective in providing reasonable assurance of physical access compliance to an unmanned server room controlled with biometric devices?

- A. Regular review of access control lists
- B. Security guard escort of visitors
- C. Visitor registry log at the door
- D. A biometric coupled with a PIN

Answer: A

Explanation:

A review of access control lists is a detective control that will enable an information security manager to ensure that authorized persons are entering in compliance with corporate policy. Visitors accompanied by a guard will also provide assurance but may not be cost effective. A visitor registry is the next cost-effective control. A biometric coupled with a PIN will strengthen the access control; however, compliance assurance logs will still have to be reviewed.

NEW QUESTION 288

The MOST important success factor to design an effective IT security awareness program is to:

- A. customize the content to the target audienc
- B. ensure senior management is represente
- C. ensure that all the staff is traine
- D. avoid technical content but give concrete example

Answer: A

Explanation:

Awareness training can only be effective if it is customized to the expectations and needs of attendees. Needs will be quite different depending on the target audience and will vary between business managers, end users and IT staff; program content and the level of detail communicated will therefore be different. Other criteria are also important; however, the customization of content is the most important factor.

NEW QUESTION 292

On which of the following should a firewall be placed?

- A. Web server
- B. Intrusion detection system (IDS) server
- C. Screened subnet
- D. Domain boundary

Answer: D

Explanation:

A firewall should be placed on a (security) domain boundary. Placing it on a web server or screened subnet, which is a demilitarized zone (DMZ), does not provide

any protection. Since firewalls should be installed on hardened servers with minimal services enabled, it is inappropriate to have the firewall and the intrusion detection system (IDS) on the same physical device.

NEW QUESTION 294

To BEST improve the alignment of the information security objectives in an organization, the chief information security officer (CISO) should:

- A. revise the information security progra
- B. evaluate a balanced business scorecar
- C. conduct regular user awareness session
- D. perform penetration test

Answer: B

Explanation:

The balanced business scorecard can track the effectiveness of how an organization executes its information security strategy and determine areas of improvement. Revising the information security program may be a solution, but is not the best solution to improve alignment of the information security objectives. User awareness is just one of the areas the organization must track through the balanced business scorecard. Performing penetration tests does not affect alignment with information security objectives.

NEW QUESTION 295

When contracting with an outsourcer to provide security administration, the MOST important contractual element is the:

- A. right-to-terminate claus
- B. limitations of liabilit
- C. service level agreement (SLA).
- D. financial penalties claus

Answer: C

Explanation:

Service level agreements (SLAs) provide metrics to which outsourcing firms can be held accountable. This is more important than a limitation on the outsourcing firm's liability, a right-to-terminate clause or a hold-harmless agreement which involves liabilities to third parties.

NEW QUESTION 299

The PRIMARY driver to obtain external resources to execute the information security program is that external resources can:

- A. contribute cost-effective expertise not available internal
- B. be made responsible for meeting the security program requirement
- C. replace the dependence on internal resource
- D. deliver more effectively on account of their knowledg

Answer: A

Explanation:

Choice A represents the primary driver for the information security manager to make use of external resources. The information security manager will continue to be responsible for meeting the security program requirements despite using the services of external resources. The external resources should never completely replace the role of internal resources from a strategic perspective. The external resources cannot have a better knowledge of the business of the information security manager's organization than do the internal resources.

NEW QUESTION 303

In order to protect a network against unauthorized external connections to corporate systems, the information security manager should BEST implement:

- A. a strong authenticatio
- B. IP antispoofing filterin
- C. network encryption protoco
- D. access lists of trusted device

Answer: A

Explanation:

Strong authentication will provide adequate assurance on the identity of the users, while IP antispoofing is aimed at the device rather than the user. Encryption protocol ensures data confidentiality and authenticity while access lists of trusted devices are easily exploited by spoofed identity of the clients.

NEW QUESTION 304

Secure customer use of an e-commerce application can BEST be accomplished through:

- A. data encryptio
- B. digital signature
- C. strong password
- D. two-factor authenticatio

Answer: A

Explanation:

Encryption would be the preferred method of ensuring confidentiality in customer communications with an e-commerce application. Strong passwords, by themselves, would not be sufficient since the data could still be intercepted, while two-factor authentication would be impractical. Digital signatures would not provide a secure means of communication. In most business-to-customer (B-to-C) web applications, a digital signature is also not a practical solution.

NEW QUESTION 305

Which of the following BEST provides message integrity, sender identity authentication and nonrepudiation?

- A. Symmetric cryptography
- B. Public key infrastructure (PKI)
- C. Message hashing
- D. Message authentication code

Answer: B

Explanation:

Public key infrastructure (PKI) combines public key encryption with a trusted third party to publish and revoke digital certificates that contain the public key of the sender. Senders can digitally sign a message with their private key and attach their digital certificate (provided by the trusted third party). These characteristics allow senders to provide authentication, integrity validation and nonrepudiation. Symmetric cryptography provides confidentiality. Mashing can provide integrity and confidentiality. Message authentication codes provide integrity.

NEW QUESTION 309

Which of the following technologies is utilized to ensure that an individual connecting to a corporate internal network over the Internet is not an intruder masquerading as an authorized user?

- A. Intrusion detection system (IDS)
- B. IP address packet filtering
- C. Two-factor authentication
- D. Embedded digital signature

Answer: C

Explanation:

Two-factor authentication provides an additional security mechanism over and above that provided by passwords alone. This is frequently used by mobile users needing to establish connectivity to a corporate network. IP address packet filtering would protect against spoofing an internal address but would not provide strong authentication. An intrusion detection system (IDS) can be used to detect an external attack but would not help in authenticating a user attempting to connect. Digital signatures ensure that transmitted information can be attributed to the named sender.

NEW QUESTION 313

Which of the following devices could potentially stop a Structured Query Language (SQL) injection attack?

- A. An intrusion prevention system (IPS)
- B. An intrusion detection system (IDS)
- C. A host-based intrusion detection system (HIDS)
- D. A host-based firewall

Answer: A

Explanation:

SQL injection attacks occur at the application layer. Most IPS vendors will detect at least basic sets of SQL injection and will be able to stop them. IDS will detect, but not prevent I IIDS will be unaware of SQL injection problems. A host-based firewall, be it on the web server or the database server, will allow the connection because firewalls do not check packets at an application layer.

NEW QUESTION 314

Which of the following BEST ensures that information transmitted over the Internet will remain confidential?

- A. Virtual private network (VPN)
- B. Firewalls and routers
- C. Biometric authentication
- D. Two-factor authentication

Answer: A

Explanation:

Encryption of data in a virtual private network (VPN) ensures that transmitted information is not readable, even if intercepted. Firewalls and routers protect access to data resources inside the network and do not protect traffic in the public network. Biometric and two-factor authentication, by themselves, would not prevent a message from being intercepted and read.

NEW QUESTION 315

Which of the following devices should be placed within a DMZ?

- A. Proxy server

- B. Application server
- C. Departmental server
- D. Data warehouse server

Answer: B

Explanation:

An application server should normally be placed within a demilitarized zone (DMZ) to shield the internal network. Data warehouse and departmental servers may contain confidential or valuable data and should always be placed on the internal network, never on a DMZ that is subject to compromise. A proxy server forms the inner boundary of the DMZ but is not placed within it.

NEW QUESTION 316

Which of the following is the MOST important guideline when using software to scan for security exposures within a corporate network?

- A. Never use open source tools
- B. Focus only on production servers
- C. Follow a linear process for attacks
- D. Do not interrupt production processes

Answer: D

Explanation:

The first rule of scanning for security exposures is to not break anything. This includes the interruption of any running processes. Open source tools are an excellent resource for performing scans. Scans should focus on both the test and production environments since, if compromised, the test environment could be used as a platform from which to attack production servers. Finally, the process of scanning for exposures is more of a spiral process than a linear process.

NEW QUESTION 318

In the process of deploying a new e-mail system, an information security manager would like to ensure the confidentiality of messages while in transit. Which of the following is the MOST appropriate method to ensure data confidentiality in a new e-mail system implementation?

- A. Encryption
- B. Digital certificate
- C. Digital signature
- D. Hashing algorithm

Answer: A

Explanation:

To preserve confidentiality of a message while in transit, encryption should be implemented. Choices B and C only help authenticate the sender and the receiver. Choice D ensures integrity.

NEW QUESTION 319

A new port needs to be opened in a perimeter firewall. Which of the following should be the FIRST step before initiating any changes?

- A. Prepare an impact assessment report
- B. Conduct a penetration test
- C. Obtain approval from senior management
- D. Back up the firewall configuration and policy file

Answer: A

Explanation:

An impact assessment report needs to be prepared first by providing the justification for the change, analysis of the changes to be made, the impact if the change does not work as expected, priority of the change and urgency of the change request. Choices B, C and D could be important steps, but the impact assessment report should be performed before the other steps.

NEW QUESTION 323

Security awareness training should be provided to new employees:

- A. on an as-needed basis
- B. during system user training
- C. before they have access to data
- D. along with department staff

Answer: C

Explanation:

Security awareness training should occur before access is granted to ensure the new employee understands that security is part of the system and business process. All other choices imply that security awareness training is delivered subsequent to the granting of system access, which may place security as a secondary step.

NEW QUESTION 326

Which of the following would be the MOST appropriate physical security solution for the main entrance to a data center"?

- A. Mantrap
- B. Biometric lock
- C. Closed-circuit television (CCTV)
- D. Security guard

Answer: B

Explanation:

A biometric device will ensure that only the authorized user can access the data center. A mantrap, by itself, would not be effective. Closed-circuit television (CCTV) and a security guard provide a detective control, but would not be as effective in authenticating the access rights of each individual.

NEW QUESTION 331

Documented standards/procedures for the use of cryptography across the enterprise should PRIMARILY:

- A. define the circumstances where cryptography should be use
- B. define cryptographic algorithms and key length
- C. describe handling procedures of cryptographic key
- D. establish the use of cryptographic solution

Answer: A

Explanation:

There should be documented standards- procedures for the use of cryptography across the enterprise; they should define the circumstances where cryptography should be used. They should cover the selection of cryptographic algorithms and key lengths, but not define them precisely, and they should address the handling of cryptographic keys. However, this is secondary to how and when cryptography should be used. The use of cryptographic solutions should be addressed but, again, this is a secondary consideration.

NEW QUESTION 332

Prior to having a third party perform an attack and penetration test against an organization, the MOST important action is to ensure that:

- A. the third party provides a demonstration on a test syste
- B. goals and objectives are clearly define
- C. the technical staff has been briefed on what to expec
- D. special backups of production servers are take

Answer: B

Explanation:

The most important action is to clearly define the goals and objectives of the test. Assuming that adequate backup procedures are in place, special backups should not be necessary. Technical staff should not be briefed nor should there be a demo as this will reduce the spontaneity of the test.

NEW QUESTION 335

In a social engineering scenario, which of the following will MOST likely reduce the likelihood of an unauthorized individual gaining access to computing resources?

- A. Implementing on-screen masking of passwords
- B. Conducting periodic security awareness programs
- C. Increasing the frequency of password changes
- D. Requiring that passwords be kept strictly confidential

Answer: B

Explanation:

Social engineering can best be mitigated through periodic security awareness training for users who may be the target of such an attempt. Implementing on-screen masking of passwords and increasing the frequency of password changes are desirable, but these will not be effective in reducing the likelihood of a successful social engineering attack. Requiring that passwords be kept secret in security policies is a good control but is not as effective as periodic security awareness programs that will alert users of the dangers posed by social engineering.

NEW QUESTION 340

To reduce the possibility of service interruptions, an entity enters into contracts with multiple Internet service providers (ISPs). Which of the following would be the MOS T important item to include?

- A. Service level agreements (SLAs)
- B. Right to audit clause
- C. Intrusion detection system (IDS) services
- D. Spam filtering services

Answer: A

Explanation:

Service level agreements (QUESTION NO: As) will be most effective in ensuring that Internet service providers (ISPs) comply with expectations for service availability. Intrusion detection system (IDS) and spam filtering services would not mitigate (as directly) the potential for service interruptions. A right-to-audit clause

would not be effective in mitigating the likelihood of a service interruption.

NEW QUESTION 345

To ensure that all information security procedures are functional and accurate, they should be designed with the involvement of:

- A. end user
- B. legal counse
- C. operational unit
- D. audit managemen

Answer: C

Explanation:

Procedures at the operational level must be developed by or with the involvement of operational units that will use them. This will ensure that they are functional and accurate. End users and legal counsel are normally not involved in procedure development. Audit management generally oversees information security operations but does not get involved at the procedural level.

NEW QUESTION 347

Security audit reviews should PRIMARILY:

- A. ensure that controls operate as require
- B. ensure that controls are cost-effectiv
- C. focus on preventive control
- D. ensure controls are technologically curren

Answer: A

Explanation:

The primary objective of a security review or audit should be to provide assurance on the adequacy of security controls. Reviews should focus on all forms of control, not just on preventive control. Cost-effectiveness and technological currency are important but not as critical.

NEW QUESTION 350

Which is the BEST way to measure and prioritize aggregate risk deriving from a chain of linked system vulnerabilities?

- A. Vulnerability scans
- B. Penetration tests
- C. Code reviews
- D. Security audits

Answer: B

Explanation:

A penetration test is normally the only security assessment that can link vulnerabilities together by exploiting them sequentially. This gives a good measurement and prioritization of risks. Other security assessments such as vulnerability scans, code reviews and security audits can help give an extensive and thorough risk and vulnerability overview', but will not be able to test or demonstrate the final consequence of having several vulnerabilities linked together. Penetration testing can give risk a new perspective and prioritize based on the end result of a sequence of security problems.

NEW QUESTION 352

Which of the following provides the linkage to ensure that procedures are correctly aligned with information security policy requirements?

- A. Standards
- B. Guidelines
- C. Security metrics
- D. IT governance

Answer: A

Explanation:

Standards are the bridge between high-level policy statements and the "how to" detailed formal of procedures. Security metrics and governance would not ensure correct alignment between policies and procedures. Similarly, guidelines are not linkage documents but rather provide suggested guidance on best practices.

NEW QUESTION 356

The PRIMARY focus of the change control process is to ensure that changes are:

- A. authorize
- B. applie
- C. documente
- D. teste

Answer: A

Explanation:

All steps in the change control process must be signed off on to ensure proper authorization. It is important that changes are applied, documented and tested; however, they are not the primary focus.

NEW QUESTION 360

Security policies should be aligned MOST closely with:

- A. industry' best practice
- B. organizational need
- C. generally accepted standard
- D. local laws and regulation

Answer: B

Explanation:

The needs of the organization should always take precedence. Best practices and local regulations are important, but they do not take into account the total needs of an organization.

NEW QUESTION 365

What is the BEST way to ensure data protection upon termination of employment?

- A. Retrieve identification badge and card keys
- B. Retrieve all personal computer equipment
- C. Erase all of the employee's folders
- D. Ensure all logical access is removed

Answer: D

Explanation:

Ensuring all logical access is removed will guarantee that the former employee will not be able to access company data and that the employee's credentials will not be misused. Retrieving identification badge and card keys would only reduce the capability to enter the building. Retrieving the personal computer equipment and the employee's folders are necessary tasks, but that should be done as a second step.

NEW QUESTION 367

An information security program should focus on:

- A. best practices also in place at peer companies
- B. solutions codified in international standard
- C. key controls identified in risk assessment
- D. continued process improvement

Answer: C

Explanation:

Risk assessment identifies the appropriate controls to mitigate identified business risks that the program should implement to protect the business. Peer industry best practices, international standards and continued process improvement can be used to support the program, but these cannot be blindly implemented without the consideration of business risk.

NEW QUESTION 372

A major trading partner with access to the internal network is unwilling or unable to remediate serious information security exposures within its environment. Which of the following is the BEST recommendation?

- A. Sign a legal agreement assigning them all liability for any breach
- B. Remove all trading partner access until the situation improves
- C. Set up firewall rules restricting network traffic from that location
- D. Send periodic reminders advising them of their noncompliance

Answer: C

Explanation:

It is incumbent on an information security manager to see to the protection of their organization's network, but to do so in a manner that does not adversely affect the conduct of business. This can be accomplished by adding specific traffic restrictions for that particular location. Removing all access will likely result in lost business. Agreements and reminders do not protect the integrity of the network.

NEW QUESTION 374

Which of the following documents would be the BEST reference to determine whether access control mechanisms are appropriate for a critical application?

- A. User security procedures
- B. Business process flow
- C. IT security policy
- D. Regulatory requirements

Answer: C

Explanation:

IT management should ensure that mechanisms are implemented in line with IT security policy. Procedures are determined by the policy. A user security procedure does not describe the access control mechanism in place. The business process flow is not relevant to the access control mechanism. The organization's own policy and procedures should take into account regulatory requirements.

NEW QUESTION 379

In organizations where availability is a primary concern, the MOST critical success factor of the patch management procedure would be the:

- A. testing time window prior to deployment
- B. technical skills of the team responsible
- C. certification of validity for deployment
- D. automated deployment to all the server

Answer: A

Explanation:

Having the patch tested prior to implementation on critical systems is an absolute prerequisite where availability is a primary concern because deploying patches that could cause a system to fail could be worse than the vulnerability corrected by the patch. It makes no sense to deploy patches on every system. Vulnerable systems should be the only candidate for patching. Patching skills are not required since patches are more often applied via automated tools.

NEW QUESTION 382

An organization has implemented an enterprise resource planning (ERP) system used by 500 employees from various departments. Which of the following access control approaches is MOST appropriate?

- A. Rule-based
- B. Mandatory
- C. Discretionary
- D. Role-based

Answer: D

Explanation:

Role-based access control is effective and efficient in large user communities because it controls system access by the roles defined for groups of users. Users are assigned to the various roles and the system controls the access based on those roles. Rule-based access control needs to define the access rules, which is troublesome and error prone in large organizations. In mandatory access control, the individual's access to information resources needs to be defined, which is troublesome in large organizations. In discretionary access control, users have access to resources based on predefined sets of principles, which is an inherently insecure approach.

NEW QUESTION 387

Which of the following measures is the MOST effective deterrent against disgruntled staff abusing their privileges?

- A. Layered defense strategy
- B. System audit log monitoring
- C. Signed acceptable use policy
- D. High-availability systems

Answer: C

Explanation:

A layered defense strategy would only prevent those activities that are outside of the user's privileges. A signed acceptable use policy is often an effective deterrent against malicious activities because of the potential for termination of employment and/or legal actions being taken against the individual. System audit log monitoring is after the fact and may not be effective. High-availability systems have high costs and are not always feasible for all devices and components or systems.

NEW QUESTION 392

Managing the life cycle of a digital certificate is a role of a(n):

- A. system administrator
- B. security administrator
- C. system developer
- D. independent trusted source

Answer: D

Explanation:

Digital certificates must be managed by an independent trusted source in order to maintain trust in their authenticity. The other options are not necessarily entrusted with this capability.

NEW QUESTION 397

The root cause of a successful cross site request forgery (XSRF) attack against an application is that the vulnerable application:

- A. uses multiple redirects for completing a data commit transaction

- B. has implemented cookies as the sole authentication mechanis
- C. has been installed with a non-legitimate license ke
- D. is hosted on a server along with other application

Answer: B

Explanation:

XSRF exploits inadequate authentication mechanisms in web applications that rely only on elements such as cookies when performing a transaction. XSRF is related to an authentication mechanism, not to redirection. Option C is related to intellectual property rights, not to XSRF vulnerability. Merely hosting multiple applications on the same server is not the root cause of this vulnerability.

NEW QUESTION 398

Which of the following will BEST prevent an employee from using a USB drive to copy files from desktop computers?

- A. Restrict the available drive allocation on all PCs
- B. Disable universal serial bus (USB) ports on all desktop devices
- C. Conduct frequent awareness training with noncompliance penalties
- D. Establish strict access controls to sensitive information

Answer: A

Explanation:

Restricting the ability of a PC to allocate new drive letters ensures that universal serial bus (USB) drives or even CD-writers cannot be attached as they would not be recognized by the operating system. Disabling USB ports on all machines is not practical since mice and other peripherals depend on these connections. Awareness training and sanctions do not prevent copying of information nor do access controls.

NEW QUESTION 401

Successful social engineering attacks can BEST be prevented through:

- A. preemployment screenin
- B. close monitoring of users' access pattern
- C. periodic awareness trainin
- D. efficient termination procedure

Answer: C

Explanation:

Security awareness training is most effective in preventing the success of social engineering attacks by providing users with the awareness they need to resist such attacks. Screening of new employees, monitoring and rapid termination will not be effective against external attacks.

NEW QUESTION 405

As an organization grows, exceptions to information security policies that were not originally specified may become necessary at a later date. In order to ensure effective management of business risks, exceptions to such policies should be:

- A. considered at the discretion of the information owne
- B. approved by the next higher person in the organizational structur
- C. formally managed within the information security framewor
- D. reviewed and approved by the security manage

Answer: C

Explanation:

A formal process for managing exceptions to information security policies and standards should be included as part of the information security framework. The other options may be contributors to the process but do not in themselves constitute a formal process.

NEW QUESTION 408

Which of the following is the MOST effective at preventing an unauthorized individual from following an authorized person through a secured entrance (tailgating or piggybacking)?

- A. Card-key door locks
- B. Photo identification
- C. Biometric scanners
- D. Awareness training

Answer: D

Explanation:

Awareness training would most likely result in any attempted tailgating being challenged by the authorized employee. The other choices are physical controls which by themselves would not be effective against tailgating.

NEW QUESTION 410

Which of the following is the MOST appropriate method of ensuring password strength in a large organization?

- A. Attempt to reset several passwords to weaker values
- B. Install code to capture passwords for periodic audit
- C. Sample a subset of users and request their passwords for review
- D. Review general security settings on each platform

Answer: D

Explanation:

Reviewing general security settings on each platform will be the most efficient method for determining password strength while not compromising the integrity of the passwords. Attempting to reset several passwords to weaker values may not highlight certain weaknesses. Installing code to capture passwords for periodic audit, and sampling a subset of users and requesting their passwords for review, would compromise the integrity of the passwords.

NEW QUESTION 411

Which of the following is the MOST likely to change an organization's culture to one that is more security conscious?

- A. Adequate security policies and procedures
- B. Periodic compliance reviews
- C. Security steering committees
- D. Security awareness campaigns

Answer: D

Explanation:

Security awareness campaigns will be more effective at changing an organizational culture than the creation of steering committees and security policies and procedures. Compliance reviews are helpful; however, awareness by all staff is more effective because compliance reviews are focused on certain areas groups and do not necessarily educate.

NEW QUESTION 415

Which of the following represents a PRIMARY area of interest when conducting a penetration test?

- A. Data mining
- B. Network mapping
- C. Intrusion Detection System (IDS)
- D. Customer data

Answer: B

Explanation:

Network mapping is the process of determining the topology of the network one wishes to penetrate. This is one of the first steps toward determining points of attack in a network. Data mining is associated with ad hoc reporting and, together with customer data, they are potential targets after the network is penetrated. The intrusion detection mechanism in place is not an area of focus because one of the objectives is to determine how effectively it protects the network or how easy it is to circumvent.

NEW QUESTION 418

Who is ultimately responsible for ensuring that information is categorized and that protective measures are taken?

- A. Information security officer
- B. Security steering committee
- C. Data owner
- D. Data custodian

Answer: B

Explanation:

Routine administration of all aspects of security is delegated, but senior management must retain overall responsibility. The information security officer supports and implements information security for senior management. The data owner is responsible for categorizing data security requirements. The data custodian supports and implements information security as directed.

NEW QUESTION 419

Nonrepudiation can BEST be assured by using:

- A. delivery path tracin
- B. reverse lookup translatio
- C. out-of-hand channel
- D. digital signature

Answer: D

Explanation:

Effective nonrepudiation requires the use of digital signatures. Reverse lookup translation involves converting Internet Protocol (IP) addresses to usernames. Delivery path tracing shows the route taken but does not confirm the identity of the sender. Out-of-band channels are useful when, for confidentiality, it is necessary to break a message into two parts that are sent by different means.

NEW QUESTION 423

What is the MOST cost-effective means of improving security awareness of staff personnel?

- A. Employee monetary incentives
- B. User education and training
- C. A zero-tolerance security policy
- D. Reporting of security infractions

Answer: B

Explanation:

User education and training is the most cost-effective means of influencing staff to improve security since personnel are the weakest link in security. Incentives perform poorly without user education and training. A zero-tolerance security policy would not be as good as education and training. Users would not have the knowledge to accurately interpret and report violations without user education and training.

NEW QUESTION 426

Which of the following is the MAIN objective in contracting with an external company to perform penetration testing?

- A. To mitigate technical risks
- B. To have an independent certification of network security
- C. To receive an independent view of security exposures
- D. To identify a complete list of vulnerabilities

Answer: C

Explanation:

Even though the organization may have the capability to perform penetration testing with internal resources, third-party penetration testing should be performed to gain an independent view of the security exposure. Mitigating technical risks is not a direct result of a penetration test. A penetration test would not provide certification of network security nor provide a complete list of vulnerabilities.

NEW QUESTION 429

The PRIMARY reason for using metrics to evaluate information security is to:

- A. identify security weaknesses
- B. justify budgetary expenditure
- C. enable steady improvement
- D. raise awareness on security issue

Answer: C

Explanation:

The purpose of a metric is to facilitate and track continuous improvement. It will not permit the identification of all security weaknesses. It will raise awareness and help in justifying certain expenditures, but this is not its main purpose.

NEW QUESTION 430

Which of the following will BEST protect against malicious activity by a former employee?

- A. Preemployment screening
- B. Close monitoring of users
- C. Periodic awareness training
- D. Effective termination procedures

Answer: D

Explanation:

When an employee leaves an organization, the former employee may attempt to use their credentials to perform unauthorized or malicious activity. Accordingly, it is important to ensure timely revocation of all access at the time an individual is terminated. Security awareness training, preemployment screening and monitoring are all important, but are not as effective in preventing this type of situation.

NEW QUESTION 433

The BEST way to ensure that information security policies are followed is to:

- A. distribute printed copies to all employees
- B. perform periodic reviews for compliance
- C. include escalating penalties for noncompliance
- D. establish an anonymous hotline to report policy abuse

Answer: B

Explanation:

The best way to ensure that information security policies are followed is to periodically review levels of compliance. Distributing printed copies, advertising an abuse hotline or linking policies to an international standard will not motivate individuals as much as the consequences of being found in noncompliance. Escalating penalties will first require a compliance review.

NEW QUESTION 436

Which of the following is the BEST indicator that security awareness training has been effective?

- A. Employees sign to acknowledge the security policy
- B. More incidents are being reported
- C. A majority of employees have completed training
- D. No incidents have been reported in three months

Answer: B

Explanation:

More incidents being reported could be an indicator that the staff is paying more attention to security. Employee signatures and training completion may or may not have anything to do with awareness levels. The number of individuals trained may not indicate they are more aware. No recent security incidents does not reflect awareness levels, but may prompt further research to confirm.

NEW QUESTION 440

When an emergency security patch is received via electronic mail, the patch should FIRST be:

- A. loaded onto an isolated test machin
- B. decompiled to check for malicious cod
- C. validated to ensure its authenticit
- D. copied onto write-once media to prevent tamperin

Answer: C

Explanation:

It is important to first validate that the patch is authentic. Only then should it be copied onto write-once media, decompiled to check for malicious code or loaded onto an isolated test machine.

NEW QUESTION 442

In business critical applications, where shared access to elevated privileges by a small group is necessary, the BEST approach to implement adequate segregation of duties is to:

- A. ensure access to individual functions can be granted to individual users onl
- B. implement role-based access control in the applicatio
- C. enforce manual procedures ensuring separation of conflicting dutie
- D. create service accounts that can only be used by authorized team member

Answer: B

Explanation:

Role-based access control is the best way to implement appropriate segregation of duties. Roles will have to be defined once and then the user could be changed from one role to another without redefining the content of the role each time. Access to individual functions will not ensure appropriate segregation of duties. Giving a user access to all functions and implementing, in parallel, a manual procedure ensuring segregation of duties is not an effective method, and would be difficult to enforce and monitor. Creating service accounts that can be used by authorized team members would not provide any help unless their roles are properly segregated.

NEW QUESTION 443

Which of the following is the MOST important area of focus when examining potential security compromise of a new wireless network?

- A. Signal strength
- B. Number of administrators
- C. Bandwidth
- D. Encryption strength

Answer: B

Explanation:

The number of individuals with access to the network configuration presents a security risk. Encryption strength is an area where wireless networks tend to fall short; however, the potential to compromise the entire network is higher when an inappropriate number of people can alter the configuration. Signal strength and network bandwidth are secondary issues.

NEW QUESTION 445

An organization's operations staff places payment files in a shared network folder and then the disbursement staff picks up the files for payment processing. This manual intervention will be automated some months later, thus cost-efficient controls are sought to protect against file alterations. Which of the following would be the BEST solution?

- A. Design a training program for the staff involved to heighten information security awareness
- B. Set role-based access permissions on the shared folder
- C. The end user develops a PC macro program to compare sender and recipient file contents
- D. Shared folder operators sign an agreement to pledge not to commit fraudulent activities

Answer: B

Explanation:

Ideally, requesting that the IT department develop an automated integrity check would be desirable, but given the temporary nature of the problem, the risk can be mitigated by setting stringent access permissions on the shared folder. Operations staff should only have write access and disbursement staff should only have read access, and everyone else, including the administrator, should be disallowed. An information security awareness program and/or signing an agreement to not engage in fraudulent activities may help deter attempts made by employees; however, as long as employees see a chance of personal gain when internal control is loose, they may embark on unlawful activities such as alteration of payment files. A PC macro would be an inexpensive automated solution to develop with control reports. However, sound independence or segregation of duties cannot be expected in the reconciliation process since it is run by an end-user group. Therefore, this option may not provide sufficient proof.

NEW QUESTION 448

An information security manager reviewing firewall rules will be MOST concerned if the firewall allows:

- A. source routin
- B. broadcast propagatio
- C. unregistered port
- D. nonstandard protocol

Answer: A

Explanation:

If the firewall allows source routing, any outsider can carry out spoofing attacks by stealing the internal (private) IP addresses of the organization. Broadcast propagation, unregistered ports and nonstandard protocols do not create a significant security exposure.

NEW QUESTION 452

Which of the following would present the GREATEST risk to information security?

- A. Virus signature files updates are applied to all servers every day
- B. Security access logs are reviewed within five business days
- C. Critical patches are applied within 24 hours of their release
- D. Security incidents are investigated within five business days

Answer: D

Explanation:

Security incidents are configured to capture system events that are important from the security perspective; they include incidents also captured in the security access logs and other monitoring tools. Although, in some instances, they could wait for a few days before they are researched, from the options given this would have the greatest risk to security. Most often, they should be analyzed as soon as possible. Virus signatures should be updated as often as they become available by the vendor, while critical patches should be installed as soon as they are reviewed and tested, which could occur in 24 hours.

NEW QUESTION 454

Which of the following is the FIRST phase in which security should be addressed in the development cycle of a project?

- A. Design
- B. Implementation
- C. Application security testing
- D. Feasibility

Answer: D

Explanation:

Information security should be considered at the earliest possible stage. Security requirements must be defined before you enter into design specification, although changes in design may alter these requirements later on. Security requirements defined during system implementation are typically costly add-ons that are frequently ineffective. Application security testing occurs after security has been implemented.

NEW QUESTION 459

Which of the following is the MOST serious exposure of automatically updating virus signature files on every desktop each Friday at 11:00 p.m. (23.00 hrs.)?

- A. Most new viruses* signatures are identified over weekends
- B. Technical personnel are not available to support the operation
- C. Systems are vulnerable to new viruses during the intervening week
- D. The update's success or failure is not known until Monday

Answer: C

Explanation:

Updating virus signature files on a weekly basis carries the risk that the systems will be vulnerable to viruses released during the week; far more frequent updating is essential. All other issues are secondary to this very serious exposure.

NEW QUESTION 463

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CISM Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CISM Product From:

<https://www.2passeasy.com/dumps/CISM/>

Money Back Guarantee

CISM Practice Exam Features:

- * CISM Questions and Answers Updated Frequently
- * CISM Practice Questions Verified by Expert Senior Certified Staff
- * CISM Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CISM Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year