



Google

Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer

About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

You are the Security Admin in your company. You want to synchronize all security groups that have an email address from your LDAP directory in Cloud IAM.

- A. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have “user email address” as the attribute to facilitate one-way sync.
- B. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have “user email address” as the attribute to facilitate bidirectional sync.
- C. Use a management tool to sync the subset based on the email address attribut
- D. Create a group in the Google domai
- E. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.
- F. Use a management tool to sync the subset based on group object class attribut
- G. Create a group in the Google domai
- H. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.

Answer: C

NEW QUESTION 2

Your team needs to configure their Google Cloud Platform (GCP) environment so they can centralize the control over networking resources like firewall rules, subnets, and routes. They also have an on-premises environment where resources need access back to the GCP resources through a private VPN connection. The networking resources will need to be controlled by the network security team. Which type of networking design should your team use to meet these requirements?

- A. Shared VPC Network with a host project and service projects
- B. Grant Compute Admin role to the networking team for each engineering project
- C. VPC peering between all engineering projects using a hub and spoke model
- D. Cloud VPN Gateway between all engineering projects using a hub and spoke model

Answer: A

NEW QUESTION 3

For compliance reasons, an organization needs to ensure that in-scope PCI Kubernetes Pods reside on “in- scope” Nodes only. These Nodes can only contain the “in-scope” Pods. How should the organization achieve this objective?

- A. Add a nodeSelector field to the pod configuration to only use the Nodes labeled inscope: true.
- B. Create a node pool with the label inscope: true and a Pod Security Policy that only allows the Pods to run on Nodes with that label.
- C. Place a taint on the Nodes with the label inscope: true and effect NoSchedule and a toleration to match in the Pod configuration.
- D. Run all in-scope Pods in the namespace “in-scope-pci”.

Answer: C

NEW QUESTION 4

When working with agents in a support center via online chat, an organization’s customers often share pictures of their documents with personally identifiable information (PII). The organization that owns the support center is concerned that the PII is being stored in their databases as part of the regular chat logs they retain for review by internal or external analysts for customer service trend analysis. Which Google Cloud solution should the organization use to help resolve this concern for the customer while still maintaining data utility?

- A. Use Cloud Key Management Service (KMS) to encrypt the PII data shared by customers before storing it for analysis.
- B. Use Object Lifecycle Management to make sure that all chat records with PII in them are discarded and not saved for analysis.
- C. Use the image inspection and redaction actions of the DLP API to redact PII from the images before storing them for analysis.
- D. Use the generalization and bucketing actions of the DLP API solution to redact PII from the texts before storing them for analysis.

Answer: D

Explanation:

Reference; <https://cloud.google.com/dlp/docs/deidentify-sensitive-data>

NEW QUESTION 5

An organization adopts Google Cloud Platform (GCP) for application hosting services and needs guidance on setting up password requirements for their Cloud Identity account. The organization has a password policy requirement that corporate employee passwords must have a minimum number of characters. Which Cloud Identity password guidelines can the organization use to inform their new requirements?

- A. Set the minimum length for passwords to be 8 characters.
- B. Set the minimum length for passwords to be 10 characters.
- C. Set the minimum length for passwords to be 12 characters.
- D. Set the minimum length for passwords to be 6 characters.

Answer: C

NEW QUESTION 6

A customer is collaborating with another company to build an application on Compute Engine. The customer is building the application tier in their GCP Organization, and the other company is building the storage tier in a different GCP Organization. This is a 3-tier web application. Communication between portions of the application must not traverse the public internet by any means. Which connectivity option should be implemented?

- A. VPC peering
- B. Cloud VPN
- C. Cloud Interconnect
- D. Shared VPC

Answer: B

NEW QUESTION 7

A business unit at a multinational corporation signs up for GCP and starts moving workloads into GCP. The business unit creates a Cloud Identity domain with an organizational resource that has hundreds of projects.

Your team becomes aware of this and wants to take over managing permissions and auditing the domain resources.

Which type of access should your team grant to meet this requirement?

- A. Organization Administrator
- B. Security Reviewer
- C. Organization Role Administrator
- D. Organization Policy Administrator

Answer: C

NEW QUESTION 8

In an effort for your company messaging app to comply with FIPS 140-2, a decision was made to use GCP compute and network services. The messaging app architecture includes a Managed Instance Group (MIG) that controls a cluster of Compute Engine instances. The instances use Local SSDs for data caching and UDP for instance-to-instance communications. The app development team is willing to make any changes necessary to comply with the standard

Which options should you recommend to meet the requirements?

- A. Encrypt all cache storage and VM-to-VM communication using the BoringCrypto module.
- B. Set Disk Encryption on the Instance Template used by the MIG to customer-managed key and use BoringSSL for all data transit between instances.
- C. Change the app instance-to-instance communications from UDP to TCP and enable BoringSSL on clients' TLS connections.
- D. Set Disk Encryption on the Instance Template used by the MIG to Google-managed Key and use BoringSSL library on all instance-to-instance communications.

Answer: D

NEW QUESTION 9

Your company has deployed an application on Compute Engine. The application is accessible by clients on port 587. You need to balance the load between the different instances running the application. The connection should be secured using TLS, and terminated by the Load Balancer.

What type of Load Balancing should you use?

- A. Network Load Balancing
- B. HTTP(S) Load Balancing
- C. TCP Proxy Load Balancing
- D. SSL Proxy Load Balancing

Answer: D

NEW QUESTION 10

Your team needs to obtain a unified log view of all development cloud projects in your SIEM. The development projects are under the NONPROD organization folder with the test and pre-production projects. The development projects share the ABC-BILLING billing account with the rest of the organization.

Which logging export strategy should you use to meet the requirements?

- A. 1. Export logs to a Cloud Pub/Sub topic with folders/NONPROD parent and includeChildren property set to True in a dedicated SIEM projec
- B. 2. Subscribe SIEM to the topic.
- C. 1. Create a Cloud Storage sink with billingAccounts/ABC-BILLING parent and includeChildren property set to False in a dedicated SIEM projec
- D. 2. Process Cloud Storage objects in SIEM.
- E. 1. Export logs in each dev project to a Cloud Pub/Sub topic in a dedicated SIEM projec
- F. 2. Subscribe SIEM to the topic.
- G. 1. Create a Cloud Storage sink with a publicly shared Cloud Storage bucket in each projec
- H. 2. Process Cloud Storage objects in SIEM.

Answer: B

NEW QUESTION 10

A customer's data science group wants to use Google Cloud Platform (GCP) for their analytics workloads. Company policy dictates that all data must be company-owned and all user authentications must go through their own Security Assertion Markup Language (SAML) 2.0 Identity Provider (IdP). The Infrastructure Operations Systems Engineer was trying to set up Cloud Identity for the customer and realized that their domain was already being used by G Suite.

How should you best advise the Systems Engineer to proceed with the least disruption?

- A. Contact Google Support and initiate the Domain Contestation Process to use the domain name in your new Cloud Identity domain.
- B. Register a new domain name, and use that for the new Cloud Identity domain.
- C. Ask Google to provision the data science manager's account as a Super Administrator in the existing domain.
- D. Ask customer's management to discover any other uses of Google managed services, and work with the existing Super Administrator.

Answer: C

NEW QUESTION 13

You are creating an internal App Engine application that needs to access a user's Google Drive on the user's behalf. Your company does not want to rely on the current user's credentials. It also wants to follow Google recommended practices. What should you do?

- A. Create a new Service account, and give all application users the role of Service Account User.
- B. Create a new Service account, and add all application users to a Google Group.
- C. Give this group the role of Service Account User.
- D. Use a dedicated G Suite Admin account, and authenticate the application's operations with these G Suite credentials.
- E. Create a new service account, and grant it G Suite domain-wide delegation.
- F. Have the application use it to impersonate the user.

Answer: A

NEW QUESTION 15

Last week, a company deployed a new App Engine application that writes logs to BigQuery. No other workloads are running in the project. You need to validate that all data written to BigQuery was done using the App Engine Default Service Account.

What should you do?

- A. * 1. Use StackDriver Logging and filter on BigQuery Insert Jobs.* 2. Click on the email address in line with the App Engine Default Service Account in the authentication field.* 3. Click Hide Matching Entries
- B. * 4. Make sure the resulting list is empty.
- C. * 1. Use StackDriver Logging and filter on BigQuery Insert Jobs.* 2. Click on the email address in line with the App Engine Default Service Account in the authentication field.* 3. Click Show Matching Entries
- D. * 4. Make sure the resulting list is empty.
- E. * 1. In BigQuery, select the related dataset.* 2. Make sure the App Engine Default Service Account is the only account that can write to the dataset.
- F. * 1. Go to the IAM section on the project.* 2. Validate that the App Engine Default Service Account is the only account that has a role that can write to BigQuery.

Answer: C

NEW QUESTION 20

A company is backing up application logs to a Cloud Storage bucket shared with both analysts and the administrator. Analysts should only have access to logs that do not contain any personally identifiable information (PII). Log files containing PII should be stored in another bucket that is only accessible by the administrator.

What should you do?

- A. Use Cloud Pub/Sub and Cloud Functions to trigger a Data Loss Prevention scan every time a file is uploaded to the shared bucket.
- B. If the scan detects PII, have the function move into a Cloud Storage bucket only accessible by the administrator.
- C. Upload the logs to both the shared bucket and the bucket only accessible by the administrator.
- D. Create a job trigger using the Cloud Data Loss Prevention API.
- E. Configure the trigger to delete any files from the shared bucket that contain PII.
- F. On the bucket shared with both the analysts and the administrator, configure Object Lifecycle Management to delete objects that contain any PII.
- G. On the bucket shared with both the analysts and the administrator, configure a Cloud Storage Trigger that is only triggered when PII data is uploaded.
- H. Use Cloud Functions to capture the trigger and delete such files.

Answer: C

NEW QUESTION 24

A customer deployed an application on Compute Engine that takes advantage of the elastic nature of cloud computing.

How can you work with Infrastructure Operations Engineers to best ensure that Windows Compute Engine VMs are up to date with all the latest OS patches?

- A. Build new base images when patches are available, and use a CI/CD pipeline to rebuild VMs, deploying incrementally.
- B. Federate a Domain Controller into Compute Engine, and roll out weekly patches via Group Policy Object.
- C. Use Deployment Manager to provision updated VMs into new serving Instance Groups (IGs).
- D. Reboot all VMs during the weekly maintenance window and allow the StartUp Script to download the latest patches from the internet.

Answer: D

NEW QUESTION 26

A customer implements Cloud Identity-Aware Proxy for their ERP system hosted on Compute Engine. Their security team wants to add a security layer so that the ERP systems only accept traffic from Cloud Identity-Aware Proxy.

What should the customer do to meet these requirements?

- A. Make sure that the ERP system can validate the JWT assertion in the HTTP requests.
- B. Make sure that the ERP system can validate the identity headers in the HTTP requests.
- C. Make sure that the ERP system can validate the x-forwarded-for headers in the HTTP requests.
- D. Make sure that the ERP system can validate the user's unique identifier headers in the HTTP requests.

Answer: A

NEW QUESTION 27

An organization's typical network and security review consists of analyzing application transit routes, request handling, and firewall rules. They want to enable their developer teams to deploy new applications without the overhead of this full review.

How should you advise this organization?

- A. Use Forseti with Firewall filters to catch any unwanted configurations in production.
- B. Mandate use of infrastructure as code and provide static analysis in the CI/CD pipelines to enforce policies.
- C. Route all VPC traffic through customer-managed routers to detect malicious patterns in production.
- D. All production applications will run on-premise.
- E. Allow developers free rein in GCP as their dev and QA platforms.

Answer: B

NEW QUESTION 32

An engineering team is launching a web application that will be public on the internet. The web application is hosted in multiple GCP regions and will be directed to the respective backend based on the URL request.

Your team wants to avoid exposing the application directly on the internet and wants to deny traffic from a specific list of malicious IP addresses

Which solution should your team implement to meet these requirements?

- A. Cloud Armor
- B. Network Load Balancing
- C. SSL Proxy Load Balancing
- D. NAT Gateway

Answer: A

NEW QUESTION 34

A manager wants to start retaining security event logs for 2 years while minimizing costs. You write a filter to select the appropriate log entries.

Where should you export the logs?

- A. BigQuery datasets
- B. Cloud Storage buckets
- C. StackDriver logging
- D. Cloud Pub/Sub topics

Answer: C

NEW QUESTION 35

A retail customer allows users to upload comments and product reviews. The customer needs to make sure the text does not include sensitive data before the comments or reviews are published.

Which Google Cloud Service should be used to achieve this?

- A. Cloud Key Management Service
- B. Cloud Data Loss Prevention API
- C. BigQuery
- D. Cloud Security Scanner

Answer: D

NEW QUESTION 39

You want data on Compute Engine disks to be encrypted at rest with keys managed by Cloud Key Management Service (KMS). Cloud Identity and Access Management (IAM) permissions to these keys must be managed in a grouped way because the permissions should be the same for all keys.

What should you do?

- A. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- B. Manage the IAM permissions at the Key level.
- C. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- D. Manage the IAM permissions at the KeyRing level.
- E. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- F. Manage the IAM permissions at the Key level.
- G. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- H. Manage the IAM permissions at the KeyRing level.

Answer: C

NEW QUESTION 41

Your team needs to prevent users from creating projects in the organization. Only the DevOps team should be allowed to create projects on behalf of the requester.

Which two tasks should your team perform to handle this request? (Choose two.)

- A. Remove all users from the Project Creator role at the organizational level.
- B. Create an Organization Policy constraint, and apply it at the organizational level.
- C. Grant the Project Editor role at the organizational level to a designated group of users.
- D. Add a designated group of users to the Project Creator role at the organizational level.
- E. Grant the billing account creator role to the designated DevOps team.

Answer: BD

NEW QUESTION 43

An organization is starting to move its infrastructure from its on-premises environment to Google Cloud Platform (GCP). The first step the organization wants to take is to migrate its current data backup and disaster recovery solutions to GCP for later analysis. The organization's production environment will remain on-premises for an indefinite time. The organization wants a scalable and cost-efficient solution.

Which GCP solution should the organization use?

- A. BigQuery using a data pipeline job with continuous updates
- B. Cloud Storage using a scheduled task and gsutil
- C. Compute Engine Virtual Machines using Persistent Disk
- D. Cloud Datastore using regularly scheduled batch upload jobs

Answer: A

NEW QUESTION 45

.....

Relate Links

100% Pass Your Professional-Cloud-Security-Engineer Exam with Exambible Prep Materials

<https://www.exambible.com/Professional-Cloud-Security-Engineer-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>