

AZ-700 Dumps

Designing and Implementing Microsoft Azure Networking Solutions

<https://www.certleader.com/AZ-700-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You need to implement a P2S VPN for the users in the branch office. The solution must meet the hybrid networking requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 2

- (Exam Topic 1)

You need to recommend a configuration for the ExpressRoute connection from the Boston datacenter. The solution must meet the hybrid networking requirements and business requirements.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

For the first question, only ExpressRoute GW SKU Ultra Performance support FastPath feature.

For the second question, vnet1 will connect to ExpressRoute gw, once Vnet1 peers with Vnet2, the traffic from on-premise network will bypass GW and Vnet1, directly goes to Vnet2, while this feature is under public preview.

====Reference

ExpressRoute virtual network gateway is designed to exchange network routes and route network traffic. FastPath is designed to improve the data path performance between your on-premises network and your virtual network. When enabled, FastPath sends network traffic directly to virtual machines in the virtual network, bypassing the gateway.

To configure FastPath, the virtual network gateway must be either: Ultra Performance

ErGw3AZ

VNet Peering - FastPath will send traffic directly to any VM deployed in a virtual network peered to the one connected to ExpressRoute, bypassing the

ExpressRoute virtual network gateway.

<https://docs.microsoft.com/en-us/azure/expressroute/about-fastpath> Gateway SKU

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-about-virtual-network-gateways>

NEW QUESTION 3

- (Exam Topic 3)

You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF).

FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region.

You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States.

What should you include in the WAF policy?

- A. a frontend host association
B. a managed rule set
C. a custom rule that uses a rate limit rule
D. a custom rule that uses a match rule

Answer: C

NEW QUESTION 4

- (Exam Topic 3)

You are planning an Azure solution that will contain the following types of resources in a single Azure region:

Virtual machine

Azure App Service

Virtual Network gateway

Azure SQL Managed Instance

App Service and SQL Managed Instance will be delegated to create resources in virtual networks.

You need to identify how many virtual networks and subnets are required for the solution. The solution must minimize costs to transfer data between virtual networks.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Diagram, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services#services-that-can-be>

NEW QUESTION 5

- (Exam Topic 3)

Your company has a single on-premises datacenter in New York. The East US Azure region has a peering location in New York.

The company only has Azure resources in the East US region.

You need to implement ExpressRoute to support up to 1 Gbps. You must use only ExpressRoute Unlimited data plans. The solution must minimize costs.

Which type of ExpressRoute circuits should you create?

- A. ExpressRoute Local
- B. ExpressRoute Direct
- C. ExpressRoute Premium
- D. ExpressRoute Standard

Answer: A

Explanation:

Reference:

<https://azure.microsoft.com/en-us/pricing/details/expressroute/>

NEW QUESTION 6

- (Exam Topic 3)

You have a hybrid environment that uses ExpressRoute to connect an on-premises network and Azure.

You need to log the uptime and the latency of the connection periodically by using an Azure virtual machine and an on-premises virtual machine.

What should you use?

- A. Azure Monitor
- B. IP flow verify
- C. Connection Monitor
- D. Azure Internet Analyzer

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/connection-monitor>

NEW QUESTION 7

- (Exam Topic 3)

You have two Azure subscriptions named Subscnption1 and Subscription2. Subscription1 contains a virtual network named Vnet1. Vnet1 contains an application server. Subscription2 contains a virtual network named Vnet2.

You need to provide the virtual machines in Vnet2 with access to the application server in Vnet1 by using a private endpoint.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 8

- (Exam Topic 3)

You have an Azure virtual network that contains a subnet named Subnet1. Subnet1 is associated to a network security group (NSG) named NSG1. NSG1 blocks all outbound traffic that is not allowed explicitly.

Subnet1 contains virtual machines that must communicate with the Azure Cosmos DB service.

You need to create an outbound security rule in NSG1 to enable the virtual machines to connect to Azure Cosmos DB.

What should you include in the solution?

- A. a service tag
- B. a private endpoint
- C. a subnet delegation
- D. an application security group

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/service-tags-overview>**NEW QUESTION 9**

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.

VM1 is a virtual machine that has an instance-level public IP address (ILPIP).

Basic Load Balancer uses a public IP address. VM1 and VM2 are in the backend pool. NAT Gateway uses a public IP address named IP3 that is associated to SubnetA. VNet1 has a virtual network gateway that has a public IP address named IP4.

When initiating outbound traffic to the internet from VM1, which public address is used?

- A. IP1
- B. IP2
- C. IP3
- D. IP4

Answer: A**NEW QUESTION 10**

- (Exam Topic 3)

You have the Azure load balancer shown in the Load Balancer exhibit.

LB2 has the backend pools shown in the Backend Pools exhibit.

You need to ensure that LB2 distributes traffic to all the members of VMSS1.

What should you do?

- A. Add a network interface to VMSS1.
- B. Configure a health probe.
- C. Add a public IP address to each member of VMSS1.
- D. Add a load balancing rule.

Answer: D**NEW QUESTION 10**

- (Exam Topic 3)

You have an Azure virtual network and an on-premises datacenter.

You need to implement a Site-to-Site VPN connection between the datacenter and the virtual network. Which two resources should you create? Each correct

answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Firewall
- C. a local network gateway
- D. Azure Web Application Firewall (WAF)
- E. an on-premises data gateway
- F. an Azure application gateway
- G. a user-defined route

Answer: CG

NEW QUESTION 14

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that provides access to the following hosts:

- * www.adatum.com
- * www.contoso.com
- * www.fabrikam.com

AppGW1 has the listeners shown in the following table.

You create Azure Web Application Firewall (WAF) policies for AppGW1 as shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/per-site-policies>

NEW QUESTION 15

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.

You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.

You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:

- A failure of two zones must NOT affect the availability of either App1 or App2.
- A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 17

- (Exam Topic 3)

You have the Azure App Service app shown in the App Service exhibit.

The VNet Integration settings for as12 are configured as shown in the Vnet Integration exhibit.

The Private Endpoint connections settings for as12 are configured as shown in the Private Endpoint connections exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet>

NEW QUESTION 19

- (Exam Topic 3)

You have an Azure subscription that contains the following resources:

A virtual network named Vnet1

Two subnets named subnet1 and AzureFirewallSubnet

A public Azure Firewall named FW1

A route table named RT1 that is associated to Subnet1

A rule routing of 0.0.0.0/0 to FW1 in RT1

After deploying 10 servers that run Windows Server to Subnet1, you discover that none of the virtual machines were activated.

You need to ensure that the virtual machines can be activated. What should you do?

A. On FW1, create an outbound service tag rule for AzureCloud.

B. On FW1, create an outbound network rule that allows traffic to the Azure Key Management Service (KMS).

C. Deploy a NAT gateway.

D. To Subnet1, associate a network security group (NSG) that allows outbound access to port 1688.

Answer: B

Explanation:

Reference:

<https://ryanmangansitblog.com/2020/05/11/firewall-considerations-windows-virtual-desktop-wvd/>

NEW QUESTION 21

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You enable BGP on the gateway of Vnet1.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:
<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 22

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that contains two subnets named Subnet1 and Subnet2. You have the NAT gateway shown in the NATgateway1 exhibit.

You have the virtual machine shown in the VM1 exhibit.

Subnet1 is configured as shown in the Subnet1 exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

VM1 is in Zone2 whereas the NAT Gateway is in Zone1. The VM would need to be in the same zone as the NAT Gateway to be able to use it. Therefore, VM1 cannot use the NAT gateway.

Box 2: Yes

NATgateway1 is configured in the settings for Subnet2. Box 3: No

The NAT gateway does not have a single public IP address, it has an IP prefix which means more than one IP address. The VMs that use the NAT Gateway can use different public IP addresses contained within the IP prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource>

NEW QUESTION 25

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- * A virtual network named Vnet1
- * A subnet named Subnet1 in Vnet1
- * A virtual machine named VM1 that connects to Subnet1
- * Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 27

- (Exam Topic 3)

You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution.

(Choose two.)

NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Application Gateway
- C. Azure Firewall
- D. a local network gateway
- E. Azure Front Door

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto>

NEW QUESTION 31

- (Exam Topic 3)

Your company has offices in New York and Amsterdam. The company has an Azure subscription. Both offices connect to Azure by using a Site-to-Site VPN connection.

The office in Amsterdam uses resources in the North Europe Azure region. The office in New York uses resources in the East US Azure region.

You need to implement ExpressRoute circuits to connect each office to the nearest Azure region. Once the ExpressRoute circuits are connected, the on-premises computers in the Amsterdam office must be able to connect to the on-premises servers in the New York office by using the ExpressRoute circuits.

Which ExpressRoute option should you use?

- A. ExpressRoute Local
- B. ExpressRoute FastPath
- C. ExpressRoute Direct
- D. ExpressRoute Global Reach

Answer: A

NEW QUESTION 33

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2.

Solution: You download and reinstall the VPN client configuration. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 34

- (Exam Topic 3)

You have an Azure subscription that contains the public IPv4 addresses shown in the following table.

You plan to create a load balancer named LB1 that will have the following settings:

- * Name: LB1
- * Location: West US
- * Type: Public

* SKU: Standard

Which public IPv4 addresses can be used by LB1?

- A. IP1 and IP3 only
- B. IP3 only
- C. IP3 and IP5 only
- D. IP2only
- E. IP1, IP2. IP3. IP4. and IP5
- F. IP1, IP3, IP4, and 1P5 only

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-public-ip-address>

This is because "Load balancer and the public IP address SKU must match when you use them with public IP addresses" <https://docs.microsoft.com/en-us/azure/load-balancer/skus>

Standard SKU Load Balancer routes traffic within and across regions, and to Availability Zones for high resiliency.

NEW QUESTION 35

- (Exam Topic 3)

Your company has an on-premises network and three Azure subscriptions named Subscription1, Subscription2, and Subscription3.

The departments at the company use the Azure subscriptions as shown in the following table.

All the resources in the subscriptions are in either the West US Azure region or the West US 2 Azure region. You plan to connect all the subscriptions to the on-premises network by using ExpressRoute.

What is the minimum number of ExpressRoute circuits required?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: A

NEW QUESTION 38

- (Exam Topic 3)

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption.

You configure the listener for HTTPS by uploading an enterprise signed certificate.

You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/end-to-end-ssl-portal> <https://docs.microsoft.com/en-us/azure/application-gateway/create-ssl-portal#configuration-tab>

NEW QUESTION 42

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-700 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-700-dumps.html>