

## CRT-450 Dumps

### Salesforce Certified Platform Developer I (SU18)

<https://www.certleader.com/CRT-450-dumps.html>



**NEW QUESTION 1**

A developer needs to create a Visualforce page that displays Case data. The page will be used by both support reps and support managers. The Support Rep profile does not allow visibility of the Customer\_Satisfaction c field, but the Support Manager profile does. How can the developer create the page to enforce Field Level Security and keep future maintenance to a minimum?

- A. Create one Visualforce Page for use by both profiles.
- B. Use a new Support Manager permission set.
- C. Create a separate Visualforce Page for each profile.
- D. Use a custom controller that has the with sharing keyword

**Answer: D**

**NEW QUESTION 2**

In a single record, a user selects multiple values from a multi-select picklist. How are the selected values represented in Apex?

- A. As a List<String> with each value as an element in the list
- B. As a String with each value separated by a comma
- C. As a String with each value separated by a semicolon
- D. As a Set<String> with each value as an element in the set

**Answer: C**

**NEW QUESTION 3**

A developer has the controller class below.

```
public with sharing class myFooController {  
    public integer prop { get; private set; }  
}
```

Which code block will run successfully in an execute anonymous window?

- A. myFooController m = new myFooController();System.assert(m.prop !=null);
- B. myFooController m = new myFooController();System.assert(m.prop ==0);
- C. myFooController m = new myFooController();System.assert(m.prop ==null);
- D. myFooController m = new myFooController();System.assert(m.prop ==1);

**Answer: C**

**NEW QUESTION 4**

Which statement results in an Apex compiler error?

- A. Map<Id,Leas> lmap = new Map<Id,Lead>([Select ID from Lead Limit 8]);
- B. Date d1 = Date.Today(), d2 = Date.ValueOf('2018-01-01');
- C. Integer a=5, b=6, c, d = 7;
- D. List<string> s = List<string>{'a','b','c'};

**Answer: D**

**NEW QUESTION 5**

How should a developer prevent a recursive trigger?

- A. Use a “one trigger per object” pattern.
- B. Use a static Boolean variable.
- C. Use a trigger handler.
- D. Use a private Boolean variable

**Answer: D**

**NEW QUESTION 6**

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

**Answer: ADE**

**NEW QUESTION 7**

Which three options can be accomplished with formula fields? (Choose three.)

- A. Generate a link using the HYPERLINK function to a specific record.
- B. Display the previous value for a field using the PRIORVALUE function.
- C. Determine if a datetime field value has passed using the NOW function.

- D. Return and display a field value from another object using the VLOOKUP function.
- E. Determine which of three different images to display using the IF functio

**Answer:** ACE

#### NEW QUESTION 8

A lead object has a custom field Prior\_Email c. The following trigger is intended to copy the current Email into the Prior\_Email c field any time the Email field is changed:

```
trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
    {
        if(ld.Email != trigger.oldMap.get (ld.ld).email)
        {
            ld.Prior_Email__c = trigger.old,ap.get(ld.ld).email;
            update ld;
        }
    }
}
```

Which type of exception will this trigger cause?

- A. A null reference exception
- B. A compile time exception
- C. A DML exception
- D. A limit exception when doing a bulk update

**Answer:** C

#### NEW QUESTION 9

Which two platform features align to the Controller portion of MVC architecture? (Choose two.)

- A. Process Builder actions
- B. Workflow rules
- C. Standard objects
- D. Date fields

**Answer:** AB

#### NEW QUESTION 10

A developer created a Lightning component to display a short text summary for an object and wants to use it with multiple Apex classes. How should the developer design the Apex classes?

- A. Have each class define method getObject() that returns the sObject that is controlled by the Apex class.
- B. Extend each class from the same base class that has a method getTextSummary() that returns the summary.
- C. Have each class implement an interface that defines method getTextSummary() that returns the summary.
- D. Have each class define method getTextSummary() that returns the summar

**Answer:** C

#### NEW QUESTION 10

For which three items can a trace flag be configured? (Choose three.)

- A. Apex Trigger
- B. Apex Class
- C. Process Builder
- D. User
- E. Visualforce

**Answer:** ABD

#### NEW QUESTION 11

When viewing a Quote, the sales representative wants to easily see how many discounted items are included in the Quote Line Items. What should a developer do to meet this requirement?

- A. Create a trigger on the Quote object that queries the Quantity field on discounted Quote Line Items.
- B. Create a Workflow Rule on the Quote Line Item object that updates a field on the parent Quote when the item is discounted.
- C. Create a roll-up summary field on the Quote object that performs a SUM on the quote Line Item Quantity field, filtered for only discounted Quote Line Items.
- D. Create a formula field on the Quote object that performs a SUM on the Quote Line Item Quantity field, filtered for only discounted Quote Line Items.

**Answer:** C

#### NEW QUESTION 16

Which three options allow a developer to use custom styling in a Visualforce page? (Choose three.)

- A. <apex:stylesheet> tag

- B. Inline CSS
- C. <apex:style>tag
- D. <apex:stylesheets>tag
- E. A static resource

**Answer:** ABE

#### NEW QUESTION 21

How should a developer create a new custom exception class?

- A. `public class CustomException extends Exception{}`
- B. `CustomException ex = new (CustomException)Exception();`
- C. `public class CustomException implements Exception{}`
- D. `(Exception)CustomException ex = new Exception();`

**Answer:** A

#### NEW QUESTION 24

A developer needs to display all of the available fields for an object.

In which two ways can the developer retrieve the available fields if the variable `myObject` represents the name of the object? (Choose two.)

- A. Use `myObject.sObjectType.getDescribe().fieldSet()` to return a set of fields.
- B. Use `mySObject.myObject.fields.getMap()` to return a map of fields.
- C. Use `Schema.describeSObjects(new String[]{myObject})[0].fields.getMap()` to return a map of fields.
- D. Use `getGlobalDescribe().get(myObject).getDescribe().fields.getMap()` to return a map of field

**Answer:** BC

#### NEW QUESTION 26

A developer wants to override a button using Visualforce on an object. What is the requirement?

- A. The controller or extension must have a `PageReference` method.
- B. The `standardController` attribute must be set to the object.
- C. The `action` attribute must be set to a controller method.
- D. The object record must be instantiated in a controller or extensio

**Answer:** B

#### NEW QUESTION 29

Using the Schema Builder, a developer tries to change the API name of a field that is referenced in an Apex test class. What is the end result?

- A. The API name is not changed and there are no other impacts.
- B. The API name of the field and the reference in the test class is changed.
- C. The API name of the field is changed, and a warning is issued to update the class.
- D. The API name of the field and the reference in the test class is update

**Answer:** C

#### NEW QUESTION 33

A developer executes the following query in Apex to retrieve a list of contacts for each account:

```
List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;
```

Which two exceptions may occur when it executes? (Choose two.)

- A. CPU limit exception due to the complexity of the query.
- B. SOQL query row limit exception due to the number of contacts.
- C. SOQL query limit exception due to the number of contacts.
- D. SOQL query row limit exception due to the number of account

**Answer:** CD

#### NEW QUESTION 34

Which three declarative fields are correctly mapped to variable types in Apex? (Choose three.)

- A. Number maps to Decimal.
- B. Number maps to Integer.
- C. TextArea maps to List of type String.
- D. Date/Time maps to Dateline.
- E. Checkbox maps to Boolea

**Answer:** ADE

#### NEW QUESTION 38

What are two valid options for iterating through each Account in the collection `List<Account>` named `AccountList`? (Choose two.)

- A. `for (Account theAccount : AccountList) {...}`

- B. for(AccountList) {...}
- C. for (List L : AccountList) {...}
- D. for (Integer i=0; i < AccountList.Size(); i++) {...}

**Answer:** AD

#### NEW QUESTION 40

A Visualforce page is required for displaying and editing Case records that includes both standard and custom functionality defined in an Apex class called myControllerExtension.

The Visualforce page should include which <apex:page> attribute(s) to correctly implement controller functionality?

- A. controller="Case" and extensions="myControllerExtension"
- B. extensions="myControllerExtension"
- C. controller="myControllerExtension"
- D. standardController="Case" and extensions="myControllerExtension"

**Answer:** D

#### NEW QUESTION 44

Which SOQL query successfully returns the Accounts grouped by name?

- A. SELECT Type, Max(CreatedDate) FROM Account GROUP BY Name
- B. SELECT Name, Max(CreatedDate) FROM Account GROUP BY Name
- C. SELECT Id, Type, Max(CreatedDate) FROM Account GROUP BY Name
- D. SELECT Type, Name, Max(CreatedDate) FROM Account GROUP BY Name LIMIT 5

**Answer:** B

#### NEW QUESTION 48

Why would a developer consider using a custom controller over a controller extension?

- A. To increase the SOQL query governor limits.
- B. To implement all of the logic for a page and bypass default Salesforce functionality
- C. To leverage built-in functionality of a standard controller
- D. To enforce user sharing settings and permissions

**Answer:** B

#### NEW QUESTION 53

A developer wrote a unit test to confirm that a custom exception works properly in a custom controller, but the test failed due to an exception being thrown. Which step should the developer take to resolve the issue and properly test the exception?

- A. Use try/catch within the unit test to catch the exception.
- B. Use the finally bloc within the unit test to populate the exception.
- C. Use the database methods with all or none set to FALSE.
- D. Use Test.isRunningTest() within the custom controlle

**Answer:** A

#### NEW QUESTION 57

A developer created a Visualforce page and a custom controller with methods to handle different buttons and events that can occur on the page.

What should the developer do to deploy to production?

- A. Create a test class that provides coverage of the Visualforce page.
- B. Create a test page that provides coverage of the Visualforce page.
- C. Create a test page that provides coverage of the custom controller.
- D. Create a test class that provides coverage of the custom controlle

**Answer:** D

#### NEW QUESTION 61

Where can a developer identify the time taken by each process in a transaction using Developer Console log inspector?

- A. Performance Tree tab under Stack Tree panel
- B. Execution Tree tab under Stack Tree panel
- C. Timeline tab under Execution Overview panel
- D. Save Order tab under Execution Overview panel

**Answer:** C

#### NEW QUESTION 64

What is a benefit of using an after insert trigger over using a before insert trigger?

- A. An after insert trigger allows a developer to bypass validation rules when updating fields on the new record.
- B. An after insert trigger allows a developer to insert other objects that reference the new record.

- C. An after insert trigger allows a developer to make a callout to an external service.  
D. An after insert trigger allows a developer to modify fields in the new record without a query.

**Answer:** B

#### NEW QUESTION 68

Which two number expressions evaluate correctly? (Choose two.)

- A. Double d = 3.14159;  
B. Integer l = 3.14159;  
C. Decimal d = 3.14159;  
D. Long l = 3.14159;

**Answer:** AC

#### NEW QUESTION 71

Universal Containers wants Opportunities to be locked from editing when reaching the Closed/Won stage. Which two strategies should a developer use to accomplish this? (Choose two.)

- A. Use a Visual Workflow.  
B. Use a validation rule.  
C. Use the Process Automation Settings.  
D. Use a Trigger

**Answer:** BD

#### NEW QUESTION 74

A developer executes the following code in the Developer Console:

```
List<Account> fList = new List <Account> ();
For(integer i= 1; i <= 200; i++){fList.add(new Account ( Name = 'Universal Account ' + i));}
Insert fList;
List <Account> sList = new List<Account>();
For (integer l = 201; l <= 20000; i ++){sList.add(new Account (Name = 'Universal Account ' + i));}
Insert sList;
How many accounts are created in the Salesforce organization ?
```

- A. 20000  
B. 200  
C. 1000

**Answer:** B

#### NEW QUESTION 75

Which trigger event allows a developer to update fields in the Trigger.new list without using an additional DML statement? Choose 2 answers

- A. Before insert  
B. Before update  
C. After update  
D. After insert

**Answer:** AB

#### NEW QUESTION 78

What is a valid source and destination pair that can send or receive change sets? (Choose 2)

- A. Developer Edition to Sandbox  
B. Sandbox to Production  
C. Sandbox to Sandbox  
D. Developer Edition to Production

**Answer:** BC

#### NEW QUESTION 82

Which data type or collection of data types can SOQL statements populate or evaluate to? (Choose 3)

- A. A single sObject  
B. An integer  
C. A string  
D. A list of sObjects  
E. A Boolean

**Answer:** ABD

#### NEW QUESTION 83

A custom exception "RecordNotFoundException" is defined by the following code of block.`public class RecordNotFoundException extends Exception()`which statement can a developer use to throw a custom exception? choose 2 answers

- A. `Throw new RecordNotFoundException("problem occurred");`  
B. `Throw new RecordNotFoundException();`



- C. throw RecordNotFoundException("problem occurred");
- D. Throw RecordNotFoundException();

**Answer:** AB

#### NEW QUESTION 84

Before putting an app into production, which step should be taken?

- A. Run the production check feature via the web interface
- B. Switch to a production database
- C. Insure that you have installed a performance introspection add-on
- D. Scale your dynos

**Answer:** A

#### NEW QUESTION 89

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- B. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- C. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom objec

**Answer:** C

#### NEW QUESTION 90

A company would like to send an offer letter to a candidate, have the candidate sign it electronically, and then send the letter back. What can a developer do to accomplish this?

- A. Create a visual workflow that will capture the candidate's signature electronically
- B. Develop a Process Builder that will send the offer letter and allow the candidate to sign it electronically.
- C. Install a managed package that will allow the candidate to sign documents electronically
- D. Create an assignment rule that will assign the offer letter to the candidate

**Answer:** C

#### NEW QUESTION 93

A developer has the following code block:

```
public class PaymentTax {public static decimal SalesTax = 0.0875;} trigger OpportunityLineItemTrigger on OpportunityLineItem (before insert, before update) {PaymentTax PayTax = new PaymentTax();decimal ProductTax = ProductCost * XXXXXXXXXXXX;} To calculate the productTax, which code segment would a developer insert at the XXXXXXXXXXXX to make the value the class variable SalesTax accessible within the trigger?
```

- A. SalesTax
- B. PayTax.SalesTax
- C. PaymentTax.SalesTax
- D. OpportunityLineItemTngger.SalesTax

**Answer:** C

#### NEW QUESTION 97

A Visual force page displays two fields named Phone Number and Email. User1 has access to Phone Number, but not to Email. User2 has access to Email, but not Phone Number. A developer needs to ensure that User1 can only see Phone Number, and User2 can only see Email. Which method can the developer use to achieve this?

- A. Schema isUpdateable() method.
- B. Schema isAccessible() method.
- C. Schema isReadable() method.
- D. Schema isCreateable() metho

**Answer:** B

#### NEW QUESTION 98

What is a characteristic of the Lightning Component Framework? Choose 2 answers:

- A. It has an event-driven architecture.
- B. It works with existing Visualforce pages.
- C. It includes responsive components.
- D. It uses XML as its data forma

**Answer:** AC

#### NEW QUESTION 99

What is a capability of cross-object formula fields? Choose 3 answers

- A. Formula fields can reference fields from master-detail or lookup parent relationships.
- B. Formula fields can expose data the user does not have access to in a record.
- C. Formula fields can be used in three roll-up summaries per object.
- D. Formula fields can reference fields in a collect of records from a child relationship.
- E. Formula fields can reference fields from objects that are up to 10 relationships away

**Answer:** ABE

#### NEW QUESTION 103

Where can debug log filter settings be set? Choose 2 answers

- A. The Filters link by the monitored user's name within the web UI.
- B. The Show More link on the debug log's record.
- C. On the monitored user's name.
- D. The Log Filters tab on a class or trigger detail page

**Answer:** AD

#### NEW QUESTION 105

When would a developer use a custom controller instead of a controller extension? Choose 2 answers:

- A. When a Visualforce page needs to replace the functionality of a standard controller.
- B. When a Visualforce page does not reference a single primary object.
- C. When a Visualforce page should not enforce permissions or field-level security.
- D. When a Visualforce page needs to add new actions to a standard controller

**Answer:** BC

#### NEW QUESTION 107

Which scenario is invalid for execution by unit tests?

- A. Executing methods for negative test scenarios
- B. Loading the standard Pricebook ID using a system method
- C. Loading test data in place of user input for Flows.
- D. Executing methods as different user

**Answer:** C

#### NEW QUESTION 108

In the code below, what type does Boolean inherit from? Boolean b = true;

- A. Enum
- B. Object
- C. String
- D. Class

**Answer:** B

#### NEW QUESTION 112

What is the accurate statement about with sharing keyword? choose 2 answers

- A. Inner class does not inherit the sharing setting from the container class
- B. Both inner and outer class can be declared as with sharing
- C. Either inner class or outer classes can be declared as with sharing but not both
- D. Inner class inherits the sharing setting from the container class

**Answer:** AB

#### NEW QUESTION 116

What is the preferred way to reference web content such as images, style sheets, JavaScript, and other libraries that is used in Visualforce pages?

- A. By accessing the content from Chatter Files.
- B. By uploading the content in the Documents tab.
- C. By accessing the content from a third-party CDN.
- D. By uploading the content as a Static Resource

**Answer:** D

#### NEW QUESTION 118

A company wants a recruiting app that models candidates and interviews; displays the total number of interviews on each candidate record; and defines security on interview records that is independent from the security on candidate records. What would a developer do to accomplish this task? Choose 2 answers

- A. Create a roll-up summary field on the Candidate object that counts Interview records.
- B. Create a master-detail relationship between the Candidate and Interview objects.
- C. Create a lookup relationship between the Candidate and Interview objects.



D. Create a trigger on the Interview object that updates a field on the Candidate object

**Answer:** CD

#### NEW QUESTION 120

Where can the custom roll-up summary fields be created using Standard Object relationships (Choose 3)

- A. On Opportunity using Opportunity Product records.
- B. On Account using Case records.
- C. On Quote using Order records.
- D. On Campaign using Campaign Member records.
- E. On Account using Opportunity record

**Answer:** ADE

#### NEW QUESTION 122

In a single record, a user selects multiple values from a multi-select picklist. How are the selected values represented in Apex?

- A. As a String with each value separated by a comma
- B. As a Set with each value as an element in the set
- C. As a String with each value separated by a semicolon
- D. As a List with each value as an element in the list Previous

**Answer:** C

#### NEW QUESTION 126

A developer creates a new Visualforce page and Apex extension, and writes test classes that exercise 95% coverage of the new Apex extension. Change set deployment to production fails with the test coverage warning: "Average test coverage across all Apex classes and triggers is 74%, at least 75% test coverage is required." What can the developer do to successfully deploy the new Visualforce page and extension?

- A. Create test classes to exercise the Visualforce page markup.
- B. Select "Disable Parallel Apex Testing" to run all the tests.
- C. Add test methods to existing test classes from previous deployments.
- D. Select "Fast Deployment" to bypass running all the test

**Answer:** C

#### NEW QUESTION 127

Why would a developer use Test.startTest() and Test.stopTest()?

- A. To avoid Apex code coverage requirements for the code between these lines
- B. To start and stop anonymous block execution when executing anonymous Apex code
- C. To indicate test code so that it does not impact Apex line count governor limits.
- D. To create an additional set of governor limits during the execution of a single test class

**Answer:** D

#### NEW QUESTION 128

An org has different Apex Classes that provide Account-related functionality. After a new validation rule is added to the object, many of the test methods fail. What can be done to resolve the failures and reduce the number of code changes needed for future validation rules? Choose 2 answers:

- A. Create a method that creates valid Account records, and call this method from within test methods.
- B. Create a method that loads valid Account records from a Static Resource, and call this method within test methods.
- C. Create a method that performs a callout for a valid Account record, and call this method from within test methods.
- D. Create a method that queries for valid Account records, and call this method from within test method

**Answer:** AB

#### NEW QUESTION 129

On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID that is passed on the URL?

- A. Use the constructor method for the controller.
- B. Use the \$Action.View method in the Visualforce page.
- C. Create a new PageReference object with the Id.
- D. Use the tag in the Visualforce page

**Answer:** A

#### NEW QUESTION 130

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using PageReference.setRedirect() to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- B. By using Messaging.sendEmail() to continue the transaction and send an alert to the user after the number of DML statements is exceeded.
- C. By using ApexMessage.Messages() to display an error message after the number of DML statements is exceeded.
- D. By using Limits.getDMLRows() and then displaying an error message before the number of DML statements is exceeded.

**Answer:** D

**NEW QUESTION 135**

A developer wrote a workflow email alert on case creation so that an email is sent to the case owner manager when a case is created. When will the email be sent?

- A. After Committing to database.
- B. Before Trigger execution.
- C. After Trigger execution.
- D. Before Committing to databas

**Answer:** A

**NEW QUESTION 137**

In which order does Salesforce execute events upon saving a record?

- A. Before Triggers; Validation Rules; After Triggers; Assignment Rules; Workflow Rules; Commit
- B. Validation Rules; Before Triggers; After Triggers; Workflow Rules; Assignment Rules; Commit
- C. Before Triggers; Validation Rules; After Triggers; Workflow Rules; Assignment Rules; Commit
- D. Validation Rules; Before Triggers; After Triggers; Assignment Rules; Workflow Rules; Commit

**Answer:** A

**NEW QUESTION 138**

What is a valid statement about Apex classes and interfaces? Choose 2 answers:

- A. The default modifier for a class is private.
- B. Exception classes must end with the word exception.
- C. A class can have multiple levels of inner classes.
- D. The default modifier for an interface is privat

**Answer:** BD

**NEW QUESTION 142**

What is the value of x after the code segment executes?

```
String x = 'A'; Integer i = 10; if ( i < 15 ) { i = 15; x = 'B'; } else if ( i < 20 ) { x = 'C'; } else { x = 'D'; }
```

- A. D
- B. A
- C. B
- D. C

**Answer:** C

**NEW QUESTION 144**

Which user can edit a record after it has been locked for approval? (Choose 2)

- A. Any user with a higher role in the hierarchy
- B. A user who is assigned as the current approver
- C. Any user who approved the record previously
- D. An administrator

**Answer:** BD

**NEW QUESTION 148**

What are the supported content sources for custom buttons and links? (Choose 2 Answers)

- A. VisualForce Page.
- B. Static Resource.
- C. URL.
- D. Chatter File.
- E. Lightning Pag

**Answer:** AC

**NEW QUESTION 153**

What is a good practice for a developer to follow when writing a trigger? (Choose 2)

- A. Using @future methods to perform DML operations.
- B. Using the Map data structure to hold query results by ID.
- C. Using the Set data structure to ensure distinct records.
- D. Using synchronous callouts to call external system

**Answer:** BC

**NEW QUESTION 157**

Which type of information is provided by the Checkpoints tab in the Developer Console? (Choose 2)

- A. Namespace
- B. Time
- C. Exception
- D. Debug Statement

**Answer:** AB

**NEW QUESTION 158**

A developer creates an Apex Trigger with the following code block:  
`List<Account> customers = new List<Account>();  
For (Order c o: trigger.new){  
Account a = [SELECT Id, Is_Customer c FROM Account WHERE Id = :o.Customer c];  
a.Is_Customer c = true;  
customers.add(a);  
}  
Database.update(customers, false);`  
The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders. How many Orders are successfully loaded when the developer attempts to load the 150 Orders?

- A. 1
- B. 150
- C. 100

**Answer:** A

**NEW QUESTION 161**

What must the Controller for a Visualforce page utilize to override the Standard Opportunity view button?

- A. The StandardSetController to support related lists for pagination.
- B. The Opportunity StandardController for pre -built functionality.
- C. A callback constructor to reference the StandardController.
- D. A constructor that initializes a private Opportunity variable

**Answer:** B

**NEW QUESTION 164**

What should a developer working in a sandbox use to exercise a new test Class before the developer deploys that test production? Choose 2 answers

- A. The REST API and ApexTestRun method
- B. The Apex Test Execution page in Salesforce Setup.
- C. The Test menu in the Developer Console.
- D. The Run Tests page in Salesforce Setup

**Answer:** BC

**NEW QUESTION 166**

A developer runs the following anonymous code block:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];  
Delete acc;  
Database.emptyRecycleBin(acc);  
system.debug(Limits.getDMLStatements()+ ' ', ' ' +Limits.getLimitDMLStatements());
```

What is the result?

- A. 11, 150
- B. 150, 2
- C. 150, 11
- D. 2, 150

**Answer:** D

**NEW QUESTION 170**

Which component is available to deploy using Metadata API? Choose 2 answers

- A. Case Layout
- B. Account Layout
- C. Case Feed Layout
- D. ConsoleLayout

**Answer:** AB

**NEW QUESTION 171**

A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing. What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Triggers
- B. HTTP Callouts
- C. Apex Controllers
- D. Anonymous Blocks

**Answer:** D

**NEW QUESTION 175**

What is a valid way of loading external JavaScript files into a Visualforce page? (Choose 2) A. Using an (apex:includeScript)\* tag. \>

- A. Using an (apex:define)\* tag.
- B. Using a (link)\* tag.
- C. Using a (script)\* ta

**Answer:** AD

**NEW QUESTION 179**

A developer created a lightning component name accountList.cmp that display a list of Accounts. Client-side logic that is executed when a user hovers over an account in the list should be stored in which bundle member?

- A. AccountListHelper.js
- B. AccountListRenderer.js
- C. AccountList.renderer
- D. AccountList.helper

**Answer:** C

**NEW QUESTION 181**

A developer has the following code:try {List nameList;Account a;String s = a.Name;nameList.add(s);} catch (ListException le ) {System.debug(' List Exception ');} catch (NullPointerException npe) {System.debug(' NullPointer Exception ');} catch (Exception e) {System.debug(' Generic Exception ');} What message will be logged?

- A. List Exception
- B. NullPointerException
- C. Generic Exception
- D. No message is logged

**Answer:** B

**NEW QUESTION 182**

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record. Which type of trigger would the developer create? Choose 2 answers

- A. Before update
- B. After insert
- C. Before insert
- D. After update

**Answer:** AC

**NEW QUESTION 186**

A reviewer is required to enter a reason in the comments field only when a candidate is recommended to be hired. Which action can a developer take to enforce this requirement?

- A. Create a required Visualforce component.
- B. Create a formula field.
- C. Create a required comments field.
- D. Create a validation rul

**Answer:** D

**NEW QUESTION 187**

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple sObjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URLWhich statement is unnecessary inside the unit test for the custom controller?

- A. Public ExtendedController (ApexPages.StandardController ctrl) { }
- B. ApexPages.currentPage().getParameters().put('input', 'TestValue')
- C. Test.setCurrentPage(pageRef),
- D. String nextPage = controller.save().getUrl();

**Answer:** AD

**NEW QUESTION 189**

A developer creates a method in an Apex class and needs to ensure that errors are handled properly.What would the developer use? (There are three correct answers.)

- A. ApexPages.addErrorMessage()
- B. A custom exception
- C. .addError()
- D. Database.handleException()
- E. A try/catch construct

**Answer:**

BCE

**NEW QUESTION 192**

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- B. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- C. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom object

**Answer:** A

**NEW QUESTION 194**

What is a capability of a StandardSetController? Choose 2 answers

- A. It allows pages to perform mass updates of records
- B. It allows pages to perform pagination with large record sets
- C. It enforces field-level security when reading large record sets
- D. It extends the functionality of a standard or custom controller

**Answer:** AB

**NEW QUESTION 199**

Which statement about the Lookup Relationship between a Custom Object and a Standard Object is correct?

- A. The Lookup Relationship on the Custom Object can prevent the deletion of the Standard Object.
- B. The Lookup Relationship cannot be marked as required on the page layout for the Custom Object.
- C. The Custom Object will be deleted when the referenced Standard Object is deleted.
- D. The Custom Object inherits security from the referenced Standard Objects

**Answer:** C

**NEW QUESTION 202**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CRT-450 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/CRT-450-dumps.html>