

Microsoft

Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions



NEW QUESTION 1

- (Exam Topic 1)

You need to implement a P2S VPN for the users in the branch office. The solution must meet the hybrid networking requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 2

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements. What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

Answer: A

NEW QUESTION 3

- (Exam Topic 2)

You are implementing the Virtual network requirements for Vnet6.

What is the minimum number of subnets and service endpoints you should create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
2, 4

NEW QUESTION 4

- (Exam Topic 2)

You need to meet the network security requirements for the NSG flow logs.

Which type of resource do you need, and how many instances should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 5

- (Exam Topic 3)

You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF).

FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region.

You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States.

What should you include in the WAF policy?

- A. a frontend host association
- B. a managed rule set
- C. a custom rule that uses a rate limit rule
- D. a custom rule that uses a match rule

Answer: C

NEW QUESTION 6

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

Answer: B

NEW QUESTION 7

- (Exam Topic 3)

You are planning an Azure solution that will contain the following types of resources in a single Azure region:

Virtual machine
Azure App Service
Virtual Network gateway
Azure SQL Managed Instance

App Service and SQL Managed Instance will be delegated to create resources in virtual networks.

You need to identify how many virtual networks and subnets are required for the solution. The solution must minimize costs to transfer data between virtual networks.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Diagram, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services#services-that-can-be>

NEW QUESTION 8

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You reset the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 9

- (Exam Topic 3)

Your company has a single on-premises datacenter in New York. The East US Azure region has a peering location in New York.

The company only has Azure resources in the East US region.

You need to implement ExpressRoute to support up to 1 Gbps. You must use only ExpressRoute Unlimited data plans. The solution must minimize costs.

Which type of ExpressRoute circuits should you create?

- A. ExpressRoute Local
- B. ExpressRoute Direct
- C. ExpressRoute Premium
- D. ExpressRoute Standard

Answer: A

Explanation:

Reference:

<https://azure.microsoft.com/en-us/pricing/details/expressroute/>

NEW QUESTION 10

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.

You have virtual network peering between Vnet1 and Vnet2. You have virtual network peering between Vnet4 and Vnet5. The virtual network peering is configured as shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 10

- (Exam Topic 3)

You have a hybrid environment that uses ExpressRoute to connect an on-premises network and Azure.

You need to log the uptime and the latency of the connection periodically by using an Azure virtual machine and an on-premises virtual machine.

What should you use?

- A. Azure Monitor
- B. IP flow verify
- C. Connection Monitor
- D. Azure Internet Analyzer

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/connection-monitor>

NEW QUESTION 12

- (Exam Topic 3)

You have an Azure Traffic Manager parent profile named TM1. TM1 has two child profiles named TM2 and TM3. TM1 uses the performance traffic-routing method and has the endpoints shown in the following table.

TM2 uses the weighted traffic-routing method with MinChildEndpoint = 2 and has the endpoints shown in the following table.

TM3 uses priority traffic-routing method and has the endpoints shown in the following table.

The App2, App4, and App6 endpoints have a degraded monitoring status.

To which endpoint is traffic directed? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Diagram Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-nested-profiles>

Traffic from West Europe:

Based on TM1 table, West Europe will trigger TM2. However, as the MinChildEndpoint is set to 2, and App4 is degraded (down), the entire TM2 will not be considered available.

This goes back to the origin TM1 that uses performance traffic-routing method, which means the closest location is App1 and naturally be the next best performance instance.

Hence, Answer = App1

Traffic from West US:

Based on TM1 table, West US will trigger TM3. However, both App2 and App6 were degraded (down), so none of them can be considered.

This goes back to the original TM1 that uses performance traffic-routing method, from TM1, the other 2 US locations would be App2 and App3. But App2 we know it's already degraded (unavailable), hence the only option would be App3.

Answer = App3

NEW QUESTION 13

- (Exam Topic 3)

You plan to deploy an Azure virtual network. You need to design the subnets.

Which three types of resources require a dedicated subnet? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. VPN gateway
- B. Azure Bastion
- C. Azure Active Directory Domain Services (Azure AD DS)
- D. Azure Application Gateway v2
- E. Azure Private Link

Answer: ABD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services>

NEW QUESTION 16

- (Exam Topic 3)

You have Azure App Service apps in the West US Azure region as shown in the following table.

You need to ensure that all the apps can access the resources in a virtual network named Vnet1 without forwarding traffic through the internet-How many integration subnets should you create?

- A. 1
- B. 3
- C. 4
- D. 6

Answer: D

NEW QUESTION 18

- (Exam Topic 3)

You have an Azure subscription that contains the virtual machines shown in the following table.

Subnet1 and Subnet2 are associated to a network security group (NSG) named NSG1 that has the following outbound rule:

Priority: 100

Port: Any

Protocol: Any

Source: Any

Destination: Storage

Action: Deny

You create a private endpoint that has the following settings:

Name: Private1

Resource type: Microsoft.Storage/storageAccounts

Resource: storage1

Target sub-resource: blob

Virtual network: Vnet1

Subnet: Subnet1

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Yes, Yes, Yes

NSG rules applied to the subnet hosting the private endpoint are not applied to the private endpoint. So the NSG1 doesn't limit storage access from either VM1 or VM2.

<https://docs.microsoft.com/en-us/azure/storage/common/storage-private-endpoints#network-security-group-rule>

NEW QUESTION 20

- (Exam Topic 3)

You have the Azure environment shown in the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 25

- (Exam Topic 3)

You configure a route table named RT1 that has the routes shown in the following table.

You have an Azure virtual network named Vnet1 that has the subnets shown in the following table.

You have the resources shown in the following table.

Vnet1 connects to an ExpressRoute circuit.

The on-premises router advertises the following routes:

* 0.0.0.0/0

* 10.0.0.0/16

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 28

- (Exam Topic 3)

You have the Azure load balancer shown in the Load Balancer exhibit.

LB2 has the backend pools shown in the Backend Pools exhibit.

You need to ensure that LB2 distributes traffic to all the members of VMSS1.
What should you do?

- A. Add a network interface to VMSS1.
- B. Configure a health probe.
- C. Add a public IP address to each member of VMSS1.
- D. Add a load balancing rule.

Answer: D

NEW QUESTION 29

- (Exam Topic 3)

You have an Azure subscription that contains the virtual networks shown in the following table.

You plan to deploy an Azure firewall named AF1 to RG1 in the West US Azure region. To which virtual networks can you deploy AF1?

- A. Vnet1 only
- B. Vnet1 and Vnet2 only
- C. Vnet1, Vnet2, and Vnet4 only
- D. Vnet1 and Vnet4 only
- E. Vnet1, Vnet2, Vnet3, and Vnet4

Answer: C

NEW QUESTION 31

- (Exam Topic 3)

You have an Azure subscription.

You have the on-premises sites shown the following table.

You plan to deploy Azure Virtual WAN.

You are evaluating Virtual WAN Basic and Virtual WAN Standard.

Which type of Virtual WAN can you use for each site? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 33

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that provides access to the following hosts:

- * www.adatum.com
- * www.contoso.com
- * www.fabrikam.com

AppGW1 has the listeners shown in the following table.

You create Azure Web Application Firewall (WAF) policies for AppGW1 as shown in the following table.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/per-site-policies>

NEW QUESTION 38

- (Exam Topic 3)

You have an Azure Front Door instance that has a single frontend named Frontend1 and an Azure Web Application Firewall (WAF) policy named Policy1. Policy1 redirects requests that have a header containing "string1" to <https://www.contoso.com/redirect1>. Policy1 is associated to Frontend1.

You need to configure additional redirection settings. Requests to Frontend1 that have a header containing "string2" must be redirected to <https://www.contoso.com/redirect2>.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a custom rule.
- B. Configure a managed rule.
- C. Create a frontend host.
- D. Create a policy.
- E. Create an association.
- F. Add a custom rule to Policy1.

Answer: ABE

NEW QUESTION 39

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.

You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.

You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:

- A failure of two zones must NOT affect the availability of either App1 or App2.
- A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 43

- (Exam Topic 3)

You have the hybrid network shown in the Network Diagram exhibit.

You have a peering connection between Vnet1 and Vnet2 as shown in the Peering-Vnet1-Vnet2 exhibit.

You have a peering connection between Vnet1 and Vnet3 as shown in the Peering -Vnet1-Vnet3 exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 48

- (Exam Topic 3)

You have the network security groups (NSGs) shown in the following table.

In NSG1, you create inbound rules as shown in the following table.

You have the Azure virtual machines shown in the following table.

NSG2 has only the default rules configured.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 51

- (Exam Topic 3)

You have an Azure private DNS zone named contoso.com that is linked to the virtual networks shown in the following table.

The links have auto registration enabled.

You create the virtual machines shown in the following table.

You manually add the following entry to the contoso.com zone:

Name: VM1

IP address: 10.1.10.9

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

The manual DNS record will overwrite the auto-registered DNS record so VM1 will resolve to 10.1.10.9. Box 2: No

The DNS record for VM1 is now a manually created record rather than an auto-registered record. Only auto-registered DNS records are deleted when a VM is deleted.

Box 3: No

This answer depends on how the IP address is changed. To change the IP address of a VM manually, you would need to select 'Static' as the IP address assignment. In this case, the DNS record will not be updated because only DHCP assigned IP addresses are auto-registered.

Reference:

<https://docs.microsoft.com/en-us/azure/dns/dns-faq-private>

NEW QUESTION 52

- (Exam Topic 3)

You have a website that uses an FQDN of www.contoso.com. The DNS record for www.contoso.com resolves to an on-premises web server.

You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1.

You build the website on Web1.

You plan to configure ContosoFD1 to publish the website for testing.

When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.

You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

- A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net

- B. a CNAME record that maps www.contoso.com to Web1.contoso.com
- C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net
- D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

Answer: A

NEW QUESTION 57

- (Exam Topic 3)

You have two Azure App Service instances that host the web apps shown the following table.

You deploy an Azure application gateway that has one public frontend IP address and two backend pools. You need to publish all the web apps to the application gateway. Requests must be routed based on the HTTP host headers.

What is the minimum number of listeners and routing rules you should configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1, 2

NEW QUESTION 61

- (Exam Topic 3)

Your company has 10 instances of a web service. Each instance is hosted in a different Azure region and is accessible through a public endpoint.

The development department at the company is creating an application named App1. Every 10 minutes, App1 will use a list of end points and connect to the first available endpoint.

You plan to use Azure Traffic Manager to maintain the list of endpoints.

You need to configure a Traffic Manager profile that will minimize the impact of DNS caching. What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 65

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- * A virtual network named Vnet1
- * A subnet named Subnet1 in Vnet1
- * A virtual machine named VM1 that connects to Subnet1
- * Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 69

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

You need to ensure that the URL is accessible through the application gateway. Solution: You configure a custom cookie and an exclusion rule.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 73

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2.
Solution: You download and reinstall the VPN client configuration. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:
<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 74

- (Exam Topic 3)

You have an Azure virtual network that contains the subnets shown in the following table.

You deploy an Azure firewall to AzureFirewallSubnet. You route all traffic from Subnet2 through the firewall. You need to ensure that all the hosts on Subnet2 can access an external site located at https://*.contoso.com. What should you do?

- A. Create a network security group (NSG) and associate the NSG to Subnet2.
- B. In a firewall policy, create an application rule.
- C. In a firewall policy, create a DNAT rule.
- D. In a firewall policy, create a network rule.

Answer: B

NEW QUESTION 78

- (Exam Topic 3)

You have an Azure virtual network that contains two subnets named Subnet1 and Subnet2. Subnet1 contains a virtual machine named VM1. Subnet2 contains a virtual machine named VM2.

You have two network security groups (NSGs) named NSG1 and NSG2. NSG1 has 100 inbound security rules and is associated to VM1. NSG2 has 200 inbound security rules and is associated to Subnet1.

VM2 cannot connect to VM1.

You suspect that an NSG rule blocks connectivity.

You need to identify which rule blocks the connection. The issue must be resolved as quickly as possible. Which Azure Network Watcher feature should you use?

- A. Effective security rules
- B. Connection troubleshoot
- C. NSG diagnostic
- D. NSG flow logs

Answer: C

NEW QUESTION 79

- (Exam Topic 3)

You fail to establish a Site-to-Site VPN connection between your company's main office and an Azure virtual network.

You need to troubleshoot what prevents you from establishing the IPsec tunnel. Which diagnostic log should you review?

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics> IKEDiagnosticLog = The IKEDiagnosticLog table offers verbose debug logging for IKE/IPsec. This is very

useful to review when troubleshooting disconnections, or failure to connect VPN scenarios.

GatewayDiagnosticLog = Configuration changes are audited in the GatewayDiagnosticLog table. TunnelDiagnosticLog = The TunnelDiagnosticLog table is very useful to inspect the historical connectivity

statuses of the tunnel.

RouteDiagnosticLog = The RouteDiagnosticLog table traces the activity for statically modified routes or routes received via BGP.

P2SDiagnosticLog = The last available table for VPN diagnostics is P2SDiagnosticLog. This table traces the activity for Point to Site.

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

NEW QUESTION 82

- (Exam Topic 3)

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption.

You configure the listener for HTTPS by uploading an enterprise signed certificate.

You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/end-to-end-ssl-portal> <https://docs.microsoft.com/en-us/azure/application-gateway/create-ssl-portal#configuration-tab>

NEW QUESTION 85

- (Exam Topic 3)

You have an application named App1 that listens for incoming requests on a preconfigured group of 50 TCP ports and UDP ports.

You install App1 on 10 Azure virtual machines.

You need to implement load balancing for App1 across all the virtual machines. The solution must minimize the number of load balancing rules.

What should you include in the solution?

- A. Azure Standard Load Balancer that has Floating IP enabled
- B. Azure Application Gateway V2 that has multiple listeners
- C. Azure Application Gateway v2 that has multiple site hosting enabled
- D. Azure Standard Load Balancer that has high availability (HA) ports enabled

Answer: A

NEW QUESTION 87

- (Exam Topic 3)

You need to connect an on-premises network and an Azure environment. The solution must use ExpressRoute and support failing over to a Site-to Site VPN connection if there is an ExpressRoute failure.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 89

- (Exam Topic 3)

You have an Azure subscription that contains multiple virtual machines in the West US Azure region. You need to use Traffic Analytics.

Which two resources should you create? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct answer selection is worth one point.

- A. an Azure Monitor workbook
- B. a Log Analytics workspace
- C. a storage account
- D. an Azure Sentinel workspace
- E. an Azure Monitor data collection rule

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics> A storage account is used to store network security group flow logs.

A Log Analytics workspace is used by Traffic Analytics to store the aggregated and indexed data that is then used to generate the analytics.

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics#enable-flow-log-settings>

NEW QUESTION 91

- (Exam Topic 3)

You have an Azure subscription that contains two virtual networks named Vnet1 and Vnet2.

You register a public DNS zone named fabrikam.com. The zone is configured as shown in the Public DNS Zone exhibit.

You have a private DNS zone named fabrikam.com. The zone is configured as shown in the Private DNS Zone exhibit.

You have a virtual network link configured as shown in the Virtual Network Link exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 96

- (Exam Topic 3)

You have two Azure virtual networks named Hub1 and Spoke1. Hub1 connects to an on-premises network by using a Site-to-Site VPN connection.

You are implementing peering between Hub1 and Spoke1.

You need to ensure that a virtual machine connected to Spoke1 can connect to the on-premises network through Hub1.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/hub-spoke?tabs=>

NEW QUESTION 98

- (Exam Topic 3)

You have an Azure Front Door instance that provides access to a web app. The web app uses a hostname of `www.contoso.com`.

You have the routing rules shown in the following table.

Which rule will apply to each incoming request? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-route-matching>

NEW QUESTION 101

- (Exam Topic 3)

You have an Azure firewall shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1:

If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.

Box 2:

The "Visit Azure Firewall Manager to configure and manage this firewall" link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

NEW QUESTION 105

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-700 Practice Exam Features:

- * AZ-700 Questions and Answers Updated Frequently
- * AZ-700 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-700 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-700 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-700 Practice Test Here](#)