

# Exam Questions HPE0-J68

HPE Storage Solutions

<https://www.2passeasy.com/dumps/HPE0-J68/>



### NEW QUESTION 1

- (Exam Topic 1)

You want to deploy Recovery Manager Central to a customer environment. How can you accomplish this? (Choose two.)

- A. Install RMC on top of the virtual or physical RHEL system using the GUI wizard
- B. Deploy an RMC virtual appliance to Microsoft Hyper-V hypervisor
- C. Deploy RMC on top of the virtual CentOS system using the CLI
- D. Deploy RMC on top of the virtual CentOS system using the GUI wizard
- E. Install RMC on the top of the virtual or physical RHEL system using the CLI
- F. Deploy an RMC virtual appliance to VMware ESXi hypervisor

**Answer:** BF

### NEW QUESTION 2

- (Exam Topic 1)

You need to deploy a Recovery Manager Central appliance and integrate it with a customer's 3PAR system. Which information must be collected from the customer in order to proceed with the installer? (Choose two.)

- A. StoreOnce store name
- B. vCenter IP address or hostname
- C. HPE 3PAR used capacity
- D. IP address of the RMC
- E. NFS path

**Answer:** CD

### NEW QUESTION 3

- (Exam Topic 1)

You need to create an N:M relationship between VMware hypervisors and virtual volumes with the least amount of administrative overhead.

Click the option where you can create a group of VMware hypervisors for volumes provisioning.



- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text Description automatically generated

### NEW QUESTION 4

- (Exam Topic 1)

A customer currently runs MSA 2040 SAS storage system with SFF drives. They are planning a hardware refresh. The customer is using virtual pools only, and is concerned about problematic data migration to the new platform.

How can the update to MSA2050 be performed?

- A. Peer migration license must be purchased for the online migration
- B. Peer migration license must be purchased for the offline migration
- C. Existing drives can be moved to the new system; both systems need to be online
- D. Existing drives can be moved to the new system; both systems need to be offline

**Answer:** B

### NEW QUESTION 5

- (Exam Topic 1)

A small company has recently purchased an MSA and two B-series SN3000B switches. In an effort save money, they installed the solution themselves. They call you complaining they can now see the multiple volumes on the MSA after creating just a single volume.

What should you advise them to do?

- A. Enable Smart SAN on the MSA 2052
- B. Set volume's tier affinity to Performance
- C. Enable zoning on the SN3000B switches
- D. Enable MPIO on their host

Answer: D

#### NEW QUESTION 6

- (Exam Topic 1)

You are configuring a new HPE 3PAR solution and need to create a new disk group with a defined RAID level. Click the appropriate option where the RAID can be selected.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



#### NEW QUESTION 7

- (Exam Topic 1)

A customer uses Veeam to backup their entire datacenter.

Which Veeam feature allows them to recover a single email from their Exchange server?

- A. Changed block tracking
- B. Explorer for Storage Snapshots
- C. Data Mover Service
- D. SureBackup

Answer: B

#### NEW QUESTION 8

- (Exam Topic 1)

What is the purpose of WWN in FC SAN? (Choose two.)

- A. Identification of zone members
- B. Identification of entities denied access to a volume
- C. Identification of entities via Storage Name Server (SNS)
- D. Load balanced frame delivery
- E. Forward translation of DNS entries

Answer: CE

#### NEW QUESTION 9

- (Exam Topic 1)

A customer is planning to replace their existing LTO-6 tape library with a new HPE StoreEver MSL2024 tape library. They want to reuse their existing LTO-6 tape cartridges for reads and writes.

What is the latest tape drive technology that will provide backward compatibility?

- A. LTO8
- B. LTO5
- C. LTO6
- D. LTO7

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

A customer implemented the HPE StoreEver MSL6480 Tape Library.

Which HPE Software can the system administrator use to check the health of the library and monitor its utilization?

- A. OneView
- B. StoreServe TapeAssure Advanced
- C. StoreEver Data Verification
- D. InfoSight

**Answer:** B

#### NEW QUESTION 10

- (Exam Topic 1)

A customer successfully implemented an HPE Primera solution.

Which tool can be used to verify achieved savings from deduplication and compression in the customer solution?

- A. NinjaSTARS
- B. 3PAR Service Processor
- C. NinjaCrawler
- D. StoreServ System Management Console

**Answer:** D

#### NEW QUESTION 14

- (Exam Topic 1)

You have proposed a Primera array to a customer for primary storage. The customer currently has an older HPE 3PAR array and will continue to use it moving forward. The customer would like high availability configured.

Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

- A. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
- B. Target drive type must match source drive type
- C. 2-port 10 Gb Ethernet Adapter (NIC) is required in each array
- D. Check that the 3PAR OS version is supported
- E. Required license must be provided
- F. RMC 6.2

**Answer:** AE

#### NEW QUESTION 17

- (Exam Topic 1)

Which actions can be done within InfoSight Cross-Stack Analytics for VMware and Hyper-V? (Choose two.)

- A. View replication policies
- B. Find noisy neighbors
- C. Locate inactive VMs
- D. Modify administrative privileges
- E. Review backup schedules

**Answer:** BC

#### NEW QUESTION 20

- (Exam Topic 1)

A customer needs a centralized solution for storing departmental data to be accessed by Windows-based laptops and other personal devices.

Which solution should you recommend?

- A. Block storage, directly accessed over FC
- B. Block storage, directly accessed over SAS
- C. Object storage, accessed over S3 connector
- D. File-oriented storage, accessed over SMB

**Answer:** B

#### NEW QUESTION 24

- (Exam Topic 1)

Which protocol can be used for accessing StoreOnce VTL target from Veeam?

- A. FC
- B. NFSv4
- C. iSCSI

D. SMBv3

**Answer: C**

#### NEW QUESTION 26

- (Exam Topic 1)

Refer to the exhibit.



You are designing a new Primera solution and demonstrating performance numbers to the customer. The customer reviews the configuration and requests a change to the configuration that will increase Random Write IOPS.

Which action will satisfy the customer request?

- A. Add more disks of smaller capacity
- B. Upgrade the HPE Primera base model
- C. Change to larger SSDs
- D. Add more FC Ports

**Answer: C**

#### NEW QUESTION 29

- (Exam Topic 1)

A customer runs their core application on an aging HPE 3PAR StoreServ 20000 Storage array. The application requires 100% availability.

Which HPE storage solution should you recommend?

- A. Nimble
- B. Nimble dHCI
- C. Primera
- D. MSA

**Answer: C**

#### NEW QUESTION 33

- (Exam Topic 1)

Which StoreOnce Gen4 features are included with the system software without additional licenses? (Choose two.)

- A. Encryption
- B. Cloud Bank
- C. Catalyst
- D. VTL/NAS replication
- E. Flexible I/O HBAs

**Answer: CD**

#### NEW QUESTION 36

- (Exam Topic 1)

Which tool is used to provide centralized management of 3PAR and Primera arrays?

- A. SMU
- B. Primera UI
- C. WebUI
- D. SSMC

**Answer: D**

#### NEW QUESTION 38

- (Exam Topic 1)

Select the correct initiation option for each HPE Primera function.



Answer Area		
User Initiated		Stripe data across drives
Autonomic		Create Virtual Volumes
		Create Common Provisioning Groups
		Create RAID-6 Virtual Volumes
		Optional Performance Management
		Export LUNs

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 43

- (Exam Topic 1)

A customer is implementing a new high performance database environment.  
What type of storage should you recommend?

- A. scale-out storage
- B. object store
- C. system-defined storage
- D. network-attached storage

Answer: A

NEW QUESTION 44

- (Exam Topic 1)

A customer wants to make a full copy replica of a database to use for performance testing. Which technology should they use to create the copy?

- A. deduplication
- B. snapshot
- C. clone
- D. synthetic full

Answer: B

NEW QUESTION 48

- (Exam Topic 1)

A customer purchased a StoreOnce 3620 earlier in the year and has decided to add a 10GBase- adapter to it, which the customer sourced elsewhere and installed themselves. They complain that the new adapter is not configurable.  
What is the most likely reason for this issue?

- A. The StoreOnce software requires updating
- B. Secure boot must be enabled in the BIOS to securely enable HBAs
- C. The customer failed to install a License to Use (LTU) for it
- D. The StoreOnce needs to connect to InfoSight to validate the adapter authenticity

Answer: A

NEW QUESTION 51

- (Exam Topic 2)

Which feature enables a non-disruptive environment where host-based multi-pathing software is not affected in the event of a firmware upgrade?

- A. HPE 3PAR Access Guard
- B. HPE 3PAR Persistent Ports
- C. HPE 3PAR Persistent Cache
- D. HPE 3PAR MPIO

Answer: B

NEW QUESTION 56

- (Exam Topic 2)

Which storage sizing tool, designed for HPE 3PAR StoreServ, can be used to determine whether customers qualify for the Get Thin Guarantee Program?

- A. NinjaProtected
- B. NinjaStars
- C. NinjaCrawler
- D. StoreVista

**Answer:** A

**Explanation:**

By performing a free NinjaProtected backup assessment, HPE and its partners can demonstrate how customers can reduce the amount of backup data they need to store by 95%—guaranteed (HPE StoreOnce Get Protected Guarantee Program)

**NEW QUESTION 61**

- (Exam Topic 2)

You are designing a solution that will have a new HPE Synergy frame and an HPE 3PAR StoreServ 8200 storage array with only the built-in ports. This new environment must keep the infrastructure within the data center to a minimum.

Which interconnect module will achieve this goal?

- A. Synergy 25-50Gb F8 Switch Module
- B. 6125G/XG Ethernet Blade Switch
- C. Synergy 20Gb Interconnect Link Module
- D. Virtual Connect SE 40Gb F8 Module

**Answer:** D

**NEW QUESTION 66**

- (Exam Topic 2)

Which value does an HPE Nimble solution provide in addition to other HPE storage solutions

- A. All inclusive software licensing over 5 years and additional capacity upgrades
- B. Upfront option for free controller upgrade after 3 years
- C. Flat support pricing for all hardware components
- D. Tier 1 and tier 2 phone support

**Answer:** D

**NEW QUESTION 70**

- (Exam Topic 2)

Which functionality available in an HPE 3 Par StoreServ 8400 system that is not available in an HPE 3par Storesrv 7200

- A. Data at Rest Encryption
- B. Persistent Checksum end-to-end data integrity (correct)
- C. Adaptive optimization and dynamic Optimization
- D. Online import license

**Answer:** B

**NEW QUESTION 72**

- (Exam Topic 2)

Match the HPE converged Strategy principle with its function

- A. Federated Storage:- Move data between storage systems in peer-to-peer relationship simply, dynamically and nondestructively
- B. Deduplication:-Reduce allocated capacity by eliminating data redundancy
- C. Thin provisioning:-Reduce TCO ,Opex and CPEX by using virtualization technology to make storage resources more efficient.
- D. Storage tiering:-Use combination of I/O accelerator to place data to meet price, performance, and latency requirements .
- E. Storage virtualization:- Deliver simplified management ,higher utilization ,efficient, and agility by separating the logical and physical resource.

**Answer:** E

**NEW QUESTION 76**

- (Exam Topic 2)

Which statement is correct when discussing the RAID layout of an HPE Nimble HF-series storage system?

- A. RAID 6 triple parity is set up -21 data drives are used for RAID stripes.
- B. RAID 6 triple parity is set up -18 data drives are used for RAID stripes.
- C. RAID 6 or RAID 1 can be set up -24 data drives are used for RAID stripes.
- D. RAID 6 or RAID 1 can be set up -18 data drives are used for RAID stripes.

**Answer:** A

**NEW QUESTION 80**

- (Exam Topic 2)

Which 3PAR storeServ feature allow to host to continue I/O uninterrupted during a firmware update?

- A. Persistent Memory
- B. Persistent port (96)

C. Peer persistenceD Persistent Cache

**Answer:** B

#### NEW QUESTION 82

- (Exam Topic 2)

A customer has a 3PAR storeserv with FC and SSD drives who would like to improve the performance for random reads. Which 3PAR Storeserve feature would provide better read performance?

- A. Adaptive Flash Cache
- B. Deduplication
- C. Smart Cache
- D. Express Layout

**Answer:** A

#### NEW QUESTION 85

- (Exam Topic 2)

A customer asks for an integrated solution for their remote office with All-Flesh storage and ease of management. Application-aware replication to their main office is an important requirement. Which HPE solution component should you discuss with the customer first?

- A. HPE SimpliVity 380
- B. HPE MSA 2052 Storage
- C. HPE Nimble CS1000 system
- D. HPE 3PAR StoreServ 8200

**Answer:** A

#### NEW QUESTION 89

- (Exam Topic 2)

A customer has an existing configuration consisting of first class and nearline SAS drive in an 8000 SFF enclosure. They add two SFF 8000enclosure that are fully populated with nearline drives to an existing HPE 3Par storeserv 8400 array. What should the customer do to optimize their storage configuration?

- A. Defrag the CPG and run align drive on their system
- B. Run tunesys and on the array (275)
- C. Enable space reclamation
- D. Create new CPG for the newly installed drivers

**Answer:** B

#### NEW QUESTION 90

- (Exam Topic 2)

Which storage tool in the storage assessment foundry provide data protection analysis?

- A. Ninja protected+ (318)
- B. NinjaCrawler
- C. Ninja Thin
- D. Ninja Stars

**Answer:** A

#### NEW QUESTION 93

- (Exam Topic 2)

A customer wants to expand his cascaded B-series based SAN but is concerned about latencies within the SAN backend. You recommend changing the topology to a full mesh.

Which switch feature will ensure that the latencies in the backend are at the lowest possible level?

- A. LACP
- B. NPIV
- C. FSPF
- D. VSF

**Answer:** C

#### NEW QUESTION 94

- (Exam Topic 2)

A customer has a SAN infrastructure with an HPE C-Class blade enclosure, and a mix of ProLiant G7, Gen8 and Gen9 servers. They require a new storage platform.

How can you confirm the new storage array will be supported in the existing environment?

- A. Design an array with an older version of the firmware to ensure compatibility.
- B. Document existing server and SAN information, and consult SPOCK to ensure firmware compatibility.
- C. Design an array with the latest firmware, and recommend that the customer engage HPE PointNext to upgrade the existing hardware.
- D. Check recommended firmware levels in the HP SAN Design Reference Guide to ensure firmware compatibility.

**Answer:** B



#### NEW QUESTION 95

- (Exam Topic 2)

An HPE 3PAR StoreServ customer with FC, SSD and NL, drives is facing extreme latency during peak business hours with an OLTP application. They have enabled tiering using all drive types.

What could be used to resolve the issue?

- A. Dynamic Optimization using tier 2
- B. Adaptive Optimization using tier 1
- C. Dynamic Optimization between tier 0 and tier 1
- D. Dynamic Optimization using tier 1

**Answer:** C

#### **Explanation:**

During a peak period when performance is critical, the VV can be optimized by moving to faster disk and the RAID level.

#### NEW QUESTION 98

- (Exam Topic 2)

What can move data directly from a snapshot to backup storage independent of backup server software?

- A. SSMC
- B. Virtual Lock
- C. CLI
- D. Express Protect

**Answer:** D

#### **Explanation:**

The Express Protect feature offers data protection by facilitating Express Protect of snapshots from HPE 3PAR StoreServ to HPE StoreOnce.

#### NEW QUESTION 102

- (Exam Topic 2)

A customer needs to be manually map out preferred paths within a multi-switch fabric, based on application ,priority ,and topology, while allowing failover to a non-preferred path if the preferred path fails, Which B-series FC switch functionality should be used to provide this?

- A. Quality of services
- B. Enhanced group management
- C. Frame filtering
- D. Traffic isolation Zones

**Answer:** D

#### NEW QUESTION 103

- (Exam Topic 2)

A customer has mission-critical applications that intermittently experience heavy disk I/O. The storage speed has the most impact on the application's performance. The customer does not want to dedicate SSD disks to these applications because additional performance is only needed periodically, and moving the volumes between tiers takes too long.

Which HPE StoreVirtual VSA feature can address this customer's challenge?

- A. Storage virtualization
- B. Space Reclamation
- C. Thin Provisioning
- D. Adaptive Optimization

**Answer:** D

#### NEW QUESTION 104

- (Exam Topic 2)

You are advising a customer on a new backup strategy to deploy HPE StoreOnce. What should you recommend to ensure the best storage utilization and performance?

- A. consolidate activity windows for housekeeping tasks
- B. size solution for a single backup device
- C. combine management and backup Ethernet traffic
- D. use separate backup targets for different data types

**Answer:** A

#### NEW QUESTION 108

- (Exam Topic 2)

Refer to the exhibit:

Port ID	Label	System	Port Type	Port State	
0:1:1	-	3PAR	Host	Ready	
0:1:2	-	3PAR	Free	Loss Sync	
0:2:1	-	3PAR	Host	Ready	
0:2:2	-	3PAR	Host	Offline	
0:0:1	DP-1	3PAR	Disk	Ready	
0:0:2	DP-2	3PAR	Disk	Ready	
0:3:1	RCIP0	3PAR	RC	Offline	

0:1:1 | Overview

General

Port ID

0:1:1

System

3PAR

Label

-

Protocol

FC

Rate

8 Gbps

Adapter type

EMULEX LPe12002

CNA port

No

WWN

Port type

Host

Mode

Target

Mode change

Allowed

Connected devices

3 hosts

Which type of data format do you expect in the red rectangle?

- A. 172.16.31.11/24
- B. 94:b4:0f:cd:34:8a
- C. iqn.2015-02.com.hpe:oneview-vcgeDav000
- D. 20110002AC00736E235.524

**Answer:** D

#### NEW QUESTION 111

- (Exam Topic 2)

During a proof-of-concept you need to implement an inter-switch-link (ISL) between two HPE SN6000B switches. Which port mode must be set enable communication between the switches?

- A. N\_PORT
- B. FL\_PORT (WRONG)
- C. F\_PORT
- D. E\_PORT (Correct)

**Answer:** D

#### NEW QUESTION 115

- (Exam Topic 2)

An existing Nimble customer is interested in adding storage to their environment to store his Backups, but has a constrained budget and limited personal .The solution must scale to allow for substantial growth over the next five years?

- A. Nimble SF series
- B. Nimble AF series
- C. Nimble cloud volume
- D. Nimble CS series

**Answer:** B

#### NEW QUESTION 117

- (Exam Topic 2)

A customer recently acquired another company and found that the existing infrastructure was outdated and costly to maintain. They need to put a complete infrastructure solution in place that minimizes the footprint in the data center as quickly and possible. Which solution you recommend?

- A. Simplicity 380
- B. Bladesystem 7000
- C. Converged systems
- D. Synergy 12000

**Answer:** A

#### NEW QUESTION 119

- (Exam Topic 2)

You are adding a new host for an HPE 3PAR StoreServ proof-of-concept .In addition to the host name ,What is the minimum information that is required to create a host profile?

- A. Host Persona
- B. Host MAC
- C. Host set
- D. Host WWN

**Answer:** D

#### NEW QUESTION 121

- (Exam Topic 2)

A customer is looking for a centralized file-sharing solution that can provide print services in addition to 15TB of storage. Which solution component should you recommend?

- A. FC switch
- B. NAS
- C. FC-based array
- D. Disk enclosure with integrated SAS switch

**Answer:** B

#### NEW QUESTION 125

- (Exam Topic 2)

A Company using an existing 1GB iSCSI storage array is experiencing storage access performance issue. They are interested in deploying HPE 3PAR Storeserv with 16GB /S FC end to-end to improve the performance to the minimal changes to the environment. The existing environment consists of these HPE products

- \* HPE C7000 Blade system platinum blade enclosure with HP virtual connect Flex 10 interconnect modules.
- \* Configuration of HPE Proliant Gen8 and Gen9 blade servers
- \* HPE 2920 Switches

Which HPE products must be included to support new HPE 3PAR Storeserv?(Select two)

- A. HPE B-Series 16GB SAN switch for HPE Blade system C-class series
- B. HPE 16GB/s Fibre channel HBA for Blade servers
- C. HP 5900CP switch series with 16GB/S SFP+ Modules
- D. HPE Flex fabric 20GB,2-Port 630 FLB adapter
- E. HPE Virtual connect Flex fabric 20/40 f8 modules

**Answer:** AB

#### NEW QUESTION 129

- (Exam Topic 2)

When using a HPE 3 PAR Storeserv array to enable a user to apply array-based data services to specific application and VM's. What is the benefit of implementing VM-level gradually of Volts?

- A. Data sprawls eliminated by performing the migration functions at the array level using 3PAR HPE Dynamic Optimization
- B. Efficiency is maintained by reclaiming space from deleted or migrated VMs using capabilities built into the storage ASIC
- C. Performing is accelerated by detecting and moving the most frequently –accessed VMs into the fast class tier
- D. Performance is accelerated by leveraging the deduplication capabilities built into the storage ASIC

**Answer:** B

#### NEW QUESTION 131

- (Exam Topic 2)

You are planning a single-site Nimble solution with iSCSI connectivity. Two 10GbE SFP+ dual port NICS are included in the configuration. You designed an intelligent Resilient Framework (IRF) stack with HPE FlexFabric 5900CP switches.

Which statements is correct when discussing the IRF limits for this configuration?

- A. When connecting an iSCSI storage to an IRF stack, a minimum of four 10GbE ports must be used per switch.
- B. A maximum of two switches can be used in an IRF stack when connecting storage.
- C. In an IRF stack with storage connectivity, the 40GbE ports cannot be used.
- D. The used IRF ports for iSCSI traffic have to be configured as 10GbE converged ports.

**Answer:** B

#### NEW QUESTION 136

- (Exam Topic 2)

A customer is concerned about the business risks of non-compliance for long-term data protection, retention, immutability, and encryption on petabytes of data consisting of millions of objects in a global namespace across multiple geographic locations.

Which products should you recommend to the customer to address their concern? (Choose two.)

- A. HPE StoreOnce Systems
- B. HPE Complete Veeam
- C. HPE Complete iTernity iCAS
- D. HPE Scalify RING on HPE Apollo Servers
- E. HPE 3PAR StoreServ 9000

**Answer:** AC

#### NEW QUESTION 137

- (Exam Topic 2)

A large organization is experiencing exponential data growth of object storage due to recent mergers and acquisition .They need an on-premise solution to optimize cost at petabyte scale Which components should you recommend for a software-defined solution ?(select two)

- A. HPE Appolo 4510 server
- B. HPE Complete –Scalability RING
- C. HPE Synergy 660 Gen10 compute modules
- D. HPE complete –CTERA
- E. HPE 3PAR Storeserv 9450c

**Answer:** AB

#### NEW QUESTION 139

- (Exam Topic 2)

Which protocols are currently used in the front end by HPE 3PAR StoreServ systems? (Choose two.)

- A. iSCSI
- B. Infiniband
- C. SAS
- D. NVMe
- E. FC

**Answer:** AE

#### NEW QUESTION 141

- (Exam Topic 2)

A customer is planning to connect a new HPE 3PAR StoreServ system to its existing Synergy based composable infrastructure via direct-attach.

Which tool would be used to manage the storage?

- A. HPE SAN Network Advisor
- B. HPE Synergy Image Streamer
- C. HPE Synergy Composer
- D. HPE InfoSight for 3PAR

**Answer:** C

#### NEW QUESTION 146

- (Exam Topic 2)

A customer need to implement a new SAN fabric for their growing environment .The new SAN should provide a high performance and port-efficient network with many-to-many connectivity .Because of changing requirement and the possible acquisition of another company in the near future. The customer cannot predict the I/O traffic pattern within the SAN .The customer also concerned about availability. Which type of SAN topology should you recommend?

- A. Core-edge fabric
- B. Single switch fabric
- C. Cascaded fabric
- D. Meshed fabric

**Answer:** D

#### NEW QUESTION 148

- (Exam Topic 2)

Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

- A. HPE 3PAR StoreServ - Block
- B. MSA - Block
- C. Nimble - Block
- D. Scalability - Object
- E. StoreEasy - File
- F. StoreVirtual - Block

**Answer:** A

#### NEW QUESTION 151

- (Exam Topic 2)

Which resource provides configurations for HPE tested and referenced configurations in a software-defined storage environment?

- A. HPE Storage Sizer
- B. One Config Advanced
- C. NinjaStars
- D. StoreVirtual VSA Ready Nodes

**Answer:** D

#### Explanation:

HPE StoreVirtual VSA Ready Nodes—HPE tested reference configurations on HPE ProLiant servers that address typical virtualization and remote office use cases, and deployment of converged solutions.

#### NEW QUESTION 152

- (Exam Topic 2)

A customer has a new Nimble CS3000 21T storage systems and is facing latency issues for his 2TB ERP database. What would be a design approach to solve this issue ?

- A. Perform controller upgrade to a Nimbel CS3000 storage systems
- B. Add additional SSd drives as cache to the system and PIN the volume
- C. Enable storage tiering on the system and map the volume to the new tier
- D. Change RAID of the drives to RAID -1and setup quality of services for the volume

**Answer:** B

#### NEW QUESTION 153

- (Exam Topic 2)

An HPE 3PAR StoreServ 9000 All-Flash Array customer plans to deploy a secondary array 20 km away from their primary array to enable storage replication over a dark fibre. Their existing environment consists of one HPE Synergy Frame 12000, HPE SN6000B Fibre Channel Switches, HPE FlexFabric 5700 Switch Series, and HPE StoreOnce Systems.

Which HPE license is required to meet the customer's technical requirements?

- A. Intelligent Resilient Framework licenses
- B. HPE StoreOnce Replication
- C. Extended Fabric
- D. HPE 3PAR Remote Copy

**Answer:** D

#### NEW QUESTION 158

- (Exam Topic 2)

A customer need a backup solution to their virtualized environment .The backup solution must be agentless ,hypervise independent and integrated with HPE storage solutions. The solution must support Nimble snapshot and replication management. What products meets the customer requirement?

- A. HPE storeOnce Recovery manager central
- B. Commvault Simpana Intellisnap
- C. Micro Focus Data Protector
- D. Veem Backup and Replication

**Answer:** D

#### NEW QUESTION 160

- (Exam Topic 2)

A customer needs to expand an HPE StoreVirtual VSA based cluster with two additional VSA instances. What do you need to consider when designing the new VSA instances?

- A. They will require downtime to re-balance the resources within the cluster.
- B. They must be configured into a new management group.
- C. They must be of equal or greater capacity than the existing instances in a cluster.
- D. They can only have equal to or smaller capacity compared to the existing instances.

**Answer:** C

#### NEW QUESTION 165

- (Exam Topic 2)

Which statement describes HPE StoreVirtual Network RAID functionality?

- A. Redundancy is managed on a per-volume basis.
- B. With Network RAID 10+2 data is striped and mirrored across two or more storage systems.
- C. Network RAID 10 requires an even number of storage nodes.
- D. Volumes remain available if an odd number of nodes are available.

**Answer:** A

#### Explanation:

Redundancy is managed on a per volume basis to improve storage utilization and to remove any single point of failure.

#### NEW QUESTION 167

- (Exam Topic 2)

In an iSCSI based storage system Proof-Of-Concept project ,the customer is not satisfied with the performance of their video streaming application .What would you recommended to the customer to optimize the excisting environment?

- A. Enable hardware iSCSI initiator
- B. Increase the switch buffer to buffer credits
- C. Enable jumbo frames on required components
- D. Consolidate the heterogeneous switches in the network

**Answer:** C

#### NEW QUESTION 171

- (Exam Topic 2)

What is used to migrate data between nodes in an HPE StoreVirtual VSA environment?

- A. Network RAID
- B. Peer Motion
- C. SmartClone
- D. Remote Copy

**Answer:** B

#### Explanation:

Integrated with HPE Recovery Manager Central for seamless data movement to StoreOnce Backup appliances and StoreOnce VSA, and bidirectional replication



with 3PAR StoreServ arrays (Peer Copy).

#### NEW QUESTION 175

- (Exam Topic 2)

A customer has an existing environment with 3PAR, Nimble and MSA. They are providing file servicing from all arrays with multiple virtual machine but preference is not adequate.

What should you add to the environment to increase performance, increase availability, and reduce management overhead?

- A. StoreEasy 3850 Gateway
- B. StoreEasy 5000
- C. 3PAR File Persona
- D. Simplvity 380

**Answer:** A

#### NEW QUESTION 180

- (Exam Topic 2)

Which storage sizing tool, designed specifically for the HPE 3PAR StoreServ environment, shows the expected deduplication ratio based on actual data analysis of the customer's current environment?

- A. NinjaCrawler
- B. StoreVista
- C. NinjaThin
- D. NinjaStars

**Answer:** D

#### NEW QUESTION 183

- (Exam Topic 2)

A customer migrate their infrastructure from a 3rd party storage to a Nimble

environment. During an architecture workshop, you discuss VMvision with the customer and the system engineer. Which statement is correct when implementing performance monitoring using VMVision?

- A. Nimble service processor collects relevant per VM performance data and send them using SSL port 443 to VMvision
- B. VMvision is an agentless integration into InfoSight and needs only the Vcenter server appliance credentials to connect
- C. (page 112)
- D. VMware vSphere storage API's array integration (VAAI) has to be configured to combine storage and VM performance metrics
- E. SNMP trap service has to be configured to send traps to InfoSight and integrate performance data using VMvision.

**Answer:** C

#### NEW QUESTION 188

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE0-J68 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE0-J68 Product From:

<https://www.2passeasy.com/dumps/HPE0-J68/>

## Money Back Guarantee

### HPE0-J68 Practice Exam Features:

- \* HPE0-J68 Questions and Answers Updated Frequently
- \* HPE0-J68 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE0-J68 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE0-J68 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year