

Microsoft

Exam Questions PL-100

Microsoft Power Platform App Maker



NEW QUESTION 1

- (Exam Topic 1)

You need to configure functionality for submitting status reports. What should you do?

- A. Determine whether the application is offline when a user selects submit button and call the Sec () function.
- B. Determine whether the application is offline when the app load
- C. Use the SaveDaca () function in the OnSelect property.
- D. Determine whether the application is offline when a user selects the submit button and call the SaveDaca () function.
- E. Determine whether the application is offline when the app load
- F. Use the LoadDaca () function in the Submit button.

Answer: C

Explanation:

Scenario: The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.

When data is submitted offline, the data must be stored in the app until the app is back online. Mobile users often need to be productive even when they have limited or no connectivity.

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

The SaveData function stores a collection for later use under a name.

The LoadData function reloads a collection by name that was previously saved with SaveData. You can't use this function to load a collection from another source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-savedata-loaddata>

NEW QUESTION 2

- (Exam Topic 1)

You need to roll back the mobile app to an earlier version.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Identify the currently published version and view version notes.	<div><div></div><div>View the session details page for the app in Power Apps Studio. View environment details for the app in the Power Admin portal. View details for the app in the Power Apps Maker portal.</div></div>
Revert to an earlier version of the app.	<div><div></div><div>Select Restore on the previous version of the app. Export the previous version of the app and import as a new version. Delete versions of the app until the desired version is the most recent.</div></div>


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: View the sessions details page for the app in Power Apps Studio

Use PowerApps Studio, select the App, and choose and you will be directed to the app's Versions tab in PowerApps portal. There should be one version marked Live.



VERSION	MODIFIED	MODIFIED BY	POWERAPPS RELEASE	PUBLISHED	COMMENT
1	6/7/2017 9:01:43 AM	Karthik Bharathy	2.0.659	Live	

Box 2: Select Restore on the previous version of the app. Restore an app from your account

- > Open powerapps.com, and then click or tap Apps in the left navigation bar.
- > Near the right edge, click or tap the info icon for the app that you want to restore.
- > Click or tap the Versions tab, and then click or tap Restore for the version that you want to restore.

Details • Share • Versions • Settings • Analytics (preview)

PowerApps keeps a version history of your apps.

VERSION	MODIFIED	MODIFIED BY	POWERAPPS RELEASE ?	PUBLISHED	COMMENT
2	8/20/2018 2:24:29 PM	Firstname Lastname	3.18081.19	Live	<div>Restore</div> <div>Delete</div>
1	7/9/2018 10:55:48 AM	Firstname LastName	3.18071.36		<div>Restore</div> <div>Delete</div>

Reference:
<https://powerapps.microsoft.com/sk-sk/blog/saveandpublish/> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/restore-an-app>

NEW QUESTION 3

- (Exam Topic 2)
You need to configure the system to meet the sales requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Action
Ensure that work estimates are complete before entering estimated sales values into the Sales Log.	<div><div></div><div>Use a Business Process flow</div><div>Use a UI flow</div></div>
Prevent modification of timesheet entries by an employee.	<div><div></div><div>Add a custom control to the Business Process flow</div><div>Use a formula to set the DisplayMode property</div><div>Use a business rule</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated
Box 1: Use a Business Process flow
Scenario: The Sales Log app must enforce process standards related to the completion of estimates and supporting materials needed during the sales lifecycle.
Box 2: Use a formula to set the DisplayMode property
DisplayMode - The mode to use for data cards and controls within the form control. Derived from the Mode property based and cannot be set independently:
Graphical user interface, text, application, email Description automatically generated

Mode	DisplayMode	Description
FormMode.Edit	DisplayMode.Edit	Data cards and controls are editable, ready to accept changes to a record.
FormMode.New	DisplayMode.Edit	Data cards and controls are editable, ready to accept a new record.
FormMode.View	DisplayMode.View	Data cards and controls are not editable and optimized for viewing.

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form-detail>

NEW QUESTION 4

- (Exam Topic 2)
You need to modify the entity form to resolve the customer request number issue. What should you do?

- A. Use a calculated field
- B. Change the data type of the customer request number field to Lookup
- C. Change the data type of the customer request number field to Autonumber

Answer: C

Explanation:

Scenario: Users report that the customer request number is difficult to interpret. They request that you change the number to a system generated sequential number.
Autonumber columns are columns that automatically generate alphanumeric strings whenever they are created. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/autonumber-fields>

NEW QUESTION 5

- (Exam Topic 2)
You need to resolve the issues found during testing.
Which option should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Issue	Option
Testers see all time entries.	<div><div></div><div>Hierarchical security</div><div>Security group</div><div>Security role</div></div>
Testers are able to edit existing time entries.	<div><div></div><div>Control property</div><div>Field-level security</div><div>Security role</div></div>
Managers cannot see required information.	<div><div></div><div>Access team template</div><div>Field-level security</div><div>Hierarchical security</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated
Box 1: Security role
Scenario: Employees must only be able to access their own time tracking records from the app. Testers report that they can see time entries in the Time Tracker app, not just their own.
Box 2: Field-level security
Scenario: Employees must only be able to modify time records for the current and previous day. Testers report that they can edit any existing time entries.
Box 3: Hierarchical security
You use field security tables to apply field-level security, which restricts field access to specified users and teams.

NEW QUESTION 6

- (Exam Topic 2)
You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
- B. Define a business rule for the Sales Log edit form.
- C. Set the required field property of the Won/Lost field to Required.
- D. Create a formula for the Description field that uses the Update function.

Answer: B

Explanation:

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:
➤ Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.
You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.
Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 7

- (Exam Topic 2)
You need to resolve the user's issue with the time tracking app.
Which two actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.
A component library provides a centralized and managed repository of components for reusability. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 8

- (Exam Topic 2)

You need to configure the system to meet the requirements.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Feature	Setting
Create the relationship between the Job Setup and Time Tracking entities.	<div>▼</div> <div>1:N</div> <div>N:N</div> <div>Self-referential</div>
Configure ownership for the Time Tracking entity.	<div>▼</div> <div>Business-owned</div> <div>Organization-owned</div> <div>User or Team owned</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1:N

Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.

Box 2: User or Team owned

Scenario: Employees must only be able to access their own time tracking records from the app.

User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/types-of-entities>

NEW QUESTION 9

- (Exam Topic 3)

HOTSPOT

Inspectors for a city building department use a Microsoft Teams channel, inspectors use SharePoint to view construction bylaws, rules, and regulations.

The city clerk email inspectors links to new bylaw proposal, inspectors vote on the proposals and provide additional feedback.

You need to demonstrate to the city clerk how they can automate the process

Which option should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Flow element	Option
Type of flow.	<div>Cloud flow</div> <div>Desktop flow</div> <div>Business process flow</div>
Trigger type.	<div>Manually trigger a flow.</div> <div>For a selected message in Microsoft Teams.</div> <div>For a selected file in SharePoint.</div> <div>When a flow is run from a business process flow.</div>
Flow step to replace emailing the links.	<div>Get changes for an item in SharePoint.</div> <div>Post an adaptive card to a channel and wait for a response.</div> <div>Post a choice of options to a user in Teams.</div> <div>Send an email with options.</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Flow element	Option
Type of flow.	<div><div>Cloud flow</div><div>Desktop flow</div><div>Business process flow</div></div>
Trigger type.	<div><div>Manually trigger a flow.</div><div>For a selected message in Microsoft Teams.</div><div>For a selected file in SharePoint.</div><div>When a flow is run from a business process flow.</div></div>
Flow step to replace emailing the links.	<div><div>Get changes for an item in SharePoint.</div><div>Post an adaptive card to a channel and wait for a response.</div><div>Post a choice of options to a user in Teams.</div><div>Send an email with options.</div></div>

NEW QUESTION 10

- (Exam Topic 3)

HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- * Create a model-driven app.
- * Design navigation for the app
- * Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Activity	Feature
Create model driven app.	<div><div>App designer</div><div>App designer</div><div>Solution checker</div><div>App checker</div></div>
Design app navigation.	<div><div>Site map</div><div>Site map</div><div>Solutions area</div><div>Table designer</div></div>
Show approval name field if amount > \$1,000.	<div><div>Table designer</div><div>Form designer</div><div>Table designer</div><div>Business rule designer</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity	Feature
Create model driven app.	<div><div>App designer</div><div>App designer</div><div>Solution checker</div><div>App checker</div></div>
Design app navigation.	<div><div>Site map</div><div>Site map</div><div>Solutions area</div><div>Table designer</div></div>
Show approval name field if amount > \$1,000.	<div><div>Table designer</div><div>Form designer</div><div>Table designer</div><div>Business rule designer</div></div>

NEW QUESTION 10

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- Provision a developer environment named D1 and a sandbox environment named S1.
- Copy the production environment to both D1 and S1.
- Use D1 for development and S1 for testing. Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing.

Note: Instead use two sandboxed environments: one for development and one for testing. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 13

- (Exam Topic 3)

You are creating an app for a company. You need to evaluate the default solution.

Which two behaviors should you expect from the default solution? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You can change the prefix of the publisher of the default solution
- B. If you create a Power Automate flow in a solution, the flow uses the prefix defined in the publisher
- C. If you create an environment variable in a solution, the variable uses the prefix defined in the publisher
- D. You can change the version number of the default solution

Answer: AC

Explanation:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/use-solutions-for-y>

NEW QUESTION 17

- (Exam Topic 3)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression: (OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 22

- (Exam Topic 3)

You are a technical assistant for a legal services organization. The company uses SharePoint to manage documents and Microsoft Dataverse as the data store.

The company has strict rules about access, permissions, and privacy.

Lawyers and paralegals use Microsoft Teams for communications and collaboration. Employees use personal devices to access legal files. You do not have access to the admin area in Microsoft Power Platform.

You need to ensure that these rules are observed consistently and managed in one place.

Which type of app should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	App type
Access client billing details	<div><div></div><div>Canvas app in Microsoft Teams Canvas app in SharePoint Model-driven app in SharePoint Model-driven app in Microsoft Teams</div></div>
Log phone calls and schedule appointments with clients and the team assigned to them	<div><div></div><div>Dynamics 365 App for Outlook Microsoft Teams calendar SharePoint calendar</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Model-driven app in Microsoft Teams

A user's ability to see and use apps is controlled by sharing the application with the user. Sharing of canvas apps is done directly with a user or Azure AD group but is still subject to Dataverse security roles. Sharing of model-driven apps is done via Dataverse security roles.

Box 2: Sharepoint Calendar Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 27

- (Exam Topic 3)

DRAG DROP

A commercial bakery uses art inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file.

You need to create a Power BI report from the extracted data by using only an iPad.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select manual data.

Log into the Power BI service.

Install Power BI Desktop and log in.

Select **Create**.

Select **Use first row as headers**.

Paste the data.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Select manual data.

Log into the Power BI service.

Install Power BI Desktop and log in.

Select **Create**.

Select **Use first row as headers**.

Paste the data.

Answer Area

Log into the Power BI service.

Install Power BI Desktop and log in.

Select **Create**.

Select **Use first row as headers**.

Paste the data.

NEW QUESTION 30

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You are creating a canvas app that displays a list of accounts. Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts. You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail. You need to complete the app. Solution:

- Add an edit form to Screen_AccountDetail and set the Default Mode of the form to New
- Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- Set the data source of the form to Accounts.
- Set the Item property of the form to Selected.
- Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts). Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

FormMode.New: the form is populated with default values and the user can modify the values of the fields. Once complete, the user can add the record to the data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 34

- (Exam Topic 3)

You are creating an app for an organization's human resources (HR) department. You create an Employee entity in an unmanaged Common Data Service solution.

Another user creates the following Power Automate flows separately from the solution:

Flow	Description
FlowA	Send email to the HR manager when a new document is uploaded to Microsoft SharePoint.
FlowB	Send email to the HR manager after a user selects a document in Microsoft OneDrive for Business and runs the flow.
FlowC	Send email to the HR manager at 8 AM daily if new documents are uploaded in Microsoft OneDrive for Business since the previous day.
FlowD	Send email to the HR manager when a new employee record is added.

You need to incorporate the flows that can be added to the solution.

Which two flows can you include? Each correct selection presents a complete solution.


NOTE: Each correct selection is worth one point.

- A. FlowA
- B. FlowB
- C. FlowC
- D. FlowD

Answer: AD

Explanation:

You can add any of these conditions to determine precisely when your flow is triggered.



Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds-native>

NEW QUESTION 35

- (Exam Topic 3)
You create an app with multiple screens.
Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.
You need to create a reusable gallery that displays information based on the current record.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions	Answer Area
Add a gallery control.	
Add an input property.	
Create a component.	
Add a screen.	
Create a form.	
Add an output property.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
- Create a component
- Add an input property
- Add a gallery control
From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

NEW QUESTION 39

- (Exam Topic 3)
You need to create a model-driven app without using code.
Which tools should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Tool
Select the forms and views that the app will use.	<div>▼</div> <div>Site Map designer Solution Explorer App designer Entity view</div>
Design the navigation for the app.	<div>▼</div> <div>Site Map designer Dynamics 365 Admin center Microsoft Azure DevOps</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, application Description automatically generated
Box 1: App designer
As an app maker, you can create and edit public views by using Power Apps. Box 2: Site Map designer
Site maps define the navigation for your app. Create a site map for your app with ease by using the tile-based site map designer.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-views-app-designer> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

NEW QUESTION 41

- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process. The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a business rule on the appropriate data entity with a scope of entity. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

NEW QUESTION 45

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Text Recognition model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 50

- (Exam Topic 3)

DRAG DROP

You are creating a Power Automate cloud flow to update a column on each Item in a list of Microsoft Dataverse records. Records are sorted in order of priority.

You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You need to add flow steps to process the list of records.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Filter the array.

Use the Apply to each loop running in parallel.

Initialize the variable.

Use the Apply to each loop running sequentially.

Set the variable.

Update the Microsoft Dataverse row.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Filter the array.

Use the Apply to each loop running in parallel.

Initialize the variable.

Use the Apply to each loop running sequentially.

Set the variable.

Update the Microsoft Dataverse row.

>

<

Answer Area

Initialize the variable.

Use the Apply to each loop running in parallel.

Set the variable.

Update the Microsoft Dataverse row.

>

<

NEW QUESTION 52

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 55





- (Exam Topic 3)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions	Answer Area
Add the report to a new dashboard	
Create a report	
Add a visualization to the report	
Create a paginated report	
Select a dataset	 

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Select a dataset

Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service.

Get some data and open it in report view. Box 2: Create a report

Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report

Box 4: Add the report to a new dashboard

Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

Reference:

<https://docs.microsoft.com/en-us/power-bi/fundamentals/service-get-started> <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-report-visualizations>

NEW QUESTION 56

- (Exam Topic 3)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.
- B. Create test cases for each requirement.
- C. Save the app to your computer.
- D. Create a test suite.
- E. Record test cases for each requirement.

Answer: D

Explanation:

Create a test suite.

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 60

- (Exam Topic 3)

In a Common Data Service database, you create a canvas app and a custom entity. The app also reads data from the Account entity in the Common Data Service database.

Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution.

You need to replicate the changes to a new Common Data Service database.

Which two components should you include with the canvas app? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Custom entity
- B. Account entity
- C. Common Data Service User security role
- D. Sitemap

Answer: BC

NEW QUESTION 62

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

Task name	Slider input control name
Task1	RiskStatus1 [0–100]
Task2	RiskStatus2 [0–100]
Task3	RiskStatus3 [0–100]

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK. You need to configure a solution to change the text on the header bar. How should you configure the app? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<div> <input type="checkbox"/> On the header control. <input type="checkbox"/> On each RiskStatus slider input. <input type="checkbox"/> In the global variables of the Power Apps app. <input type="checkbox"/> On the OnStart property of the Power Apps app. </div>
Which formula should you use?	<div> <input type="checkbox"/> SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : "" <input type="checkbox"/> IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK") <input type="checkbox"/> Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK") <input type="checkbox"/> UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK") </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated
 Box 1: On each RiskStatus slider input You can change the value based on input. Box 2: Updateif(..)
 Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.
 Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-formulas#change-a-value-based-> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-update-updateif>

NEW QUESTION 67

- (Exam Topic 3)
 HOTSPOT
 A bicycle shop uses Microsoft Dataverse to track bicycle rentals and renter information. The bicycle shop has a standalone tablet with a canvas app. Renters use the app to check out bicycles. Only one renter at a time can check out bicycles. Multiple renters can rent as a team. You must expand the app to allow team rentals in one step. All team members must be registered under a single phone number. You need to modify the canvas app to display team and team member information, along with bicycle information. Which UI elements should you use for each requirement? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Requirement	UI element
Phone number lookup	<div> <input type="checkbox"/> Choice <input type="checkbox"/> Text input <input checked="" type="checkbox"/> Choice <input type="checkbox"/> Pen input </div>
Team members and their bicycles	<div> <input checked="" type="checkbox"/> Gallery <input type="checkbox"/> List box <input type="checkbox"/> Container <input type="checkbox"/> Data table <input checked="" type="checkbox"/> Gallery </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	UI element
Phone number lookup	Choice
	Text input
	Choice
	Pen input
Team members and their bicycles	Gallery
	List box
	Container
	Data table
	Gallery

NEW QUESTION 68

- (Exam Topic 3)
You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina. You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members. You need to embed the list of boats associated with a Marina record in the entity form. In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add a Subgrid component to a form	
Select Show related records and then select the related entity and default view for the subgrid	
Save and publish the form	
Select the Allow users to change view option	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Step 1: Add a Subgrid component to a form
You add a subgrid component the same way as you add any other component.
Step 2: Select Show related records and then select the related entity and default view for the subgrid Configure a subgrid component. Properties available to configure when using a subgrid component on a form using the form designer include:
> Show related rows
When selected, the subgrid displays only rows related to the current row that is displayed on the form.
Step 3: Select the Allow users to change view option
Configure a subgrid component. Properties available to configure when using a subgrid component on a form using the form designer include:
> Allow users to change view
When selected, app users can change from the Default view to another view of the table selected in the Table property.
Step 4: Save and publish the form Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/form-designer-add-configure-subgrid>

NEW QUESTION 73

- (Exam Topic 3)
You are creating a canvas app for a company that delivers packages. The app will display one screen for each delivery attempt. Drivers must make three attempts to deliver a package before returning the package back to a warehouse. Drivers must enter details about delivery on a second screen in the app. You need to display a list of delivery attempts on the delivery screen. Which two components can you add to the app to display details about the delivery attempts? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Data table
- B. Vertical gallery
- C. Display form
- D. Drop-down

Answer: AC

Explanation:

The Data table control shows a dataset.

In a canvas app, add and configure a Display form control to show all fields in a record. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-data-table> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-form-layout>

NEW QUESTION 76

- (Exam Topic 3)

A company uses Power Apps. You embed a canvas app in a model-driven app form. You need to bind the app to a form component. Which form component should you use?

- A. Section
- B. View
- C. Column
- D. Tab

Answer: C

NEW QUESTION 81

- (Exam Topic 3)

DRAG DROP

A company uses data from a publicly available web service. You plan to create a tabular report by using Power BI Desktop to visualize data from the web service.

The data returned in one column is numeric and must be converted to a corresponding text value. The most up-to-date version of the data must always be used.

You need to create the report and make it available only to co workers.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select

Actions

Create a connection to the web service.

Publish to the Power BI service.

Create a table and input the data from the web service.

Perform data transformation.

Create the visualization.

Publish to AppSource.

Answer area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a connection to the web service.

Publish to the Power BI service.

Create a table and input the data from the web service.

Perform data transformation.

Create the visualization.

Publish to AppSource.

Answer area

Create a table and input the data from the web service.

Perform data transformation.

Create the visualization.

Publish to AppSource.

>

<

NEW QUESTION 86

- (Exam Topic 3)

You create a dashboard in Power BI. You share the dashboard with the sales team. Sales team members report that they can see information for the entire company. You need to ensure that the team is able to see only data for their team.

Where must you configure this restriction?

- A. Dashboard
- B. Report
- C. Dataset
- D. Settings

Answer: C

Explanation:

Restrict access to the dataset.

Note: Another way of setting access is through manage permission in the dashboard, report, or dataset. If you share a dashboard, by default the report and the

dataset will also be shared as read-only for users.
Reference:
<https://radacad.com/dashboard-sharing-and-manage-permissions-in-power-bi-simple-but-useful>

NEW QUESTION 91

- (Exam Topic 3)
You design a canvas app for users to search thousands of records. You select a data source that supports delegation to optimize performance. You need to create the app so that it takes advantage of the delegable functionality of the data source. What should you do?

A. Run multiple processes simultaneously.
B. Use the query functions the data source provides.
C. Use the data returned from the data source in multiple languages.
D. Connect to the same data source as different users at run time.

Answer: B

NEW QUESTION 95

- (Exam Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips. Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app. You need to ensure that users can scan packing slip information into the form. Proposed solution: Use an Entity Extraction model. Does the solution meet the goal?

A. Yes
B. No

Answer: B

Explanation:

AI Builder entity extraction models recognize specific data in the text that you target based on your business needs. The model identifies key elements in the text and then classifies them into predefined categories. This can help you transform unstructured data into structured data that's machine-readable. You can then apply processing to retrieve information, extract facts, and answer questions. Note: Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.
Reference:
<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/> <https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 97

- (Exam Topic 3)
HOTSPOT
A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role. You must prevent the users from running and sharing the app. What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Prevent users from running the app.	Turn off the app.
	Export the app.
	Turn off the app.
	Remove access to the table.
Prevent users from sharing the app.	Remove access to the table.
	Export the app.
	Turn off the app.
	Remove access to the table.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Action
Prevent users from running the app.	Turn off the app.
	Export the app.
	Turn off the app.
	Remove access to the table.
Prevent users from sharing the app.	Remove access to the table.
	Export the app.
	Turn off the app.
	Remove access to the table.

NEW QUESTION 102

- (Exam Topic 3)
A company uses Power Apps and Microsoft Dataverse. The company has a managed solution in the production environment. You make changes to the solution in the development environment. Some components are unused. The changes to the solution must be reflected in the production environment. You need to ensure that all unused components are removed. What should you do?

- A. Create a new solution
- B. Upgrade the solution.
- C. Update the solution.
- D. Patch the solution.

Answer: B

NEW QUESTION 106

- (Exam Topic 3)
A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories. You are creating an app to manage requests for new products. The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings. Only two new tables should be created in Microsoft Dataverse:
➤ Products: Holds the products that can be requested.
➤ Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.
You need to identify the data types to use when building the table columns in Dataverse. Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Data types	Answer Area								
Lookup	<table border="1"><thead><tr><th>Scenario</th><th>Data types</th></tr></thead><tbody><tr><td>Create a column in the Products table that displays the category of the product</td><td>Data type</td></tr><tr><td>Create a column in the Products table for the product ID of the product</td><td>Data type</td></tr><tr><td>Create a column in the Requests table that allows the user to select from a list of available products</td><td>Data type</td></tr></tbody></table>	Scenario	Data types	Create a column in the Products table that displays the category of the product	Data type	Create a column in the Products table for the product ID of the product	Data type	Create a column in the Requests table that allows the user to select from a list of available products	Data type
Scenario	Data types								
Create a column in the Products table that displays the category of the product	Data type								
Create a column in the Products table for the product ID of the product	Data type								
Create a column in the Requests table that allows the user to select from a list of available products	Data type								
Choice									
Text									

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Text
Text columns can contain text characters. This column type has several format options that will change the presentation of the text.
Box 2: Lookup
When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.
Box 3: Choice
You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/types-of-fields>

NEW QUESTION 108

- (Exam Topic 3)

You have a canvas app that uses multiple inputs for calculations.
You must use Test Studio to create automated tests and confirm that the app works as expected. You need to organize your test scenarios into a hierarchy.
In which order should you create the objects? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Test assertions

Test steps

Test suites

Test cases

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence
Step 1: Test suites
By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases. An app can contain one or more test suites.
Step 2: Test cases
Depending on how you want to organize or group your tests, you can create multiple test cases in a test suite. Each case can test a specific feature or a subset of functionalities in your app.
Step 3: Test steps Step 4: Test assertions
A test case consists of test steps that contain actions. Test actions are written using Power Apps expressions that perform a task. You can use the recorder to automatically generate the test steps as you interact with your app. After you record, you can update the test case, add new steps, delete steps, and write test assertions to validate the result of your test.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 109

- (Exam Topic 3)
A company uses two SQL Server environments and two Common Data Service environments.
The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct.
You need to assign security access.
What should you assign? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Role

Security access

Admin users for SQL environments

Environment Maker

Environment Admin

System Administrator and Environment Security group

Power Platform Administrator and Environment Security group

Admin users for Common Data Service environments

Environment Maker

Environment Admin

Global Administrator

System Administrator

Users that create Common Data Service apps

System Customizer

Environment Maker

Environment Admin

System Administrator

Users that create SQL apps

System Customizer

Environment Maker

Environment Admin

System Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Box 1: System Administrator and Environment Security group Security model for the databases
When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.
Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.
Box 2: Environment Admin
TheEnvironment Adminrole can perform all administrative actions on an environment, including the following:
> Add or remove a user from either the Environment Admin or Environment Maker role. Box 3: Environment Maker
Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:
Box 4: System Customizer
System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.
Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

NEW QUESTION 110

- (Exam Topic 3)
A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.
A user wants to be able to ask the chatbot to see all the sales for pants.
You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.
Which chatbot component should you use?

A. Skills
B. Tables
C. Topics
D. Supported languages
E. Entities

Answer: E

Explanation:

Reference:
<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 114

- (Exam Topic 3)
You are an app and report maker. You provide visualizations for two departments in an organization. Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.
Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Chart types

Requirement

Chart type

Multi-series

Unstructured answers to free text survey questions.

Tag

Real-time column chart that groups complaints by category, urgency, and status.

Stacked column

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Box 1: Tag
Box 2: Multi-series
Multi-series charts: Charts that display data with multiple series values mapped to a single category value. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/understand-charts-underlying-data-ch>

NEW QUESTION 118

- (Exam Topic 3)
HOTSPOT

A company uses Microsoft Teams and Microsoft 365. Employees use Microsoft Excel to create checklist and capture measurements. The company requites a Microsoft Power Platform app to consolidate the checklists and perform the measurements- Network connectivity may not be available when measurements are taken. You need to determine which features to use for the app
Which features should you use? To answer, select the appropriate options in the answer area NOTE: Each coned selection is worth one point.

Answer Area

Requirement	Feature
App type	<div>Model-driven app</div> <div>Canvas app</div> <div>Model-driven app</div>
Data source	<div>Cloud Excel table</div> <div>Local Excel table</div> <div>Cloud Excel table</div>
Offline mode	<div>Power Apps mobile</div> <div>Field Service Mobile</div> <div>Power Apps mobile</div> <div>Power Apps for Windows</div> <div>Power Apps wrap</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Feature
App type	<div>Model-driven app</div> <div>Canvas app</div> <div>Model-driven app</div>
Data source	<div>Cloud Excel table</div> <div>Local Excel table</div> <div>Cloud Excel table</div>
Offline mode	<div>Power Apps mobile</div> <div>Field Service Mobile</div> <div>Power Apps mobile</div> <div>Power Apps for windows</div> <div>Power Apps wrap</div>

NEW QUESTION 119

- (Exam Topic 3)

A company stores sales orders in a Microsoft Excel workbook. The company stores customer data in a SQL Server database. You must import the data into a Microsoft Dataverse instance. You need to define the mapping for the migration. Which component should you use? To answer, drag the appropriate components to the correct data type. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Components	Answer Area	
	Data	Component
Column	Excel data	Component
Table	Customer data	Component
Row	Customer identifier	Component
Data source	Product data	Component

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table

Box 2: Data source Box 3: Column

Box 4: Row Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 124

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- > Provision a trial environment named T1 and a sandbox environment named S1.
- > Copy the production environment to T1 and S1.
- > Use T1 for development and S1 for testing.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Using trial environments, companies and customers can try out new features and solutions. Do not use a trial environment for development.

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/trial-environments> <https://docs.microsoft.com/en-us/power-platform/admin/sandbox-environments>

NEW QUESTION 127

- (Exam Topic 3)

You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app.

Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
Business rule	Guide a user through the set of steps needed for onboarding a new employee.	<input type="text"/>
Power Automate	Make date of birth mandatory when creating a new employee record.	<input type="text"/>
Business process flow	Implement an approval flow for expense reports submitted by employees.	<input type="text"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Business process flow

A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.

Box 2: Business rule Box 3: Power Automate

A Power Automate flow does not have any visual components like a business process flow. Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

Reference:

<https://docs.microsoft.com/en-us/learn/modules/intro-business-process-flows/2-differences>

NEW QUESTION 130

- (Exam Topic 3)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the component library. A co worker uses the original version of the component library in a canvas app.

You need to ensure that the co-worker uses the updated version of the component library. What should you do?

A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app


- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
 C. Instruct the co-worker to edit the canvas app and update the component library

Answer: C

Explanation:

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library. Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:

Graphical user interface, application Description automatically generated



Select Review, and you'll see the option to update the component: Graphical user interface, application Description automatically generated



Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 132

- (Exam Topic 3)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has model driven apps across multiple Microsoft Dataverse environments in the same tenant. You must grant privileges to Power Apps makers to achieve the following:

- Share model-driven apps in multiple Microsoft Dataverse environments.
- Share model-driven apps in only one of the Microsoft Dataverse environments and view only table records that they create themselves.

You need to share the model-driven app with users by using the principle of least privilege.

Which security role privilege should you grant for each requirement? To answer, drag the appropriate security roles to the correct requirements. Each security the may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.



- A. Mastered
 B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 135

- (Exam Topic 3)

You receive ideas from employees in a Microsoft Teams channel. Managers are not members of the Teams channel Submissions must be reviewed by three managers who are determined by submission type. You need approval from the managers to process submissions. What should you create?

- A. approval request in the Teams channel that requires a response from all approvers
- B. approval request in a chat with the three managers that requires a response from all approvers
- C. approval template that requires responses to be completed in order
- D. approval template that requires a response from all approvers


Answer: B

NEW QUESTION 140

- (Exam Topic 3)

HOTSPOT

Users in your company vote on color choices for marketing materials by using the following canvas app:



Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection. You need to implement the functionality. Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Action	Power Fx formula
User selects Add color.	<input type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input checked="" type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input type="checkbox"/> If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) <input type="checkbox"/> If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects Clear Selection	<input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input type="checkbox"/> Reset(radioselector); Clear(ColorList) <input type="checkbox"/> Reset(radioselector); Refresh(ColorList) <input type="checkbox"/> Revert(radioselector); Remove(ColorList) <input checked="" type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Power Fx formula
User selects Add color.	<input type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input checked="" type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input type="checkbox"/> If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) <input type="checkbox"/> If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects Clear Selection	<input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input type="checkbox"/> Reset(radioselector); Clear(ColorList) <input type="checkbox"/> Reset(radioselector); Refresh(ColorList) <input type="checkbox"/> Revert(radioselector); Remove(ColorList) <input checked="" type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

NEW QUESTION 143

- (Exam Topic 3)

DRAG DROP

You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form. You need to select the component types.

Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

visit - <https://www.surepassexam.com>

Actions

Open the maker app and navigate to the student table

Publish the student entity

Save the student table

Open settings in the Power Platform admin center

Create new options for College - 1 Year and College - 2 years

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Open the maker app and navigate to the student table

Publish the student entity

Save the student table

Open settings in the Power Platform admin center

Create new options for College - 1 Year and College - 2 years

Answer Area

Open the maker app and navigate to the student table

Create new options for College - 1 Year and College - 2 years

Publish the student entity

NEW QUESTION 151

- (Exam Topic 3)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

Answer: D

NEW QUESTION 156

- (Exam Topic 3)

You create a canvas app.

You need to make the app available to other people in your company.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 161

- (Exam Topic 3)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

Type of data	Data source
Sales log that show pending sales by product	Microsoft Excel workbook
Work estimates, cost estimates, and start and ending dates for each job activity by employee	Common Data Service entity
Actual work values and associated costs of work to date by job activity and employee	On-premises Microsoft SQL Server-based ERP system
Employee information	On-premises Microsoft SQL Server-based ERP system

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<div><div></div><div><div>Use a Data Gateway</div><div>Use a Custom Connector</div><div>Use a Service Content Pack</div></div></div>
Create the relationship between the employee file and the work estimates.	<div><div></div><div><div>Create a composite model</div><div>Create an aggregated table</div><div>Create entity relationships in the CDS Solution Explorer</div></div></div>
Create calculations for work remaining, remaining budget.	<div><div></div><div><div>Create a Data Analysis Expressions formula</div><div>Create an aggregated table</div><div>Create a modeling view</div></div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing graphical user interface Description automatically generated

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer. Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/define-rollup-fields>

NEW QUESTION 166

- (Exam Topic 3)



You are designing a canvas app.

You need to select user interface controls to include in the app.

Which control should you use? To answer, drag the appropriate controls to the correct requirements. Each control may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Controls	Requirement	Control
List box	Allow users to select multiple items in a list.	
Radio		
Combo box	Allow users to select multiple items from a list of options by typing in a phrase.	
Drop-down list		

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: List box

A List Box control always shows all available choices (unlike a Drop down control) and in which the user can choose more than one item at a time (unlike a Radio control).

Box 2: Combo box

A Combo box control allows you to search for items you will select. The search is performed server-side on the SearchField property so performance is not affected by large data sources.

Single or multi-select mode is configured via the SelectMultiple property.

When searching for items to select, for each item you can choose to show a single data value, two values, or a picture and two values (Person) by modifying the Layout settings in the Data pane.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-list-box> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-combo-box>

NEW QUESTION 171

- (Exam Topic 3)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline. Which set of functions should you use?

- A. SaveData, LoadData
B. Set, Patch
C. Patch, Collect
D. Set, Collect

Answer: A

Explanation:

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 176

- (Exam Topic 3)

You create a canvas app that uses the following resources:

- Power Automate cloud flow
- Custom connector
- Microsoft Dataverse customization
- Connection

You need to export the app as a package to move the app to a different environment. Which resource type will be exported with the app?

- A. Custom connector
B. Connection
C. Microsoft Dataverse customization
D. Power Automate cloud flow

Answer: D

NEW QUESTION 177

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.
 How should you configure the app? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Question	Response
Where do you enter the formula to change the button color?	<div> <input type="text"/> ▼ </div> <div> On the RiskStatus slider. On the RiskLevel button. In the variables of the Power Apps app. On the OnStart property of the Power Apps app. </div>
Which formula should you use?	<div> <input type="text"/> ▼ </div> <div> If (RiskStatus.Value > 75) (return Red;) If (RiskStatus.Value > 75, Red, Green) If (RiskStatus.Value > 75 ? Red : Green) RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green; </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated
 Box 1: On the RiskLevel button.
 On the RiskLevel button fill property.
 Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;
 Most every type of control in a Power App, has a Fill property, for the fill color. Reference:
<https://wonderlaura.com/2020/07/23/power-apps-gallery-conditional-formatting/>

NEW QUESTION 179

- (Exam Topic 3)

You are creating a canvas app that displays a list of accounts.
 Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.
 You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.
 You need to complete the app.
 What are two possible ways to achieve the goal? Each correct answer presents a complete solution.
 NOTE: Each correct selection is worth one point.

- A. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to View.Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail). Set the data source of the form to Accounts.Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- B. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to View.Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail). Set the data source of the form to Accounts.Set the Item property of the form to First(Accounts).Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- C. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to New.Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail). Set the data source of the form to Accounts.Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- D. Add a display form to Screen_AccountDetail.Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail). Set the data source of the form to Accounts.Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Answer: AD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 184

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.
 Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b_accountid

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security. ownerid, processid, stageid, accountid, contactid

createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 185

- (Exam Topic 3)

A company is using Power Virtual Agents in Microsoft Teams to expose Microsoft Dataverse data to employees.

You create a chatbot that retrieves a list of customers by postal code from a Dataverse table. The chatbot will accept requests from a user and must connect to Dataverse to retrieve the data.

You need to connect the chatbot to the Dataverse table. What should you use?

- A. Table
- B. Power Apps
- C. Microsoft Teams
- D. Power Virtual Agents
- E. Power Automate

Answer: C

Explanation:

Dataverse for Teams is the "lite" version of Dataverse. It is a low-code platform designed to build relatively simple (but still powerful) apps, using a user-friendly interface and remaining within Microsoft Teams. This new update means that users now have the possibility to create Power Apps apps, Power Automate flows and Power Virtual Agents bots without leaving the Teams platform.

Reference:

<https://docs.microsoft.com/en-us/learn/paths/work-power-platform-teams/>

<https://docs.microsoft.com/en-us/learn/modules/create-chatbot-power-virtual-agents-dataverse-teams/5-call-acti>

NEW QUESTION 189

- (Exam Topic 3)

You create the following apps for a company that provides financial guidance services: a model-driven app for financial advisers that work in the company's offices and a canvas app for remote financial advisers.

You need to create business rules for a custom counselling entity used by all financial advisers. Who will be affected by the business rules?

To answer, drag the appropriate financial adviser types to the correct business rules. Each financial adviser type may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Financial adviser types	Answer Area								
Office-based financial advisers only	<table border="1"><thead><tr><th>Business rule</th><th>Financial adviser type</th></tr></thead><tbody><tr><td>Set a field value with the scope set to Entity</td><td>Financial adviser type</td></tr><tr><td>Clear a field value with the scope set to All Forms</td><td>Financial adviser type</td></tr><tr><td>Set visibility of a field with the scope set to Entity</td><td>Financial adviser type</td></tr></tbody></table>	Business rule	Financial adviser type	Set a field value with the scope set to Entity	Financial adviser type	Clear a field value with the scope set to All Forms	Financial adviser type	Set visibility of a field with the scope set to Entity	Financial adviser type
Business rule	Financial adviser type								
Set a field value with the scope set to Entity	Financial adviser type								
Clear a field value with the scope set to All Forms	Financial adviser type								
Set visibility of a field with the scope set to Entity	Financial adviser type								
Remote financial advisers only									
Office-based and remote financial advisers									

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Office-based and remote financial advisers

Model driven apps can use all actions available on business rules, however not all business rule actions are available for canvas apps at this time.

Box 2: Office-based financial advisers only

If you're building a Canvas app, you must use table as the scope (not All forms, not a specific form) Box 3: Office-based financial advisers only

The following actions are not available on Canvas apps : Show or hide columns

Enable or disable columns

Create business recommendations based on business intelligence. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/data-platform-create-business-rule>

NEW QUESTION 190

- (Exam Topic 3)

You create a custom field on the Account entity.

Members of TeamA must have full access to the field. Members of TeamB must have no access to the field. You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add TeamA to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to Yes .	
Add TeamB to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to No .	
Enable field-level security for the field.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

- Enable field security on one or more fields for a given entity.
- Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 193

- (Exam Topic 3)

A company has a Common Data Service custom entity that stores customer account data. You need to create a relationship between the custom entity and the Account entity. Which two tools can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power Platform Admin center
- B. Power Apps solution explorer
- C. Power Apps Maker portal
- D. SQL Server Management Studio
- E. Visual Studio Code

Answer: BC

Explanation:

There are two designers you can use to create and edit 1:N (one-to-many) or N:1 (many-to-one) relationships:

- You can create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships in Power Apps portal
- You can create and edit create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships using solution explorer

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-1n-relationships>

NEW QUESTION 195

- (Exam Topic 3)

You are developing a canvas app to monitor time. The app includes a Text Input control named TIC1 and a Timer control named TIM1.

You need to set TIM1 to a default value. What should you do?

- A. In the OnChange property of TIC1, set the value of the Text property for TIC1 to a context variable that stores the duration value
- B. Assign the value of the variable to the OnTimerStart property for TIM1.
- C. Assign the Text property of TIC1 to the Duration property of TIM1.
- D. Assign the Text property of TIC1 to the OnSelect property of a TIM1.
- E. Write code in the OnChange property of TIC1 that assigns the value of the Duration property of the Timercontrol to Text property of the TIC1. In the OnChange property of TIC1, assign the value to the Duration property for TIM1.

Answer: D

Explanation:

The OnTimerStart, OnTimerEnd and OnSelect are the configurations where you can add your code. Reference:

<https://sharepains.com/2019/08/22/all-about-timers-in-powerapps/>

NEW QUESTION 200

- (Exam Topic 3)

A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies.

A Power Automate flow monitors social media channels to identify high-impact trends. When the Power Automate flow identifies the trends, consistently formatted and standardized feedback must be collected from the channel members within Teams. You need to streamline the Power Automate and Teams communication process. What should you use?

- A. AI Builder
- B. Common Data Service business process flows
- C. Adaptive cards
- D. Integrated approval flows

Answer: A

Explanation:

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery."

Jim Parker: Web and Collaboration Services Manager Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION 205

- (Exam Topic 3)

You are creating a canvas app. You plan to use variables that are scoped to a screen to store values. You need to create and update the value of the variables. Which three functions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Collect
- B. Patch
- C. Navigate
- D. Set
- E. UpdateContext

Answer: BCE

Explanation:

B: Use the Patch function to modify records in complex situations. Such as, when you do updates that require no user interaction or use forms that span multiple screens.

CE: Context variables are scoped for Screen. They are great for passing values to a screen, much like parameters to a procedure in other languages. Can be referenced from only one screen.

Functions available for context variables: UpdateContext

Navigate Note:

Use the UpdateContext function to create a context variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

Context variables are also preserved when a user navigates between screens. You can use Navigate to set one or more context variables for the screen that the formula will display, which is the only way to set a context variable from outside the screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-patch> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

NEW QUESTION 210

- (Exam Topic 3)

You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Relationship types

Answer Area

- One-to-one
- One-to-many
- Many-to-one
- Many-to-many

Relationship		
Source entity	Target entity	Relationship type
Clients	Bank accounts	Relationship type
Clients	Branch offices	Relationship type
Branch offices	Employees	Relationship type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many
Box 2: Many-to-one
A client have a single branch office.
A branch office can have many clients. Box 3: One-to-many
A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 212

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.
Development and testing must be performed using production data. Multiple testers must be used at each testing stage.
You need to provision and configure new environments for development and testing. Solution:

- > Provision production environments named P1 and P2.
- > Copy the current production environment to P1 and P2.
- > Use P1 for development and P2 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Don't use production environment for development and testing.
Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 213

- (Exam Topic 3)

DRAG DROP

A company uses Power Automate. You manage two cloud flows named A and B. Users must perform the following activities:

- Manage the properties of cloud flow A.
- Manually trigger cloud flow B

You need to set up privileges for the business users by using the principle of least privilege
Which privilege types should you grant for each activity? To answer, drag the appropriate privilege types to the correct activities. Each privilege type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Note: Each correct selection is worth one point.

Privilege types

Microsoft Power Platform Admin

Co-owner

Run-only

Answer Area

Activity

Manage the properties of cloud flow A.

Manually trigger cloud flow B.

Privilege type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Privilege types

Microsoft Power Platform Admin

Co-owner

Run-only

Answer Area

Activity

Manage the properties of cloud flow A.

Manually trigger cloud flow B.

Privilege type

Co-owner

Run-only

NEW QUESTION 218

- (Exam Topic 3)

You create a canvas app for technicians at a computer store. You assign technicians cases to work on. The technicians update cases at the end of customer site visit.
The manager wants the technicians to sell warranties to the customers. If a customer agrees to purchase a warranty, technicians use the canvas app to immediately alert the sales team, and then the technician records details about the warranty into the app.
You need to create a flow to alert the sales team. Which type of trigger should you use?

- A. Flow button for mobile
- B. Power Apps
- C. Office 365 Outlook
- D. Common Data Service

Answer: A

Explanation:

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

NEW QUESTION 221

- (Exam Topic 3)

You are designing a canvas app that will be used by all users including users who have vision impairments. Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions.

Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Outcome
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Outcome
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Outcome
Visible to both sighted and screen-reader users		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/sv-se/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 222

- (Exam Topic 3)

The postal service uses a system based on the Microsoft Database to manage the delivery of packages.

To improve the delivery service, the management requires the delivery staff to use personal cell phones to communicate the location and the exact time of each delivery.

You need to design a solution. What should you do?

- A. Create a button flow with user input for the delivery time and location
- B. Create a button flow with full address and date trigger tokens
- C. Create a UI flow that sends the delivery time and location
- D. Create a button flow with full address and timestamp trigger tokens

Answer: D

Explanation:

Button trigger tokens are data points that are known and available to the device on which a button flow is running. These tokens change based on factors such as the current time or the geographic location of the device at a given moment.

Note: For example, if you are running a button flow on a smart phone, it is likely that the phone knows the time at your current location as well as the date and your current address. In this context, the time, date and address where the phone is located are all determined at the time the button flow runs. They are automatically available for use in any button flows that are executed on the device. You can use these trigger tokens to build useful flows that will minimize repetitive tasks such as providing your location to someone or tracking how much time you spent on a particular job/service call.

Reference:

<https://docs.microsoft.com/en-us/power-automate/introduction-to-button-trigger-tokens>

NEW QUESTION 224

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between order local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 228

- (Exam Topic 3)

A company uses data loss prevention (DLP) policies. You have a Power Automate flow that posts Twitter mentions into a Microsoft SharePoint list.

You are not able to activate the flow. You need to troubleshoot the issue.

What are two possible reasons why you cannot activate the flow? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You are not assigned the Power Platform Admin role.
- B. You placed all connectors into the Business group within the DLP policy.
- C. You placed all connectors into the Non-Business group within the DLP policy.
- D. You are not assigned the Environment Admin role.

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/wp-data-loss-prevention>

NEW QUESTION 230

- (Exam Topic 3)

A company uses Microsoft platforms for all accessibility, compliance, and security auditing.

The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations.

You need to identify all accessibility issues for a solution. What should you use?

- A. Microsoft Accessibility Conformance Reports
- B. Microsoft Compliance Center
- C. Power Apps Studio
- D. Microsoft Accessibility Guides
- E. Microsoft Visual Studio

Answer: C

Explanation:

- Find accessibility issues
- In the upper-right corner of Power Apps Studio, select the icon for the App checker.
- App checker icon.
- In the menu that appears, select Accessibility.
- A list of issues appears, sorted first by severity and then by screen.
- Select the arrow next to an item to show details about it.
- Accessibility checker details.
- Select the back arrow to return to the list of items.
- If you decide to address an issue, select it to open the affected property.
- After you change one or more properties, select Re-check to update the list of issues. Resolved items disappear from the list, and new items may appear.

Reference:


<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk>

NEW QUESTION 235

- (Exam Topic 3)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:



When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?

▼

Name_DataCard1.Default

Name_DataCardKey1.Default

Name_DataCardValue1.Default

Which action should you perform on the People icon?

▼

In the On Select property, set the Activity form to Edit mode.

In the On Select property, set the Activity form to View mode.

Move the icon to the Activity form and set the On Select property to the Activity screen.

Move the icon to the DetailForm1 and set the On Select property to open the Activity screen.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Name_DataCardValue1.Default

Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.

The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-select>

NEW QUESTION 240

- (Exam Topic 3)

You create a canvas app within a Power Platform environment.

You need to identify potential accessibility issues for the canvas app before making the app available to other users.

Which tool should you use?


- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.



A list of issues appears, sorted first by severity and then by screen. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 241

- (Exam Topic 3)

You have an existing Power Apps environment.

You need to create a Common Data Service database for the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select **Create my database**

Configure currency and language settings

Configure database collation settings

Set the environment type to **Production**

Select an existing environment

Answer Area

>

<

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Step 1: Select an existing environment Add a database in the admin center:

- * 1. In the admin center, in the left navigation pane, select Environments.
 - * 2. Select the environment to which you want to add the database. Step 2: Select Create my database
 - * 3. Select + Add database
- Step 3: Configure currency and language settings
- * 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select Yes and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select Yes to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select No for Enable Dynamics 365 apps for this setting to appear.
Security group	Select a security group to restrict access to this environment.

Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/create-database>

NEW QUESTION 245

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom calculated field of type currency on the order table that converts the order total to USD and displays the total amounts by region in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 248

- (Exam Topic 3)

A company plans to roll out several Power Apps apps to multiple business units across international operations.

The apps must be managed through an application lifecycle management (ALM) solution to provide a consistent and predictable use experience. All changes to the app must be traceable and documented in a single location. You must be able to revert to a previous version of an app. The app release cycles must be as streamlined as possible.

You need to create an application for the apps.

Which two tools should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Azure DevOps
- B. Microsoft Visual Studio
- C. Lifecycle Services
- D. AppSource
- E. Common Data Service

Answer: AD

Explanation:

A: DevOps is the combining of two historically disparate disciplines: software development and IT operations. The primary goal of DevOps is to shorten the software development lifecycle and provide continuous integration and continuous delivery (CI/CD) with high software quality. You can use Power Apps build tools to automate common build and deployment tasks related to Power Apps if your DevOps platform is Azure DevOps.

D: Microsoft AppSource is now embedded in the Dynamics 365 home page and throughout the common navigation. It now includes a private gallery of apps available to you within your company. Select Get more apps from the home page or task pane, and navigate to the My Organization tab to see apps that are available to you.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/devops-build-tools> <https://docs.microsoft.com/en-us/powerapps/user/app-source>

NEW QUESTION 249

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-100 Practice Test Here](#)