

Google

Exam Questions Professional-Cloud-Architect

Google Certified Professional - Cloud Architect (GCP)



NEW QUESTION 1

- (Topic 1)

For this question, refer to the Mountkirk Games case study

Mountkirk Games needs to create a repeatable and configurable mechanism for deploying isolated application environments. Developers and testers can access each other's environments and resources, but they cannot access staging or production resources. The staging environment needs access to some services from production.

What should you do to isolate development environments from staging and production?

- A. Create a project for development and test and another for staging and production.
- B. Create a network for development and test and another for staging and production.
- C. Create one subnetwork for development and another for staging and production.
- D. Create one project for development, a second for staging and a third for production.

Answer: D

NEW QUESTION 2

- (Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games wants you to design their new testing strategy. How should the test coverage differ from their existing backends on the other platforms?

- A. Tests should scale well beyond the prior approaches.
- B. Unit tests are no longer required, only end-to-end tests.
- C. Tests should be applied after the release is in the production environment.
- D. Tests should include directly testing the Google Cloud Platform (GCP) infrastructure.

Answer: A

Explanation:

From Scenario:

A few of their games were more popular than expected, and they had problems scaling their application servers, MySQL databases, and analytics tools.

Requirements for Game Analytics Platform include: Dynamically scale up or down based on game activity

NEW QUESTION 3


- (Topic 2)

For this question, refer to the TerramEarth case study.


TerramEarth's CTO wants to use the raw data from connected vehicles to help identify approximately when a vehicle in the development team to focus their failure.

You want to allow analysts to centrally query the vehicle data. Which architecture should you recommend?


A)




B)



C)



D)




- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

Explanation:

<https://cloud.google.com/solutions/iot/> <https://cloud.google.com/solutions/designing-connected-vehicle-platform> https://cloud.google.com/solutions/designing-connected-vehicle-platform#data_ingestion
<http://www.eweek.com/big-data-and-analytics/google-touts-value-of-cloud-iot-core-for-analyzing-connected-car-data>
<https://cloud.google.com/solutions/iot/>
 The push endpoint can be a load balancer.
 A container cluster can be used. Cloud Pub/Sub for Stream Analytics



References: <https://cloud.google.com/pubsub/> <https://cloud.google.com/solutions/iot/> <https://cloud.google.com/solutions/designing-connected-vehicle-platform>
https://cloud.google.com/solutions/designing-connected-vehicle-platform#data_ingestion <http://www.eweek.com/big-data-and-analytics/google-touts-value-of-cloud-iot-core-for-analyzing-connected-car-data>
<https://cloud.google.com/solutions/iot/>

NEW QUESTION 4

- (Topic 2)

For this question, refer to the TerramEarth case study.

TerramEarth plans to connect all 20 million vehicles in the field to the cloud. This increases the volume to 20 million 600 byte records a second for 40 TB an hour. How should you design the data ingestion?

- A. Vehicles write data directly to GCS.
- B. Vehicles write data directly to Google Cloud Pub/Sub.
- C. Vehicles stream data directly to Google BigQuery.
- D. Vehicles continue to write data using the existing system (FTP).

Answer: B

Explanation:

<https://cloud.google.com/solutions/data-lifecycle-cloud-platform> <https://cloud.google.com/solutions/designing-connected-vehicle-platform>

NEW QUESTION 5

- (Topic 2)

Your agricultural division is experimenting with fully autonomous vehicles.

You want your architecture to promote strong security during vehicle operation. Which two architecture should you consider?

Choose 2 answers:

- A. Treat every micro service call between modules on the vehicle as untrusted.
- B. Require IPv6 for connectivity to ensure a secure address space.
- C. Use a trusted platform module (TPM) and verify firmware and binaries on boot.
- D. Use a functional programming language to isolate code execution cycles.
- E. Use multiple connectivity subsystems for redundancy.
- F. Enclose the vehicle's drive electronics in a Faraday cage to isolate chips.

Answer: AC

NEW QUESTION 6

- (Topic 2)

For this question, refer to the TerramEarth case study

You analyzed TerramEarth's business requirement to reduce downtime, and found that they can achieve a majority of time saving by reducing customers' wait time for parts You decided to focus on reduction of the 3 weeks aggregate reporting time Which modifications to the company's processes should you recommend?

- A. Migrate from CSV to binary format, migrate from FTP to SFTP transport, and develop machine learning analysis of metrics.
- B. Migrate from FTP to streaming transport, migrate from CSV to binary format, and develop machine learning analysis of metrics.
- C. Increase fleet cellular connectivity to 80%, migrate from FTP to streaming transport, and develop machine learning analysis of metrics.
- D. Migrate from FTP to SFTP transport, develop machine learning analysis of metrics, and increase dealer local inventory by a fixed factor.

Answer: C

Explanation:

The Avro binary format is the preferred format for loading compressed data. Avro data is faster to load because the data can be read in parallel, even when the data blocks are compressed.

Cloud Storage supports streaming transfers with the gsutil tool or boto library, based on HTTP chunked transfer encoding. Streaming data lets you stream data to and from your Cloud Storage account as soon as it becomes available without requiring that the data be first saved to a separate file. Streaming transfers are useful if you have a process that generates data and you do not want to buffer it locally before uploading it, or if you want to send the result from a computational pipeline directly into Cloud Storage.


References: <https://cloud.google.com/storage/docs/streaming> <https://cloud.google.com/bigquery/docs/loading-data>

NEW QUESTION 7

- (Topic 3)

For this question, refer to the JencoMart case study.

The migration of JencoMart's application to Google Cloud Platform (GCP) is progressing too slowly. The infrastructure is shown in the diagram. You want to maximize throughput. What are three potential bottlenecks? (Choose 3 answers.)



- A. A single VPN tunnel, which limits throughput
- B. A tier of Google Cloud Storage that is not suited for this task
- C. A copy command that is not suited to operate over long distances
- D. Fewer virtual machines (VMs) in GCP than on-premises machines
- E. A separate storage layer outside the VMs, which is not suited for this task
- F. Complicated internet connectivity between the on-premises infrastructure and GCP

Answer: ADF

NEW QUESTION 8

- (Topic 3)

For this question, refer to the JencoMart case study.

The JencoMart security team requires that all Google Cloud Platform infrastructure is deployed using a least privilege model with separation of duties for administration between production and development resources. What Google domain and project structure should you recommend?

- A. Create two G Suite accounts to manage users: one for development/test/staging and one for production.
- B. Each account should contain one project for every application.
- C. Create two G Suite accounts to manage users: one with a single project for all development applications and one with a single project for all production applications.
- D. Create a single G Suite account to manage users with each stage of each application in its own project.
- E. Create a single G Suite account to manage users with one project for the development/test/staging environment and one project for the production environment.

Answer: D

Explanation:

Note: The principle of least privilege and separation of duties are concepts that, although semantically different, are intrinsically related from the standpoint of security. The intent behind both is to prevent people from having higher privilege levels than they actually need.

? Principle of Least Privilege: Users should only have the least amount of privileges required to perform their job and no more. This reduces authorization exploitation by limiting access to resources such as targets, jobs, or monitoring templates for which they are not authorized.

? Separation of Duties: Beyond limiting user privilege level, you also limit user duties, or the specific jobs they can perform. No user should be given responsibility for more than one related function. This limits the ability of a user to perform a malicious action and then cover up that action.

References: <https://cloud.google.com/kms/docs/separation-of-duties>

NEW QUESTION 9

- (Topic 4)

For this question, refer to the Dress4Win case study.

You want to ensure Dress4Win's sales and tax records remain available for infrequent viewing by auditors for at least 10 years. Cost optimization is your top priority. Which cloud services should you choose?

- A. Google Cloud Storage Coldline to store the data, and gsutil to access the data.
- B. Google Cloud Storage Nearline to store the data, and gsutil to access the data.
- C. Google Bigtable with US or EU as location to store the data, and gcloud to access the data.
- D. BigQuery to store the data, and a web server cluster in a managed instance group to access the data.
- E. Google Cloud SQL mirrored across two distinct regions to store the data, and a Redis cluster in a managed instance group to access the data.

Answer: A

Explanation:

References: <https://cloud.google.com/storage/docs/storage-classes>

NEW QUESTION 10

- (Topic 5)

Your company is running its application workloads on Compute Engine. The applications have been deployed in production, acceptance, and development environments. The production environment is business-critical and is used 24/7, while the acceptance and development environments are only critical during office hours. Your CFO has asked you to optimize these environments to achieve cost savings during idle times. What should you do?

- A. Create a shell script that uses the gcloud command to change the machine type of the development and acceptance instances to a smaller machine type outside of office hours.
- B. Schedule the shell script on one of the production instances to automate the task.
- C. Use Cloud Scheduler to trigger a Cloud Function that will stop the development and acceptance environments after office hours and start them just before office hours.
- D. Deploy the development and acceptance applications on a managed instance group and enable autoscaling.
- E. Use regular Compute Engine instances for the production environment, and use preemptible VMs for the acceptance and development environments.

Answer: B

Explanation:

Reference: <https://cloud.google.com/blog/products/it-ops/best-practices-for-optimizing-your-cloud-costs>

NEW QUESTION 10

- (Topic 5)

Your company wants you to build a highly reliable web application with a few public APIs as the backend. You don't expect a lot of user traffic, but traffic could spike occasionally.

You want to leverage Cloud Load Balancing, and the solution must be cost-effective for users. What should you do?

- A. Store static content such as HTML and images in Cloud CD.
- B. Host the APIs on App Engine and store the user data in Cloud SQL.
- C. Store static content such as HTML and images in a Cloud Storage bucket.
- D. Host the APIs on a zonal Google Kubernetes Engine cluster with worker nodes in multiple zones, and save the user data in Cloud Spanner.
- E. Store static content such as HTML and images in Cloud CD.
- F. Use Cloud Run to host the APIs and save the user data in Cloud SQL.
- G. Store static content such as HTML and images in a Cloud Storage bucket.
- H. Use Cloud Functions to host the APIs and save the user data in Firestore.

Answer: D

Explanation:

<https://cloud.google.com/load-balancing/docs/https/setting-up-https-serverless#gcloud:-cloud-functions> <https://cloud.google.com/blog/products/networking/better-load-balancing-for-app-engine-cloud-run-and-functions>

NEW QUESTION 14

- (Topic 5)

Your company has a networking team and a development team. The development team runs applications on Compute Engine instances that contain sensitive data. The development team requires administrative permissions for Compute Engine. Your company requires all network resources to be managed by the networking team. The development team does not want the networking team to have access to the sensitive data on the instances. What should you do?

- A. * 1. Create a project with a standalone VPC and assign the Network Admin role to the networking team.* 2. Create a second project with a standalone VPC and assign the Compute Admin role to the development team.* 3. Use Cloud VPN to join the two VPCs.
- B. * 1. Create a project with a standalone Virtual Private Cloud (VPC), assign the Network Admin role to the networking team, and assign the Compute Admin role to the development team.
- C. * 1. Create a project with a Shared VPC and assign the Network Admin role to the networking team.* 2. Create a second project without a VPC, configure it as a Shared VPC service project, and assign the Compute Admin role to the development team.
- D. * 1. Create a project with a standalone VPC and assign the Network Admin role to the networking team.* 2. Create a second project with a standalone VPC and assign the Compute Admin role to the development team.* 3. Use VPC Peering to join the two VPCs.

Answer: C

Explanation:

In this scenario, a large organization has a central team that manages security and networking controls for the entire organization. Developers do not have permissions to make changes to any network or security settings defined by the security and networking team but they are granted permission to create resources such as virtual machines in shared subnets. To facilitate this the organization makes use of a shared VPC (Virtual Private Cloud). A shared VPC allows creation of a VPC network of RFC 1918 IP spaces that associated projects (service projects) can then use. Developers using the associated projects can create VM instances in the shared VPC network spaces. The organization's network and security admins can create subnets, VPNs, and firewall rules usable by all the projects in the VPC network. https://cloud.google.com/iam/docs/job-functions/networking#single_team_manages_security_network_for_organization

Reference: <https://cloud.google.com/vpc/docs/shared-vpc>

NEW QUESTION 16

- (Topic 5)

You want to store critical business information in Cloud Storage buckets. The information is regularly changed but previous versions need to be referenced on a regular basis. You want to ensure that there is a record of all changes to any information in these buckets. You want to ensure that accidental edits or deletions can be easily rolled back. Which feature should you enable?

- A. Bucket Lock
- B. Object Versioning
- C. Object change notification
- D. Object Lifecycle Management

Answer: B

NEW QUESTION 19

- (Topic 5)

Your company has an application running on multiple Compute Engine instances. You need to ensure that the application can communicate with an on-premises service that requires high throughput via internal IPs, while minimizing latency. What should you do?

- A. Use OpenVPN to configure a VPN tunnel between the on-premises environment and Google Cloud.
- B. Configure a direct peering connection between the on-premises environment and Google Cloud.
- C. Use Cloud VPN to configure a VPN tunnel between the on-premises environment and Google Cloud.
- D. Configure a Cloud Dedicated Interconnect connection between the on-premises environment and Google Cloud.

Answer: D

Explanation:

Reference <https://cloud.google.com/architecture/setting-up-private-access-to-cloud-apis-through-vpn-tunnels>

NEW QUESTION 22

- (Topic 5)

You have developed an application using Cloud ML Engine that recognizes famous paintings from uploaded images. You want to test the application and allow specific people to upload images for the next 24 hours. Not all users have a Google Account. How should you have users upload images?

- A. Have users upload the images to Cloud Storage
- B. Protect the bucket with a password that expires after 24 hours.
- C. Have users upload the images to Cloud Storage using a signed URL that expires after 24 hours.
- D. Create an App Engine web application where users can upload image
- E. Configure App Engine to disable the application after 24 hour
- F. Authenticate users via Cloud Identity.
- G. Create an App Engine web application where users can upload images for the next 24 hour
- H. Authenticate users via Cloud Identity.

Answer: A

Explanation:

<https://cloud.google.com/blog/products/storage-data-transfer/uploading-images-directly-to-cloud-storage-by-using-signed-url>

NEW QUESTION 26

- (Topic 5)

Your company has just recently activated Cloud Identity to manage users. The Google Cloud Organization has been configured as wed. The security learn needs to secure protects that will be part of the Organization. They want to prohibit IAM users outside the domain from gaining permissions from now on. What should they do?

- A. Configure an organization policy to restrict identities by domain
- B. Configure an organization policy to block creation of service accounts
- C. Configure Cloud Scheduler o trigger a Cloud Function every hour that removes all users that don't belong to the Cloud identity domain from all projects.
- D. Create a technical user (e g . crawler@yourdomain com), and give it the protect owner rote at root organization level Write a bash script that• Lists all me IAM rules of all projects within the organization• Deletes all users that do not belong to the company domainCreate a Compute Engine instance m a project within the Organization and configure gcloud to be executed with technical user credentials Configure a cron job that executes the bash script every hour.

Answer: A

Explanation:

<https://cloud.google.com/resource-manager/docs/organization-policy/restricting-domains>

NEW QUESTION 27

- (Topic 5)

You are creating a solution to remove backup files older than 90 days from your backup Cloud Storage bucket. You want to optimize ongoing Cloud Storage spend. What should you do?

- A. Write a lifecycle management rule in XML and push it to the bucket with gsutil.
- B. Write a lifecycle management rule in JSON and push it to the bucket with gsutil.
- C. Schedule a cron script using gsutil is -lr gs://backups/** to find and remove items older than 90 days.
- D. Schedule a cron script using gsutil ls -1 gs://backups/** to find and remove items older than 90 days and schedule it with cron.

Answer: B

Explanation:

<https://cloud.google.com/storage/docs/gsutil/commands/lifecycle>

NEW QUESTION 30

- (Topic 5)

You are using Cloud CDN to deliver static HTTP(S) website content hosted on a Compute Engine instance group. You want to improve the cache hit ratio. What should you do?

- A. Customize the cache keys to omit the protocol from the key.
- B. Shorten the expiration time of the cached objects.
- C. Make sure the HTTP(S) header “Cache-Region” points to the closest region of your users.
- D. Replicate the static content in a Cloud Storage bucke
- E. Point CloudCDN toward a load balancer on thatbucket.

Answer: A

Explanation:

Reference https://cloud.google.com/cdn/docs/bestpractices#using_custom_cache_keys_to_improve_cache_hit_ratio

NEW QUESTION 34

- (Topic 5)

Your organization has stored sensitive data in a Cloud Storage bucket. For regulatory reasons, your company must be able to rotate the encryption key used to encrypt the data in the bucket. The data will be processed in Dataproc. You want to follow Google- recommended practices for security What should you do?

- A. Create a key with Cloud Key Management Service (KMS) Encrypt the data using the encrypt method of Cloud KMS.
- B. Create a key with Cloud Key Management Service (KMS). Set the encryption key on the bucket to the Cloud KMS key.
- C. Generate a GPG key pai
- D. Encrypt the data using the GPG ke
- E. Upload the encrypted data to the bucket.
- F. Generate an AES-256 encryption ke
- G. Encrypt the data in the bucket using the customer-supplied encryption keys feature.

Answer: AD

Explanation:

<https://cloud.google.com/storage/docs/encryption/using-customer-managed-keys#add-object-key>
<https://cloud.google.com/storage/docs/encryption/using-customer-managed-keys>

NEW QUESTION 38

- (Topic 5)

Your customer wants to do resilience testing of their authentication layer. This consists of a regional managed instance group serving a public REST API that reads from and writes to a Cloud SQL instance. What should you do?

- A. Engage with a security company to run web scrapes that look your users' authentication data om malicious websites and notify you if any if found.
- B. Deploy intrusion detection software to your virtual machines to detect and log unauthorized access.
- C. Schedule a disaster simulation exercise during which you can shut off all VMs in a zone to see how your application behaves.
- D. Configure a red replica for your Cloud SQL instance in a different zone than the master,and then manually trigger a failover while monitoring KPIs for our REST API.

Answer: C

NEW QUESTION 40

- (Topic 5)

You are deploying an application on App Engine that needs to integrate with an on- premises database. For security purposes, your on-premises database must not be accessible through the public Internet. What should you do?

- A. Deploy your application on App Engine standard environment and use App Engine firewall rules to limit access to the open on-premises database.
- B. Deploy your application on App Engine standard environment and use Cloud VPN to limit access to the onpremises database.
- C. Deploy your application on App Engine flexible environment and use App Engine firewall rules to limit access to the on-premises database.
- D. Deploy your application on App Engine flexible environment and use Cloud VPN to limit access to the on-premises database.

Answer: D

Explanation:

<https://cloud.google.com/appengine/docs/flexible/python/using-third-party-databases>

NEW QUESTION 42

- (Topic 5)

You need to reduce the number of unplanned rollbacks of erroneous production deployments in your company's web hosting platform. Improvement to the QA/Test processes accomplished an 80% reduction. Which additional two approaches can you take to further reduce the rollbacks? Choose 2 answers

- A. Introduce a green-blue deployment model.
- B. Replace the QA environment with canary releases.
- C. Fragment the monolithic platform into microservices.
- D. Reduce the platform's dependency on relational database systems.
- E. Replace the platform's relational database systems with a NoSQL database.

Answer: AC

NEW QUESTION 43

- (Topic 5)

You are implementing a single Cloud SQL MySQL second-generation database that contains business-critical transaction data. You want to ensure that the minimum amount of data is lost in case of catastrophic failure. Which two features should you implement? (Choose two.)

- A. Sharding
- B. Read replicas
- C. Binary logging
- D. Automated backups
- E. Semisynchronous replication

Answer: CD

Explanation:

Backups help you restore lost data to your Cloud SQL instance. Additionally, if an instance is having a problem, you can restore it to a previous state by using the backup to overwrite it. Enable automated backups for any instance that contains necessary data. Backups protect your data from loss or damage.

Enabling automated backups, along with binary logging, is also required for some operations, such as clone and replica creation.

Reference: <https://cloud.google.com/sql/docs/mysql/backup-recovery/backups>

NEW QUESTION 48

- (Topic 5)

You are working with a data warehousing team that performs data analysis. The team needs to process data from external partners, but the data contains personally identifiable information (PII). You need to process and store the data without storing any of the PII data. What should you do?

- A. Create a Dataflow pipeline to retrieve the data from the external source
- B. As part of the pipeline use the Cloud Data Loss Prevention (Cloud DLP) API to remove any PII data Store the result in BigQuery
- C. Create a Dataflow pipeline to retrieve the data from the external source
- D. As part of the pipeline store all non-PII data in BigQuery and store all PII data in a Cloud Storage bucket that has a retention policy set.
- E. Ask the external partners to upload an data on Cloud Storage Configure Bucket Lock for the bucket Create a Dataflow pipeline to read the data from the bucket As part of the pipeline, use the Cloud Data Loss Prevention (Cloud DIP) API to remove any PII data Store the result in BigQuery
- F. Ask the external partners to import ail data in your BigQuery dataset Create a dataflow pipeline to copy the data into a new table As part of the Dataflow bucket skip all data in columns that have PII data

Answer: A

Explanation:

Create a Dataflow pipeline to retrieve the data from the external sources, he did not specify the way he is going to create it, it might be a pub/sub or external table or whatever.

NEW QUESTION 49

- (Topic 5)

You have an application that runs in Google Kubernetes Engine (GKE). Over the last 2 weeks, customers have reported that a specific part of the application returns errors very frequently. You currently have no logging or monitoring solution enabled on your GKE cluster. You want to diagnose the problem, but you have not been able to replicate the issue. You want to cause minimal disruption to the application. What should you do?

- A. * 1. Update your GKE cluster to use Cloud Operations for GKE.* 2. Use the GKE Monitoring dashboard to investigate logs from affected Pods.
- B. * 1. Create a new GKE cluster with Cloud Operations for GKE enabled.* 2. Migrate the affected Pods to the new cluster, and redirect traffic for those Pods to the new cluster.* 3. Use the GKE Monitoring dashboard to investigate logs from affected Pods.

C. * 1. Update your GKE cluster to use Cloud Operations for GKE, and deploy Prometheus.* 2. Set an alert to trigger whenever the application returns an error.
D. * 1. Create a new GKE cluster with Cloud Operations for GKE enabled, and deploy Prometheus.* 2. Migrate the affected Pods to the new cluster, and redirect traffic for those Pods to the new cluster.* 3. Set an alert to trigger whenever the application returns an error.

Answer: A

Explanation:

Reference: <https://cloud.google.com/blog/products/management-tools/using-logging-your-apps-running-kubernetes-engine>

NEW QUESTION 53

- (Topic 5)

Your company has a Google Cloud project that uses BigQuery for data warehousing. The VPN tunnel between the on-premises environment and Google Cloud is configured with Cloud VPN. Your security team wants to avoid data exfiltration by malicious insiders, compromised code, and accidental oversharing. What should you do?

- A. Configure VPC Service Controls and configure Private Google Access for on-premises hosts.
- B. Create a service account, grant the BigQuery JobUser role and Storage Object Viewer role to the service account, and remove all other Identity and Access Management (IAM) access from the project.
- C. Configure Private Google Access.
- D. Configure Private Service Connect.

Answer: A

NEW QUESTION 55

- (Topic 5)

Google Cloud Platform resources are managed hierarchically using organization, folders, and projects. When Cloud Identity and Access Management (IAM) policies exist at these different levels, what is the effective policy at a particular node of the hierarchy?

- A. The effective policy is determined only by the policy set at the node
- B. The effective policy is the policy set at the node and restricted by the policies of its ancestors
- C. The effective policy is the union of the policy set at the node and policies inherited from its ancestors
- D. The effective policy is the intersection of the policy set at the node and policies inherited from its ancestors

Answer: B

Explanation:

Reference: <https://cloud.google.com/resource-manager/docs/cloud-platform-resource-hierarchy>

NEW QUESTION 56

- (Topic 5)

Your company and one of its partners each have a Google Cloud project in separate organizations. Your company's project (prj-a) runs in Virtual Private Cloud (vpc-a). The partner's project (prj-b) runs in vpc-b. There are two instances running on vpc-a and one instance running on vpc-b. Subnets defined in both VPCs are not overlapping. You need to ensure that all instances communicate with each other via internal IPs minimizing latency and maximizing throughput. What should you do?

- A. Set up a network peering between vpc-a and vpc-b
- B. Set up a VPN between vpc-a and vpc-b using Cloud VPN
- C. Configure IAP TCP forwarding on the instance in vpc-b and then launch the following gcloud command from one of the instances in vpc-a: `gcloud compute instances tcp-forward --remote-addresses 10.0.0.0/24 --local-host-port=tcp:10.0.0.0/24`
- D. * 1. Create an additional instance in vpc-a* 2. Create an additional instance in vpc-b* 3. Install OpenVPN in newly created instances* 4. Configure a VPN tunnel between vpc-a and vpc-b with the help of OpenVPN

Answer: C

NEW QUESTION 57

- (Topic 5)

Your company acquired a healthcare startup and must retain its customers' medical information for up to 4 more years, depending on when it was created. Your corporate policy is to securely retain this data, and then delete it as soon as regulations allow. Which approach should you take?

- A. Store the data in Google Drive and manually delete records as they expire.
- B. Anonymize the data using the Cloud Data Loss Prevention API and store it indefinitely.
- C. Store the data using the Cloud Storage and use lifecycle management to delete files when they expire.
- D. Store the data in Cloud Storage and run a nightly batch script that deletes all expired data.

Answer: C

Explanation:

<https://cloud.google.com/storage/docs/lifecycle>

NEW QUESTION 58

- (Topic 5)

You have been asked to select the storage system for the click-data of your company's large portfolio of websites. This data is streamed in from a custom website analytics package at a typical rate of 6,000 clicks per minute, with bursts of up to 8,500 clicks per second. It must be stored for future analysis by your data science and user experience teams. Which storage infrastructure should you choose?

- A. Google Cloud SQL
- B. Google Cloud Bigtable
- C. Google Cloud Storage

D. Google cloud Datastore

Answer: C

Explanation:

<https://cloud.google.com/bigquery/docs/loading-data-cloud-storage>

NEW QUESTION 61

- (Topic 5)

You created a pipeline that can deploy your source code changes to your infrastructure in instance groups for self healing.

One of the changes negatively affects your key performance indicator. You are not sure how to fix it and investigation could take up to a week. What should you do

- A. Log in to a server, and iterate a fix locally
- B. Change the instance group template to the previous one, and delete all instances.
- C. Revert the source code change and rerun the deployment pipeline
- D. Log into the servers with the bad code change, and swap in the previous code

Answer: C

NEW QUESTION 63

- (Topic 5)

You need to deploy an application on Google Cloud that must run on a Debian Linux environment. The application requires extensive configuration in order to operate correctly. You want to ensure that you can install Debian distribution updates with minimal manual intervention whenever they become available. What should you do?

- A. Create a Compute Engine instance template using the most recent Debian image
- B. Create an instance from this template, and install and configure the application as part of the startup scrip
- C. Repeat this process whenever a new Google-managed Debian image becomes available.
- D. Create a Debian-based Compute Engine instance, install and configure the application, and use OS patch management to install available updates.
- E. Create an instance with the latest available Debian image
- F. Connect to the instance via SSH, and install and configure the application on the instance
- G. Repeat this process whenever a new Google-managed Debian image becomes available.
- H. Create a Docker container with Debian as the base image
- I. Install and configure the application as part of the Docker image creation process
- J. Host the container on Google Kubernetes Engine and restart the container whenever a new update is available.

Answer: B

Explanation:

Reference: <https://cloud.google.com/compute/docs/os-patch-management>

NEW QUESTION 68

- (Topic 5)

Auditors visit your teams every 12 months and ask to review all the Google Cloud Identity and Access Management (Cloud IAM) policy changes in the previous 12 months. You want to streamline and expedite the analysis and audit process. What should you do?

- A. Create custom Google Stackdriver alerts and send them to the auditor.
- B. Enable Logging export to Google BigQuery and use ACLs and views to scope the data shared with the auditor.
- C. Use cloud functions to transfer log entries to Google Cloud SQL and use ACLS and views to limit an auditor's view.
- D. Enable Google Cloud Storage (GCS) log export to audit logs into a GCS bucket and delegate access to the bucket.

Answer: D

Explanation:

Export the logs to Google Cloud Storage bucket - Archive Storage, as it will not be used for 1 year, price for which is \$0.004 per GB per Month. The price for long term storage in BigQuery is \$0.01 per GB per Month (250% more). Also for analysis purpose, whenever Auditors are there (once per year), you can use BigQuery and use GCS bucket as external data source. BigQuery supports querying Cloud Storage data from these storage classes:
Standard Nearline Coldline Archive

NEW QUESTION 72

- (Topic 5)

Your company uses the Firewall Insights feature in the Google Network Intelligence Center. You have several firewall rules applied to Compute Engine instances. You need to evaluate the efficiency of the applied firewall ruleset. When you bring up the Firewall Insights page in the Google Cloud Console, you notice that there are no log rows to display. What should you do to troubleshoot the issue?

- A. Enable Virtual Private Cloud (VPC) flow logging.
- B. Enable Firewall Rules Logging for the firewall rules you want to monitor.
- C. Verify that your user account is assigned the compute.networkAdmin Identity and Access Management (IAM) role.
- D. Install the Google Cloud SDK, and verify that there are no Firewall logs in the command line output.

Answer: B

Explanation:

Reference: <https://cloud.google.com/network-intelligence-center/docs/firewall-insights/how-to/using-firewall-insights>

NEW QUESTION 77

- (Topic 5)

Your company is forecasting a sharp increase in the number and size of Apache Spark and Hadoop jobs being run on your local datacenter. You want to utilize the cloud to help you scale this upcoming demand with the least amount of operations work and code change. Which product should you use?

- A. Google Cloud Dataflow
- B. Google Cloud Dataproc
- C. Google Compute Engine
- D. Google Container Engine

Answer: B

Explanation:

Google Cloud Dataproc is a fast, easy-to-use, low-cost and fully managed service that lets you run the Apache Spark and Apache Hadoop ecosystem on Google Cloud Platform. Cloud Dataproc provisions big or small clusters rapidly, supports many popular job types, and is integrated with other Google Cloud Platform services, such as Google Cloud Storage and Stackdriver Logging, thus helping you reduce TCO.

References: <https://cloud.google.com/dataproc/docs/resources/faq>

NEW QUESTION 81

- (Topic 5)

Your company places a high value on being responsive and meeting customer needs quickly. Their primary business objectives are release speed and agility. You want to reduce the chance of security errors being accidentally introduced. Which two actions can you take? Choose 2 answers

- A. Ensure every code check-in is peer reviewed by a security SME.
- B. Use source code security analyzers as part of the CI/CD pipeline.
- C. Ensure you have stubs to unit test all interfaces between components.
- D. Enable code signing and a trusted binary repository integrated with your CI/CD pipeline.
- E. Run a vulnerability security scanner as part of your continuous-integration /continuous- delivery (CI/CD) pipeline.

Answer: BE

Explanation:

<https://docs.microsoft.com/en-us/vsts/articles/security-validation-cicd-pipeline?view=vsts>

NEW QUESTION 82

- (Topic 5)

You are migrating third-party applications from optimized on-premises virtual machines to Google Cloud. You are unsure about the optimum CPU and memory options. The application has a consistent usage pattern across multiple weeks. You want to optimize resource usage for the lowest cost. What should you do?

- A. Create a Compute engine instance with CPU and Memory options similar to your application's current on-premises virtual machine
- B. Install the cloud monitoring agent, and deploy the third party application
- C. Run a load with normal traffic levels on third party application and follow the Rightsizing Recommendations in the Cloud Console
- D. Create an App Engine flexible environment, and deploy the third party application using a Docker file and a custom runtime
- E. Set CPU and memory options similar to your application's current on-premises virtual machine in the app.yaml file.
- F. Create an instance template with the smallest available machine type, and use an image of the third party application taken from the current on-premises virtual machine
- G. Create a managed instance group that uses average CPU to autoscale the number of instances in the group
- H. Modify the average CPU utilization threshold to optimize the number of instances running.
- I. Create multiple Compute Engine instances with varying CPU and memory options
- J. Install the cloud monitoring agent and deploy the third-party application on each of the
- K. Run a load test with high traffic levels on the application and use the results to determine the optimal settings.

Answer: A

Explanation:

Create a Compute engine instance with CPU and Memory options similar to your application's current on-premises virtual machine. Install the cloud monitoring agent, and deploy the third party application. Run a load with normal traffic levels on third party application and follow the Rightsizing Recommendations in the Cloud Console <https://cloud.google.com/migrate/compute-engine/docs/4.9/concepts/planning-a-migration/cloud-instance-rightsizing?hl=en>

NEW QUESTION 84

- (Topic 5)

You have an application that will run on Compute Engine. You need to design an architecture that takes into account a disaster recovery plan that requires your application to fail over to another region in case of a regional outage. What should you do?

- A. Deploy the application on two Compute Engine instances in the same project but in a different region
- B. Use the first instance to serve traffic, and use the HTTP load balancing service to fail over to the standby instance in case of a disaster.
- C. Deploy the application on a Compute Engine instance
- D. Use the instance to serve traffic, and use the HTTP load balancing service to fail over to an instance on your premises in case of a disaster.
- E. Deploy the application on two Compute Engine instance groups, each in the same project but in a different region
- F. Use the first instance group to serve traffic, and use the HTTP load balancing service to fail over to the standby instance group in case of a disaster.
- G. Deploy the application on two Compute Engine instance groups, each in separate project and a different region
- H. Use the first instance group to serve traffic, and use the HTTP load balancing service to fail over to the standby instance in case of a disaster.

Answer: C

NEW QUESTION 85

- (Topic 5)

Your company has developed a monolithic, 3-tier application to allow external users to upload and share files. The solution cannot be easily enhanced and lacks reliability. The development team would like to re-architect the application to adopt microservices and a fully managed service approach, but they need to convince their leadership that the effort is worthwhile. Which advantage(s) should they highlight to leadership?

- A. The new approach will be significantly less costly, make it easier to manage the underlying infrastructure, and automatically manage the CI/CD pipelines.
- B. The monolithic solution can be converted to a container with Docker.
- C. The generated container can then be deployed into a Kubernetes cluster.
- D. The new approach will make it easier to decouple infrastructure from application, develop and release new features, manage the underlying infrastructure, manage CI/CD pipelines and perform A/B testing, and scale the solution if necessary.
- E. The process can be automated with Migrate for Compute Engine.

Answer: C

Explanation:

The new approach will make it easier to decouple infrastructure from an application, develop and release new features, manage the underlying infrastructure, manage CI/CD pipelines and perform A/B testing, and scale the solution if necessary.

NEW QUESTION 88

- (Topic 5)

Your company is moving 75 TB of data into Google Cloud. You want to use Cloud Storage and follow Google recommended practices. What should you do?

- A. Move your data onto a Transfer Appliance.
- B. Use a Transfer Appliance Rehydrator to decrypt the data into Cloud Storage.
- C. Move your data onto a Transfer Appliance.
- D. Use Cloud Dataprep to decrypt the data into Cloud Storage.
- E. Install gsutil on each server that contains data.
- F. Use resumable transfers to upload the data into Cloud Storage.
- G. Install gsutil on each server containing data.
- H. Use streaming transfers to upload the data into Cloud Storage.

Answer: A

Explanation:

<https://cloud.google.com/transfer-appliance/docs/2.0/faq>

NEW QUESTION 91

- (Topic 5)

Your customer is receiving reports that their recently updated Google App Engine application is taking approximately 30 seconds to load for some of their users. This behavior was not reported before the update. What strategy should you take?

- A. Work with your ISP to diagnose the problem.
- B. Open a support ticket to ask for network capture and flow data to diagnose the problem, then roll back your application.
- C. Roll back to an earlier known good release initially, then use Stackdriver Trace and logging to diagnose the problem in a development/test/staging environment.
- D. Roll back to an earlier known good release, then push the release again at a quieter period to investigate.
- E. Then use Stackdriver Trace and logging to diagnose the problem.

Answer: C

Explanation:

Stackdriver Logging allows you to store, search, analyze, monitor, and alert on log data and events from Google Cloud Platform and Amazon Web Services (AWS). Our API also allows ingestion of any custom log data from any source. Stackdriver Logging is a fully managed service that performs at scale and can ingest application and system log data from thousands of VMs. Even better, you can analyze all that log data in real time.

References: <https://cloud.google.com/logging/>

NEW QUESTION 93

- (Topic 5)

Your company just finished a rapid lift and shift to Google Compute Engine for your compute needs. You have another 9 months to design and deploy a more cloud-native solution. Specifically, you want a system that is no-ops and auto-scaling. Which two compute products should you choose? Choose 2 answers

- A. Compute Engine with containers
- B. Google Kubernetes Engine with containers
- C. Google App Engine Standard Environment
- D. Compute Engine with custom instance types
- E. Compute Engine with managed instance groups

Answer: BC

Explanation:

B: With Container Engine, Google will automatically deploy your cluster for you, update, patch, secure the nodes.

Kubernetes Engine's cluster autoscaler automatically resizes clusters based on the demands of the workloads you want to run.

C: Solutions like Datastore, BigQuery, AppEngine, etc are truly NoOps.

App Engine by default scales the number of instances running up and down to match the load, thus providing consistent performance for your app at all times while minimizing idle instances and thus reducing cost.

Note: At a high level, NoOps means that there is no infrastructure to build out and manage during usage of the platform. Typically, the compromise you make with NoOps is that you lose control of the underlying infrastructure.

References: <https://www.quora.com/How-well-does-Google-Container-Engine-support-Google-Cloud-Platform%E2%80%99s-NoOps-claim>

NEW QUESTION 95

- (Topic 5)

Your company has a support ticketing solution that uses App Engine Standard. The project that contains the App Engine application already has a Virtual Private Cloud (VPC) network fully connected to the company's on-premises environment through a Cloud VPN tunnel. You want to enable App Engine application to communicate with a database that is running in

the company's on-premises environment. What should you do?

- A. Configure private services access
- B. Configure private Google access for on-premises hosts only
- C. Configure serverless VPC access
- D. Configure private Google access

Answer: A

Explanation:

<https://cloud.google.com/appengine/docs/standard/python3/connecting-vpc> https://cloud.google.com/appengine/docs/flexible/python/using-third-party-databases#on_premises

NEW QUESTION 98

- (Topic 5)

You are analyzing and defining business processes to support your startup's trial usage of GCP, and you don't yet know what consumer demand for your product will be. Your manager requires you to minimize GCP service costs and adhere to Google best practices. What should you do?

- A. Utilize free tier and sustained use discount
- B. Provision a staff position for service costmanagement.
- C. Utilize free tier and sustained use discount
- D. Provide training to the team about service cost management.
- E. Utilize free tier and committed use discount
- F. Provision a staff position for service cost management.
- G. Utilize free tier and committed use discount
- H. Provide training to the team about service cost management.

Answer: D

Explanation:

https://cloud.google.com/docs/enterprise/best-practices-for-enterprise-organizations#billing_and_management

NEW QUESTION 100

- (Topic 6)

For this question, refer to the Dress4Win case study. Dress4Win is expected to grow to 10 times its size in 1 year with a corresponding growth in data and traffic that mirrors the existing patterns of usage. The CIO has set the target of migrating production infrastructure to the cloud within the next 6 months. How will you configure the solution to scale for this growth without making major application changes and still maximize the ROI?

- A. Migrate the web application layer to App Engine, and MySQL to Cloud Datastore, and NAS to Cloud Storag
- B. Deploy RabbitMQ, and deploy Hadoop servers using Deployment Manager.
- C. Migrate RabbitMQ to Cloud Pub/Sub, Hadoop to BigQuery, and NAS to Compute Engine with Persistent Disk storag
- D. Deploy Tomcat, and deploy Nginx using Deployment Manager.
- E. Implement managed instance groups for Tomcat and Ngin
- F. Migrate MySQL to Cloud SQL, RabbitMQ to Cloud Pub/Sub, Hadoop to Cloud Dataproc, and NAS to Compute Engine with Persistent Disk storage.
- G. Implement managed instance groups for the Tomcat and Ngin
- H. Migrate MySQL to Cloud SQL, RabbitMQ to Cloud Pub/Sub, Hadoop to Cloud Dataproc, and NAS to Cloud Storage.

Answer: D

NEW QUESTION 105

- (Topic 6)

For this question, refer to the Dress4Win case study. You want to ensure that your on- premises architecture meets business requirements before you migrate your solution.

What change in the on-premises architecture should you make?

- A. Replace RabbitMQ with Google Pub/Sub.
- B. Downgrade MySQL to v5.7, which is supported by Cloud SQL for MySQL.
- C. Resize compute resources to match predefined Compute Engine machine types.
- D. Containerize the micro services and host them in Google Kubernetes Engine.

Answer: C

NEW QUESTION 110

- (Topic 6)

For this question, refer to the Dress4Win case study. You are responsible for the security of data stored in Cloud Storage for your company, Dress4Win. You have already created a set of Google Groups and assigned the appropriate users to those groups. You should use Google best practices and implement the simplest design to meet the requirements. Considering Dress4Win's business and technical requirements, what should you do?

- A. Assign custom IAM roles to the Google Groups you created in order to enforce security requirements.Encrypt data with a customer-supplied encryption key when storing files in Cloud Storage.
- B. Assign custom IAM roles to the Google Groups you created in order to enforce security requirements.Enable default storage encryption before storing files in Cloud Storage.
- C. Assign predefined IAM roles to the Google Groups you created in order to enforce security requirements.Utilize Google's default encryption at rest when storing files in Cloud Storage.
- D. Assign predefined IAM roles to the Google Groups you created in order to enforce security requirement
- E. Ensure that the default Cloud KMS key is set before storing files in Cloud Storage.

Answer: D

Explanation:

<https://cloud.google.com/iam/docs/understanding-service-accounts>

NEW QUESTION 113

- (Topic 7)

For this question, refer to the TerramEarth case study. TerramEarth has decided to store data files in Cloud Storage. You need to configure Cloud Storage lifecycle rule to store 1 year of data and minimize file storage cost.

Which two actions should you take?

- A. Create a Cloud Storage lifecycle rule with Age: "30", Storage Class: "Standard", and Action: "Set to Coldline", and create a second GCS life-cycle rule with Age: "365", Storage Class: "Coldline", and Action: "Delete".
- B. Create a Cloud Storage lifecycle rule with Age: "30", Storage Class: "Coldline", and Action: "Set to Nearline", and create a second GCS life-cycle rule with Age: "91", Storage Class: "Coldline", and Action: "Set to Nearline".
- C. Create a Cloud Storage lifecycle rule with Age: "90", Storage Class: "Standard", and Action: "Set to Nearline", and create a second GCS life-cycle rule with Age: "91", Storage Class: "Nearline", and Action: "Set to Coldline".
- D. Create a Cloud Storage lifecycle rule with Age: "30", Storage Class: "Standard", and Action: "Set to Coldline", and create a second GCS life-cycle rule with Age: "365", Storage Class: "Nearline", and Action: "Delete".

Answer: A

NEW QUESTION 117

- (Topic 8)

For this question, refer to the Mountkirk Games case study. Mountkirk Games wants to design their solution for the future in order to take advantage of cloud and technology improvements as they become available. Which two steps should they take? (Choose two.)

- A. Store as much analytics and game activity data as financially feasible today so it can be used to train machine learning models to predict user behavior in the future.
- B. Begin packaging their game backend artifacts in container images and running them on Kubernetes Engine to improve the availability to scale up or down based on game activity.
- C. Set up a CI/CD pipeline using Jenkins and Spinnaker to automate canary deployments and improve development velocity.
- D. Adopt a schema versioning tool to reduce downtime when adding new game features that require storing additional player data in the database.
- E. Implement a weekly rolling maintenance process for the Linux virtual machines so they can apply critical kernel patches and package updates and reduce the risk of 0-day vulnerabilities.

Answer: BC

NEW QUESTION 120

- (Topic 8)

For this question, refer to the Mountkirk Games case study. Mountkirk Games wants to migrate from their current analytics and statistics reporting model to one that meets their technical requirements on Google Cloud Platform.

Which two steps should be part of their migration plan? (Choose two.)

- A. Evaluate the impact of migrating their current batch ETL code to Cloud Dataflow.
- B. Write a schema migration plan to denormalize data for better performance in BigQuery.
- C. Draw an architecture diagram that shows how to move from a single MySQL database to a MySQL cluster.
- D. Load 10 TB of analytics data from a previous game into a Cloud SQL instance, and run test queries against the full dataset to confirm that they complete successfully.
- E. Integrate Cloud Armor to defend against possible SQL injection attacks in analytics files uploaded to Cloud Storage.

Answer: AB

Explanation:

https://cloud.google.com/bigquery/docs/loading-data#loading_denormalized_nested_and_repeated_data

NEW QUESTION 121

- (Topic 8)

For this question, refer to the Mountkirk Games case study. You are in charge of the new Game Backend Platform architecture. The game communicates with the backend over a REST API.

You want to follow Google-recommended practices. How should you design the backend?

- A. Create an instance template for the backen
- B. For every region, deploy it on a multi-zone managed instance grou
- C. Use an L4 load balancer.
- D. Create an instance template for the backen
- E. For every region, deploy it on a single- zone managed instance grou
- F. Use an L4 load balancer.
- G. Create an instance template for the backen
- H. For every region, deploy it on a multi-zone managed instance grou
- I. Use an L7 load balancer.
- J. Create an instance template for the backen
- K. For every region, deploy it on a single- zone managed instance grou
- L. Use an L7 load balancer.

Answer: C

Explanation:

https://cloud.google.com/solutions/gaming/cloud-game-infrastructure#dedicated_game_server

NEW QUESTION 122

- (Topic 8)

You need to optimize batch file transfers into Cloud Storage for Mountkirk Games' new Google Cloud solution. The batch files contain game statistics that need to be staged in Cloud Storage and be processed by an extract transform load (ETL) tool. What should you do?

- A. Use gsutil to batch move files in sequence.
- B. Use gsutil to batch copy the files in parallel.
- C. Use gsutil to extract the files as the first part of ETL.
- D. Use gsutil to load the files as the last part of ETL.

Answer: B

Explanation:

Reference: <https://cloud.google.com/storage/docs/gsutil/commands/cp>

NEW QUESTION 123

- (Topic 8)

You are implementing Firestore for Mountkirk Games. Mountkirk Games wants to give a new game programmatic access to a legacy game's Firestore database. Access should be as restricted as possible. What should you do?

- A. Create a service account (SA) in the legacy game's Google Cloud project, add this SA in the new game's IAM page, and then give it the Firebase Admin role in both projects
- B. Create a service account (SA) in the legacy game's Google Cloud project, add a second SA in the new game's IAM page, and then give the Organization Admin role to both SAs
- C. Create a service account (SA) in the legacy game's Google Cloud project, give it the Firebase Admin role, and then migrate the new game to the legacy game's project.
- D. Create a service account (SA) in the legacy game's Google Cloud project, give the SA the Organization Admin rule and then give it the Firebase Admin role in both projects

Answer: A

NEW QUESTION 127

- (Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. HRL wants better prediction accuracy from their ML prediction models. They want you to use Google's AI Platform so HRL can understand and interpret the predictions. What should you do?

- A. Use Explainable AI.
- B. Use Vision AI.
- C. Use Google Cloud's operations suite.
- D. Use Jupyter Notebooks.

Answer: A

Explanation:

Reference: <https://cloud.google.com/ai-platform/prediction/docs/ai-explanations/preparing-metadata>

NEW QUESTION 130

- (Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. HRL is looking for a cost-effective approach for storing their race data such as telemetry. They want to keep all historical records, train models using only the previous season's data, and plan for data growth in terms of volume and information collected. You need to propose a data solution. Considering HRL business requirements and the goals expressed by CEO S. Hawke, what should you do?

- A. Use Firestore for its scalable and flexible document-based databases
- B. Use collections to aggregate race data by season and event.
- C. Use Cloud Spanner for its scalability and ability to version schemas with zero downtime. Split race data using season as a primary key.
- D. Use BigQuery for its scalability and ability to add columns to a schema
- E. Partition race data based on season.
- F. Use Cloud SQL for its ability to automatically manage storage increases and compatibility with MySQL
- G. Use separate database instances for each season.

Answer: C

Explanation:

Reference: <https://cloud.google.com/bigquery/public-data>

NEW QUESTION 134

- (Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. Recently HRL started a new regional racing league in Cape Town, South Africa. In an effort to give customers in Cape Town a better user experience, HRL has partnered with the Content Delivery Network provider, Fastly. HRL needs to allow traffic coming from all of the Fastly IP address ranges into their Virtual Private Cloud network (VPC network). You are a member of the HRL security team and you need to configure the update that will allow only the Fastly IP address ranges through the External HTTP(S) load balancer. Which command should you use?

- A. `gcloud compute firewall rules update hlr-policy --priority 1000 --target-tags sourceip-list fastly --allow tcp:443`
- B. `gcloud compute security policies rules update 1000 --security-policy hlr-policy --expression "evaluatePreconfiguredExpr('sourceip-list-fastly')" --action "allow"`
- C. `gcloud compute firewall rules update sourceip-list-fastly --priority 1000 --allow tcp: 443`

D. gcloud compute priority-policies rules update 1000 \security policy from fastly--src- ip-ranges"-- action " allow"

Answer: B

Explanation:

Reference: <https://cloud.google.com/load-balancing/docs/httpsD18912E1457D5D1DDCBD40AB3BF70D5D>

NEW QUESTION 138

- (Topic 9)

For this question, refer to the Helicopter Racing League (HRL) case study. A recent finance audit of cloud infrastructure noted an exceptionally high number of Compute Engine instances are allocated to do video encoding and transcoding. You suspect that these Virtual Machines are zombie machines that were not deleted after their workloads completed. You need to quickly get a list of which VM instances are idle. What should you do?

- A. Log into each Compute Engine instance and collect disk, CPU, memory, and network usage statistics for analysis.
- B. Use the gcloud compute instances list to list the virtual machine instances that have the idle: true label set.
- C. Use the gcloud recommender command to list the idle virtual machine instances.
- D. From the Google Console, identify which Compute Engine instances in the managed instance groups are no longer responding to health check probes.

Answer: C

Explanation:

Reference: <https://cloud.google.com/compute/docs/instances/viewing-and-applying-idle-vm-recommendations>

NEW QUESTION 142

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Cloud-Architect Practice Exam Features:

- * Professional-Cloud-Architect Questions and Answers Updated Frequently
- * Professional-Cloud-Architect Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Cloud-Architect Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Cloud-Architect Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Cloud-Architect Practice Test Here](#)