

# Exam Questions AWS-Certified-Advanced-Networking-Specialty

Amazon AWS Certified Advanced Networking - Specialty

<https://www.2passeasy.com/dumps/AWS-Certified-Advanced-Networking-Specialty/>



#### NEW QUESTION 1

You have just provisioned a new VPC with a CIDR block of 172.16.12.0/24. The entire CIDR block is fully utilised by subdividing it into 6 subnets, we will refer to these as Subnet1 through to Subnet6.

The first 2 subnets (Subnet1 and Subnet2) are the same size. The last 4 subnets (Subnet3, Subnet4, Subnet5, Subnet6) are also the same size. Subnet5 is half the size of Subnet2. The address space occupied by the first two subnets is contiguous, as is the address space occupied by the last 4 subnets. Within Subnet3 AWS reserves the address 172.16.12.129 for the VPC router. Select the correct IP address reserved by AWS for DNS in the Subnet2.

- A. 172.16.64.1
- B. 172.16.64.65
- C. 172.16.12.66
- D. 172.16.12.64

**Answer:** C

#### Explanation:

Reference:  
[http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Subnets.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html)

#### NEW QUESTION 2

An unfortunate situation has just come to your attention. A business critical application with sensitive data running on-prem will run out of storage disk space in 24hrs. This business critical application is dependent on a very large set of routes - required for integration with other systems. You make a quick but well-informed decision to migrate this application quickly to AWS. You are able to quickly launch a new VPC and within it equivalent infrastructure to re-home the application. In order to complete the replication of application data and ensure the application remains operational beyond the next 24hrs, select the best implementation.

- A. Within the new VPC - establish a Direct Connect connection with max 10Gbps port speed for data replication
- B. Establish a 802.1Q VLAN and configure a Virtual Private Gateway and Private Virtual Interface, and ensure Jumbo Frames is enabled.
- C. Within the new VPC - deploy a Virtual Private Gateway, Customer Gateway, and establish a new IPsec VPN Connection with BGP dynamic routing
- D. Within the new VPC - deploy a Virtual Private Gateway, Customer Gateway, and establish a new IPsec VPN Connection with static routing, and ensure Jumbo Frames is enabled.
- E. Within the new VPC - deploy a software-based virtual router (for example a Cisco CSR). Configure with dual ENIs (external and internal), create and attach an EIP to the external ENI, configure and setup IPsec VPN tunnels, and ensure Jumbo Frames is enabled.

**Answer:** B

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/AmazonVPC/latest/NetworkAdminGuide/GenericConfig.html>

#### NEW QUESTION 3

True or false: A VPC contains multiple subnets, where each subnet can span multiple Availability Zones.

- A. This is true only for US regions.
- B. This is false.
- C. This is true.
- D. This is true only if requested during the set-up of VPC

**Answer:** B

#### Explanation:

Reference:  
<https://aws.amazon.com/vpc/faqs/>

#### NEW QUESTION 4

In AWS Direct Connect, to provide for failover, AWS recommends that you request and configure two dedicated connections to AWS. These connections can terminate on one or two routers in your network. You can do this while \_\_\_\_\_ with AWS Direct Connect step.

- A. creating a Virtual Interface
- B. configuring redundant connections
- C. completing the cross-connect
- D. verifying your Virtual Interface

**Answer:** B

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnections>

#### NEW QUESTION 5

To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

- A. Complete the Cross Connect
- B. Verify your Virtual Interface
- C. Create a Virtual Interface
- D. Submit AWS Direct Connect Connection Request

**Answer:** C

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterfac>

**NEW QUESTION 6**

After setting an AWS Direct Connect, which of the following cannot be done with an AWS Direct Connect Virtual Interface?

- A. You can delete a virtual interface; if its connection has no other virtual interfaces, you can delete the connection.
- B. You can change the region of your virtual interface.
- C. You can create a hosted virtual interface.
- D. You can exchange traffic between the two ports in the same region connecting to different Virtual Private Gateways (VGWs) if you have more than one virtual interface.

**Answer:** D

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html>

**NEW QUESTION 7**

In the "start using the AWS Direct Connect steps," when can you complete the Cross Connect step?

- A. After verifying your virtual interface
- B. After you have received your Letter of Authorization and Connecting Facility Assignment (LOA-CFA) from AWS
- C. 72 hours after submitting your request for AWS Direct Connect Connection
- D. Immediately after submitting your request for AWS Direct Connect Connection

**Answer:** B

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Colocation.html>

**NEW QUESTION 8**

By default, all AWS accounts are limited to EIPs, because public (IPv4) Internet addresses are a scarce public resource.

- A. 5
- B. 8
- C. 6
- D. 2

**Answer:** A

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>

**NEW QUESTION 9**

In Amazon CloudFront, you cannot configure CloudFront to process cookies for \_\_\_\_.

- A. HTTPS web distributions
- B. Web and RTMP distributions
- C. RTMP distributions
- D. HTTP web distributions

**Answer:** C

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

**NEW QUESTION 10**

With respect to Amazon CloudFront, which one of the following statements is correct?

- A. For HTTPS web distributions, you cannot forward cookies to your origin.
- B. For both HTTP and HTTPS web distributions, you can choose to forward cookies to your origin.
- C. For HTTP web distributions, you cannot forward cookies to your origin.
- D. For Real Time Messaging Protocol (RTMP) distributions, you can configure CloudFront to process cookies.

**Answer:** B

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

#### NEW QUESTION 10

In the context of Amazon CloudFront, when you configure the media player, the path you specify to the media file must contain the characters \_\_\_\_\_. .

- A. flv/std just before the domain name
- B. flv/std immediately after the domain name
- C. cfx/st just before the domain name
- D. cfx/st immediately after the domain name

**Answer:** D

#### Explanation:

Reference:  
[http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming\\_URLs.html](http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_URLs.html)

#### NEW QUESTION 12

Which of the following is true when you don't configure Amazon CloudFront to forward cookies to your origin?

- A. CloudFront removes the Cookie header from requests that it forwards to your origin.
- B. CloudFront disables viewer requests to your origin, including all cookies.
- C. CloudFront caches your objects based on cookie values.
- D. CloudFront automates code deployments to any instanc

**Answer:** A

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

#### NEW QUESTION 14

What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

- A. Unlimited
- B. 5 GB
- C. 100 MB
- D. 20 GB

**Answer:** D

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBehaviorS3Origin.html#ResponseBehaviorS3Origin>

#### NEW QUESTION 16

Which of the following does not configure Amazon CloudFront cache behaviors to forward cookies to an origin for web distributions?

- A. Origin server
- B. AWS CLI
- C. Amazon EMR
- D. Amazon S3

**Answer:** D

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

#### NEW QUESTION 17

In Amazon CloudFront, to link to your objects, if your domain name is d111111abcdef8.cloudfront.net and your object is image.jpg, then the URL for the link in your webpage will be \_\_\_\_\_.

- A. <http://d111111abcdef8.cloudfront.net/images/image.jpg>
- B. <http://d111111abcdef8.dns/images/image.jpg>
- C. <http://d111111abcdef8.dns/image.jpg>
- D. <http://d111111abcdef8.cloudfront.net/image.jpg>

**Answer:** D

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/GettingStarted.html>

#### NEW QUESTION 22

With AWS CloudTrail, creating multiple trails in one region allows \_\_\_\_\_ to focus on one aspect of AWS operation.

- A. callers
- B. events
- C. buckets

D. stakeholders

**Answer:** D

**Explanation:**

Reference:  
<https://aws.amazon.com/cloudtrail/faqs/>

#### NEW QUESTION 26

In AWS, which tool records API calls for a specific AWS account and also delivers the log files for that account?

- A. CloudTrail
- B. Redshift
- C. Beanstalk
- D. Cognito

**Answer:** A

**Explanation:**

Reference:  
<https://aws.amazon.com/cloudtrail/>

#### NEW QUESTION 31

AWS CloudTrail can be configured to \_\_\_\_\_ log files across multiple accounts and regions so that log files are delivered to a single bucket.

- A. aggregate
- B. disperse
- C. replicate
- D. encrypt

**Answer:** A

**Explanation:**

Reference:  
<https://aws.amazon.com/cloudtrail/>

#### NEW QUESTION 36

Which of the following statements is true of AWS Elastic Beanstalk?

- A. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, meaning CloudWatch costs are applied to your AWS account for any alarms that you use.
- B. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, and both are free of charge.
- C. AWS Elastic Beanstalk doesn't use CloudWatch for monitoring and alarms, but you pay extra for any AWS Elastic Beanstalk Alarm you set in the monitoring tool.
- D. AWS Elastic Beanstalk has its own free-of-charge monitoring tool, and you are not charged for the alarm you set.

**Answer:** A

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.alarms.html>

#### NEW QUESTION 40

Which of the following services is used to send an alert from CloudWatch?

- A. AWS SNS
- B. AWS EBS
- C. AWS SES
- D. AWS SQS

**Answer:** A

**Explanation:**

Reference:  
[http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/related\\_services.html](http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/related_services.html)

#### NEW QUESTION 41

To determine whether a log file was modified, deleted, or unchanged after CloudTrail delivered it, you can use \_\_\_\_\_.

- A. trusted signers
- B. optimistic locking
- C. integrity validation
- D. root credentialing

**Answer:** C

**Explanation:**

Reference:

<https://aws.amazon.com/cloudtrail/>

#### NEW QUESTION 44

An AWS CloudTrail log file provides the identity and source IP address of the API caller, and a time of the API call, request parameters, and \_\_\_\_\_. .

- A. response elements
- B. event selectors
- C. port alarms
- D. destination buckets

**Answer:** A

#### Explanation:

Reference:

<https://aws.amazon.com/cloudtrail/>

#### NEW QUESTION 47

You can turn on the AWS Config service from the AWS CLI by running the subscribe command and passing as parameters a valid IAM role, SNS topic, and \_\_\_\_\_.

- A. EBS volume
- B. EC2 instance
- C. S3 bucket
- D. Kinesis stream

**Answer:** C

#### Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/gs-cli-subscribe.html>

#### NEW QUESTION 52

You would like to automate the monitoring of changes in the configurations of your AWS resources and respond programmatically to configurations of only a certain type. To do this, you could use Amazon \_\_\_\_\_ as the endpoint for the Amazon SNS topics that generate messages from AWS Config.

- A. Kinesis
- B. Simple Email Service (SES)
- C. Simple Storage Service (S3)
- D. Simple Queue Service (SQS)

**Answer:** D

#### Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/monitor-resource-changes.html>

#### NEW QUESTION 55

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) \_\_\_\_\_ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. inputParameters
- B. invokingEvent
- C. ruleConfiguration
- D. mappingTemplate

**Answer:** A

#### Explanation:

Reference:

[http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config\\_developrules\\_example-events.html](http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html)

#### NEW QUESTION 59

You can use the \_\_\_\_\_ page of the AWS Config console to look up resources that AWS Config has discovered, including deleted resources and resources that are not currently being recorded.

- A. snapshot listing
- B. configuration history
- C. resource inventory
- D. resource database

**Answer:** C

#### Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/looking-up-discovered-resources.html>



#### NEW QUESTION 60

An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's \_\_\_\_\_, which can include a combination of a resource type and a resource ID, for example.

- A. trigger
- B. domain
- C. manifest
- D. scope

**Answer:** D

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>

#### NEW QUESTION 63

Non-compliant resources identified through the use of AWS Config Rules are automatically removed from operational service.

- A. It depends on the Rule configuration
- B. Only if it remains non-compliant for more than 6 hours
- C. True
- D. False

**Answer:** D

#### Explanation:

Reference:  
[http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config\\_view-compliance.html](http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html)

#### NEW QUESTION 67

Which AWS service is used within an AWS Config Rule to perform the logic evaluation of that rule?

- A. Inspector
- B. WAF
- C. Lambda
- D. SWF

**Answer:** C

#### Explanation:

Reference:  
[http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config\\_develop-rules\\_nodejssample.html](http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules_nodejssample.html)

#### NEW QUESTION 72

AWS Config flags a resource as \_\_\_\_\_ if a resource violates any conditions of an AWS Config rule that it evaluates on the resource in question.

- A. corrupted
- B. noncompliant
- C. invalid
- D. misconfigured

**Answer:** B

#### Explanation:

Reference:  
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config.html>

#### NEW QUESTION 76

Each custom AWS Config rule you create must be associated with a(n) AWS \_\_\_\_\_, which contains the logic that evaluates whether your AWS resources comply with the rule.

- A. Lambda function
- B. Configuration trigger
- C. EC2 instance
- D. S3 bucket

**Answer:** A

#### Explanation:

Reference:  
[http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config\\_develop-rules.html](http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules.html)

#### NEW QUESTION 80

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) \_\_\_\_\_ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. invokingEvent

- B. mappingTemplate
- C. ruleConfiguration
- D. inputParameters

**Answer:** D

**Explanation:**

Reference:  
[http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config\\_developrules\\_example-events.html](http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html)

**NEW QUESTION 81**

Which of the following characters is not allowed while creating a Namespace for a CloudWatch metric?

- A. /
- B. :
- C. #
- D. @

**Answer:** D

**Explanation:**

Reference:  
[http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch\\_concepts.html](http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch_concepts.html)

**NEW QUESTION 86**

You would like to ensure that all Amazon S3 buckets going forward, current and newly created ones, have logging enabled. What type of trigger(s) should you use?

- A. only a periodic trigger
- B. only a configuration change trigger
- C. both configuration change and periodic triggers
- D. only a transitioning trigger

**Answer:** B

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>

**NEW QUESTION 87**

You have many IAM users with the ability to create EC2 volumes. Most of the data your team works with is sensitive, so you would like to make sure all volumes are encrypted. How might you facilitate this requirement?

- A. Create an AWS KMS policy and attach it to all IAM users that can create EC2 volumes
- B. Use AWS Config and create a rule that requires all volumes, upon creation, be encrypted.
- C. Use AWS Config to send out reminders to IAM users every time they create an EC2 volume.
- D. Set EC2 to notify creators to encrypt their EC2 volume

**Answer:** B

**Explanation:**

Reference:  
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config.html>

**NEW QUESTION 91**

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-Certified-Advanced-Networking-Specialty Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-Certified-Advanced-Networking-Specialty Product From:

<https://www.2passeasy.com/dumps/AWS-Certified-Advanced-Networking-Specialty/>

## Money Back Guarantee

### **AWS-Certified-Advanced-Networking-Specialty Practice Exam Features:**

- \* AWS-Certified-Advanced-Networking-Specialty Questions and Answers Updated Frequently
- \* AWS-Certified-Advanced-Networking-Specialty Practice Questions Verified by Expert Senior Certified Staff
- \* AWS-Certified-Advanced-Networking-Specialty Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AWS-Certified-Advanced-Networking-Specialty Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year