



# LPI

## Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

In the following output, what percentage of time was the CPU waiting for pending I/O?

```
# vmstat 1 100
procs -----memory----- ---swap-- -----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. 100
- B. 35.9
- C. 57.7
- D. 36.6

**Answer:** A

#### NEW QUESTION 2

In this example output, which descriptions match the purpose of the free, buff and cache columns? (Choose THREE correct answers.)

```
# vmstat 1 100
procs -----memory----- ---swap-- -----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. Used swap space
- B. RAM available for filesystem buffers
- C. Available free RAM
- D. RAM used for buffers
- E. RAM used for filesystem cache

**Answer:** CDE

#### NEW QUESTION 3

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

**Answer:** BC

#### NEW QUESTION 4

In the following output, what is the 5 minute load average for the system?

```
# uptime
12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31
```

- A. 0.47
- B. 24.71
- C. 35.31
- D. There is no 5 minute interval
- E. It is some value between 0.47 and 24.71.
- F. There is no 5 minute interval
- G. It is some value between 24.71 and 35.31.

**Answer:** B

#### NEW QUESTION 5

Which of the following tools are used to measure memory usage? (Choose THREE correct answers.)

- A. mpstat
- B. pstree
- C. sar
- D. top
- E. vmstat

**Answer:** CDE

#### NEW QUESTION 6

Which command is used to unload a single module currently loaded by the kernel without unloading any modules that it depends upon? (Specify the command with or without path information)

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

rmmod, /sbin/rmmod

#### NEW QUESTION 7

Which commands are used to load modules into the Linux kernel? (Choose TWO correct answers.)

- A. insmod
- B. loadmod
- C. kernload
- D. modprobe
- E. probemod

**Answer:** AD

#### NEW QUESTION 8

How is the source code for the main Linux kernel modules distributed?

- A. It is included with the Linux kernel source code.
- B. The kernel modules are downloaded on demand as they are used during compilation.
- C. The kernel modules have their own release cycle and can be maintained separately from the Linux kernel source.
- D. It is provided as a separate download alongside the Linux kernel source code of the same version.

**Answer:** A

#### NEW QUESTION 9

On a server running the 3.4.50-11 Linux kernel, which file in the /boot directory contains the kernel configuration parameters?

- A. config-linux-3.4.50-11
- B. config-3.4.50-11
- C. system-3.4.50-11
- D. vmlinuz-3.4.50-11
- E. rc.config-3.4.50-11

**Answer:** B

#### NEW QUESTION 10

What is the correct parameter to pass to the kernel at boot time to force it to use only one of the available processors?

- A. maxcpus=1
- B. usecpus=1
- C. smpcpus=1
- D. vcpumx=1

**Answer:** A

#### NEW QUESTION 10

A new kernel version needs to be compiled to use a new feature. If the old kernel configuration file is available, which make target creates a configuration file for the new kernel based on the configuration of the old kernel?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

oldconfig, make oldconfig

#### NEW QUESTION 14

Which archive format is used to create an initramfs image?

- A. gzip
- B. tar
- C. RAR
- D. cpio
- E. bzip2

**Answer:** D

#### NEW QUESTION 15

After installing a compiled kernel, it can not find any modules that are needed to be loaded. What make target was likely missed while installing the kernel?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

make modules\_install, modules\_install

**NEW QUESTION 16**

What information does the file modules.dep provide?

- A. A list of all modules, compiled or not, that are available to the kernel.
- B. A list of modules trusted by the installed kernel.
- C. A list of devices and their module name.
- D. A list of all compiled modules and their dependencies.
- E. A list of modules the kernel needs to run.

**Answer:** D

**NEW QUESTION 17**

Which keyword is used in the /etc/inittab file to define the SysV-init default system runlevel?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

initdefault

**NEW QUESTION 19**

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

**Answer:** D

**NEW QUESTION 23**

Which command is used to install a new LILO boot loader?

- A. lilo
- B. lilo-config
- C. lilo-install
- D. install-lilo

**Answer:** A

**NEW QUESTION 26**

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. initrd
- B. linux
- C. menuentry
- D. runlevel

**Answer:** B

**NEW QUESTION 29**

Where is the LILO boot loader code typically installed on a system with only a single Linux installation and no other operating systems?

- A. In the master boot record.
- B. In the boot sector.
- C. In the /boot directory.
- D. At the start of the kernel.

**Answer:** A

**NEW QUESTION 33**

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

**Answer:** B

#### NEW QUESTION 35

A system with SysV-init has a service installed called apache2. Which file controls the start and stop of this service and is referenced by the various runlevel directories?

- A. /etc/init.d/apache2
- B. /etc/rc2.d/70apache2
- C. /etc/rc2.d/apache2
- D. /etc/rc2.d/apache2.start

**Answer:** A

#### NEW QUESTION 38

If all of the following files and/or symlinks exist in a SysV-init runlevel directory, which of the following will be executed first when booting the system directly into the runlevel?

- A. S99lpi
- B. K99lpi
- C. PRE-S99lpi
- D. S98lpi
- E. S99a-lpi

**Answer:** D

#### NEW QUESTION 40

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

**Answer:** BD

#### NEW QUESTION 43

During booting, when the Linux kernel loads an initramfs file, which command from the initramfs will be executed first, if present?

- A. /init
- B. /initrd
- C. /linuxrc
- D. /rc.local
- E. /sbin/init

**Answer:** A

#### NEW QUESTION 44

What is the functionality that PXE provides?

- A. The ability to boot a computer using its network interface.
- B. The ability to launch an remote X11 desktop on a computer.
- C. The ability to verify a system's configuration after completing the boot process.
- D. The ability to verify a system's configuration before completing the boot process.

**Answer:** A

#### NEW QUESTION 49

The main configuration file for autofs has this entry:

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/home /etc/auto.home

#### NEW QUESTION 50

Which of the following are common Linux filesystem types used for root partitions? (Choose THREE correct answers.)

- A. ext4
- B. VFAT
- C. NTFS
- D. XFS
- E. Btrfs

**Answer:** ADE

#### NEW QUESTION 52

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- A. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile
- B. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile
- C. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon/tmp/swapfile
- D. touch -5G /tmp/swapfile; swapon /tmp/swapfile
- E. mkswap /tmp/swapfile 512000; swapon /tmp/swapfile

**Answer:** C

#### NEW QUESTION 53

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

**Answer:** B

#### NEW QUESTION 57

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

**Answer:** C

#### NEW QUESTION 62

Which files are updated as devices are mounted and unmounted to provide information on the currently mounted devices and the options used? (Choose TWO correct answers.)

- A. /proc/dtab
- B. /etc/mtab
- C. /etc/fstab
- D. /proc/mounts
- E. /proc/devices

**Answer:** BD

#### NEW QUESTION 67

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

#### NEW QUESTION 69

What does a 0 in the last field (fsck order) of /etc/fstab indicate about the filesystem?

- A. The filesystem should be checked before filesystems with higher values.
- B. The filesystem should be checked after filesystems with higher values.
- C. The filesystem check counter is ignored.
- D. The filesystem has been disabled from being checked and mounted on the system.
- E. The filesystem does not require an fsck check when being mounted.

**Answer:** E

#### NEW QUESTION 71

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0
```

```
/dev/hda2 / ext2 defaults 1 1
```

```
/dev/hda3 /home ext2 defaults 1 2
```

```
none /proc proc defaults 0 0
```

```
/dev/sdb1 /media/usb0 vfat user,noauto 0 0
```

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount /media/usb0, mount /media/usb0/, /bin/mount /media/usb0/

#### NEW QUESTION 73

The main configuration file for autofs has this entry:

```
/home /etc/auto.home
```

What is the meaning of the /etc/auto.home file?

- A. It has the indirect maps for the mounting of file systems.
- B. It has configuration information, such as passwords and keys, for the remote file server.
- C. It has configuration information on settings for the /home mount point.
- D. It is the holds the SSL key to allow authentication to the remote file server.

**Answer:** A

#### NEW QUESTION 74

Which file in /proc contains information on the status of local software RAID devices?

- A. /proc/raidstat
- B. /proc/mdstat
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/raid/status

**Answer:** B

#### NEW QUESTION 79

The correct command sequence to create and mount logical volumes on a Linux system is:

- A. lvcreate, pvcreate, vgcreate, mkfs, mount
- B. pvcreate, vgcreate, lvcreate, mkfs, mount
- C. vgcreate, lvcreate, pvcreate, mount, mkfs
- D. mkfs, pvcreate, vgcreate, lvcreate, mount
- E. pvcreate, lvcreate, vgcreate, mkfs, mount

**Answer:** B

#### NEW QUESTION 83

What is the minimum number of disks required in a fully redundant RAID5 array?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** C

#### NEW QUESTION 88

A system has one hard disk and one CD writer which are both connected to SATA controllers. Which device represents the CD writer?

- A. /dev/hdb
- B. /dev/sdd
- C. /dev/scd1
- D. /dev/sr0
- E. /dev/sr1

**Answer:** D

#### NEW QUESTION 92



Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

**Answer:** B

#### NEW QUESTION 97

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

**Answer:** B

#### NEW QUESTION 98

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- A. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile
- B. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile
- C. dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon/tmp/swapfile
- D. touch -5G /tmp/swapfile; swapon /tmp/swapfile
- E. mkswap /tmp/swapfile 512000; swapon /tmp/swapfile

**Answer:** C

#### NEW QUESTION 103

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

**Answer:** D

#### NEW QUESTION 108

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

**Answer:** C

#### NEW QUESTION 111

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

vgreduce, /sbin/vgreduce

#### NEW QUESTION 116

Which single command will simulate a failed device within a RAID 5 array?

- A. mdadm --remove /dev/md0 /dev/sdd1
- B. mdadm --zero-superblock /dev/sdf3
- C. mdadm --force-fault /dev/md2 /dev/sde2
- D. mdadm --fail /dev/md0 /dev/sdc1
- E. mdadm /dev/md0 --offline /dev/sdc1

**Answer:** D

#### NEW QUESTION 119

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?  
pvcreate, \_\_\_\_\_, \_\_\_\_\_, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvmcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

**Answer:** D

#### NEW QUESTION 123

The IDE hard drive /dev/hda does not have DMA enabled. Which command must be run to enable DMA on it?

- A. hdparm -d /dev/hda
- B. hdparm --dma /dev/hda
- C. hdparm --dma /dev/hda1
- D. hdparm -d /dev/hda1
- E. hdparm -d 1 /dev/hda

**Answer:** E

#### NEW QUESTION 124

What action should be performed after increasing the size of a logical volume?

- A. Run vgresize.
- B. Increase the size of the filesystem used for the logical volume.
- C. Run lvresize.
- D. Remount the logical volume.

**Answer:** B

#### NEW QUESTION 129

Under which of the following circumstances would the command ping output the string (DUP!)?

- A. When the ICMP packets are sent to a broadcast address and multiple hosts respond.
- B. When the host being sent ICMP packets is on a different network.
- C. When the router responds to the ICMP packet in addition to the host receiving the ICMP packets.
- D. When the host sending the ICMP packet is the same host as the one receiving the ICMP packets.

**Answer:** A

#### NEW QUESTION 132

Which program lists information about files and network connections opened by processes? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

lsof, /usr/bin/lsof

#### NEW QUESTION 134

A correctly formatted entry has been added to /etc/hosts.deny to prevent certain clients from connecting to a service but this is having no effect. What could be the cause of this? (Choose TWO correct answers.)

- A. tcpd needs to be sent the HUP signal.
- B. The service needs to be restarted.
- C. The machine needs to be restarted.
- D. There is a conflicting entry in /etc/hosts.allow.
- E. The service does not support tcpwrapper.

**Answer:** DE

#### NEW QUESTION 139

What should be done to ensure a client machine uses the recursive nameserver running on the IP address 192.168.1.1 ? (Choose TWO correct answers.)

- A. Add nameserver 192.168.0.1 to /etc/resolv.conf.
- B. Run route add nameserver 192.168.0.1.
- C. Run ifconfig eth0 nameserver 192.168.0.1.
- D. Ensure that the dns service is listed in the hosts entry in the /etc/nsswitch.conf file.
- E. Run bind add nameserver 192.168.0.1.

**Answer:** AD

#### NEW QUESTION 141

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. route add default gw 192.168.0.1 eth0
- B. ifconfig eth0 defaultroute 192.168.0.1
- C. ip route add default via 192.168.0.1 dev eth0
- D. echo defaultroute 192.168.0.1 >> /etc/resolv.conf
- E. route add defaultgw=192.168.0.1 if=eth0

**Answer:** AC

#### NEW QUESTION 142

Which /etc/hosts.allow entries will permit access to sshd for users from the 192.168.1.0/24 subnet? (Choose TWO correct answers.)

- A. sshd : 192.168.1.
- B. sshd : 192.168.1
- C. sshd : 192.168.1.0 netmask 255.255.255.0
- D. sshd : 192.168.1.0/255.255.255.0
- E. sshd : 192.168.1.0

**Answer:** AD

#### NEW QUESTION 147

The users of the local network complain that name resolution is not fast enough. Enter the command, without the path or any options, that shows the time taken to resolve a DNS query.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

dig, time dig, time host, time nslookup

#### NEW QUESTION 150

Which command can be used to scan a specified network looking for IP addresses that appear to be in use?

- A. nmap
- B. tcpdump
- C. ip
- D. netscan
- E. hostdiscover

**Answer:** A

#### NEW QUESTION 151

Which of the following commands will list the IPv4 neighbors of the current system? This includes IP and MAC addresses. (Choose TWO correct answers.)

- A. arp
- B. ifconfig -lv eth0
- C. netstat -al
- D. ip neigh show

**Answer:** AD

#### NEW QUESTION 155

Running tcpdump -nli eth1 'tcp' shows the following output:

14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.), ack 33051, win 1002, options [nop,nop,TS val 36789130 ecr 1746004159], length 0

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

10.1.52.145

#### NEW QUESTION 158

The following is an excerpt from the output of tcpdump -nli eth1:

13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.), ack 1 (truncated)

13:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.], seq (truncated)

Which network service or protocol was used?

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

**Answer:** A

#### NEW QUESTION 163

Which of the following wireless tools can be used to check the wireless network link quality? (Choose TWO correct answers.)

- A. iwconfig
- B. iwlink
- C. iwscan
- D. iwifi
- E. iw

**Answer:** AE

#### NEW QUESTION 168

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

host1 192.168.1.12

host2 192.168.1.12

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. host2 is not a fully qualified domain name.

**Answer:** C

#### NEW QUESTION 173

Which of the following files are used to resolve hostnames to IP addresses? (Choose TWO correct answers.)

- A. /etc/systems
- B. /etc/hosts
- C. /etc/network
- D. /etc/dns.conf
- E. /etc/resolv.conf

**Answer:** BE

#### NEW QUESTION 174

What is the command to add another IP address (192.168.1.2) to a network interface (eth0) that already has (at least) one IP address in the 192.168.1.0/24 subnet?

- A. ip add addr 192.168.1.2/32 dev eth0
- B. ifconfig eth0 192.168.1.2 netmask 255.255.255.255
- C. ip addr add 192.168.1.2/32 dev eth0
- D. ipconfig eth0 192.168.1.2

**Answer:** C

#### NEW QUESTION 178

What is the device name for the first SCSI tape drive on a system when used without automatic rewinding after each write operation? (Please specify the full path to the device.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/dev/nst0

#### NEW QUESTION 179

When a makefile is included in a source code package, what are commonly defined targets in the file?

- A. CFLAGS, CPPFLAGS, LIBS, LDFLAGS
- B. clean, install, uninstall
- C. PATHS, DESTDIR, LIBS, LDFLAGS
- D. prefix, exec\_prefix, bindir, mandir

**Answer:** B

#### NEW QUESTION 183

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/etc/issue

#### NEW QUESTION 184

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

fstrim

#### NEW QUESTION 188

Which of the following commands creates a Btrfs subvolume named volume in /mnt?

- A. btrfs subvolume add -n volume /mnt
- B. btrfs create subvolume /mnt volume
- C. btrfs-subvolume create /mnt/volume
- D. btrfs subvolume new volume /mnt
- E. btrfs subvolume create /mnt/volume

**Answer:** E

#### NEW QUESTION 192

What command ensures that the file systems are written to disk after a lot of write operations? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

sync

#### NEW QUESTION 193

What command is used to send messages to all users currently logged in? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

wall

#### NEW QUESTION 195

Which of the following commands displays the physical path of the kernel module named dummy?

- A. modprobe -i dummy
- B. modinfo -n dummy
- C. modpath -v dummy
- D. depmod -n dummy
- E. modshow -p dummy

**Answer:** A

#### NEW QUESTION 196

Which command is used to make an exact copy, at a single point in time, of a logical volume while still allowing the original logical volume to be updated?

- A. lvclone
- B. lvcreate
- C. lvm2
- D. lvsnap
- E. lvsnapshot

**Answer:** B

#### NEW QUESTION 197

A Linux server running systemd booted to rescue.target for maintenance. Which commands are used to restore the server to its usual target? (Choose two.)

- A. telinit 0
- B. systemctl default
- C. sync
- D. systemctl emergency
- E. systemctl reboot

**Answer:** AB

#### NEW QUESTION 202

Which of the following init systems comes along with an own UEFI boot loader?

- A. systemd
- B. SysVinit
- C. Upstart
- D. OpenRC
- E. launchd

**Answer:** A

#### NEW QUESTION 206

Which of the following commands restores only those files containing lpi in their name from the archive lpifiles.tar.gz?

- A. tar xvzf lpifiles.tar.gz --wildcards '\*lpi\*'
- B. tar xvzwf lpifiles.tar.gz '\*lpi\*'
- C. tar -xvfz lpifiles.tar.gz --deep '\*lpi\*'
- D. tar -xvzf lpifiles.tar.gz --subdirs '\*lpi\*'
- E. tar xvzf lpifiles.tar.gz --globbing '\*lpi\*'

**Answer:** A

#### NEW QUESTION 207

In which directory tree are files modified when changing kernel parameters using the command sysctl?

- A. /sys/kernel/
- B. /proc/kernel/
- C. /proc/sys/
- D. /lib/sys/
- E. /sys/proc/

**Answer:** C

#### NEW QUESTION 212

After the downloading patch-4.6.4.xz from <http://kernel.org>, what are the next steps to prepare the build of a version 4.6.4 Linux kernel? (Choose two.)

- A. Uncompress the file and move the resulting directory to /usr/src/linux
- B. Apply the patch file to the kernel source directory containing kernel version 4.6.0
- C. Apply the patch file to the kernel source directory containing kernel version 4.6.3
- D. Uncompress the file using xz to get the uncompressed patch file
- E. Use patch to apply the uncompressed patch file to the source directory of any previous kernel version

**Answer:** DE

#### NEW QUESTION 213

.....

## Relate Links

**100% Pass Your 201-450 Exam with ExamBible Prep Materials**

<https://www.exambible.com/201-450-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>