



**Amazon**

## **Exam Questions AWS-Certified-Solutions-Architect-Professional**

Amazon AWS Certified Solutions Architect Professional

#### NEW QUESTION 1

By default, Amazon Cognito maintains the last-written version of the data. You can override this behavior and resolve data conflicts programmatically. In addition, push synchronization allows you to use Amazon Cognito to send a silent notification to all devices associated with an identity to notify them that new data is available.

- A. get
- B. post
- C. pull
- D. push

**Answer:** D

#### Explanation:

By default, Amazon Cognito maintains the last-written version of the data. You can override this behavior and resolve data conflicts programmatically. In addition, push synchronization allows you to use Amazon Cognito to send a silent push notification to all devices associated with an identity to notify them that new data is available.

Reference: <http://aws.amazon.com/cognito/faqs/>

#### NEW QUESTION 2

You want to use AWS CodeDeploy to deploy an application to Amazon EC2 instances running within an Amazon Virtual Private Cloud (VPC). What criterion must be met for this to be possible?

- A. The AWS CodeDeploy agent installed on the Amazon EC2 instances must be able to access only the public AWS CodeDeploy endpoint.
- B. The AWS CodeDeploy agent installed on the Amazon EC2 instances must be able to access only the public Amazon S3 service endpoint.
- C. The AWS CodeDeploy agent installed on the Amazon EC2 instances must be able to access the public AWS CodeDeploy and Amazon S3 service endpoints.
- D. It is not currently possible to use AWS CodeDeploy to deploy an application to Amazon EC2 instances running within an Amazon Virtual Private Cloud (VPC.)

**Answer:** C

#### Explanation:

You can use AWS CodeDeploy to deploy an application to Amazon EC2 instances running within an Amazon Virtual Private Cloud (VPC). However, the AWS CodeDeploy agent installed on the Amazon EC2 instances must be able to access the public AWS CodeDeploy and Amazon S3 service endpoints. Reference: <http://aws.amazon.com/codedeploy/faqs/>

#### NEW QUESTION 3

An IAM user is trying to perform an action on an object belonging to some other root account's bucket. Which of the below mentioned options will AWS S3 not verify?

- A. The object owner has provided access to the IAM user
- B. Permission provided by the parent of the IAM user on the bucket
- C. Permission provided by the bucket owner to the IAM user
- D. Permission provided by the parent of the IAM user

**Answer:** B

#### Explanation:

If the IAM user is trying to perform some action on the object belonging to another AWS user's bucket, S3 will verify whether the owner of the IAM user has given sufficient permission to him. It also verifies the policy for the bucket as well as the policy defined by the object owner.

Reference:

<http://docs.aws.amazon.com/AmazonS3/latest/dev/access-control-auth-workflow-object-operation.html>

#### NEW QUESTION 4

An organization is planning to host a Wordpress blog as well a Joomla CMS on a single instance launched with VPC. The organization wants to have separate domains for each application and assign them using Route 53. The organization may have about ten instances each with two applications as mentioned above. While launching the instance, the organization configured two separate network interfaces (primary + ENI) and wanted to have two elastic IPs for that instance. It was suggested to use a public IP from AWS instead of an elastic IP as the number of elastic IPs is restricted. What action will you recommend to the organization?

- A. I agree with the suggestion but will prefer that the organization should use separate subnets with each ENI for different public IPs.
- B. I do not agree as it is required to have only an elastic IP since an instance has more than one ENI and AWS does not assign a public IP to an instance with multiple ENIs.
- C. I do not agree as AWS VPC does not attach a public IP to an ENI; so the user has to use only an elastic IP only.
- D. I agree with the suggestion and it is recommended to use a public IP from AWS since the organization is going to use DNS with Route 53.

**Answer:** B

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the user has defined. An Elastic Network Interface (ENI) is a virtual network interface that the user can attach to an instance in a VPC.

The user can attach up to two ENIs with a single instance. However, AWS cannot assign a public IP when there are two ENIs attached to a single instance. It is recommended to assign an elastic IP in this scenario. If the organization wants more than 5 EIPs they can request AWS to increase the number.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/using-eni.html>

#### NEW QUESTION 5

What is the default maximum number of VPCs allowed per region?

- A. 5

- B. 10
- C. 100
- D. 15

**Answer:** A

**Explanation:**

The maximum number of VPCs allowed per region is 5.

Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Appendix\\_Limits.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Appendix_Limits.html)

**NEW QUESTION 6**

An organization is planning to host an application on the AWS VPC. The organization wants dedicated instances. However, an AWS consultant advised the organization not to use dedicated instances with VPC as the design has a few limitations. Which of the below mentioned statements is not a limitation of dedicated instances with VPC?

- A. All instances launched with this VPC will always be dedicated instances and the user cannot use a default tenancy model for them.
- B. It does not support the AWS RDS with a dedicated tenancy VPC.
- C. The user cannot use Reserved Instances with a dedicated tenancy model.
- D. The EBS volume will not be on the same tenant hardware as the EC2 instance though the user has configured dedicated tenancy.

**Answer:** C

**Explanation:**

The Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. Dedicated instances are Amazon EC2 instances that run in a Virtual Private Cloud (VPC) on hardware that is dedicated to a single customer. The client's dedicated instances are physically isolated at the host hardware level from instances that are not dedicated instances as well as from instances that belong to other AWS accounts.

All instances launched with the dedicated tenancy model of VPC will always be dedicated instances. Dedicated tenancy has a limitation that it may not support a few services, such as RDS. Even the EBS will not be on dedicated hardware. However the user can save some cost as well as reserve some capacity by using a Reserved Instance model with dedicated tenancy.

Reference: <http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/dedicated-instance.html>

**NEW QUESTION 7**

While implementing the policy keys in AWS Direct Connect, if you use and the request comes from an Amazon EC2 instance, the instance's public IP address is evaluated to determine if access is allowed.

- A. aws:SecureTransport
- B. aws:EpochIP
- C. aws:SourceIp
- D. aws:CurrentTime

**Answer:** C

**Explanation:**

While implementing the policy keys in Amazon RDS, if you use aws:SourceIp and the request comes from an Amazon EC2 instance, the instance's public IP address is evaluated to determine if access is allowed. Reference: [http://docs.aws.amazon.com/directconnect/latest/UserGuide/using\\_iam.html](http://docs.aws.amazon.com/directconnect/latest/UserGuide/using_iam.html)

**NEW QUESTION 8**

How many g2.2xlarge on-demand instances can a user run in one region without taking any limit increase approval from AWS?

- A. 20
- B. 2
- C. 5
- D. 10

**Answer:** C

**Explanation:**

Generally AWS EC2 allows running 20 on-demand instances and 100 spot instances at a time. This limit can be increased by requesting at <https://aws.amazon.com/contact-us/ec2-request>. Excluding certain types of instances, the limit is lower than mentioned above. For g2.2xlarge, the user can run only 5

on-demand instance at a time.

Reference: [http://docs.aws.amazon.com/general/latest/gr/aws\\_service\\_limits.html#limits\\_ec2](http://docs.aws.amazon.com/general/latest/gr/aws_service_limits.html#limits_ec2)

**NEW QUESTION 9**

A user has created a MySQL RDS instance with PIOPS. Which of the below mentioned statements will help user understand the advantage of PIOPS?

- A. The user can achieve additional dedicated capacity for the EBS I/O with an enhanced RDS option
- B. It uses a standard EBS volume with optimized configuration the stacks
- C. It uses optimized EBS volumes and optimized configuration stacks
- D. It provides a dedicated network bandwidth between EBS and RDS

**Answer:** C

**Explanation:**

RDS DB instance storage comes in two types: standard and provisioned IOPS. Standard storage is allocated on the Amazon EBS volumes and connected to the user's DB instance. Provisioned IOPS uses

optimized EBS volumes and an optimized configuration stack. It provides additional, dedicated capacity for the EBS I/O.

Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Welcome.html>

#### NEW QUESTION 10

IV|apMySite is setting up a web application in the AWS VPC. The organization has decided to use an AWS RDS instead of using its own DB instance for HA and DR requirements.

The organization also wants to secure RDS access. How should the web application be setup with RDS?

- A. Create a VPC with one public and one private subne
- B. Launch an application instance in the public subnet while RDS is launched in the private subnet.
- C. Setup a public and two private subnets in different AZs within a VPC and create a subnet grou
- D. Launch RDS with that subnet group.
- E. Create a network interface and attach two subnets to i
- F. Attach that network interface with RDS while launching a DB instance.
- G. Create two separate VPCs and launch a Web app in one VPC and RDS in a separate VPC and connect them with VPC peering.

**Answer: B**

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources, such as RDS into a virtual network that the user has defined. Subnets are segments of a VPC's IP address range that the user can designate to a group of VPC resources based on the security and operational needs.

A DB subnet group is a collection of subnets (generally private) that a user can create in a VPC and assign to the RDS DB instances. A DB subnet group allows the user to specify a particular VPC when creating the DB instances. Each DB subnet group should have subnets in at least two Availability Zones in a given region.

Reference: [http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER\\_VPC.html](http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_VPC.html)

#### NEW QUESTION 10

When does an AWS Data Pipeline terminate the AWS Data Pipeline-managed compute resources?

- A. AWS Data Pipeline terminates AWS Data Pipeline-managed compute resources every 2 hours.
- B. When the final actMty that uses the resources is running
- C. AWS Data Pipeline terminates AWS Data Pipeline-managed compute resources every 12 hours.
- D. When the final actMty that uses the resources has completed successfully or failed

**Answer: D**

#### Explanation:

Compute resources will be provisioned by AWS Data Pipeline when the first actMty for a scheduled time that uses those resources is ready to run, and those instances will be terminated when the final actMty that uses the resources has completed successfully or failed.

Reference: <https://aws.amazon.com/datapipeline/faqs/>

#### NEW QUESTION 15

What bandwidths do AWS Direct Connect currently support?

- A. 10Mbps and 100Mbps
- B. 10Gbps and 100Gbps
- C. 100Mbps and 1Gbps
- D. 1Gbps and 10 Gbps

**Answer: D**

#### Explanation:

AWS Direct Connection currently supports 1Gbps and 10 Gbps.

Reference: <http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

#### NEW QUESTION 20

The Principal element of an IAM policy refers to the specific entity that should be allowed or denied permission, whereas the translates to everyone except the specified entity.

- A. NotPrincipa|
- B. Vendor
- C. Principal
- D. Action

**Answer: A**

#### Explanation:

The element NotPrincipa| that is included within your IAM policy statements allows you to specify an exception to a list of principals to whom the access to a specific resource is either allowed or denied. Use the NotPrincipal element to specify an exception to a list of principals. For example, you can deny access to all principals except the one named in the NotPrincipa| element.

Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/reference\\_policies\\_elements.html#Principal](http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html#Principal)

#### NEW QUESTION 25

Doug has created a VPC with CIDR 10.201.0.0/16 in his AWS account. In this VPC he has created a public subnet with CIDR block 10.201.31.0/24. While launching a new EC2 from the console, he is not able to assign the private IP address 10.201.31.6 to this instance. Which is the most likely reason for this issue?

- A. Private address IP 10.201.31.6 is currently assigned to another interface.
- B. Private IP address 10.201.31.6 is reserved by Amazon for IP networking purposes.

- C. Private IP address 10.201.31.6 is blocked via ACLs in Amazon infrastructure as a part of platform security.
- D. Private IP address 10.201.31.6 is not part of the associated subnet's IP address rang

**Answer:** A

**Explanation:**

In Amazon VPC, you can assign any Private IP address to your instance as long as it is: Part of the associated subnet's IP address range  
Not reserved by Amazon for IP networking purposes Not currently assigned to another interface Reference: <http://aws.amazon.com/vpc/faqs/>

**NEW QUESTION 30**

The Statement element, of an AWS IAM policy, contains an array of indMdual statements. Each indMdual statement is a(n) block enclosed in braces { }.

- A. XML
- B. JavaScript
- C. JSON
- D. AJAX

**Answer:** C

**Explanation:**

The Statement element, of an IAM policy, contains an array of indMdual statements. Each indMdual statement is a JSON block enclosed in braces { }.  
Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage\\_ElementDescriptions.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage_ElementDescriptions.html)

**NEW QUESTION 34**

A user has configured EBS volume with PIOPS. The user is not experiencing the optimal throughput. Which of the following could not be factor affecting I/O performance of that EBS volume?

- A. EBS bandwidth of dedicated instance exceeding the PIOPS
- B. EBS volume size
- C. EC2 bandwidth
- D. Instance type is not EBS optimized

**Answer:** B

**Explanation:**

If the user is not experiencing the expected IOPS or throughput that is provisioned, ensure that the EC2 bandwidth is not the limiting factor, the instance is EBS-optimized (or include 10 Gigabit network connectMty) and the instance type EBS dedicated bandwidth exceeds the IOPS more than he has provisioned.  
Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-io-characteristics.html>

**NEW QUESTION 36**

How can multiple compute resources be used on the same pipeline in AWS Data Pipeline?

- A. You can use multiple compute resources on the same pipeline by defining multiple cluster objects in your definition file and associating the cluster to use for each actMty via its runsOn field.
- B. You can use multiple compute resources on the same pipeline by defining multiple cluster definition files.
- C. You can use multiple compute resources on the same pipeline by defining multiple clusters for your actMty.
- D. You cannot use multiple compute resources on the same pipelin

**Answer:** A

**Explanation:**

Multiple compute resources can be used on the same pipeline in AWS Data Pipeline by defining multiple cluster objects in your definition file and associating the cluster to use for each actMty via its runsOn field, which allows pipelines to combine AWS and on-premise resources, or to use a mix of instance types for their actMties.  
Reference: <https://aws.amazon.com/datapipeline/faqs/>

**NEW QUESTION 41**

The two policies that you attach to an IAM role are the access policy and the trust policy. The trust policy identifies who can assume the role and grants the permission in the AWS Lambda account principal by adding the action.

- A. aws:AssumeAdmin
- B. lambda:InvokeAsync
- C. sts:|vokeAsync
- D. sts:AssumeRole

**Answer:** D

**Explanation:**

The two policies that you attach to an IAM role are the access policy and the trust policy.  
Remember that adding an account to the trust policy of a role is only half of establishing the trust relationship. By default, no users in the trusted accounts can assume the role until the administrator for that account grants the users the permission to assume the role by adding the Amazon Resource Name (ARN) of the role to an Allow element for the sts:AssumeRole action.  
Reference: [http://docs.aws.amazon.com/|AM/latest/UserGuide/id\\_roles\\_manage\\_modify.html](http://docs.aws.amazon.com/|AM/latest/UserGuide/id_roles_manage_modify.html)

**NEW QUESTION 43**

How much memory does the cr1.8xlarge instance type provide?



- A. 224 GB
- B. 124 GB
- C. 184 GB
- D. 244 GB

**Answer:** D

**Explanation:**

The CR1 instances are part of the memory optimized instances. They offer lowest cost per GB RAM among all the AWS instance families. CR1 instances are part of the new generation of memory optimized instances, which can offer up to 244 GB RAM and run on faster CPUs (Intel Xeon E5-2670 with NUMA support) in comparison to the NI2 instances of the same family. They support cluster networking for bandwidth intensive applications. cr1.8xlarge is one of the largest instance types of the CR1 family, which can offer 244 GB RAM.

Reference: <http://aws.amazon.com/ec2/instance-types/>

**NEW QUESTION 48**

How many cg1.4xlarge on-demand instances can a user run in one region without taking any limit increase approval from AWS?

- A. 20
- B. 2
- C. 5
- D. 10

**Answer:** B

**Explanation:**

Generally AWS EC2 allows running 20 on-demand instances and 100 spot instances at a time. This limit can be increased by requesting at <https://aws.amazon.com/contact-us/ec2-request>. Excluding certain types of instances, the limit is lower than mentioned above. For cg1.4xlarge, the user can run only 2

on-demand instances at a time.

Reference: [http://docs.aws.amazon.com/general/latest/gr/aws\\_service\\_limits.html#limits\\_ec2](http://docs.aws.amazon.com/general/latest/gr/aws_service_limits.html#limits_ec2)

**NEW QUESTION 52**

IAM Secure And Scalable is an organization which provides scalable and secure SAAS to its clients. They are planning to host a web server and App server on AWS VPC as separate tiers. The organization wants to implement the scalability by configuring Auto Scaling and load balancer with their app servers (middle tier) too. Which of the below mentioned options suits their requirements?

- A. Since ELB is internet facing, it is recommended to setup HAProxy as the Load balancer within the VPC.
- B. Create an Internet facing ELB with VPC and configure all the App servers with it.
- C. The user should make ELB with EC2-CLASSIC and enable SSH with it for security.
- D. Create an Internal Load balancer with VPC and register all the App servers with it.

**Answer:** D

**Explanation:**

The Amazon Virtual Private Cloud (Amazon VPC) allows the user to define a virtual networking environment in a private, isolated section of the Amazon Web Services (AWS) cloud. The user has complete control over the virtual networking environment. Within this virtual private cloud, the user can launch AWS resources, such as an ELB, and EC2 instances.

There are two ELBs available with VPC: internet facing and internal (private) ELB. For internal servers, such as App servers the organization can create an internal load balancer in their VPC and then place back-end application instances behind the internal load balancer. The internal load balancer will route requests to the back-end application instances, which are also using private IP addresses and only accept requests from the internal load balancer.

Reference:

<http://docs.aws.amazon.com/ElasticLoadBalancing/latest/DeveloperGuide/vpc-loadbalancer-types.html>

**NEW QUESTION 54**

True or False: Amazon ElastiCache supports the Redis key-value store.

- A. True, ElastiCache supports the Redis key-value store, but with limited functionalities.
- B. False, ElastiCache does not support the Redis key-value store.
- C. True, ElastiCache supports the Redis key-value store.
- D. False, ElastiCache supports the Redis key-value store only if you are in a VPC environment.

**Answer:** C

**Explanation:**

This is true. ElastiCache supports two open-source in-memory caching engines: 1. Memcached - a widely adopted memory object caching system. ElastiCache is protocol compliant with Memcached, so popular tools that you use today with existing Memcached environments will work seamlessly with the service. 2. Redis - a popular open-source in-memory key-value store that supports data structures such as sorted sets and lists. ElastiCache supports Master / Slave replication and Multi-AZ which can be used to achieve cross AZ redundancy.

Reference: <https://aws.amazon.com/elasticache/>

**NEW QUESTION 56**

Does Amazon RDS API provide actions to modify DB instances inside a VPC and associate them with DB Security Groups?

- A. Yes, Amazon does this but only for MySQL RDS.
- B. Yes
- C. No
- D. Yes, Amazon does this but only for Oracle RDS

**Answer:** B

**Explanation:**

You can use the action Modify DB Instance, available in the Amazon RDS API, to pass values for the parameters DB Instance Identifier and DB Security Groups specifying the instance ID and the DB Security Groups you want your instance to be part of.

Reference: [http://docs.aws.amazon.com/AmazonRDS/latest/APIReference/API\\_ModifyDBInstance.html](http://docs.aws.amazon.com/AmazonRDS/latest/APIReference/API_ModifyDBInstance.html)

**NEW QUESTION 57**

By default, what is the maximum number of Cache Nodes you can run in Amazon ElastiCache?

- A. 20
- B. 50
- C. 100
- D. 200

**Answer:** A

**Explanation:**

In Amazon ElastiCache, you can run a maximum of 20 Cache Nodes. Reference: <http://aws.amazon.com/elasticache/faqs/>

**NEW QUESTION 61**

Does an AWS Direct Connect location provide access to Amazon Web Services in the region it is associated with as well as access to other US regions?

- A. No, it provides access only to the region it is associated with.
- B. No, it provides access only to the US regions other than the region it is associated with.
- C. Yes, it provides access.
- D. Yes, it provides access but only when there's just one Availability Zone in the regio

**Answer:** C

**Explanation:**

An AWS Direct Connect location provides access to Amazon Web Services in the region it is associated with, as well as access to other US regions. For example, you can provision a single connection to any AWS Direct Connect location in the US and use it to access public AWS services in all US Regions and AWS GovCloud (US).

Reference: <http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

**NEW QUESTION 64**

Which of the following components of AWS Data Pipeline specifies the business logic of your data management?

- A. Task Runner
- B. Pipeline definition
- C. AWS Direct Connect
- D. Amazon Simple Storage Service (Amazon S3)

**Answer:** B

**Explanation:**

A pipeline definition specifies the business logic of your data management.

Reference: <http://docs.aws.amazon.com/datapipeline/latest/DeveloperGuide/what-is-datapipeline.html>

**NEW QUESTION 66**

What feature of the load balancing service attempts to force subsequent connections to a service to be redirected to the same node as long as it is online?

- A. Node balance
- B. Session retention
- C. Session multiplexing
- D. Session persistence

**Answer:** D

**Explanation:**

Session persistence is a feature of the load balancing service. It attempts to force subsequent connections to a service to be redirected to the same node as long as it is online.

Reference:

<http://docs.rackspace.com/loadbalancers/api/v1.0/clb-devguide/content/Concepts-d1e233.html>

**NEW QUESTION 71**

In Amazon VPC, what is the default maximum number of BGP advertised routes allowed per route table?

- A. 15
- B. 100
- C. 5
- D. 10

**Answer:** B

**Explanation:**

The maximum number of BGP advertised routes allowed per route table is 100.

Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Appendix\\_Limits.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Appendix_Limits.html)

#### NEW QUESTION 75

A user is planning to use EBS for his DB requirement. The user already has an EC2 instance running in the VPC private subnet. How can the user attach the EBS volume to a running instance?

- A. The user can create EBS in the same zone as the subnet of instance and attach that EBS to instance.
- B. It is not possible to attach an EBS to an instance running in VPC until the instance is stopped.
- C. The user can specify the same subnet while creating EBS and then attach it to a running instance.
- D. The user must create EBS within the same VPC and then attach it to a running instance.

**Answer:** A

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. The user can create subnets as per the requirement within a VPC. The VPC is always specific to a region. The user can create a VPC which can span multiple Availability Zones by adding one or more subnets in each Availability Zone. The instance launched will always be in the same availability zone of the respective subnet. When creating an EBS the user cannot specify the subnet or VPC. However, the user must create the EBS in the same zone as the instance so that it can attach the EBS volume to the running instance.

Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Subnets.html#VPCSubnet](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html#VPCSubnet)

#### NEW QUESTION 76

An organization is undergoing a security audit. The auditor wants to view the AWS VPC configurations as the organization has hosted all the applications in the AWS VPC. The auditor is from a remote place and wants to have access to AWS to view all the VPC records.

How can the organization meet the expectations of the auditor without compromising on the security of their AWS infrastructure?

- A. The organization should not accept the request as sharing the credentials means compromising on security.
- B. Create an IAM role which will have read only access to all EC2 services including VPC and assign that role to the auditor.
- C. Create an IAM user who will have read only access to the AWS VPC and share those credentials with the auditor.
- D. The organization should create an IAM user with VPC full access but set a condition that will not allow to modify anything if the request is from any IP other than the organization's data center.

**Answer:** C

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. The user can create subnets as per the requirement within a VPC. The VPC also works with IAM and the organization can create IAM users who have access to various VPC services.

If an auditor wants to have access to the AWS VPC to verify the rules, the organization should be careful before sharing any data which can allow making updates to the AWS infrastructure. In this scenario it is recommended that the organization creates an IAM user who will have read only access to the VPC. Share the above mentioned credentials with the auditor as it cannot harm the organization. The sample policy is given below:

```
{
  "Effect": "Allow",
  "Action": [ "ec2:DescribeVpcs", "ec2:DescribeSubnets",
    "ec2:DescribeInternetGateways", "ec2:DescribeCustomerGateways", "ec2:DescribeVpnGateways", "ec2:DescribeVpnConnections", "ec2:DescribeRouteTables",
    "ec2:DescribeAddresses", "ec2:DescribeSecurityGroups", "ec2:DescribeNetworkAcls", "ec2:DescribeDhcpOptions", "ec2:DescribeTags", "ec2:DescribeInstances"
  ],
  "Resource": "*"
}
```

Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_IAM.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_IAM.html)

#### NEW QUESTION 80

In Amazon Cognito, your mobile app authenticates with the Identity Provider (IdP) using the provider's SDK. Once the end user is authenticated with the IdP, the OAuth or OpenID Connect token returned from the IdP is passed by your app to Amazon Cognito, which returns a new for the user and a set of temporary, limited-prMlege AWS credentials.

- A. Cognito Key Pair
- B. Cognito API
- C. Cognito ID
- D. Cognito SDK

**Answer:** C

#### Explanation:

Your mobile app authenticates with the identity provider (IdP) using the provider's SDK. Once the end user is authenticated with the IdP, the OAuth or OpenID Connect token returned from the IdP is passed by your app to Amazon Cognito, which returns a new Cognito ID for the user and a set of temporary, limited-prMlege AWS credentials.

Reference: <http://aws.amazon.com/cognito/faqs/>

#### NEW QUESTION 83

What is the maximum length for a certificate ID in AWS IAM?

- A. 1024 characters
- B. 512 characters
- C. 64 characters
- D. 128 characters

**Answer:** D

#### Explanation:

The maximum length for a certificate ID is 128 characters.

Reference: <http://docs.aws.amazon.com/IAM/latest/UserGuide/LimitationsOnEntities.html>



#### NEW QUESTION 88

A user is trying to create a PIOPS EBS volume with 3 GB size and 90 IOPS. Will AWS create the volume?

- A. No, since the PIOPS and EBS size ratio is less than 30
- B. Yes, since the ratio between EBS and IOPS is less than 30
- C. No, the EBS size is less than 4GB
- D. Yes, since PIOPS is higher than 100

**Answer:** C

#### Explanation:

A Provisioned IOPS (SSD) volume can range in size from 4 GiB to 16 TiB and you can provision up to 20,000 IOPS per volume.  
Reference: [http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html#EBSVolumeTypes\\_piops](http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html#EBSVolumeTypes_piops)

#### NEW QUESTION 90

If a single condition within an IAM policy includes multiple values for one key, it will be evaluated using a logical .

- A. OR
- B. NAND
- C. NOR
- D. AND

**Answer:** A

#### Explanation:

If a single condition within an IAM policy includes multiple values for one key, it will be evaluated using a logical OR.  
Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/reference\\_policies\\_elements.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html)

#### NEW QUESTION 91

Which of the following cache engines does Amazon ElastiCache support?

- A. Amazon ElastiCache supports Memcached and Redis.
- B. Amazon ElastiCache supports Redis and WinCache.
- C. Amazon ElastiCache supports Memcached and Hazelcast.
- D. Amazon ElastiCache supports Memcached onl

**Answer:** A

#### Explanation:

The cache engines supported by Amazon ElastiCache are Memcached and Redis.  
Reference: <http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/SelectEngine.html>

#### NEW QUESTION 94

You have been given the task to define multiple AWS Data Pipeline schedules for different actMties in the same pipeline. Which of the following would successfully accomplish this task?

- A. Creating multiple pipeline definition files
- B. Defining multiple pipeline definitions in your schedule objects file and associating the desired schedule to the correct actMty via its schedule field
- C. Defining multiple schedule objects in your pipeline definition file and associating the desired schedule to the correct actMty via its schedule field
- D. Defining multiple schedule objects in the schedule field

**Answer:** C

#### Explanation:

To define multiple schedules for different actMties in the same pipeline, in AWS Data Pipeline, you should define multiple schedule objects in your pipeline definition file and associate the desired schedule to the correct actMty via its schedule field. As an example of this, it could allow you to define a pipeline in which log files are stored in Amazon S3 each hour to drive generation of an aggregate report once a day. Reference: <https://aws.amazon.com/datapipeline/faqs/>

#### NEW QUESTION 99

In a VPC, can you modify a set of DHCP options after you create them?

- A. Yes, you can modify a set of DHCP options within 48 hours after creation and there are no VPCs associated with them.
- B. Yes, you can modify a set of DHCP options any time after you create them.
- C. No, you can't modify a set of DHCP options after you create them.
- D. Yes, you can modify a set of DHCP options within 24 hours after creatio

**Answer:** C

#### Explanation:

After you create a set of DHCP options, you can't modify them. If you want your VPC to use a different set of DHCP options, you must create a new set and associate them with your VPC. You can also set up your VPC to use no DHCP options at all.  
Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_DHCP\\_Options.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_DHCP_Options.html)

#### NEW QUESTION 101

An organization has hosted an application on the EC2 instances. There will be multiple users connecting to the instance for setup and configuration of application. The organization is planning to implement certain security best practices. Which of the below mentioned pointers will not help the organization achieve better security arrangement?

- A. Allow only IAM users to connect with the EC2 instances with their own secret access key.
- B. Create a procedure to revoke the access rights of the individual user when they are not required to connect to EC2 instance anymore for the purpose of application configuration.
- C. Apply the latest patch of OS and always keep it updated.
- D. Disable the password based login for all the user
- E. All the users should use their own keys to connect with the instance securely.

**Answer:** A

**Explanation:**

Since AWS is a public cloud any application hosted on EC2 is prone to hacker attacks. It becomes extremely important for a user to setup a proper security mechanism on the EC2 instances. A few of the security measures are listed below:

Always keep the OS updated with the latest patch

Always create separate users within OS if they need to connect with the EC2 instances, create their keys and disable their password

Create a procedure using which the admin can revoke the access of the user when the business work on the EC2 instance is completed

Lock down unnecessary ports

Audit any proprietary applications that the user may be running on the EC2 instance

Provide temporary escalated privileges, such as sudo for users who need to perform occasional privileged tasks

The IAM is useful when users are required to work with AWS resources and actions, such as launching an instance. It is not useful to connect (RDP / SSH) with an instance.

Reference: <http://aws.amazon.com/articles/1233/>

**NEW QUESTION 106**

What RAID method is used on the Cloud Block Storage back-end to implement a very high level of reliability and performance?

- A. RAID 1 (Mirror)
- B. RAID 5 (Blocks striped, distributed parity)
- C. RAID 10 (Blocks mirrored and striped)
- D. RAID 2 (Bit level striping)

**Answer:** C

**Explanation:**

Cloud Block Storage back-end storage volumes employs the RAID 10 method to provide a very high level of reliability and performance.

Reference: [http://www.rackspace.com/knowledge\\_center/product-faq/cloud-block-storage](http://www.rackspace.com/knowledge_center/product-faq/cloud-block-storage)

**NEW QUESTION 108**

One of the AWS account owners faced a major challenge in June as his account was hacked and the hacker deleted all the data from his AWS account. This resulted in a major blow to the business.

Which of the below mentioned steps would not have helped in preventing this action?

- A. Setup an MFA for each user as well as for the root account user.
- B. Take a backup of the critical data to offsite / on premise.
- C. Create an AMI and a snapshot of the data at regular intervals as well as keep a copy to separate regions.
- D. Do not share the AWS access and secret access keys with others as well do not store it inside programs, instead use IAM roles.

**Answer:** C

**Explanation:**

AWS security follows the shared security model where the user is as much responsible as Amazon. If the user wants to have secure access to AWS while hosting applications on EC2, the first security rule to follow is to enable MFA for all users. This will add an added security layer. In the second step, the user should never give his access or secret access keys to anyone as well as store inside programs. The better solution is to use IAM roles. For critical data of the organization, the user should keep an offsite/ in premise backup which will help to recover critical data in case of security breach.

It is recommended to have AWS AMIs and snapshots as well as keep them at other regions so that they will help in the DR scenario. However, in case of a data security breach of the account they may not be very helpful as hacker can delete that.

Therefore, creating an AMI and a snapshot of the data at regular intervals as well as keep a copy to separate regions, would not have helped in preventing this action.

Reference: [http://media.amazonwebservices.com/pdf/AWS\\_Security\\_Whitepaper.pdf](http://media.amazonwebservices.com/pdf/AWS_Security_Whitepaper.pdf)

**NEW QUESTION 110**

With Amazon Elastic MapReduce (Amazon EMR) you can analyze and process vast amounts of data. The cluster is managed using an open-source framework called Hadoop.

You have set up an application to run Hadoop jobs. The application reads data from DynamoDB and generates a temporary file of 100 TBs.

The whole process runs for 30 minutes and the output of the job is stored to S3. Which of the below mentioned options is the most cost effective solution in this case?

- A. Use Spot Instances to run Hadoop jobs and configure them with EBS volumes for persistent data storage.
- B. Use Spot Instances to run Hadoop jobs and configure them with ephemeral storage for output file storage.
- C. Use an on demand instance to run Hadoop jobs and configure them with EBS volumes for persistent storage.
- D. Use an on demand instance to run Hadoop jobs and configure them with ephemeral storage for output file storage.

**Answer:** B

**Explanation:**

AWS EC2 Spot Instances allow the user to quote his own price for the EC2 computing capacity. The user can simply bid on the spare Amazon EC2 instances and run them whenever his bid exceeds the current Spot Price. The Spot Instance pricing model complements the On-Demand and Reserved Instance pricing models, providing potentially the most cost-effective option for obtaining compute capacity, depending on the application. The only challenge with a Spot Instance is data persistence as the instance can be terminated whenever the spot price exceeds the bid price.

In the current scenario a Hadoop job is a temporary job and does not run for a longer period. It fetches data from a persistent DynamoDB. Thus, even if the

instance gets terminated there will be no data loss and the job can be re-run. As the output files are large temporary files, it will be useful to store data on ephemeral storage for cost savings.

Reference: <http://aws.amazon.com/ec2/purchasing-options/spot-instances/>

#### NEW QUESTION 113

True or False : "In the context of Amazon ElastiCache, from the application's point of view, connecting to the cluster configuration endpoint is no different than connecting directly to an indMdual cache node."

- A. True, from the application's point of view, connecting to the cluster configuration endpoint is no different than connecting directly to an indMdual cache node since, each has a unique node identifier.
- B. True, from the application's point of view, connecting to the cluster configuration endpoint is no different than connecting directly to an indMdual cache node.
- C. False, you can connect to a cache node, but not to a cluster configuration endpoint.
- D. False, you can connect to a cluster configuration endpoint, but not to a cache nod

**Answer:** B

#### Explanation:

This is true. From the application's point of view, connecting to the cluster configuration endpoint is no different than connecting directly to an indMdual cache node. In the process of connecting to cache nodes, the application resolves the configuration endpoint's DNS name. Because the configuration endpoint maintains CNAME entries for all of the cache nodes, the DNS name resolves to one of the nodes; the client can then connect to that node.

Reference: <http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/AutoDiscovery.HowAutoDiscoveryWorks.html>

#### NEW QUESTION 115

An EC2 instance that performs source/destination checks by default is launched in a private VPC subnet. All security, NACL, and routing definitions are configured as expected. A custom NAT instance is launched.

Which of the following must be done for the custom NAT instance to work?

- A. The source/destination checks should be disabled on the NAT instance.
- B. The NAT instance should be launched in public subnet.
- C. The NAT instance should be configured with a public IP address.
- D. The NAT instance should be configured with an elastic IP address

**Answer:** A

#### Explanation:

Each EC2 instance performs source/destination checks by default. This means that the instance must be the source or destination of any traffic it sends or receives. However, a NAT instance must be able to send and receive traffic when the source or destination is not itself. Therefore, you must disable source/destination checks on the NAT instance.

Reference:

[http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_NAT\\_Instance.html#EIP\\_Disable\\_SrcDestCheck](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_NAT_Instance.html#EIP_Disable_SrcDestCheck)

#### NEW QUESTION 117

How does in-memory caching improve the performance of applications in ElastiCache?

- A. It improves application performance by deleting the requests that do not contain frequently accessed data.
- B. It improves application performance by implementing good database indexing strategies.
- C. It improves application performance by using a part of instance RAM for caching important data.
- D. It improves application performance by storing critical pieces of data in memory for low-latency access

**Answer:** D

#### Explanation:

In Amazon ElastiCache, in-memory caching improves application performance by storing critical pieces of data in memory for low-latency access. Cached information may include the results of I/O-intensive database queries or the results of computationally intensive calculations.

Reference: <http://aws.amazon.com/elasticache/faqs/#g4>

#### NEW QUESTION 120

A user is thinking to use EBS PIOPS volume. Which of the below mentioned options is a right use case for the PIOPS EBS volume?

- A. Analytics
- B. System boot volume
- C. Nlongo DB
- D. Log processing

**Answer:** C

#### Explanation:

Provisioned IOPS volumes are designed to meet the needs of I/O-intensive workloads, particularly database workloads that are sensitive to storage performance and consistency in random access I/O throughput. Provisioned IOPS volumes are designed to meet the needs of I/O-intensive workloads, particularly database workloads, that are sensitive to storage performance and consistency in random access I/O throughput business applications, database workloads, such as NoSQL DB, RDBMS, etc. Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

#### NEW QUESTION 122

Select the correct statement about Amazon ElastiCache.

- A. It makes it easy to set up, manage, and scale a distributed in-memory cache environment in the cloud.
- B. It allows you to quickly deploy your cache environment only if you install software.
- C. It does not integrate with other Amazon Web Services.

D. It cannot run in the Amazon Virtual Private Cloud (Amazon VPC) environmen

**Answer:** A

**Explanation:**

ElastiCache is a web service that makes it easy to set up, manage, and scale a distributed in-memory cache environment in the cloud. It provides a high-performance, scalable, and cost-effective caching solution, while removing the complexity associated with deploying and managing a distributed cache environment. With ElastiCache, you can quickly deploy your cache environment, without having to provision hardware or install software.

Reference: <http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/WhatIs.html>

**NEW QUESTION 126**

Which of the following cannot be done using AWS Data Pipeline?

- A. Create complex data processing workloads that are fault tolerant, repeatable, and highly available.
- B. Regularly access your data where it's stored, transform and process it at scale, and efficiently transfer the results to another AWS service.
- C. Generate reports over data that has been stored.
- D. Move data between different AWS compute and storage services as well as on-premise data sources at specified intervals.

**Answer:** C

**Explanation:**

AWS Data Pipeline is a web service that helps you reliably process and move data between different AWS compute and storage services as well as on-premise data sources at specified intervals. With AWS Data Pipeline, you can regularly access your data where it's stored, transform and process it at scale, and efficiently transfer the results to another AWS.

AWS Data Pipeline helps you easily create complex data processing workloads that are fault tolerant, repeatable, and highly available. AWS Data Pipeline also allows you to move and process data that was previously locked up in on-premise data silos. Reference: <http://aws.amazon.com/datapipeline/>

**NEW QUESTION 129**

AWS Direct Connect itself has NO specific resources for you to control access to. Therefore, there are no AWS Direct Connect Amazon Resource Names (ARNs) for you to use in an Identity and Access Nmanagement (IAM) policy. With that in mind, how is it possible to write a policy to control access to AWS Direct Connect actions?

- A. You can leave the resource name field blank.
- B. You can choose the name of the AWS Direct Connection as the resource.
- C. You can use an asterisk (\*) as the resource.
- D. You can create a name for the resourc

**Answer:** C

**Explanation:**

AWS Direct Connect itself has no specific resources for you to control access to. Therefore, there are no AWS Direct Connect ARNs for you to use in an IAM policy. You use an asterisk (\*) as the resource when writing a policy to control access to AWS Direct Connect actions.

Reference: [http://docs.aws.amazon.com/directconnect/latest/UserGuide/using\\_iam.html](http://docs.aws.amazon.com/directconnect/latest/UserGuide/using_iam.html)

**NEW QUESTION 133**

Within an IAM policy, can you add an IfExists condition at the end of a Null condition?

- A. Yes, you can add an IfExists condition at the end of a Null condition but not in all Regions.
- B. Yes, you can add an IfExists condition at the end of a Null condition depending on the condition.
- C. No, you cannot add an IfExists condition at the end of a Null condition.
- D. Yes, you can add an IfExists condition at the end of a Null conditio

**Answer:** C

**Explanation:**

Within an IAM policy, IfExists can be added to the end of any condition operator except the Null condition. It can be used to indicate that conditional comparison needs to happen if the policy key is present in the context of a request; otherwise, it can be ignored.

Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/reference\\_policies\\_elements.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html)

**NEW QUESTION 138**

What happens when Dedicated instances are launched into a VPC?

- A. If you launch an instance into a VPC that has an instance tenancy of dedicated, you must manually create a Dedicated instance.
- B. If you launch an instance into a VPC that has an instance tenancy of dedicated, your instance is created as a Dedicated instance, only based on the tenancy of the instance.
- C. If you launch an instance into a VPC that has an instance tenancy of dedicated, your instance is automatically a Dedicated instance, regardless of the tenancy of the instance.
- D. None of these are tru

**Answer:** C

**Explanation:**

If you launch an instance into a VPC that has an instance tenancy of dedicated, your instance is automatically a Dedicated instance, regardless of the tenancy of the instance.

Reference: <http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/dedicated-instance.html>



#### NEW QUESTION 139

An organization is setting up RDS for their applications. The organization wants to secure RDS access with VPC. Which of the following options is not required while designing the RDS with VPC?

- A. The organization must create a subnet group with public and private subnet
- B. Both the subnets can be in the same or separate AZ.
- C. The organization should keep minimum of one IP address in each subnet reserved for RDS failover.
- D. If the organization is connecting RDS from the internet it must enable the VPC attributes DNS hostnames and DNS resolution.
- E. The organization must create a subnet group with VPC using more than one subnet which are a part of separate AZs.

**Answer:** A

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources, such as RDS into a virtual network that the user has defined. Subnets are segments of a VPC's IP address range that the user can designate to a group of VPC resources based on security and operational needs. A DB subnet group is a collection of subnets (generally private) that the user can create in a VPC and assign to the RDS DB instances. A DB subnet group allows the user to specify a particular VPC when creating the DB instances.

Each DB subnet group should have subnets in at least two Availability Zones in a given region. If the RDS instance is required to be accessible from the internet the organization must enable the VPC attributes, DNS hostnames and DNS resolution. For each RDS DB instance that the user runs in a VPC, he should reserve at least one address in each subnet in the DB subnet group for use by Amazon RDS for recovery actions.

Reference: [http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER\\_VPC.html](http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_VPC.html)

#### NEW QUESTION 142

An organization has developed an application which provides a smarter shopping experience. They need to show a demonstration to various stakeholders who may not be able to access the in premise

application so they decide to host a demo version of the application on AWS. Consequently they will need a fixed elastic IP attached automatically to the instance when it is launched.

In this scenario which of the below mentioned options will not help assign the elastic IP automatically?

- A. Write a script which will fetch the instance metadata on system boot and assign the public IP using that metadata.
- B. Provide an elastic IP in the user data and setup a bootstrapping script which will fetch that elastic IP and assign it to the instance.
- C. Create a controlling application which launches the instance and assigns the elastic IP based on the parameter provided when that instance is booted.
- D. Launch instance with VPC and assign an elastic IP to the primary network interface

**Answer:** A

#### Explanation:

EC2 allows the user to launch On-Demand instances. If the organization is using an application temporarily only for demo purposes the best way to assign an elastic IP would be:

Launch an instance with a VPC and assign an EIP to the primary network interface. This way on every instance start it will have the same IP Create a bootstrapping script and provide it some metadata, such as user data which can be used to assign an EIP Create a controller instance which can schedule the start and stop of the instance and provide an EIP as a parameter so that the controller instance can check the instance boot and assign an EIP

The instance metadata gives the current instance data, such as the public/private IP. It can be of no use for assigning an EIP.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/AESDG-chapter-instancedata.html>

#### NEW QUESTION 143

An organization is having a VPC for the HR department, and another VPC for the Admin department. The HR department requires access to all the instances running in the Admin VPC while the Admin department requires access to all the resources in the HR department. How can the organization setup this scenario?

- A. Setup VPC peering between the VPCs of Admin and HR.
- B. Setup ACL with both VPCs which will allow traffic from the CIDR of the other VPC.
- C. Setup the security group with each VPC which allows traffic from the CIDR of another VPC.
- D. It is not possible to connect resources of one VPC from another VPC.

**Answer:** A

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the user has defined. A VPC peering connection allows the user to route traffic between the peer VPCs using private IP addresses as if they are a part of the same network.

This is helpful when one VPC from the same or different AWS account wants to connect with resources of the other VPC.

Reference: <http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/vpc-peering.html>

#### NEW QUESTION 144

ExamKiller has created a multi-tenant Learning Management System (LMS). The application is hosted for five different tenants (clients) in the VPCs of the respective AWS accounts of the tenant. ExamKiller wants to setup a centralized server which can connect with the LMS of each tenant upgrade if required. ExamKiller also wants to ensure that one tenant VPC should not be able to connect to the other tenant VPC for security reasons. How can ExamKiller setup this scenario?

- A. ExamKiller has to setup one centralized VPC which will peer in to all the other VPCs of the tenants.
- B. ExamKiller should setup VPC peering with all the VPCs peering each other but block the IPs from CIDR of the tenant VPCs to deny them.
- C. ExamKiller should setup all the VPCs with the same CIDR but have a centralized VP
- D. This way only the centralized VPC can talk to the other VPCs using VPC peering.
- E. ExamKiller should setup all the VPCs meshed together with VPC peering for all VPC

**Answer:** A

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. It enables the user to launch AWS resources into a virtual network that the



user has defined. A VPC peering connection allows the user to route traffic between the peer VPCs using private IP addresses as if they are a part of the same network.

This is helpful when one VPC from the same or different AWS account wants to connect with resources of the other VPC. The organization wants to setup that one VPC can connect with all the other VPCs but all other VPCs cannot connect among each other. This can be achieved by configuring VPC peering where one VPC is peered with all the other VPCs, but the other VPCs are not peered to each other. The VPCs are in the same or a separate AWS account and should not have overlapping CIDR blocks.

Reference:

<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-full-access.html# many-vpcs-full-acces>

#### NEW QUESTION 145

A user has created a VPC with CIDR 20.0.0.0/16. The user has created one subnet with CIDR 20.0.0.0/16 in this VPC. The user is trying to create another subnet with the same VPC for CIDR 20.0.0.1/24. What will happen in this scenario?

- A. The VPC will modify the first subnet CIDR automatically to allow the second subnet IP range
- B. The second subnet will be created
- C. It will throw a CIDR overlaps error
- D. It is not possible to create a subnet with the same CIDR as VPC

**Answer: C**

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. A user can create a subnet with VPC and launch instances inside that subnet. The user can create a subnet with the same size of VPC. However, he cannot create any other subnet since the CIDR of the second subnet will conflict with the first subnet.

Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Subnets.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html)

#### NEW QUESTION 146

Out of the striping options available for the EBS volumes, which one has the following disadvantage: 'Doubles the amount of I/O required from the instance to EBS compared to RAID 0, because you're mirroring all writes to a pair of volumes, limiting how much you can stripe.'?

- A. Raid 1
- B. Raid 0
- C. RAID 1+0 (RAID 10)
- D. Raid 2

**Answer: C**

#### Explanation:

RAID 1+0 (RAID 10) doubles the amount of I/O required from the instance to EBS compared to RAID 0, because you're mirroring all writes to a pair of volumes, limiting how much you can stripe.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/raid-config.html>

#### NEW QUESTION 151

In Amazon Cognito what is a silent push notification?

- A. It is a push message that is received by your application on a user's device that will not be seen by the user
- B. It is a push message that is received by your application on a user's device that will return the user's geolocation.
- C. It is a push message that is received by your application on a user's device that will not be heard by the user
- D. It is a push message that is received by your application on a user's device that will return the user's authentication credentials.

**Answer: A**

#### Explanation:

Amazon Cognito uses the Amazon Simple Notification Service (SNS) to send silent push notifications to devices. A silent push notification is a push message that is received by your application on a user's device that will not be seen by the user.

Reference: <http://aws.amazon.com/cognito/faqs/>

#### NEW QUESTION 156

When using Numeric Conditions within IAM, short versions of the available comparators can be used instead of the more verbose versions. Which of the following is the short version of the Numeric Condition "NumericLessThanEquals"?

- A. numlteq
- B. numlteql
- C. numltequals
- D. numeq

**Answer: A**

#### Explanation:

When using Numeric Conditions within IAM, short versions of the available comparators can be used instead of the more verbose versions. For instance, numlteq is the short version of NumericLessThanEquals.

Reference: <http://awsdocs.s3.amazonaws.com/SQS/2011-10-01/sqs-dg-2011-10-01.pdf>

#### NEW QUESTION 158

AWS has launched T2 instances which come with CPU usage credit. An organization has a requirement which keeps an instance running for 24 hours. However, the organization has high usage only during 11 AM to 12 PM. The organization is planning to use a T2 small instance for this purpose.

If the organization already has multiple instances running since Jan 2012, which of the below mentioned options should the organization implement while launching a T2 instance?

- A. The organization must migrate to the EC2-VPC platform first before launching a T2 instance.
- B. While launching a T2 instance the organization must create a new AWS account as this account does not have the EC2-VPC platform.
- C. Create a VPC and launch a T2 instance as part of one of the subnets of that VPC.
- D. While launching a T2 instance the organization must select EC2-VPC as the platform.

**Answer:** C

**Explanation:**

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. The user can create subnets as per the requirement within a VPC. The AWS account provides two platforms:

EC2-CLASSIC and EC2-VPC, depending on when the user has created his AWS account and which regions he is using. If the user has created the AWS account after 2013-12-04, it supports only EC2-VPC. In this scenario, since the account is before the required date the supported platform will be EC2-CLASSIC. It is required that the organization creates a VPC as the T2 instances can be launched only as a part of VPC.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/vpc-migrate.html>

**NEW QUESTION 160**

How does AWS Data Pipeline execute actMties on on-premise resources or AWS resources that you manage?

- A. By supplying a Task Runner package that can be installed on your on-premise hosts
- B. None of these
- C. By supplying a Task Runner file that the resources can access for execution
- D. By supplying a Task Runnerjson script that can be installed on your on-premise hosts

**Answer:** A

**Explanation:**

To enable running actMties using on-premise resources, AWS Data Pipeline does the following: It supply a Task Runner package that can be installed on your on-premise hosts.

This package continuously polls the AWS Data Pipeline service for work to perform.

When it's time to run a particular actMty on your on-premise resources, it will issue the appropriate command to the Task Runner.

Reference: <https://aws.amazon.com/datapipeline/faqs/>

**NEW QUESTION 164**

In AWS IAM, which of the following predefined policy condition keys checks how long ago (in seconds) the MFA-validated security credentials making the request were issued using multi-factor authentication (MFA)?

- A. aws:MultiFactorAuthAge
- B. aws:MultiFactorAuthLast
- C. aws:MFAAge
- D. aws:MultiFactorAuthPrevious

**Answer:** A

**Explanation:**

aws:MultiFactorAuthAge is one of the predefined keys provided by AWS that can be included within a Condition element of an IAM policy. The key allows to check how long ago (in seconds) the

MFA-validated security credentials making the request were issued using Multi-Factor Authentication (MFA).

Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage\\_ElementDescriptions.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage_ElementDescriptions.html)

**NEW QUESTION 168**

A user is configuring MySQL RDS with PIOPS. What should be the minimum PIOPS that the user should provision?

- A. 1000
- B. 200
- C. 2000
- D. 500

**Answer:** A

**Explanation:**

If a user is trying to enable PIOPS with MySQL RDS, the minimum size of storage should be 100 GB and the minimum PIOPS should be 1000.

Reference: [http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER\\_PIOPS.html](http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_PIOPS.html)

**NEW QUESTION 169**

You are setting up some EBS volumes for a customer who has requested a setup which includes a RAID (redundant array of inexpensive disks). AWS has some recommendations for RAID setups. Which RAID setup is not recommended for Amazon EBS?

- A. RAID 1 only
- B. RAID 5 only
- C. RAID 5 and RAID 6
- D. RAID 0 only

**Answer:** C

**Explanation:**

With Amazon EBS, you can use any of the standard RAID configurations that you can use with a traditional bare metal server, as long as that particular RAID configuration is supported by the operating

system for your instance. This is because all RAID is accomplished at the software level. For greater I/O performance than you can achieve with a single volume, RAID 0 can stripe multiple volumes together; for on-instance redundancy, RAID 1 can mirror two volumes together. RAID 5 and RAID 6 are not recommended for Amazon EBS because the parity write operations of these RAID modes consume some of the IOPS available to your volumes.  
Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/raid-config.html>

#### NEW QUESTION 172

What is the average queue length recommended by AWS to achieve a lower latency for the 200 PIOPS EBS volume?

- A. 5
- B. 1
- C. 2
- D. 4

**Answer:** B

#### Explanation:

The queue length is the number of pending I/O requests for a device. The optimal average queue length will vary for every customer workload, and this value depends on a particular application's sensitivity to IOPS and latency. If the workload is not delivering enough I/O requests to maintain the optimal average queue length, then the EBS volume might not consistently deliver the IOPS that have been provisioned. However, if the workload maintains an average queue length that is higher than the optimal value, then the per-request I/O latency will increase; in this case, the user should provision more IOPS for his volume. AWS recommends that the user should target an optimal average queue length of 1 for every 200 provisioned IOPS and tune that value based on his application requirements.  
Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-workload-demand.html>

#### NEW QUESTION 177

Who is responsible for modifying the routing tables and networking ACLs in a VPC to ensure that a DB instance is reachable from other instances in the VPC?

- A. AWS administrators
- B. The owner of the AWS account
- C. Amazon
- D. The DB engine vendor

**Answer:** B

#### Explanation:

You are in charge of configuring the routing tables of your VPC as well as the network ACLs rules needed to make your DB instances accessible from all the instances of your VPC that need to communicate with it.  
Reference: <http://aws.amazon.com/rds/faqs/>

#### NEW QUESTION 180

An organization is planning to host a web application in the AWS VPC. The organization does not want to host a database in the public cloud due to statutory requirements. How can the organization setup in this scenario?

- A. The organization should plan the app server on the public subnet and database in the organization's data center and connect them with the VPN gateway.
- B. The organization should plan the app server on the public subnet and use RDS with the private subnet for a secure data operation.
- C. The organization should use the public subnet for the app server and use RDS with a storage gateway to access as well as sync the data securely from the local data center.
- D. The organization should plan the app server on the public subnet and database in a private subnet so it will not be in the public cloud.

**Answer:** A

#### Explanation:

A Virtual Private Cloud (VPC) is a virtual network dedicated to the user's AWS account. The user can create subnets as per the requirement within a VPC. If the user wants to connect VPC from his own data centre, he can setup a public and VPN only subnet which uses hardware VPN access to connect with his data centre. When the user has configured this setup with Wizard, it will create a virtual private gateway to route all the traffic of the VPN subnet. If the virtual private gateway is attached with VPC and the user deletes the VPC from the console it will first automatically detach the gateway and only then delete the VPC.  
Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Subnets.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html)

#### NEW QUESTION 184

A user is creating a PIOPS volume. What is the maximum ratio the user should configure between PIOPS and the volume size?

- A. 5
- B. 10
- C. 20
- D. 30

**Answer:** D

#### Explanation:

Provisioned IOPS volumes are designed to meet the needs of I/O-intensive workloads, particularly database workloads that are sensitive to storage performance and consistency in random access I/O throughput. A provisioned IOPS volume can range in size from 10 GB to 1 TB and the user can provision up to 4000 IOPS per volume. The ratio of IOPS provisioned to the volume size requested can be a maximum of 30; for example, a volume with 3000 IOPS must be at least 100 GB.  
Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

#### NEW QUESTION 185

What is a possible reason you would need to edit claims issued in a SAML token?

- A. The NamelIdentifier claim cannot be the same as the username stored in AD.
- B. Authentication fails consistently.
- C. The NamelIdentifier claim cannot be the same as the claim URI.
- D. The NamelIdentifier claim must be the same as the username stored in A

**Answer:** A

**Explanation:**

The two reasons you would need to edit claims issued in a SAML token are: The NamelIdentifier claim cannot be the same as the username stored in AD, and The app requires a different set of claim URIs.

Reference:

<https://azure.microsoft.com/en-us/documentation/articles/active-directory-saml-claims-customization/>

**NEW QUESTION 188**

What is the network performance offered by the c4.8xlarge instance in Amazon EC2?

- A. Very High but variable
- B. 20 Gigabit
- C. 5 Gigabit
- D. 10 Gigabit

**Answer:** D

**Explanation:**

Networking performance offered by the c4.8xlarge instance is 10 Gigabit. Reference: <http://aws.amazon.com/ec2/instance-types/>

**NEW QUESTION 189**

You're trying to delete an SSL certificate from the IAM certificate store, and you're getting the message "Certificate: <certificate-id> is being used by CloudFront." Which of the following statements is probably the reason why you are getting this error?

- A. Before you can delete an SSL certificate you need to set up https on your server.
- B. Before you can delete an SSL certificate, you need to set up the appropriate access level in IAM
- C. Before you can delete an SSL certificate, you need to either rotate SSL certificates or revert from using a custom SSL certificate to using the default CloudFront certificate.
- D. You can't delete SSL certificates . You need to request it from AW

**Answer:** C

**Explanation:**

CloudFront is a web service that speeds up distribution of your static and dynamic web content, for example, .html, .css, .php, and image files, to end users. Every CloudFront web distribution must be associated either with the default CloudFront certificate or with a custom SSL certificate. Before you can delete an SSL certificate, you need to either rotate SSL certificates (replace the current custom SSL certificate with another custom SSL certificate) or revert from using a custom SSL certificate to using the default CloudFront certificate.

Reference: <http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Troubleshooting.html>

**NEW QUESTION 191**

A user has set the IAM policy where it denies all requests if a request is not from IP 10.10.10.1/32. The other policy says allow all requests between 5 PM to 7 PM. What will happen when a user is requesting access from IP 55.109.10.12/32 at 6 PM?

- A. It will deny access
- B. It is not possible to set a policy based on the time or IP
- C. IAM will throw an error for policy conflict
- D. It will allow access

**Answer:** A

**Explanation:**

When a request is made, the AWS IAM policy decides whether a given request should be allowed or denied. The evaluation logic follows these rules:

By default, all requests are denied. (In general, requests made using the account credentials for resources in the account are always allowed.)

An explicit allow policy overrides this default.

An explicit deny policy overrides any allows.

In this case since there are explicit deny and explicit allow statements. Thus, the request will be denied since deny overrides allow.

Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage\\_EvaluationLogic.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/AccessPolicyLanguage_EvaluationLogic.html)

**NEW QUESTION 192**

Do you need to use Amazon Cognito to use the Amazon Mobile Analytics service?

- A. N
- B. However, it is recommend by AWS to use Amazon Cognito for security best practices.
- C. Ye
- D. You need to use it only if you have IAM root access.
- E. N
- F. You cannot use it at all, and you need to use AWS IAM accounts.
- G. Ye
- H. It is recommended by AWS to use Amazon Cognito to use Amazon Mobile Analytics servic

**Answer:** A



**Explanation:**

You can initialize Amazon Mobile Analytics using AWS IAM accounts. AWS recommend using Amazon Cognito for security best practices.  
Reference: <http://aws.amazon.com/mobileanalytics/faqs/>

**NEW QUESTION 197**

Can Provisioned IOPS be used on RDS instances launched in a VPC?

- A. Yes, they can be used only with Oracle based instances.
- B. Yes, they can be used for all RDS instances.
- C. No
- D. Yes, they can be used only with MySQL based instance

**Answer: B**

**Explanation:**

The basic building block of Amazon RDS is the DB instance. DB instance storage comes in three types: Magnetic, General Purpose (SSD), and Provisioned IOPS (SSD). When you buy a server, you get CPU, memory, storage, and IOPS, all bundled together. With Amazon RDS, these are split apart so that you can scale them independently. So, for example, if you need more CPU, less IOPS, or more storage, you can easily allocate them.  
Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/RDSFAQ.PIOPS.html>

**NEW QUESTION 200**

To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

- A. Complete the Cross Connect
- B. Configure Redundant Connections with AWS Direct Connect
- C. Create a Virtual Interface
- D. Download Router Configuration

**Answer: C**

**Explanation:**

In AWS Direct Connect, your network must support Border Gateway Protocol (BGP) and BGP MD5 authentication, and you need to provide a private Autonomous System Number (ASN) for that to connect to Amazon Virtual Private Cloud (VPC). To connect to public AWS products such as Amazon EC2 and Amazon S3, you will also need to provide a public ASN that you own (preferred) or a private ASN. You have to configure BGP in the Create a Virtual Interface step.  
Reference: <http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterface>

**NEW QUESTION 203**

Which of the following components of AWS Data Pipeline polls for tasks and then performs those tasks?

- A. Pipeline Definition
- B. Task Runner
- C. Amazon Elastic MapReduce (EMR)
- D. AWS Direct Connect

**Answer: B**

**Explanation:**

Task Runner polls for tasks and then performs those tasks.  
Reference: <http://docs.aws.amazon.com/datapipeline/latest/DeveloperGuide/what-is-datapipeline.html>

**NEW QUESTION 207**

An organization is setting up their website on AWS. The organization is working on various security measures to be performed on the AWS EC2 instances. Which of the below mentioned security mechanisms will not help the organization to avoid future data leaks and identify security weaknesses?

- A. Run penetration testing on AWS with prior approval from Amazon.
- B. Perform SQL injection for application testing.
- C. Perform a Code Check for any memory leaks.
- D. Perform a hardening test on the AWS instanc

**Answer: C**

**Explanation:**

AWS security follows the shared security model where the user is as much responsible as Amazon. Since Amazon is a public cloud it is bound to be targeted by hackers. If an organization is planning to host their application on AWS EC2, they should perform the below mentioned security checks as a measure to find any security weakness/data leaks:  
Perform penetration testing as performed by attackers to find any vulnerability. The organization must take an approval from AWS before performing penetration testing  
Perform hardening testing to find if there are any unnecessary ports open  
Perform SQL injection to find any DB security issues  
The code memory checks are generally useful when the organization wants to improve the application performance.  
Reference: <http://aws.amazon.com/security/penetration-testing/>

**NEW QUESTION 209**

In Amazon ElastiCache, the default cache port is:

- A. for Memcached 11210 and for Redis 6380.
- B. for Memcached 11211 and for Redis 6380.



- C. for Memcached 11210 and for Redis 6379.
- D. for Memcached 11211 and for Redis 6379.

**Answer:** D

**Explanation:**

In Amazon ElastiCache, you can specify a new port number for your cache cluster, which by default is 11211 for Memcached and 6379 for Redis.  
Reference: <http://docs.aws.amazon.com/AmazonElastiCache/latest/UserGuide/GettingStarted.AuthorizeAccess.htm>

**NEW QUESTION 210**

A user has created a VPC with public and private subnets using the VPC wizard. The VPC has CIDR 20.0.0.0/16. The private subnet uses CIDR 20.0.0.0/24 . The NAT instance ID is i-a12345. Which of the below mentioned entries are required in the main route table attached with the private subnet to allow instances to connect with the internet?

- A. Destination: 20.0.0.0/0 and Target: 80
- B. Destination: 20.0.0.0/0 and Target: i-a12345
- C. Destination: 20.0.0.0/24 and Target: i-a12345
- D. Destination: 0.0.0.0/0 and Target: i-a12345

**Answer:** D

**Explanation:**

A user can create a subnet with VPC and launch instances inside that subnet. If the user has created a public private subnet, the instances in the public subnet can receive inbound traffic directly from the Internet, whereas the instances in the private subnet cannot. If these subnets are created with Wizard, AWS will create two route tables and attach to the subnets. The main route table will have the entry "Destination: 0.0.0.0/0 and Target: i-a12345", which allows all the instances in the private subnet to connect to the internet using NAT.

Reference: [http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_Scenario2.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Scenario2.html)

**NEW QUESTION 213**

Identify a true statement about the statement ID (Sid) in IAM.

- A. You cannot expose the Sid in the IAM API.
- B. You cannot use a Sid value as a sub-ID for a policy document's ID for services provided by SQS and SNS.
- C. You can expose the Sid in the IAM API.
- D. You cannot assign a Sid value to each statement in a statement arra

**Answer:** A

**Explanation:**

The Sid(statement ID) is an optional identifier that you provide for the policy statement. You can assign a Sid a value to each statement in a statement array. In IAM, the Sid is not exposed in the IAM API. You can't retrieve a particular statement based on this ID.

Reference: [http://docs.aws.amazon.com/IAM/latest/UserGuide/reference\\_policies\\_elements.html#Sid](http://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_elements.html#Sid)

**NEW QUESTION 214**

An organization, which has the AWS account ID as Q99988887777, has created 50 IAM users. All the users are added to the same group examkiller. If the organization has enabled that each IAM user can login with the AWS console, which AWS login URL will the IAM users use??

- A. <https://Q99988887777.aws.amazon.com/examkiller/>
- B. <https://signin.aws.amazon.com/examkiller/>
- C. <https://examkiller.signin.aws.amazon.com/Q99988887777/console/>
- D. <https://Q99988887777.signin.aws.amazon.com/console/>

**Answer:** D

**Explanation:**

AWS Identity and Access Management is a web service which allows organizations to manage users and user permissions for various AWS services. Once the organization has created the IAM users, they will have a separate AWS console URL to login to the AWS console. The console login URL for the IAM user will be [https:// AWS\\_Account\\_ID.signin.aws.amazon.com/console/](https://AWS_Account_ID.signin.aws.amazon.com/console/). It uses only the AWS account ID and does not depend on the group or user ID.

Reference: <http://docs.aws.amazon.com/IAM/latest/UserGuide/AccountAlias.html>

**NEW QUESTION 217**

To serve Web traffic for a popular product your chief financial officer and IT director have purchased 10 ml large heavy utilization Reserved Instances (RIs) evenly spread across two availability zones: Route 53 is used to deliver the traffic to an Elastic Load Balancer (ELB). After several months, the product grows even more popular and you need additional capacity As a result, your company purchases two C3.2xlarge medium utilization Ris You register the two c3 2xlarge instances with your ELB and quickly find that the ml large instances are at 100% of capacity and the c3 2xlarge instances have significant capacity that's unused Which option is the most cost effective and uses EC2 capacity most effectively?

- A. Configure Autoscaling group and Launch Configuration with ELB to add up to 10 more on-demand m1 .large instances when triggered by Cloudwatc
- B. Shut off c3.2xlarge instances.
- C. Configure ELB with two c3.2xlarge instances and use on-demand Autoscaling group for up to two additional c3.2xlarge instance
- D. Shut off m1 .large instances.
- E. Route traffic to EC2 m1 .large and c3.2xlarge instances directly using Route 53 latency based routing and health check
- F. Shut off ELB.
- G. Use a separate ELB for each instance type and distribute load to ELBs with Route 53 weighted round robin.

**Answer:** B

**NEW QUESTION 218**

A read only news reporting site with a combined web and application tier and a database tier that receives large and unpredictable traffic demands must be able to respond to these traffic fluctuations automatically. What AWS services should be used meet these requirements?

- A. Stateless instances for the web and application tier synchronized using ElastiCache Memcached in an autoscaling group monitored with CloudWatch and RDS with read replicas.
- B. Stateful instances for the web and application tier in an autoscaling group monitored with CloudWatch and RDS with read replicas.
- C. Stateful instances for the web and application tier in an autoscaling group monitored with CloudWatc
- D. And multi-AZ RDS.
- E. Stateless instances for the web and application tier synchronized using ElastiCache Memcached in an autoscaling group monitored with CloudWatch and multi-AZ RDS.

**Answer:** A

#### NEW QUESTION 219

You are designing a photo-sharing mobile app. The application will store all pictures in a single Amazon S3 bucket. Users will upload pictures from their mobile device directly to Amazon S3 and will be able to view and download their own pictures directly from Amazon S3. You want to configure security to handle potentially millions of users in the most secure manner possible. What should your server-side application do when a new user registers on the photo-sharing mobile application?

- A. Create an IAM use
- B. Update the bucket policy with appropriate permissions for the IAM use
- C. Generate an access key and secret key for the IAM user, store them in the mobile app and use these credentials to access Amazon S3.
- D. Create an IAM use
- E. Assign appropriate permissions to the IAM use
- F. Generate an access key and secret key for the IAM user, store them in the mobile app and use these credentials to access Amazon S3.
- G. Create a set of long-term credentials using AWS Security Token Service with appropriate permission
- H. Store these credentials in the mobile app and use them to access Amazon S3.
- I. Record the user's information in Amazon RDS and create a role in IAM with appropriate permission
- J. When the user uses their mobile app, create temporary credentials using the AWS Security Token Service "AssumeRole" functio
- K. Store these credentials in the mobile app's memory and use them to access Amazon S3. Generate new credentials the next time the user runs the mobile app.
- L. Record the user's information in Amazon DynamoD
- M. When the user uses their mobile app, create temporary credentials using AWS Security Token Service with appropriate permission
- N. Store these credentials in the mobile app's memory and use them to access Amazon S3. Generate new credentials the next time the user runs the mobile app.

**Answer:** D

#### NEW QUESTION 220

You are tasked with moving a legacy application from a virtual machine running Inside your datacenter to an Amazon VPC Unfortunately this app requires access to a number of on-premises services and no one who configured the app still works for your company. Even worse there's no documentation for it. What will allow the application running inside the VPC to reach back and access its internal dependencies without being reconfigured? (Choose 3 answers)

- A. An AWS Direct Connect link between the VPC and the network housing the internal services.
- B. An Internet Gateway to allow a VPN connection.
- C. An Elastic IP address on the VPC instance
- D. An IP address space that does not conflict with the one on-premises
- E. Entries in Amazon Route 53 that allow the Instance to resolve its dependencies' IP addresses
- F. A VM Import of the current virtual machine

**Answer:** ADF

#### NEW QUESTION 223

You have been asked to design the storage layer for an application. The application requires disk performance of at least 100,000 IOPS. In addition, the storage layer must be able to survive the loss of an indMdual disk, EC2 instance, or Availability Zone without any data loss. The volume you provide must have a capacity of at least 3 TB. Which of the following designs will meet these objectives?

- A. Instantiate a c3.8xlarge instance in us-east-1. Provision 4x1TB EBS volumes, attach them to the instance, and configure them as a single RAID 5 volum
- B. Ensure that EBS snapshots are performed every 15 minutes.
- C. Instantiate a c3.8xlarge instance in us-east-1. Provision 3x1TB EBS volumes, attach them to the Instance, and configure them as a single RAID 0 volum
- D. Ensure that EBS snapshots are performed every 15 minutes.
- E. Instantiate an i2.8xlarge instance in us-east-1
- F. Create a RAID 0 volume using the four 800GB SSD ephemeral disks provided with the instanc
- G. Provision 3x1TB EBS volumes, attach them to the instance, and configure them as a second RAID 0 volum
- H. Configure synchronous, block-level replication from the ephemeral-backed volume to the EBS-backed volume.
- I. Instantiate a c3.8xlarge instance in us-east-1. Provision an AWS Storage Gateway and configure it for 3 TB of storage and 100,000 IOP
- J. Attach the volume to the instance.
- K. Instantiate an i2.8xlarge instance in us-east-1
- L. Create a RAID 0 volume using the four 800GB SSD ephemeral disks provided with the instanc
- M. Configure synchronous, blocklevel replication to an identically configured instance in us-east-1b.

**Answer:** C

#### NEW QUESTION 227

You are the new IT architect in a company that operates a mobile sleep tracking application. When activated at night, the mobile app is sending collected data points of 1 kilobyte every 5 minutes to your backend. The backend takes care of authenticating the user and writing the data points into an Amazon DynamoDB table. Every morning, you scan the table to extract and aggregate last night's data on a per user basis, and store the results in Amazon S3. Users are notified via Amazon SNS mobile push notifications that new data is available, which is parsed and visualized by the mobile app. Currently you have around 100k users who are mostly based out of North America. You have been tasked to optimize the architecture of the backend system to

lower cost. What would you recommend? Choose 2 answers

- A. Have the mobile app access Amazon DynamoDB directly Instead of JSON files stored on Amazon S3.
- B. Write data directly into an Amazon Redshift cluster replacing both Amazon DynamoDB and Amazon S3.
- C. Introduce an Amazon SQS queue to buffer writes to the Amazon DynamoDB table and reduce provisioned write throughput.
- D. Introduce Amazon ElastiCache to cache reads from the Amazon DynamoDB table and reduce provisioned read throughput.
- E. Create a new Amazon DynamoDB table each day and drop the one for the previous day after its data is on Amazon S3.

**Answer:** AD

#### NEW QUESTION 228

Your company runs a customer facing event registration site This site is built with a 3-tier architecture with web and application tier servers and a MySQL database The application requires 6 web tier sewers and 6 application tier servers for normal operation, but can run on a minimum of 65% server capacity and a single NlySQL database. When deploying this application in a region with three availability zones (AZs) which architecture provides high availability?

- A. A web tier deployed across 2 AZs with 3 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer), and an application tier deployed across 2 AZs with 3 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and one RDS (RelationalDatabase Service) instance deployed with read replicas in the other AZ.
- B. A web tier deployed across 3 AZs with 2 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer) and an application tier deployed across 3 AZs with 2 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and one RDS (Relational Database Service) Instance deployed with read replicas in the two other AZs.
- C. A web tier deployed across 2 AZs with 3 EC2 (Elastic Compute Cloud) instances in each AZ inside an Auto Scaling Group behind an ELB (elastic load balancer) and an application tier deployed across 2 AZs with 3 EC2 instances m each AZ inside an Auto Scaling Group behind an ELS and a Multi-AZ RDS (Relational Database Service) deployment.
- D. A web tier deployed across 3 AZs with 2 EC2 (Elastic Compute Cloud) instances in each AZ Inside an Auto Scaling Group behind an ELB (elastic load balancer). And an application tier deployed across 3 AZs with 2 EC2 instances in each AZ inside an Auto Scaling Group behind an ELB and a Multi-AZ RDS (Relational Database services) deployment.

**Answer:** D

#### NEW QUESTION 233

Your customer wishes to deploy an enterprise application to AWS which will consist of several web servers, several application servers and a small (50GB) Oracle database information is stored, both in the database and the file systems of the various servers. The backup system must support database recovery whole server and whole disk restores, and indMdual file restores with a recovery time of no more than two hours. They have chosen to use RDS Oracle as the database Which backup architecture will meet these requirements?

- A. Backup RDS using automated daily DB backups Backup the EC2 instances using AMIs and supplement with file-level backup to S3 using traditional enterprise backup software to provide file level restore
- B. Backup RDS using a Multi-AZ Deployment Backup the EC2 instances using Amis, and supplement by copying file system data to S3 to provide file level restore.
- C. Backup RDS using automated daily DB backups Backup the EC2 instances using EBS snapshots and supplement with file-level backups to Amazon Glacier using traditional enterprise backup software to provide file level restore
- D. Backup RDS database to S3 using Oracle RMAN Backup the EC2 instances using Amis, and supplement with EBS snapshots for indMdual volume restore.

**Answer:** A

#### NEW QUESTION 238

A web design company currently runs several FTP servers that their 250 customers use to upload and download large graphic files They wish to move this system to AWS to make it more scalable, but they wish to maintain customer privacy and Keep costs to a minimum. What AWS architecture would you recommend?

- A. ASK their customers to use an S3 client instead of an FTP clien
- B. Create a single S3 bucket Create an IAM user for each customer Put the IAM Users in a Group that has an IAM policy that permits access to sub-directories within the bucket via use of the 'username' Policy variable.
- C. Create a single S3 bucket with Reduced Redundancy Storage turned on and ask their customers to use an S3 client instead of an FTP client Create a bucket for each customer with a Bucket Policy that permits access only to that one customer.
- D. Create an auto-scaling group of FTP servers with a scaling policy to automatically scale-in when minimum network traffic on the auto-scaling group is below a given threshol
- E. Load a central list of ftp users from S3 as part of the user Data startup script on each Instance.
- F. Create a single S3 bucket with Requester Pays turned on and ask their customers to use an S3 client instead of an FTP client Create a bucket tor each customer with a Bucket Policy that permits access only to that one customer.

**Answer:** A

#### NEW QUESTION 239

Your company currently has a 2-tier web application running in an on-premises data center. You have experienced several infrastructure failures in the past two months resulting in significant financial losses. Your CIO is strongly agreeing to move the application to AWS. While working on achieving buy-in from the other company executives, he asks you to develop a disaster recovery plan to help improve Business continuity in the short term. He specifies a target Recovery Time Objective (RTO) of 4 hours and a Recovery Point Objective (RPO) of 1 hour or less. He also asks you to implement the solution within 2 weeks. Your database is 200GB in size and you have a 20Mbps Internet connection. How would you do this while minimizing costs?

- A. Create an EBS backed private AMI which includes a fresh install of your applicatio
- B. Develop a Cloud Formation template which includes your AMI and the required EC2, AutoScaling, and ELB resources to support deploying the application across Multiple- Availability-Zone
- C. Asynchronously replicate transactions from your on-premises database to a database instance in AWS across a secure VPN connection.
- D. Deploy your application on EC2 instances within an Auto Scaling group across multiple availability zone
- E. Asynchronously replicate transactions from your on-premises database to a database instance in AWS across a secure VPN connection.
- F. Create an EBS backed private AMI which includes a fresh install of your applicatio
- G. Setup a script in your data center to backup the local database every 1 hour and to encrypt and copy the resulting file to an S3 bucket using multi-part upload.
- H. Install your application on a compute-optimized EC2 instance capable of supporting the application's average loa



I. Synchronously replicate transactions from your on-premises database to a database instance in AWS across a secure Direct Connect connection.

**Answer:** A

#### NEW QUESTION 241

Company B is launching a new game app for mobile devices. Users will log into the game using their existing social media account to streamline data capture. Company B would like to directly save player data and scoring information from the mobile app to a DynamoDB table named Score Data. When a user saves their game, the progress data will be stored to the Game state S3 bucket. What is the best approach for storing data to DynamoDB and S3?

- A. Use an EC2 Instance that is launched with an EC2 role providing access to the Score Data DynamoDB table and the GameState S3 bucket that communicates with the mobile app via web services.
- B. Use temporary security credentials that assume a role providing access to the Score Data DynamoDB table and the Game State S3 bucket using web identity federation.
- C. Use Login with Amazon allowing users to sign in with an Amazon account providing the mobile app with access to the Score Data DynamoDB table and the Game State S3 bucket.
- D. Use an IAM user with access credentials assigned a role providing access to the Score Data DynamoDB table and the Game State S3 bucket for distribution with the mobile app.

**Answer:** B

#### NEW QUESTION 246

A web company is looking to implement an external payment service into their highly available application deployed in a VPC. Their application EC2 instances are behind a public-facing ELB. Auto scaling is used to add additional instances as traffic increases. Under normal load, the application runs 2 instances in the Auto Scaling group, but at peak it can scale 3x in size. The application instances need to communicate with the payment service over the Internet, which requires whitelisting of all public IP addresses used to communicate with it. A maximum of 4 whitelisting IP addresses are allowed at a time and can be added through an API.

How should they architect their solution?

- A. Route payment requests through two NAT instances setup for High Availability and whitelist the Elastic IP addresses attached to the NAT instances.
- B. Whitelist the VPC Internet Gateway Public IP and route payment requests through the Internet Gateway.
- C. Whitelist the ELB IP addresses and route payment requests from the Application servers through the ELB.
- D. Automatically assign public IP addresses to the application instances in the Auto Scaling group and run a script on boot that adds each instance's public IP address to the payment validation whitelist API.

**Answer:** D

#### NEW QUESTION 247

A customer has established an AWS Direct Connect connection to AWS. The link is up and routes are being advertised from the customer's end, however the customer is unable to connect from EC2 instances inside its VPC to servers residing in its datacenter.

Which of the following options provide a viable solution to remedy this situation? (Choose 2 answers)

- A. Add a route to the route table with an IPsec VPN connection as the target.
- B. Enable route propagation to the virtual private gateway (VGW).
- C. Enable route propagation to the customer gateway (CGW).
- D. Modify the route table of all instances using the 'route' command.
- E. Modify the instances' VPC subnet route table by adding a route back to the customer's on-premises environment.

**Answer:** AC

#### NEW QUESTION 251

You are running a news website in the eu-west-1 region that updates every 15 minutes. The website has a world-wide audience; it uses an Auto Scaling group behind an Elastic Load Balancer and an Amazon

RDS database. Static content resides on Amazon S3, and is distributed through Amazon CloudFront. Your Auto Scaling group is set to trigger a scale up event at 60% CPU utilization; you use an Amazon RDS extra large DB instance with 10,000 Provisioned IOPS. Its CPU utilization is around 80%. While freeable memory is in the 2 GB range.

Web analytics reports show that the average load time of your web pages is around 1.5 to 2 seconds, but your SEO consultant wants to bring down the average load time to under 0.5 seconds.

How would you improve page load times for your users? (Choose 3 answers)

- A. Lower the scale up trigger of your Auto Scaling group to 30% so it scales more aggressively.
- B. Add an Amazon ElastiCache caching layer to your application for storing sessions and frequent DB queries.
- C. Configure Amazon CloudFront dynamic content support to enable caching of re-usable content from your site.
- D. Switch the Amazon RDS database to the high memory extra large instance type.
- E. Set up a second installation in another region, and use the Amazon Route 53 latency-based routing feature to select the right region.

**Answer:** ABD

#### NEW QUESTION 252

A corporate web application is deployed within an Amazon Virtual Private Cloud (VPC) and is connected to the corporate data center via an IPsec VPN. The application must authenticate against the

on-premises LDAP server. After authentication, each logged-in user can only access an Amazon Simple Storage Service (S3) keyspace specific to that user.

Which two approaches can satisfy these objectives? (Choose 2 answers)

- A. Develop an identity broker that authenticates against IAM Security Token Service to assume a IAM role in order to get temporary AWS security credentials. The application calls the identity broker to get AWS temporary security credentials with access to the appropriate S3 bucket.
- B. The application authenticates against LDAP and retrieves the name of an IAM role associated with the user.
- C. The application then calls the IAM Security Token Service to assume that IAM role.
- D. The application can use the temporary credentials to access the appropriate S3 bucket.

- E. Develop an identity broker that authenticates against LDAP and then calls IAM Security Token Service to get IAM federated user credential
- F. The application calls the identity broker to get IAM federated user credentials with access to the appropriate S3 bucket.
- G. The application authenticates against LDAP the application then calls the AWS identity and AccessManagement (IAM) Security service to log in to IAM using the LDAP credentials the application can use the IAM temporary credentials to access the appropriate S3 bucket.
- H. The application authenticates against IAM Security Token Service using the LDAP credentials the application uses those temporary AWS security credentials to access the appropriate S3 bucket.

**Answer:** BC

#### NEW QUESTION 256

You have deployed a three-tier web application in a VPC with a CIDR block of 10.0.0.0/28. You initially deploy two web servers, two application servers, two database servers and one NAT instance for a total of seven EC2 instances. The web, application and database servers are deployed across two availability zones (AZs). You also deploy an ELB in front of the two web servers, and use Route53 for DNS. Web traffic gradually increases in the first few days following the deployment, so you attempt to double the number of instances in each tier of the application to handle the new load. Unfortunately, some of these new instances fail to launch.

Which of the following could be the root cause? (Choose 2 answers)

- A. AWS reserves the first and the last private IP address in each subnet's CIDR block so you do not have enough addresses left to launch all of the new EC2 instances
- B. The Internet Gateway (IGW) of your VPC has scaled-up, adding more instances to handle the traffic spike, reducing the number of available private IP addresses for new instance launches
- C. The ELB has scaled-up, adding more instances to handle the traffic spike, reducing the number of available private IP addresses for new instance launches
- D. AWS reserves one IP address in each subnet's CIDR block for Route53 so you do not have enough addresses left to launch all of the new EC2 instances
- E. AWS reserves the first four and the last IP address in each subnet's CIDR block so you do not have enough addresses left to launch all of the new EC2 instances

**Answer:** CE

#### NEW QUESTION 257

You are designing a personal document-archiving solution for your global enterprise with thousands of employees. Each employee has potentially gigabytes of data to be backed up in this archiving solution. The solution will be exposed to the employees as an application, where they can just drag and drop their files to the archiving system. Employees can retrieve their archives through a web interface. The corporate network has high bandwidth. AWS Direct Connect connects to AWS.

You have a regulatory requirement that all data needs to be encrypted before being uploaded to the cloud.

How do you implement this in a highly available and cost-efficient way?

- A. Manage encryption keys on-premises in an encrypted relational database
- B. Set up an on-premises server with sufficient storage to temporarily store files, and then upload them to Amazon S3, providing a client-side master key.
- C. Manage encryption keys in a Hardware Security Module (HSM) appliance on-premises server with sufficient storage to temporarily store, encrypt, and upload files directly into Amazon Glacier.
- D. Manage encryption keys in Amazon Key Management Service (KMS), upload to Amazon Simple Storage Service (S3) with client-side encryption using a KMS customer master key ID, and configure Amazon S3 lifecycle policies to store each object using the Amazon Glacier storage tier.
- E. Manage encryption keys in an AWS CloudHSM appliance
- F. Encrypt files prior to uploading on the employee desktop, and then upload directly into Amazon Glacier.

**Answer:** C

#### NEW QUESTION 258

You are designing a connectivity solution between on-premises infrastructure and Amazon VPC. Your servers on-premises will be communicating with your VPC instances. You will be establishing IPsec tunnels over the Internet. You will be using VPN gateways, and terminating the IPsec tunnels on AWS supported customer gateways.

Which of the following objectives would you achieve by implementing an IPsec tunnel as outlined above? Choose 4 answers

- A. End-to-end protection of data in transit
- B. End-to-end identity authentication
- C. Data encryption across the Internet
- D. Protection of data in transit over the Internet
- E. Peer identity authentication between VPN gateway and customer gateway
- F. Data integrity protection across the Internet

**Answer:** CDEF

#### NEW QUESTION 263

Which is a valid Amazon Resource name (ARN) for IAM?

- A. aws:iam::123456789012:instance-profile/Nebserver
- B. arn:aws:iam::123456789012:instance-profile/Webserver
- C. 123456789012:aws:iam::instance-profile/Nebserver
- D. arn:aws:iam::123456789012::instance-profile/Nebserver

**Answer:** B

#### NEW QUESTION 268

You are designing a data leak prevention solution for your VPC environment. You want your VPC instances to be able to access software depots and distributions on the Internet for product updates. The depots and distributions are accessible via third-party CDNs by their URLs. You want to explicitly deny any other outbound connections from your VPC instances to hosts on the Internet.

Which of the following options would you consider?



- A. Configure a web proxy server in your VPC and enforce URL-based rules for outbound access Remove default routes.
- B. Implement security groups and configure outbound rules to only permit traffic to software depots.
- C. Move all your instances into private VPC subnets remove default routes from all routing tables and add specific routes to the software depots and distributions only.
- D. Implement network access control lists to all specific destinations, with an Implicit deny as a rule

**Answer:** A

#### NEW QUESTION 272

Your system recently experienced down time during the troubleshooting process. You found that a new administrator mistakenly terminated several production EC2 instances.

Which of the following strategies will help prevent a similar situation in the future? The administrator still must be able to: launch, start stop, and terminate development resources. launch and start production instances.

- A. Create an IAM user, which is not allowed to terminate instances by leveraging production EC2 termination protection.
- B. Leverage resource based tagging, along with an IAM user which can prevent specific users from terminating production, EC2 resources.
- C. Leverage EC2 termination protection and multi-factor authentication, which together require users to authenticate before terminating EC2 instances
- D. Create an IAM user and apply an IAM role which prevents users from terminating production EC2 instances.

**Answer:** B

#### NEW QUESTION 277

A 3-tier e-commerce web application is currently deployed on-premises and will be migrated to AWS for greater scalability and elasticity The web server currently shares read-only data using a network distributed file system The app server tier uses a clustering mechanism for discovery and shared session state that depends on IP multicast The database tier uses shared-storage clustering to provide database fail over capability, and uses several read slaves for scaling Data on all servers and the distributed file system directory is backed up weekly to off-site tapes

Which AWS storage and database architecture meets the requirements of the application?

- A. Web servers: store read-only data in S3, and copy from S3 to root volume at boot time
- B. App servers: share state using a combination of DynamoDB and IP unicast
- C. Database: use RDS with multi-AZ deployment and one or more read replica
- D. Backup: web servers, app servers, and database backed up weekly to Glacier using snapshots.
- E. Web servers: store read-only data in an EC2 NFS share; mount to each web server at boot time
- F. App servers: share state using a combination of DynamoDB and IP multicast
- G. Database: use RDS with multi-AZ deployment and one or more Read Replica
- H. Backup: web and app servers backed up weekly via AMIs, database backed up via DB snapshots.
- I. Web servers: store read-only data in S3, and copy from S3 to root volume at boot time
- J. App servers: share state using a combination of DynamoDB and IP unicast
- K. Database: use RDS with multi-AZ deployment and one or more Read Replica
- L. Backup: web and app servers backed up weekly via AMIs, database backed up via DB snapshots.
- M. Web servers: store read-only data in S3, and copy from S3 to root volume at boot time
- N. App servers: share state using a combination of DynamoDB and IP unicast
- O. Database: use RDS with multi-AZ deployment
- P. Backup: web and app servers backed up weekly via AMIs, database backed up via DB snapshots.

**Answer:** C

#### NEW QUESTION 279

You need a persistent and durable storage to trace call activity of an IVR (Interactive Voice Response) system. Call duration is mostly in the 2-3 minutes timeframe. Each traced call can be either active or terminated. An external application needs to know each minute the list of currently active calls. Usually there are a few calls/second, but once per month there is a periodic peak up to 1000 calls/second for a few hours. The system is open 24/7 and any downtime should be avoided. Historical data is periodically archived to files. Cost saving is a priority for this project.

What database implementation would better fit this scenario, keeping costs as low as possible?

- A. Use DynamoDB with a "Calls" table and a Global Secondary Index on a "State" attribute that can equal to "active" or "terminated". In this way the Global Secondary Index can be used for all items in the table.
- B. Use RDS Multi-AZ with a "CALLS" table and an indexed "STATE" field that can be equal to "ACTIVE" or "TERMINATED". In this way the SQL query is optimized by the use of the Index.
- C. Use RDS Multi-AZ with two tables, one for "ACTIVE\_CALLS" and one for "TERMINATED\_CALLS". In this way the "ACTIVE\_CALLS" table is always small and effective to access.
- D. Use DynamoDB with a "Calls" table and a Global Secondary Index on a "Is Active" attribute that is present for active calls only
- E. In this way the Global Secondary Index is sparse and more effective.

**Answer:** C

#### NEW QUESTION 284

Your company hosts a social media site supporting users in multiple countries. You have been asked to provide a highly available design for the application that leverages multiple regions for the most recently accessed content and latency sensitive portions of the website The most latency sensitive component of the application involves reading user preferences to support web site personalization and ad selection. In addition to running your application in multiple regions, which option will support this application's requirements?

- A. Serve user content from S3. CloudFront and use Route53 latency-based routing between ELBs in each region Retrieve user preferences from a local DynamoDB table in each region and leverage SQS to capture changes to user preferences with SNS workers for propagating updates to each table.
- B. Use the S3 Copy API to copy recently accessed content to multiple regions and serve user content from S3. CloudFront with dynamic content and an ELB in each region Retrieve user preferences from an ElasticCache cluster in each region and leverage SNS notifications to propagate user preference changes to a worker node in each region.
- C. Use the S3 Copy API to copy recently accessed content to multiple regions and serve user content from S3 CloudFront and Route53 latency-based routing Between ELBs In each region Retrieve user preferences from a DynamoDB table and leverage SQS to capture changes to user preferences with SNS workers for propagating DynamoDB updates.

D. Serve user content from S3. CloudFront with dynamic content, and an ELB in each region Retrieve user preferences from an ElastiCache cluster in each region and leverage Simple Workflow (SWF) to manage the propagation of user preferences from a centralized OB to each ElastiCache cluster.

**Answer:** A

#### NEW QUESTION 287

You've been brought in as solutions architect to assist an enterprise customer with their migration of an e-commerce platform to Amazon Virtual Private Cloud (VPC) The previous architect has already deployed a 3-tier VPC.

The configuration is as follows: VPC: vpc-2f8bc447

IGW: igw-2d8bc445 NACL: ad-208bc448

Subnets and Route Tables: Web servers: subnet-258bc44d

Application servers: subnet-248bc44c Database servers: subnet-9189c6f9 Route Tables:

rtb-218bc449 rtb-238bc44b Associations:

subnet-258bc44d : rtb-218bc449 subnet-248bc44c : rtb-238bc44b subnet-9189c6f9 : rtb-238bc44b

You are now ready to begin deploying EC2 instances into the VPC Web servers must have direct access to the internet Application and database servers cannot have direct access to the internet.

Which configuration below will allow you the ability to remotely administer your application and database servers, as well as allow these servers to retrieve updates from the Internet?

- A. Create a bastion and NAT instance in subnet-258bc44d, and add a route from rtb- 238bc44b to the NAT instance.
- B. Add a route from rtb-238bc44b to igw-2d8bc445 and add a bastion and NAT instance within subnet-248bc44c.
- C. Create a bastion and NAT instance in subnet-248bc44c, and add a route from rtb- 238bc44b to subnet-258bc44d.
- D. Create a bastion and NAT instance in subnet-258bc44d, add a route from rtb-238bc44b to igw-2d8bc445, and a new NACL that allows access between subnet-258bc44d and subnet-248bc44

**Answer:** A

#### NEW QUESTION 292

You are designing a multi-platform web application for AWS The application will run on EC2 instances and will be accessed from PCs, tablets and smart phones Supported accessing platforms are Windows, MacOS, IOS and Android Separate sticky session and SSL certificate setups are required for different platform types which of the following describes the most cost effective and performance efficient architecture setup?

- A. Setup a hybrid architecture to handle session state and SSL certificates on-prem and separate EC2 Instance groups running web applications for different platform types running in a VPC.
- B. Set up one ELB for all platforms to distribute load among multiple instance under it Each EC2 instance implements all functionality for a particular platform.
- C. Set up two ELBs The first ELB handles SSL certificates for all platforms and the second ELB handles session stickiness for all platforms for each ELB run separate EC2 instance groups to handle the web application for each platform.
- D. Assign multiple ELBs to an EC2 instance or group of EC2 instances running the common components of the web application, one ELB for each platform type Session stickiness and SSL termination are done at the ELBs.

**Answer:** D

#### NEW QUESTION 296

A benefits enrollment company is hosting a 3-tier web application running in a VPC on AWS which includes a NAT (Network Address Translation) instance in the public Web tier. There is enough provisioned capacity for the expected workload for the new fiscal year benefit enrollment period plus some extra overhead Enrollment proceeds nicely for two days and then the web tier becomes unresponsive, upon investigation using CloudWatch and other monitoring tools it is discovered that there is an extremely large and unanticipated amount of inbound traffic coming from a set of 15 specific IP addresses over port 80 from a country where the benefits company has no customers. The web tier instances are so overloaded that benefit enrollment administrators cannot even SSH into them. Which actMty would be useful in defending against this attack?

- A. Create a custom route table associated with the web tier and block the attacking IP addresses from the IGW (Internet Gateway)
- B. Change the EIP (Elastic IP Address) of the NAT instance in the web tier subnet and update the Nlaln Route Table with the new EIP
- C. Create 15 Security Group rules to block the attacking IP addresses over port 80
- D. Create an inbound NACL (Network Access control list) associated with the web tier subnet with deny rules to block the attacking IP addresses

**Answer:** D

#### NEW QUESTION 298

You are developing a new mobile application and are considering storing user preferences in AWS.2w This would provide a more uniform cross-device experience to users using multiple mobile devices to access the application. The preference data for each user is estimated to be 50KB in size Additionally 5 million customers are expected to use the application on a regular basis. The solution needs to be cost-effective, highly available, scalable and secure, how would you design a solution to meet the above requirements?

- A. Setup an RDS MySQL instance in 2 availability zones to store the user preference dat
- B. Deploy apublic facing application on a server in front of the database to manage security and access credentials
- C. Setup a DynamoDB table with an item for each user having the necessary attributes to hold the user preference
- D. The mobile application will query the user preferences directly from the DynamoDB tabl
- E. Utilize ST
- F. Web Identity Federation, and DynamoDB Fine Grained Access Control to authenticate and authorize access.
- G. Setup an RDS MySQL instance with multiple read replicas in 2 availability zones to store the user preference data .The mobile application will query the user preferences from the read replica
- H. Leverage the MySQL user management and access prMlege system to manage security and access credentials.
- I. Store the user preference data in S3 Setup a DynamoDB table with an item for each user and an item attribute pointing to the user' S3 objec
- J. The mobile application will retrieve the S3 URL from DynamoDB and then access the S3 object directly utilize STS, Web identity Federation, and S3 ACLs to authenticate and authorize access.

**Answer:** B

#### NEW QUESTION 301

A web-startup runs its very successful social news application on Amazon EC2 with an Elastic Load Balancer, an Auto-Scaling group of Java/Tomcat application-servers, and DynamoDB as data store. The main web-application best runs on m2 x large instances since it is highly memory- bound Each new deployment requires semi-automated creation and testing of a new AMI for the application servers which takes quite a while ana is therefore only done once per week. Recently, a new chat feature has been implemented in nodejs and wails to be integrated in the architecture. First tests show that the new component is CPU bound Because the company has some experience with using Chef, they decided to streamline the deployment process and use AWS Ops Works as an application life cycle tool to simplify management of the application and reduce the deployment cycles.

What configuration in AWS Ops Works is necessary to integrate the new chat module in the most cost-efficient and filexible way?

- A. Create one AWS OpsWorks stack, create one AWS Ops Works layer, create one custom recipe
- B. Create one AWS OpsWorks stack create two AWS Ops Works layers, create one custom recipe
- C. Create two AWS OpsWorks stacks create two AWS Ops Works layers, create one custom recipe
- D. Create two AWS OpsWorks stacks create two AWS Ops Works layers, create two custom recipe

**Answer: C**

#### NEW QUESTION 305

How can an EBS volume that is currently attached to an EC2 instance be migrated from one Availability Zone to another?

- A. Detach the volume and attach it to another EC2 instance in the other AZ.
- B. Simply create a new volume in the other AZ and specify the original volume as the source.
- C. Create a snapshot of the volume, and create a new volume from the snapshot in the other AZ.
- D. Detach the volume, then use the ec2-migrate-volume command to move it to another AZ.

**Answer: C**

#### NEW QUESTION 307

When you put objects in Amazon S3, what is the indication that an object was successfully stored?

- A. A HTTP 200 result code and MD5 checksum, taken together, indicate that the operation was successful.
- B. Amazon S3 is engineered for 99.999999999% durabilit
- C. Therefore there is no need to confirm that data was inserted.
- D. A success code is inserted into the S3 object metadata.
- E. Each S3 account has a special bucket named \_s3\_log
- F. Success codes are written to this bucket witha timestamp and checksum.

**Answer: A**

#### NEW QUESTION 310

A company is storing data on Amazon Simple Storage Service (S3). The company's security policy mandates that data is encrypted at rest. Which of the following methods can achieve this?

Choose 3 answers

- A. Use Amazon S3 server-side encryption with AWS Key Management Service managed keys.
- B. Use Amazon S3 server-side encryption with customer-provided keys.
- C. Use Amazon S3 server-side encryption with EC2 key pair.
- D. Use Amazon S3 bucket policies to restrict access to the data at rest.
- E. Encrypt the data on the client-side before ingesting to Amazon S3 using their own master key.
- F. Use SSL to encrypt the data while in transit to Amazon S3.

**Answer: ABE**

#### NEW QUESTION 315

You've been hired to enhance the overall security posture for a very large e-commerce site They have a well architected multi-tier application running in a VPC that uses ELBs in front of both the web and the app tier with static assets served directly from S3 They are using a combination of RDS and DynamoOB for their dynamic data and then archMng nightly into S3 for further processing with EMR They are concerned because they found questionable log entries and suspect someone is attempting to gain unauthorized access.

Which approach provides a cost effective scalable mitigation to this kind of attack?

- A. Recommend that they lease space at a DirectConnect partner location and establish a 1G DirectConnect connection to their VPC they would then establish Internet connectMty into their space, filter the traffic in hardware Web Application Firewall (WAF). And then pass the traffic through the DirectConnect connection into their application running in their VPC.
- B. Add previously identified hostile source IPs as an explicit INBOUND DENY NACL to the web tier subnet
- C. Add a WAF tier by creating a new ELB and an AutoScaling group of EC2 Instances running ahost-based WAF They would redirect Route 53 to resolve to the new WAF tier ELB The WAF tier would their pass the traffic to the current web tier The web tier Security Groups would be updated to only allow traffic from the WAF tier Security Group
- D. Remove all but TLS 1.2 from the web tier ELB and enable Advanced Protocol Filtering This will enable the ELB itself to perform WAF functionality.

**Answer: C**

#### NEW QUESTION 316

Your company is in the process of developing a next generation pet collar that collects biometric information to assist families with promoting healthy lifestyles for their pets Each collar will push 30kb of biometric data In JSON format every 2 seconds to a collection platform that will process and analyze the data providing health trending information back to the pet owners and veterinarians via a web portal Nmanagement has tasked you to architect the collection platform ensuring the following requirements are met.

Provide the ability for real-time analytics of the inbound biometric data Ensure processing of the biometric data is highly durable. Elastic and parallel The results of the analytic processing should be persisted for data mining

Which architecture outlined below win meet the initial requirements for the collection platform?

- A. Utilize S3 to collect the inbound sensor data analyze the data from S3 with a daily scheduled Data Pipeline and save the results to a Redshift Cluster.
- B. Utilize Amazon Kinesis to collect the inbound sensor data, analyze the data with Kinesis clients and save the results to a Redshift cluster using EMR.
- C. Utilize SQS to collect the inbound sensor data analyze the data from SQS with Amazon Kinesis and save the results to a Microsoft SQL Server RDS instance.
- D. Utilize EMR to collect the inbound sensor data, analyze the data from EUR with Amazon Kinesis and save me results to DynamoDB.

**Answer: B**

**NEW QUESTION 318**

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### AWS-Certified-Solutions-Architect-Professional Practice Exam Features:

- \* AWS-Certified-Solutions-Architect-Professional Questions and Answers Updated Frequently
- \* AWS-Certified-Solutions-Architect-Professional Practice Questions Verified by Expert Senior Certified Staff
- \* AWS-Certified-Solutions-Architect-Professional Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AWS-Certified-Solutions-Architect-Professional Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The AWS-Certified-Solutions-Architect-Professional Practice Test Here](#)**