

# Exam Questions PL-300

Microsoft Power BI Data Analyst

<https://www.2passeasy.com/dumps/PL-300/>



#### NEW QUESTION 1

- (Topic 1)

You need to create relationships to meet the reporting requirements of the customer service department.  
What should you create?

- A. an additional date table named ShipDate, a one-to-many relationship from Sales[sales\_date\_id] to Date[date\_id], and a one-to-many relationship from Sales[sales\_ship\_date\_id] to ShipDate[date\_id]
- B. an additional date table named ShipDate, a many-to-many relationship from Sales[sales\_date\_id] to Date[date\_id], and a many-to-many relationship from Sales[sales\_ship\_date\_id] to ShipDate[date\_id]
- C. a one-to-many relationship from Date[date\_id] to Sales[sales\_date\_id] and another one- to-many relationship from Date[date\_id] to Weekly\_Returns[week\_id]
- D. a one-to-many relationship from Sales[sales\_date\_id] to Date[date\_id] and a one-to- manyrelationship from Sales[sales\_ship\_date\_id] to Date[date\_id]
- E. a one-to-many relationship from Date[date\_id] to Sales[sales\_date\_id] and another one- to-many relationship from Date[date\_id] to Sales[sales\_ship\_date\_id]

**Answer:** A

#### Explanation:

Scenario: The customer service department requires a visual that can be filtered by both sales month and ship month independently.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships- understand>

#### NEW QUESTION 2

- (Topic 1)

You need to create a calculated column to display the month based on the reporting requirements. Which DAX expression should you use?

- A. FORMAT('Date'[date], "MMM YYYY")
- B. FORMAT('Date' [date], "M YY")
- C. FORMAT('Date'[date\_id], "MMM") & "" & FORMAT('Date'[year], "#")
- D. FORMAT('Date' [date\_id], "MMM YYYY")

**Answer:** A

#### NEW QUESTION 3

- (Topic 1)

You need to address the data concerns before creating the data model. What should you do in Power Query Editor?

- A. Select Column distribution.
- B. Select the sales\_amount column and apply a number filter.
- C. Select Column profile, and then select the sales\_amount column.
- D. Transform the sales\_amount column to replace negative values with 0.

**Answer:** C

#### NEW QUESTION 4

- (Topic 2)

You need to recommend a strategy to consistently define the business unit, department, and product category data and make the data usable across reports.  
What should you recommend?

- A. Create a shared dataset for each standardized entity.
- B. Create dataflows for the standardized data and make the dataflows available for use in all imported datasets.
- C. For every report, create and use a single shared dataset that contains the standardized data.
- D. For the three entities, create exports of the data from the Power BI model to Excel and store the data in Microsoft OneDrive for others to use as a source.

**Answer:** B

#### NEW QUESTION 5

- (Topic 2)

Which two types of visualizations can be used in the balance sheet reports to meet the reporting goals? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a line chart that shows balances by quarter filtered to account categories that are long- term liabilities.
- B. a clustered column chart that shows balances by date (x-axis) and account category (legend) withoutfilters.
- C. a clustered column chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- D. a pie chart that shows balances by account category without filters.
- E. a ribbon chart that shows balances by quarter and accounts in the legend.

**Answer:** AE

#### Explanation:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>


#### NEW QUESTION 6


HOTSPOT - (Topic 3)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Filter type: 

Level: 

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual. Then there are more advanced filters.

Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option.

**NEW QUESTION 7**

- (Topic 3)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, add a date table
- E. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

**Answer:** B

**Explanation:**

Use Power Query to calculate calendar quarter and calendar month.

Scenario:

? A single dataset must support all three reports:

- The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

- The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category.

? The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

**NEW QUESTION 8**

- (Topic 3)

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders.

Which type of visualization should you create?

- A. bar chart
- B. scatterplot
- C. pie chart

**Answer:** A

**Explanation:**

Scenario: The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region

Customers that had multiple late shipments during the last quarter

Note: Bar and column charts are some of the most widely used visualization charts in Power BI. They can be used for one or multiple categories. Both these chart types represent data with rectangular bars, where the size of the bar is proportional to the magnitude of data values.

The difference between the two is that if the rectangles are stacked horizontally, it is called a bar chart. If the rectangles are vertically aligned, it is called a column chart.

Reference:

<https://www.pluralsight.com/guides/bar-and-column-charts-in-power-bi>


### NEW QUESTION 9

HOTSPOT - (Topic 3)

You need to create a solution to meet the notification requirements of the warehouse shipping department.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct select is worth one point:

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



### NEW QUESTION 10

- (Topic 3)

You need to configure access for the sales department users. The solution must me meet the security requirements. What should you do?

- A. Add the sales department as a member of the reports workspace
- B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.
- C. Distribute an app to the users in the Azure Active Directory group of the sales department.
- D. Share each report to the Azure Active Directory group of the sales department.

Answer: B

### NEW QUESTION 10

HOTSPOT - (Topic 3)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.

Late Orders Percent =


VAR OrderCount =

COUNTROWS ( 'Orders' )


VAR LateOrders =



COUNTROWS ( 'Orders' ),



(Order,



RETURN

DIVIDE ( LateOrders, OrderCount )

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CALCULATE

CALCULATE evaluates an expression in a modified filter context.

Syntax: CALCULATE(<expression>[, <filter1> [, <filter2> [, ...]]]) Expression - The expression to be evaluated.

filter1, filter2,... (Optional) Boolean expressions or table expressions that defines filters, or filter modifier functions.



Box 2: FILTER

FILTER returns a table that represents a subset of another table or expression. Syntax: FILTER(<table>,<filter>)

Table- The table to be filtered. The table can also be an expression that results in a table. Filter - A Boolean expression that is to be evaluated for each row of the table. For example, [Amount] > 0 or [Region] = "France"

Box 3: Orders[ShippedDate]> Orders[RequiredDate]

Northwind Traders defines late orders as those shipped after the required shipping date.

#### NEW QUESTION 14

- (Topic 3)

You need to create the dataset. Which dataset mode should you use?

- A. DirectQuery
- B. Import
- C. Live connection
- D. Composite

**Answer: D**

#### Explanation:

Composite Model means now you can have a model, that very large tables of that are coming from the DirectQuery connection, without the need for importing, and small tables to be imported to be accessible quickly.

#### NEW QUESTION 19

HOTSPOT - (Topic 4)

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£559,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.92	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.98%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,152,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
<b>Total</b>	<b>£9,952,759.56</b>	<b>£4,249,964.36</b>	<b>57.30%</b>

The indicator color for Total Sales will be based on % Growth to Last Year. The solution must use the existing calculations only.

How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

Conditional formatting:

Background color

Data bars

Font color

Icons

Web URL

Format by:

Color scale

Field value

Rules

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Box 1: Background color

To format the Color column based on its field values, select Conditional formatting for the Color field, and then select Background color or Font color.

In the Background color or Font color dialog box, select Field value from the Format by drop-down field.

Box 2: Field value

With conditional formatting for tables in Power BI Desktop, you can specify customized cell colors, including color gradients, based on field values.

#### NEW QUESTION 21

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column.

You need to ensure that you can analyze sales by product category.

How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Cardinality:

Cross-filter direction:

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Box 1: One-to-many

Box 2: Both

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).

Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

#### NEW QUESTION 24

- (Topic 4)

You are creating a Power BI report by using Power Bi Desktop.

You need to include a visual that shows trends and other useful information automatically. The visual must update based on selections in other visuals.

Which type of visual should you use?

- A. key influencers
- B. decomposition tree
- C. Q&A
- D. smart narrative

**Answer:** D

#### NEW QUESTION 29

DRAG DROP - (Topic 4)

You build a report about warehouse inventory data. The dataset has more than 10 million product records from 200 warehouses worldwide. You have a table named Products that contains the columns shown in the following table.

Name	Sample data
ProductDescription	Bikes > Adventure Works > Mountain Bikes > Super Carbon Bike > 26in wheels 42in frame
ProductCategory	Bikes
Manufacturer	Adventure Works
ProductSubcategory	Mountain Bikes
ProductSpecification	26in wheels 42in frame

Warehouse managers report that it is difficult to use the report because the report uses only the product name in tables and visuals. The product name is contained within the ProductDescription column and is always the fourth value. You need to modify the report to support the warehouse managers requirement to explore inventory levels at different levels of the product hierarchy. The solution must minimize the model size. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.

Replace the use of ProductDescription in the report with the product hierarchy.

Transform the ProductDescription column to contain only the text between the first and fourth > symbol.

Add the product hierarchy as an extra field in visuals where ProductDescription is used.

Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.

Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.

Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.

Replace the use of ProductDescription in the report with the product hierarchy.

Transform the ProductDescription column to contain only the text between the first and fourth > symbol.

Add the product hierarchy as an extra field in visuals where ProductDescription is used.

Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.

Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.

Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

Answer Area

Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.

Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

Replace the use of ProductDescription in the report with the product hierarchy.

NEW QUESTION 32

- (Topic 4)

You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Answer: AD

Explanation:

Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations. By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others. Reference: https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers



### NEW QUESTION 35

- (Topic 4)

Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North.

You have a data model that contains employee information by state. The model does NOT include region information.

You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible. What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

**Answer: B**


### Explanation:

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with- power-bi/>

### NEW QUESTION 36

HOTSPOT - (Topic 4)

You view a query named Transactions as shown in the following exhibit.



The query gets CSV files from a folder.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.



Answer Area

There are [answer choice] CSV files:

Removing duplicates based on the Date column will reduce the dataset to [answer choice] rows:

- A. Mastered  
B. Not Mastered

Answer: A

**Explanation:**

Box 1: 9

9 distinct CSV files.

Box 2: 10

10 distinct dates.

[https://pediaa.com/what-is-the-difference-between-unique-and-distinct-in-sql/#:~:text=Unique%20and%20Distinct%20are%20two%20SQL%20constraints.,the%20re cords%20from%20a%20table.](https://pediaa.com/what-is-the-difference-between-unique-and-distinct-in-sql/#:~:text=Unique%20and%20Distinct%20are%20two%20SQL%20constraints.,the%20re%20cords%20from%20a%20table.)

**NEW QUESTION 40**

FILL IN THE BLANK - (Topic 4)

You have the Power Bi dashboard shown in the Dashboard exhibit (Click the Dashboard tab.)

You need to ensure that when users view the dashboard on a mobile device, the dashboard appears as shown in the Mobile exhibit. (Click the Mobile tab.)

What should you do? To answer, select the appropriate options m the answer area NOTE: Each correct selection is worth one point.

- A. Mastered  
B. Not Mastered

Answer: A

**Explanation:**

Answer as selected

Answer Area

Update the layout in the: Report mobile layout

Resize and move: The Total Sales by Parent Category tile

**NEW QUESTION 41**

- (Topic 4)

You build a Power BI report that displays 10T temperature data streaming from a refrigerator.

You publish the report to the BI service.

You need to be notified when the temperature rises above four degrees Celsius. What should you do?

- A. Pin a report page to a dashboard and set an alert on the page.  
B. Set an alert on a KPI visual in the report.  
C. Pin a card visual to a dashboard and set an alert on the tile.  
D. Pin a card visual to a dashboard and create a subscription.

Answer: A

**NEW QUESTION 44**

- (Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows historical employee counts and predicts trends during the next six months.

Which type of visualization should you use?


- A. key influences  
B. ribbon chart  
C. line chart  
D. scatter chart

Answer: C

**NEW QUESTION 46**

HOTSPOT - (Topic 4)

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

### Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice].

Customers  
 Insurance  
 Insurance Data  
 Sale

The dashboard uses a dataset named [answer choice].

Customers  
 Insurance  
 Insurance Data  
 Sale

- A. Mastered
- B. Not Mastered

Answer: A

### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

### NEW QUESTION 49

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59. You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Change the data type of the Logged column to Date.
- B. Apply a transform to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- D. Apply a transform to extract the first 11 characters of the Logged column.

Answer: C

### NEW QUESTION 53

- (Topic 4)

You are creating a query to be used as a Country dimension in a star schema. A snapshot of the source data is shown in the following table.

Country	City
USA	Seattle
USA	New York
USA	Denver
UK	Manchester
UK	London
Japan	Tokyo
Brazil	Rio
Brazil	Sao Paulo

You need to create the dimension. The dimension must contain a list of unique countries. Which two actions should you perform? Each correct answer presents part of the solution.

- A. Remove duplicates from the Country column.
- B. Remove duplicates from the City column.
- C. Remove duplicates from the table.
- D. Delete the City column.
- E. Delete the Country column.

**Answer:** AD

**Explanation:**

To create a dimension table for Country from your source data, you need to perform these two actions:

- 1. Delete the City column. You don't need this column for your Country dimension, as it is not a descriptive attribute of Country. You can create another dimension table for City if you want to use it in your analysis.
- 2. Remove duplicates from the Country column. You want to have a list of unique countries in your dimension table, so you need to remove any duplicate values from this column.

**NEW QUESTION 54**

FILL IN THE BLANK - (Topic 4)

You have a Power BI model that contains a table named Date. The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer is below.

Month Year Sort = [Year] / 100 + [Month Number]

**NEW QUESTION 59**

- (Topic 4)

You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country,

You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages. What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3.
- D. Move the Country slicer from page 2 and page 3 to page 1.

**Answer:** B

**NEW QUESTION 61**

- (Topic 4)

You have a large dataset that contains more than 1 million rows. The table has a datetime column named Date.

You need to reduce the size of the data model. What should you do?



- A. Round the hour of the Date column to startOfHour.  
 B. Change the data type of the Date column to Text.  
 C. Trim the Date column.  
 D. Split the Date column into two columns, one that contains only the time and another that contains only the date.

**Answer: D**

**Explanation:**

We have to separate date & time tables. Also, we don't need to put the time into the date table, because the time is repeated every day.  
 Split your DateTime column into a separate date & time columns in fact table, so that you can join the date to the date table & the time to the time table. The time need to be converted to the nearest round minute or second so that every time in your data corresponds to a row in your time table.

Reference:

<https://intellipaat.com/community/6461/how-to-include-time-in-date-hierarchy-in-power-bi>

**NEW QUESTION 62**

DRAG DROP - (Topic 4)

Exhibit:

Month	Year	Sales	Profit
9	Sep	552	357
10	Oct	7838	24214
11	Nov	83544	257
12	Dec	32455	389

You need to create a report that meets the requirements:

- Visualizes the Sales value over a period of years and months
- Adds a Slicer for the month
- Adds a Slicer for the year

Which three actions Should you perform in sequence?

**Actions**

Rename the Attribute column as Year and the Value column as Sales.

Select the 2019, 2020, and 2021 columns.

Select **Transpose**.

Select the Month and MonthNumber columns.

Select **Unpivot other columns**.

1
2
3

>
<

**Answer Area**

1
2
3

(
(

- A. Mastered  
 B. Not Mastered

**Answer: A**

**Explanation:**

**Actions**

Rename the Attribute column as Year and the Value column as Sales.

Select the 2019, 2020, and 2021 columns.

Select **Transpose**.

Select the Month and MonthNumber columns.

Select **Unpivot other columns**.

1
2
3

>
<

**Answer Area**

1
2
3

(
(

**NEW QUESTION 65**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create an average line by using the Salary measure. Does this meet the goal?

- A. Yes  
 B. No

**Answer: B**

**Explanation:**

Instead create a percentile line by using the Salary measure and set the percentile to 50%. Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

[https://dash-intel.com/powerbi/statistical\\_functions\\_percentile.php](https://dash-intel.com/powerbi/statistical_functions_percentile.php)

**NEW QUESTION 69**

FILL IN THE BLANK - (Topic 4)

You need to create a relationship in the dataset for RLS.

What should you do? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as below

NEW QUESTION 72

- (Topic 4)

You have a report that contains a donut chart and a clustered column chart. Interactions between the visuals use the default settings. You need to modify the report so that when you select a column m the column chart, the donut chart redraws by using the data from the selected column. What should you do?

- A. Select the column chart and set the donut chart interaction to None.
- B. Select the column chart and set the donut chart interaction to Filter.
- C. Select the donut chart and set the column chart interaction to Filter.
- D. Select the donut chart and set the column chart interaction to None.

Answer: B

NEW QUESTION 73

DRAG DROP - (Topic 4)

You are building a dataset from a JSON file that contains an array of documents. You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in Microsoft Power BI reports. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Expand the columns.

Expand the records.

Add columns that use data type conversions.

Set the data types.

Convert the list to a table.

Answer Area

<

>

⬆

⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1- Convert list to table 2- Expand Column  
3- Set Date type  
Here is an example: <https://youtu.be/B4kzyxnhQfI>  
The definition of the function which expand columns: <https://docs.microsoft.com/en-us/powerquery-m/table-expandrecordcolumn>

NEW QUESTION 78

- (Topic 4)

You have data in a Microsoft Excel worksheet as shown in the following table.

	A	B	C
1	SKU	price	discount
2	P00001	100	0.08
3	P00002	150	0.03
4	P00003	130	#DIV/0!
5	P00004	200	0.06
6	P00005	80	#NAME?
7	P00006	350	#N/A
8	P00007	100	#NULL!
9	P00008	200	0.05
10	P00009	135	#NUM!
11	P00010	90	#REF!
12	P00011	120	#VALUE!

You need to use Power Query to clean and transform the dataset. The solution must meet the following requirements:

- If the discount column returns an error, a discount of 0.05 must be used.
- All the rows of data must be maintained.
- Administrative effort must be minimized. What should you do in Power Query Editor?

- A. Select Keep Errors
- B. Edit the query in the Query Errors group.
- C. Select Replace Errors
- D. Select Remove Errors.

**Answer: C**

#### NEW QUESTION 79

- (Topic 4)

You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com. they can see which dashboards contain Personally Identifiable Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

- A. Active Directory groups
- B. tiles
- C. data classifications
- D. comments

**Answer: A**

#### NEW QUESTION 83

- (Topic 4)

You are reviewing a query that produces 10,000 rows in the Power Query Editor. You need to identify whether a column contains only unique values.

Which two Data Preview options can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Column profile
- B. Column distribution
- C. Show whitespace
- D. Column quality
- E. Monospace

**Answer: AB**

#### Explanation:

B: Column distribution: This feature provides a set of visuals underneath the names of the columns that showcase the frequency and distribution of the values in each of the columns. The data in these visualizations is sorted in descending order from the value with the highest frequency.

By hovering over the distribution data in any of the columns, you get information about the overall data in the column (with distinct count and unique values).

A: Column profile: This feature provides a more in-depth look at the data in a column [compared to column distribution]. Apart from the column distribution chart, it contains a column statistics chart.

Reference:

<https://docs.microsoft.com/en-us/power-query/data-profiling-tools>

#### NEW QUESTION 84

- (Topic 4)

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the users in your organization.

You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?



- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gatewa
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gatewa
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References: https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes

NEW QUESTION 87

HOTSPOT - (Topic 4)

You are creating a column chart visualization.

You configure groups as shown in the Groups exhibit. {Click the Groups tab.}

### Groups

NameSepal.Width (bins)FieldSepal.Width

Group typeBinMin value2

Bin TypeNumber of binsMax value4.4


Binning splits numeric or date/time data by an amount you specify. The default bin count is calculated based on your data.

Bin count10Bin size0.24000000000000005

Reset to default

OKCancel

The visualization appears as shown in the Chart exhibit. (Click the Chart tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**Answer Area**

Statements	Yes	No
The data is segmented into 10 groups.	<input checked="" type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input checked="" type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input checked="" type="radio"/>


**NEW QUESTION 91**

- (Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values.

End of repeated scenario.

You implement the Power BI model.

You need to add a new column to the Product Subcategory table that uses the following formula.

=if [Subcategory] =null then "NA" else [Subcategory] Which command should you use in Query Editor?

- A. Column From Examples
- B. Custom Column
- C. Invoke Custom Function

D. Conditional Column

**Answer:** D

**Explanation:**

References: <http://community.powerbi.com/t5/Desktop/if-then-else/td-p/117999>

#### NEW QUESTION 94

- (Topic 4)

You have a Power BI workspace named Inventory that contains a dataset a report and a dashboard.

You need to add an additional tile to the dashboard. The tile must show inventory by location. This information is NOT visualized in the report. The solution must minimize the impact on the report.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Use quick insights on the dashboard.
- B. Hide the report page.
- C. Ask a question by using Q&A.
- D. Add the visual to the report.
- E. Pin the visual to the dashboard.

**Answer:** CE

#### NEW QUESTION 97

- (Topic 4)

From Power Query Editor, you attempt to execute a query and receive the following error message.

Datasource.Error: could not find file.

What are two possible causes of the error? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The file is locked
- B. An incorrect privacy level was used for the data source.
- C. The referenced file was moved to a new location
- D. You do not have permissions to the file.

**Answer:** BD

#### NEW QUESTION 101

- (Topic 4)

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on premises Microsoft SQL server. The Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- Minimize online processing operations.
- Minimize calculation times and render times for visuals.
- include data from the current year, up to and including the previous day. What should you do?

- A. Create a dataflows connection that has Import mode selected and schedule a dairy refresh.
- B. Create a dataflows connection that has DirectQuery mode selected.
- C. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

**Answer:** A

#### NEW QUESTION 105

HOTSPOT - (Topic 4)

You have a Power BI report that contains the table visual shown in the following exhibit.

OrderDate	Total Sales	Total Cost
01-Oct-22	10.75	8.06
03-Oct-22	98.50	73.88
07-Oct-22	43.00	32.25
11-Oct-22	25.99	19.49
12-Oct-22	156.00	117.00
15-Oct-22	40.80	30.60



Answer Area

Type: 

MatrixMulti-row cardTable

Format: 

Set Rows subtotals to Off.Set Stepped layout to Off.Set Switch values to rows to On.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Type: 

MatrixMulti-row cardTable

Format: 

Set Rows subtotals to Off.Set Stepped layout to Off.Set Switch values to rows to On.

NEW QUESTION 110

DRAG DROP - (Topic 4)

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex. The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

\*There is a one-to-one relationship between Sales\_Region and Region\_Manager.

\*There are more records in Manager than in Region\_Manager, but every record in Region\_Manager has a corresponding record in Manager.

\*There are more records in Sales\_Manager than in Sales\_Region, but every record in Sales\_Region has a corresponding record in Sales\_Manager.

You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Merge [Region\_Manager] and [Manager] by using an inner join.

Merge [Sales\_Manager] and [Sales\_Region] by using a left join.

Merge [Sales\_Region] and [Sales\_Manager] by using an inner join.

Merge [Sales\_Region] and [Sales\_Manager] by using an inner join as a new query named [Sales\_Region\_and\_Manager].

Merge [Sales\_Region] and [Region\_Manager] by using a right join as a new query named [Sales\_Region\_and\_Region\_Manager].

Merge [Sales\_Region] and [Region\_Manager] by using an inner join.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

\* 1.Merge [Region\_Manager] and [Manager] by using an inner join. 3.Merge [Sales\_Region] and [Sales\_Manager] by using an inner join. 6.Merge [Sales\_Region] and [Region\_Manager] by using an inner join.

#### NEW QUESTION 114

- (Topic 4)

You are developing a sales report that will have multiple pages. Each page will answer a different business question.

You plan to have a menu page that will show all the business questions.

You need to ensure that users can click each business question and be directed to the page where the question is answered. The solution must ensure that the menu page will work when deployed to any workspace.

What should you include on the menu page?

- A. Create a text box for each business question and insert a link.
- B. Create a button for each business question and set the action type to Bookmark.
- C. Create a Power Apps visual that contains a drop-down list.
- D. The drop-down list will contain the business questions.

**Answer: B**

#### Explanation:

When you create a bookmark, the following elements are saved with the bookmark: - The current page - Filters - Slicers, including slicer type (for example, dropdown or list) and slicer state - Visual selection state (such as cross-highlight filters) - Sort order - Drill location - Visibility of an object (by using the Selection pane) - The focus or Spotlight modes of any visible object

#### NEW QUESTION 115

HOTSPOT - (Topic 4)


You have a table that contains the following three columns:

? City

? Total Sales

? Occupation

You need to create a key influencers visualization as shown in the exhibit. (Click the Exhibit tab.)



How should you configure the visualization? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Analyze: 

City
Occupation
Total Sales

Explain by: 

City
Occupation
Total Sales

Expand by: 

City
Occupation
Total Sales

- A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Total Sales Box 2: Occupation

Box 3: City

You can use Expand By to add fields you want to use for setting the level of the analysis without looking for new influencers.

**NEW QUESTION 120**

DRAG DROP - (Topic 4)

You have the Power BI data model shown in the following exhibit.


You create two row-level security (RLS) roles named Manager and CFO. You plan to publish the dataset to the Power BI service.

You need to create DAX expressions for the RLS filters. The solution must meet the following requirements:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.
- The CFO must be prevented from seeing the data in the Human Resources table.
- The CFO must see the sales data of all countries.

How should you complete the DAX expressions to meet the requirements? To answer, drag the appropriate expressions to the correct targets. Each expression may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



The Country table contains the following data.



Country	Manager	Email
USA	CFO	cfo@msn.com
France	Phillipe	phillipe@msn.com
Brazil	Juan	juan@msn.com
Singapore	Srini	srini@msn.com

You plan to publish the dataset to the Power BI service.

You need to create DAX expressions for the RLS filters. The solution must meet the following requirements:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.
- The CFO must be prevented from seeing the data in the Human Resources table.
- The CFO must see the sales data of all countries.

How should you complete the DAX expressions to meet the requirements? To answer, drag the appropriate expressions to the correct targets. Each expression may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Table Filter DAX Expression	Answer Area
[Country]= "USA"	Human Resources: <input type="text"/>
[Email]= userprincipalname()	Country: <input type="text"/>
[Manager]= "CFO"	
False()	
True()	

- A. Mastered  
 B. Not Mastered

Answer: A

Explanation:

Table Filter DAX Expression	Answer Area
[Country]= "USA"	Human Resources: [Email]= userprincipalname()
[Email]= userprincipalname()	Country: [Country]= "USA"
[Manager]= "CFO"	
False()	
True()	

#### NEW QUESTION 125

- (Topic 4)

You have a Power BI dashboard that monitors the quality of manufacturing processes. The dashboard contains the following elements:

- ? A line chart that shows the number of defective products manufactured by day.
- ? A KPI visual that shows the current daily percentage of defective products manufactured.

You need to be notified when the daily percentage of defective products manufactured exceeds 3%.

What should you create?

- A. a Q&A visual  
 B. a subscription  
 C. a smart narrative visual  
 D. an alert

Answer: D

#### NEW QUESTION 128

- (Topic 4)

You have a Power BI report that uses row-level security (RLS).

You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets. or dashboards.

What should you do?

- A. Add the Azure network security team as members of the RLS role.  
 B. Instruct the Azure network security team to create security group  
 C. Configure RLS to use the groups.  
 D. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.  
 E. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.

Answer: B

Explanation:

It is common practice that the PBI developer creates RLS groups and instructs the network team to create the corresponding AD roles. Then the developer

assigns the AD groups to the RLS groups.

### NEW QUESTION 132

- (Topic 4)

You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files. You need to ensure that the reports are encrypted.

What should you implement?

- A. dataset certifications
- B. row-level security (RLS)
- C. sensitivity labels
- D. Microsoft Intune policies

**Answer: C**

#### Explanation:

General availability of sensitivity labels in Power BI.

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied on datasets, reports, dashboards, and dataflows. When data is exported from Power BI to Excel, PowerPoint or PDF files, Power BI automatically applies a sensitivity label on the exported file and protects it according to the label's file encryption settings. This way your sensitive data remains protected no matter where it is.

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-power-bi-data-protection-ga-and-introducing-new-capabilities/>

### NEW QUESTION 134

- (Topic 4)

You have a Power BI report for the marketing department. The report reports on web traffic to a blog and contains data from the following tables.

Table name	Source	Description	Column name
Posts	Blog RSS feed	An XML representation of all the blog posts from your company's website	<ul style="list-style-type: none"> <li>Publish Date</li> <li>URL</li> <li>Title</li> <li>Full Text</li> <li>Summary</li> </ul>
Traffic	Website logs	Activity data from your company's entire website	<ul style="list-style-type: none"> <li>DateTime</li> <li>URL Visited</li> <li>IP Address</li> <li>Browser Agent</li> <li>Referring URL</li> </ul>

There is a one-to-many relationship from Posts to Traffic that uses the URL and URL Visited columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Top 10 blog posts of all time	Posts[Title] Traffic[DateTime]	None
Top 10 blog posts from the last seven days	Posts[Title] Traffic[DateTime]	Traffic[DateTime] is in the last 7 days
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Top 10 external referrals to the blog of all time	Traffic[Referring URL]	Traffic[URL Visited] contains "blog" AND Traffic[Referring URL] does not start with "/"

The dataset takes a long time to refresh.

You need to modify Posts and Traffic queries to reduce load times.

Which two actions will reduce the load times? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the rows in Traffic in which Traffic [Referring URL] does not start with "/"
- B. Remove the rows in Posts in which Post [Publish Date] is in the last seven days.
- C. Remove Traffic [IP Address], Traffic [Browser Agent], and Traffic [Referring URL].
- D. Remove Posts [Full Text] and Posts [Summary].
- E. Remove the rows in Traffic in which Traffic [URL visited] does not contain "blog"

**Answer: DE**

### NEW QUESTION 135

DRAG DROP - (Topic 4)

You have a Microsoft Excel workbook that contains two tables.

From Power BI, you create a dashboard that displays data from the tables. You update the tables each day.

You need to ensure that the virtualizations in the dashboard are updated daily.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to answer area and arrange them in the correct order.

**Actions**

For each dataset, modify the Schedule Refresh settings.

Download and install an on-premises data gateway (personal).

For each dataset, modify the Gateway Connection settings.

Add subscriptions for the reports.

Download and install Power BI Desktop.

**Answer Area**

➤

➤

⬆

⬇

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>

### NEW QUESTION 139

HOTSPOT - (Topic 4)

You plan to create a Power BI dataset to analyze attendance at a school. Data will come from two separate views named View1 and View2 in an Azure SQL database. View1 contains the columns shown in the following table.

Name	Data type
Attendance Date	Date
Student ID	Bigint
Period Number	Tinyint
Class ID	Int

View2 contains the columns shown in the following table.

Name	Data type
Class ID	Bigint
Class Name	Varchar(200)
Class Subject	Varchar(100)
Teacher ID	Int
Teacher First Name	Varchar(100)
Teacher Last Name	Varchar(100)
Period Number	Tinyint
School Year	Varchar(50)
Period Start Time	Time
Period End Time	Time

The views can be related based on the Class ID column.

Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID.

You need to design a star schema data model by using the data in both views. The solution must facilitate the following analysis:

- ? The count of classes that occur by period
- ? The count of students in attendance by period by day
- ? The average number of students attending a class each month

In which table should you include the Teacher First Name and Period Number fields? To answer, select the appropriate options in the answer area.



NOTE: Each correct selection is worth one point.

Answer Area

Teacher First Name:

Attendance fact

**Class dimension**

Teacher dimension

Teacher fact

Period Number:

Attendance fact

Class dimension

Period dimension

Period fact

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Teacher dimension Class dimension

NEW QUESTION 140

- (Topic 4)  
You publish a Microsoft Power BI dataset to powerbi.com. The dataset appends data from an on-premises Oracle database and an Azure SQL database by using one query.  
You have admin access to the workspace and permission to use an existing On-premises data gateway for which the Oracle data source is already configured.  
You need to ensure that the data is updated every morning. The solution must minimize configuration effort.  
Which two actions should you perform when you configure scheduled refresh? Each correct answer presents part of the solution.  
NOTE: Each correct selection is worth one point.

- A. Configure the dataset to use the existing On-premises data gateway.
- B. Deploy an On-premises data gateway in personal mode.
- C. Set the refresh frequency to Daily.
- D. Configure the dataset to use the personal gateway.

Answer: AC

Explanation:  
<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-personal-mode>

NEW QUESTION 144

HOTSPOT - (Topic 4)  
You have a dataset that has the permissions shown in the following exhibit.  
Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with

**delete**

Users in the corp group can [answer choice] the dataset.

grant the Build permission for

grant the Read permission for

**remove a table from**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to

use Analyze in Excel with i

delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for

grant the Read permission for

remove a table from

NEW QUESTION 146

FILL IN THE BLANK - (Topic 4)

You have a Power 31 data model that contains a table named Stores. The table has the following columns:

- \* Store Name
- \* Open Date
- \* Status
- \* State
- \* City

You need to create a calculated column named Active Store Name that meets the following requirements:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below

Active Store Name = IF ([Status] = "A", [Store Name], "Inactive - " & [Store Name])

NEW QUESTION 149

DRAG DROP - (Topic 4)

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.

Every Product has a ProductSubCategory.

Not every ProductsubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.

How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Join kind
ProductSubCategory	ProductCategory	Join kind

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Inner
ProductSubCategory	ProductCategory	Left outer

NEW QUESTION 151

DRAG DROP - (Topic 4)

You are modeling data in table named SalesDetail by using Microsoft Power BI.  
You need to provide end users with access to the summary statistics about the SalesDetail data. The users require insights on the completeness of the data and the value distributions.  
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Specify the following query, then close and apply.  
-Table.Distinct("#SalesDetail")

Create a visual for the query table.

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Specify the following query, then close and apply.  
-Table.Profile("#SalesDetail")

Create a blank query as a data source.

Answer Area

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Specify the following query, then close and apply.  
-Table.Distinct("#SalesDetail")

Create a visual for the query table.

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Specify the following query, then close and apply.  
-Table.Profile("#SalesDetail")

Create a blank query as a data source.

Answer Area

Create a blank query as a data source.

Specify the following query, then close and apply.  
-Table.Profile("#SalesDetail")

Create a visual for the query table.

NEW QUESTION 154

- (Topic 4)

In Power BI Desktop, you are building a sales report that contains two tables. Both tables have row-level security (RLS) configured.  
You need to create a relationship between the tables. The solution must ensure that bidirectional cross-filtering honors the RLS settings.  
What should you do?

- A. Create an active relationship between the tables and select Assume referential integrity.
- B. Create an inactive relationship between the tables and select Assume referential integrity.
- C. Create an inactive relationship between the tables and select Apply security filter in both directions.

D. Create an active relationship between the tables and select Apply security filter in both directions.

**Answer:** D

**Explanation:**

By default, row-level security filtering uses single-directional filters, whether the relationships are set to single direction or bi-directional. You can manually enable bi- directional cross-filtering with row-level security by selecting the relationship and checking the Apply security filter in both directions checkbox. Select this option when you've also implemented dynamic row-level security at the server level, where row-level security is based on username or login ID.

Reference:

<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

**NEW QUESTION 156**

- (Topic 4)

You have a Power BI report. The report contains a line chart that displays sales data for several regions.

You need to add an element to the report that will enable users to filter the sales data to include only a selected region.

Which two elements achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a slicer visual
- B. a drillthrough filter
- C. a table visual
- D. a card visual
- E. a Key Performance Indicator (KPI) visual

**Answer:** AD

**NEW QUESTION 157**

DRAG DROP - (Topic 4)

You have a Microsoft Excel spreadsheet that contains the data shown in the following table.

Department	Stage	School1	School2	School3	School4
Mathematics	1	75	65	90	70
Mathematics	2	80	70	80	75
Geography	1	95	65	80	75
Geography	2	80	70	80	75

You plan to build a data model for a Power BI report.

You need to prepare the data so that it is available to the model in the format shown in the following table.

Department	School	Avg Score
Mathematics	School1	77.5
Geography	School1	87.5

Which three actions should you perform in sequence in Power Query Editor? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.
- Select and unpivot the [Department] and [Stage] columns.
- Select the [Department] and [Stage] columns and unpivot the other columns.
- Rename the [Attribute] column as [School] and the [Value] column as [Score].
- Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

**Answer Area**

>

<

^

v

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



Actions

Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the average function on the [Stage] column.

Select and unpivot the [Department] and [Stage] columns.

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

Answer Area

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column.

NEW QUESTION 161

HOTSPOT - (Topic 4)

You are using Power Bi Desktop to connect to an Azure SQL database The connection is configured as shown in the following exhibit.

SQL Server database

Server ⓘ

mydb.database.windows.net

Database (optional)

db1

Data Connectivity mode ⓘ

Import

DirectQuery

Advanced options

Command timeout in minutes (optional)

SQL statement (optional, requires database)

☒ Include relationship columns

☐ Navigate using full hierarchy

☐ Enable SQL Server Failover support

OK

Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE: Each correct solution is worth one point

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

unlimited

one minute

10 minutes

The Navigator will display [answer choice].

all the tables

only tables that contain data

only tables that contain hierarchies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://docs.microsoft.com/en-us/power-query/connectors/azuresqldatabase

The following table lists all of the advanced options you can set in Power Query Desktop and Power Query Online.

Advanced option Description

Command timeout in minutes

If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

SQL statement

For information, go to Import data from a database using native database query. Include relationship columns

If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

Navigate using full hierarchy

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Enable SQL Server Failover support

If checked, when a node in the Azure SQL failover group isn't available, Power Query moves from that node to another when failover occurs. If cleared, no failover occurs.



#### NEW QUESTION 166

FILL IN THE BLANK - (Topic 4)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Answer as below

**Answer Area**

```

Late Orders Percent =
VAR OrderCount =
    COUNTROWS ( 'Orders' )
VAR LateOrders =
    CALCULATE (
        COUNTROWS ( 'Orders' ),
        FILTER ( Orders, Orders[ShippedDate] > Orders[RequiredDate] )
    )
    
```

#### NEW QUESTION 171

- (Topic 4)

What should you create to meet the reporting requirements of the sales department?

- A. a calculated column that uses the following formula: `IF( ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))`
- B. a measure that uses the following formula: `SUM(Sales[sales_amount])`
- C. a measure that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)),[sales_amount])`
- D. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`

- A. Option A
- B. Option B
- C. option C
- D. Option D

**Answer:** C

#### NEW QUESTION 173

- (Topic 4)

You have a report in Power BI named report1 that is based on a shared dataset.

You need to minimize the risk of data exfiltration for report1. The solution must prevent other reports from being affected.

What should you do?

- A. Clear Allow recipients to share your dashboard and Allow users to build new content using the underlying datasets for the dataset.
- B. Select the Allow end users to export both summarized and underlying data from the service or Report Server Export data option for the report.
- C. Select the Don't allow end users to export any data from the service or Report Server Export data option for the report.
- D. Apply row-level security (RLS) to the shared dataset.

**Answer:** C

#### NEW QUESTION 175

- (Topic 4)

From Power BI Desktop, you publish a new dataset and report to a Power BI workspace. The dataset has a row-level security (RLS) role named HR. You need to ensure that the HR team members have RLS applied when they view reports based on the dataset. What should you do?

- A. From Power BI Desktop, change the Row-Level Security settings.
- B. From Power BI Desktop, import a table that contains the HR team members
- C. From powerbi.com, add users to the HR role for the dataset.
- D. From powerbi.com, share the dataset to the HR team members.

**Answer:** C

#### NEW QUESTION 176

DRAG DROP - (Topic 4)

You have a folder that contains 100 CSV files.  
You need to make the file metadata available as a single dataset by using Power BI The solution must NOT store the data of the CSV files.  
Which three actions should you perform in sequence. To answer, mow the appropriate actions from the list of actions to the answer area and arrange them m the correct order.  
NOTE; More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

From Power Query Editor, remove the Attributes column.

From Power Query Editor, remove the Content column.

From Power BI Desktop, select Get Data, and then select Text/CSV.

From Power BI Desktop, select **Get Data**, and then select Folder.

From Power Query Editor, expand the Attributes column.

From Power Query Editor, combine the Content columns.

>

<

Answer Area

<

>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
From Power BI Desktop, select Get Data, and then select Folder. From Power Query Editor, remove the Content column.  
From Power Query Editor, expand the Attributes column.

NEW QUESTION 180

HOTSPOT - (Topic 4)  
You have a Power BI report named Orders that supports the following analysis:  
• Total sales over time  
• The count of orders over time  
• New and repeat customer counts  
The data model size is nearing the limit for a dataset in shared capacity. The model view for the dataset is shown in the following exhibit.

Customers

Date

Answer Area

Statements

Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.

Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.

Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.

Yes

No

- A. Mastered
- B. Not Mastered

Answer: A

Answer Area

Statements

Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.

Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.

Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.

Yes

No

NEW QUESTION 183

DRAG DROP - (Topic 4)  
You have a Microsoft Power BI workspace.  
You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards.

The solution must use the principle of least privilege.  
Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

Roles

Admin

Contributor

Member

Viewer

Answer Area

User1: 

Role

User2: 

Role

Passing Certification Exams Made Easy

visit - https://www.2PassEasy.com

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

User 1 = Member User 2 = Contributor

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-new-workspaces>

**NEW QUESTION 184**

- (Topic 4)

You have a data model that contains many complex DAX expressions. The expressions contain frequent references to the RELATED and RELATEDTABLE functions.

You need to recommend a solution to minimize the use of the RELATED and RELATEDTABLE functions.

What should you recommend?

- A. Merge tables by using Power Query.
- B. Hide unused columns in the model.
- C. Split the model into multiple models.
- D. Transpose.

**Answer:** A

**Explanation:**

Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query.

When you have one or more columns that you'd like to add to another query, you merge the queries.

Note: The RELATEDTABLE function is a shortcut for CALCULATETABLE function with no logical expression.

CALCULATETABLE evaluates a table expression in a modified filter context and returns a table of values.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

**NEW QUESTION 186**

HOTSPOT - (Topic 4)

You have two Azure SQL databases that contain the same tables and columns.

For each database, you create a query that retrieves data from a table named Customers. You need to combine the Customer tables into a single table. The solution must minimize

the size of the data model and support scheduled refresh in powerbi.com.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Option to use to combine the Customer tables:

- ☐ Append Queries
- ☐ Append Queries as New
- ☐ Merge Queries
- ☐ Merge Queries as New

Action to perform on the original two SQL database queries:

- ☐ Delete the queries.
- ☐ Disable including the query in report refresh.
- ☐ Disable loading the query to the data model.
- ☐ Duplicate the queries.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text

Description automatically generated with medium confidence

Box 1: Append Queries as New.

There are two primary ways of combining queries: merging and appending.

? When you have one or more columns that you'd like to add to another query, you merge the queries.

? When you have additional rows of data that you'd like to add to an existing query, you append the query.

Box 2: Disable loading the query to the data model

For every query that loads into model memory will be consumed. and Memory is our asset in the Model, less memory consumption leads to better performance in most of the cases. The best approach is to disable loading.

**NEW QUESTION 191**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.



	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.  
You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.  
Solution: You remove the IoT GUID column and retain the IoT ID column. Does this meet the goal?

- A. Yes  
B. No

Answer: A

#### NEW QUESTION 192

- (Topic 4)

You have a Microsoft Excel file in a Microsoft OneDrive folder. The file must be imported to a Power Bi dataset  
You need to ensure that the dataset can be refreshed in powefbi.com.  
Which two connectors can you use to connect to the file? Each correct answer presents a complete solution.  
NOTE: Each correct selection is worth one point.

- A. Text/CSV  
B. Folder  
C. Excel Workbook  
D. SharePoint folder  
E. Web

Answer: BC

#### Explanation:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E  
- Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D  
Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>

#### NEW QUESTION 196

HOTSPOT - (Topic 4)

The data model must support the following analysis:

- ? Total sales by product by month in which the order was placed  
? Quantities sold by product by day on which the order was placed  
? Number Of sales transactions by quarter in Which the order was placed

For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A


#### Explanation:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

#### NEW QUESTION 201



DRAG DROP - (Topic 4)  
You have the line chart shown in the exhibit. (Click the Exhibit tab.)



You need to modify the chart to meet the following requirements:

- ? Identify months that have order counts above the mean.
- ? Display the mean monthly order count.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

Create a 12-month rolling average quick measure and add the measure to the line chart value.

From the Analytics pane, add a Median line.

Select the line chart.

From the Analytics pane, add an Average line.

Turn on data labels for the new line.

**Answer Area**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**Actions**

Create a 12-month rolling average quick measure and add the measure to the line chart value.

From the Analytics pane, add a Median line.

Select the line chart.

From the Analytics pane, add an Average line.

Turn on data labels for the new line.

**Answer Area**

Select the line chart.

From the Analytics pane, add an Average line.

Turn on data labels for the new line.

NEW QUESTION 204

- (Topic 4)  
You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.  
You need to load only the manufacturing reports to a table for analysis. What should you do in Microsoft Power BI Desktop?

- A. Get data from a SharePoint Online folder, enter the site URL, and then select Combine& Load.
- B. Get data from a SharePoint Online list and enter the site UR
- C. Edit the query and filter by the path to the manufacturing reports library.

- D. Get data from a SharePoint Online folder and enter the site UR
- E. Edit the query and filter by the path to the manufacturing reports library.
- F. Get data from a SharePoint Online list, enter the site URL, and then select Combine & Load.

**Answer:** B

**Explanation:**

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc. Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path.  
<https://docs.microsoft.com/en-us/power-query/connectors/sharepointlist>

**NEW QUESTION 206**

- (Topic 4)

You have a Power BI data model that contains a table named Employees. The table has the following columns:

- Employee Name
- Email Address
- Start Date
- Job Title

You are implementing dynamic row-level security (RLS).

You need to create a table filter to meet the following requirements:

- Users must see only their own employee data
- The DAX expression must work in both Power 81 Desktop and the Power BI service.

Which expression should you use?

- A. `[Email Address] = USERNAME()`
- B. `[Employee Name] = USERPRINCIPALNAME()`
- C. `[Email Address] = USERPRINCIPALNAME()`
- D. `[Employee Name] = USERNAME()`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** B

**NEW QUESTION 207**

- (Topic 4)

You have a prospective customer list that contains 1,500 rows of data. The list contains the following fields:

- ? First name
- ? Last name
- ? Email address
- ? State/Region
- ? Phone number

You import the list into Power Query Editor.

You need to ensure that the list contains records for each State/Region to which you want to target a marketing campaign.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Open the Advanced Editor.
- B. Select Column quality.
- C. Enable Column profiling based on entire dataset.
- D. Select Column distribution.
- E. Select Column profile.

**Answer:** CE

**Explanation:**

In Power query, the load preview by default is 1000 row. By default, the column quality also only looks at the first 1000 row. You can verify this by the status bar at the bottom of the Power query window. To change the profiling so it analyses the entire column of data, select the profiling status in the status bar. Then select Column profiling based on the entire data set.

<https://theexcelclub.com/data-profiling-views-in-power-query-excel-and-power-bi/>

**NEW QUESTION 211**

- (Topic 4)

You use Power 81 Desktop to load data from a Microsoft SQL Server database. While waiting for the data to load, you receive the following error.

ERROR [08001] timeout expired

You need to resolve the error.

What are two ways to achieve the goal? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.


- A. Split long running queries into subsets Of columns and use power Query to the queries
- B. Disable query folding on long running queries
- C. Reduce number of rows and columns returned by each query.
- D. Use Power Query to combine long running queries into one query.

Answer: BD

### NEW QUESTION 215

HOTSPOT - (Topic 4)

You have a report page that contains the visuals shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

**Answer Area**

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

- A. Mastered
- B. Not Mastered

Answer: A

### Explanation:


Box 1: cross-filter

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.


Box 2: cross-highlight Example:

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.





\* 1. Let's see what happens when we select Moderation.



\* 2. Cross-filtering removes data that doesn't apply. Selecting Moderation in the doughnut chart cross-filters the line chart. The line chart now only displays data points for the Moderation segment.

\* 3. Cross-highlighting retains all the original data points but dims the portion that does not apply to your selection. Selecting Moderation in the doughnut chart cross-highlights the column chart. The column chart dims all the data that applies to the Convenience segment and highlights all the data that applies to the Moderation segment.

#### NEW QUESTION 217

- (Topic 4)

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

**Answer:** A

#### Explanation:

Each customer can have many transactions.



For each transaction there is exactly one customer.

#### NEW QUESTION 221

- (Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.

You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data.

Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

**Answer:** E

#### Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

#### NEW QUESTION 226

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product.

The Sales table contains purchase and ship dates.

Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together.

You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source.

Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Datetable.
- B. Duplicate the Date query in Power Query and use active relationships between both Date tables.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Create an active relationship between Sales and Date for the purchase date and an inactive relationship for the ship date.

**Answer:** D

#### Explanation:

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

#### NEW QUESTION 229

- (Topic 4)

What is the minimum number of Power BI datasets needed to support the reports?

- A. a single imported dataset
- B. two imported datasets
- C. two DirectQuery datasets
- D. a single DirectQuery dataset

**Answer:** A

#### NEW QUESTION 233

DRAG DROP - (Topic 4)

You use Power Query Editor to preview the data shown in the following exhibit

SKU		price	discount
11 distinct, 11 unique		9 distinct, 7 unique	
1	P00001	100	0.08
2	P00002	150	0.03
3	P00003	130	Error
4	P00004	200	0.06
5	P00005	80	Error
6	P00006	350	Error
7	P00007	100	Error
8	P00008	200	0.05
9	P00009	135	Error
10	P00010	90	Error
11	P00011	120	Error

You need to clean and transform the query so that all the rows of data are maintained, and error values in the discount column are replaced with a discount of 0.05. The solution must minimize administrative effort. Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

For the discount column, change Data Type to Whole Number.

Select the price column.

Select the discount column.

Select Replace Errors to replace each error value with 0.05.

For the discount column, change Data Type to Decimal Number.

>

<

Answer Area

<

>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For the discount column, change Data Type to Whole Number.

Select the price column.

Select the discount column.

Select Replace Errors to replace each error value with 0.05.

For the discount column, change Data Type to Decimal Number.

>

<

Answer Area

Select the discount column.

Select Replace Errors to replace each error value with 0.05.

For the discount column, change Data Type to Decimal Number.

NEW QUESTION 235  
- (Topic 4)


Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number. You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values. You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Remove Errors. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 238  
HOTSPOT - (Topic 4)

You have a report in Power BI Desktop as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
Note: Each correct selection is worth one point.

The goal is set by using [answer choice].

	▼
a calculated measure	
a DAX formula	
the Format settings	

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

	▼
the Tooltips field	
the Values field	
the Visual level filters field	

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

The goal is set by using [answer choice].

	▼
a calculated measure	
a DAX formula	
the Format settings	

To configure the visualization to display TotalPrice for the Territory of Canada always, you must add the Territory column to [answer choice].

	▼
the Tooltips field	
the Values field	
the Visual level filters field	

#### NEW QUESTION 239

- (Topic 4)

You have a Rawer BI report That imports a dace table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution: From the Fields pane, you rename the date table as Due Date. You use a DAX expression to create Order Date and Delivery Date as calculated tables. You create active relationships between the sales table and each date table.

Does this meet the goal?

- A. Yes  
B. No

Answer: A



#### NEW QUESTION 241

- (Topic 4)

You have a Power BI report that contains the visuals shown in the following table.

Type	Horizontal coordinate	Vertical coordinate
Table	300	200
Clustered column chart	700	200
Slicer	20	100

You need to modify the location of each visual. What should you modify for each visual?

- A. the layer order
- B. the padding
- C. the position
- D. the tab order

**Answer: C**

#### NEW QUESTION 246

- (Topic 4)

You create a dataset sourced from dozens of flat files in Azure Blob storage. The dataset uses incremental refresh.

From powerbi.com, you deploy the dataset and several related reports to Microsoft Power BI Premium capacity.

You discover that the dataset refresh fails after the refresh runs out of resources. What is a possible cause of the issue?

- A. Query folding is not occurring.
- B. You selected Only refresh complete periods.
- C. The data type of the column used to partition the data changed.
- D. A filter is missing on the report.

**Answer: A**

#### Explanation:

The Power BI service partitions data based on date range. This is what enables only certain partitions to be refreshed incrementally. To make this work, the partition filter conditions are pushed down to the source system by including them in the queries. Using Power Query terminology, this is called “query folding”. It is not recommended that incremental refresh is used when the required query folding cannot take place.

Reference:

<https://powerbi.microsoft.com/en-us/blog/incremental-refresh-query-folding/>

#### NEW QUESTION 248

- (Topic 4)

Remove unused columns from tables in the data model. This will reduce the size of your PBIX file and make your data model more efficient. You can use Power Query Editor to remove any columns that are not used in your report or calculations.

Month	2020	2021
Valid 100%	Valid 100%	Valid 100%
Error 0%	Error 0%	Error 0%
Empty 0%	Empty 0%	Empty 0%
12 distinct, 12 unique	12 distinct, 12 unique	12 distinct, 12 unique
January	4400	4908
February	2988	3722
March	5230	4815
April	4500	5031
May	3850	4354
June	6215	6019
July	2507	3922
August	3605	3740
September	4680	4850
October	3955	4612
November	4510	4490

You need to shape the query to display the following three columns:

- \* Month
- \* Sales
- \* Year

What should you select in Power Query Editor?

- A. Pivot column
- B. Merge columns
- C. Unpivot columns.
- D. Transpose

**Answer:** C

**Explanation:**

This will convert your column headers (Jan-20, Feb-20,...) into row values under a new column called Attribute. You can then rename this column as Month and change its data type to Date. You will also have a new column called Value that contains the sales amounts for each month. You can rename this column as Sales and change its data type to Decimal Number.

**NEW QUESTION 249**

- (Topic 4)

Simon	101	100
Wenanta	102	100
Conrad	103	101
Priyish	104	103
Sunil	105	103
Pavel	106	102

Each employee has one manager as shown in the ParentEmployeeID column, All reporting paths lead to the CEO at the top of the organizational hierarchy. You need to create a calculated column that returns the count of levels from each employee to the CEO.

Which DAX expression should you use?

A. `PATHITEM(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1,INTEGER)`

B. `PATHCONTAINS(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1)`

C. `PATH(Employee[EmployeeID],Employee[ParentEmployeeID])`

D. `PATHLENGTH(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

**Answer:** B

**NEW QUESTION 250**

- (Topic 4)

You have a Power BI model that contains a table named Sales. The Sales table contains the following columns:

- Order Line ID
- Product ID
- Unit Price
- Order ID
- Quantity

Orders are uniquely identified by using the order ID and can have multiple order lines Each order line within an order contains a different product ID.

You need to write a DAX measure that counts the number of orders. Which formula should you use?

- A. `CountRows('Sales')`
- B. `Count ('Sales'(Order ID))`
- C. `CountA (Sale** (Order ID))`
- D. `DistinctCount (sales'[Order ID])`

**Answer:** D

**NEW QUESTION 255**

DRAG DROP - (Topic 4)

You have a Power BI model that contains a table named Sales. Sales has the following three measures:

? A measure named Total Sales Last Year that displays the sales from the previous calendar year. The current value is 32.89 million.

? A measure named Total Sales This Year that displays the sales from the current calendar year. The current value is 11.69 million.

? A measure named Total Sales Difference that uses a DAX formula of `Sales[Last Year] – Sales[This Year]`.

You need to create the following visualization.



How should you configure the visualization? To answer, drag the appropriate measures to the correct fields. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

Measures	Answer Area
Total Sales Difference	Value: <input type="text"/>
Total Sales Last Year	Maximum value: <input type="text"/>
Total Sales This Year	Target value: <input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-radial-gauge-charts>

NEW QUESTION 258

- (Topic 4)  
You have a collection of reports for the HR department of your company. The datasets use row-level security (RLS). The company has multiple sales regions that each has an HR manager. You need to ensure that the HR managers can interact with the data from their region only. The HR managers must be prevented from changing the layout of the reports. How should you provision access to the reports for the HR managers?

- A. Create a new workspace, copy the datasets and reports, and add the HR managers as members of the workspace.
- B. Publish the reports to a different workspace other than the one hosting the datasets.
- C. Publish the reports in an app and grant the HR managers access permission.
- D. Add the HR managers as members of the existing workspace that hosts the reports and the datasets.

Answer: C

Explanation:  
Note: Row-level security (RLS) with Power BI can be used to restrict data access for given users. Filters restrict data access at the row level, and you can define filters within roles. In the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.  
Reference:  
<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 262

HOTSPOT - (Topic 4)  
You have an API that returns more than 100 columns. The following is a sample of column names.  
? client\_notified\_timestamp  
? client\_notified\_source  
? client\_notified\_sourceid  
? client\_notified\_value  
? client\_responded\_timestamp  
? client\_responded\_source  
? client\_responded\_sourceid  
? client\_responded\_value  
You plan to include only a subset of the returned columns.  
You need to remove any columns that have a suffix of sourceid.  
How should you complete the Power Query M code? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.



```
let
    Source = ...,
    rawData = Source{[tableId= "clientData"]}[Data],
    removeSources = 
        Table.CombineColumn
        Table.FindText
        Table.FromList
        Table.RemoveColumns
        (rawData,
        Table.ColumnNames(rawData),
        List.Contains
        List.Select
        Table.FindText
        Table.FromList
        each
            Text.Contains
            Text.EndsWith
            Text.From
            Text.StartsWith
            (_, "sourceid")))
in
    removeSources
```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Table.RemoveColumns

When you do "Remove Columns" Power Query uses the Table.RemoveColumns function

Box 2: List.Select Get a list of columns.

Box 3: Text.EndsWith

**NEW QUESTION 264**

- (Topic 4)

You create the following step by using Power Query Editor.

```
=
Table.ReplaceValue(SalesLT_Address,"1318","1319",Replacer.ReplaceText,{"AddressLine 1"})
```

A row has a value of 21318 Lasalle Street in the AddressLine1 column. What will the value be when the step is applied?

- A. 1318
- B. 1319
- C. 21318 Lasalle Street
- D. 21319 Lasalle Street

**Answer:** D

**Explanation:**

Example:

Replace the text "ur" with the text "or" in the table.

```
Table.ReplaceValue(
    Table.FromRecords({
        [a = 1, b = "hello"],
        [a = 3, b = "wurld"]
    }),
    "ur",
    "or",
    Replacer.ReplaceText,
    {"b"}
)
```

a	b
1	hello
3	world

Reference:

<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

#### NEW QUESTION 266

- (Topic 4)

In Power BI Desktop, you have a dataset that contains a table.

You create a table visual on a Power BI report page as shown in the following exhibit

Plant Name	Plant Image
Pothos	<a href="https://raw.githubusercontent.com/ml">https://raw.githubusercontent.com/ml</a>
Spider plant	<a href="https://raw.githubusercontent.com/ml">https://raw.githubusercontent.com/ml</a>
philodendron	<a href="https://raw.githubusercontent.com/ml">https://raw.githubusercontent.com/ml</a>
ZZ plant	<a href="https://raw.githubusercontent.com/ml">https://raw.githubusercontent.com/ml</a>

You need to configure the visual to display the referenced image instead of the URL in the Plant Image column.  
 What should you do?

- A. Set the Data category of the Plant Image field to Image URL
- B. Set the Data type of the Plant Image field to Binary.
- C. Set the Data category of the Plant Image field to Web URL.
- D. From the Formatting ta
- E. select Values, and then set URL icons to On for the table.

**Answer:** A

#### NEW QUESTION 268

HOTSPOT - (Topic 4)

You are enhancing a Power BI model that has DAX calculations.

You need to create a measure that returns the year-to-date total sales from the same date of the previous calendar year.

Which DAX functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
Sales PYTD =  
  
VAR startyear =  
  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )  
  
VAR enddate =  
  
    LASTDATE ( Sales[Date] ) - 365  
  
RETURN  
  
    ( Sales[Sales] ),  
    CALCULATE (   
        DATESBETWEEN (   
            SAMEPERIODLASTYEAR (   
                SLIM (   
  
    ( 'Calendar'[Date], startyear, enddate )   
    CALCULATE   
    DATESBETWEEN   
    SAMEPERIODLASTYEAR   
    SLIM   
    )  
    )
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
Sales PYTD =  
  
VAR startyear =  
  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Date' [Date] ) )  
  
VAR enddate =  
  
    LASTDATE ( Sales[Date] ) - 365  
  
RETURN  
  
    ( Sales[Sales] ),  
    CALCULATE (   
        DATESBETWEEN (   
            SAMEPERIODLASTYEAR (   
                SLIM (   
  
    ( 'Calendar'[Date], startyear, enddate )   
    CALCULATE   
    DATESBETWEEN   
    SAMEPERIODLASTYEAR   
    SLIM   
    )  
    )
```

NEW QUESTION 273

- (Topic 4)  
You are building a Power BI report that uses data from an Azure SQL database named erp1.  
You Import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?



- A. From Power Query, merge the Orders query and the Order Line Items query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

**Answer:** D

**Explanation:**

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in-tabular-and-power-bi/>

#### NEW QUESTION 275

- (Topic 4)

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influences
- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

**Answer:** A

**Explanation:**

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

The key influencers visual is a great choice if you want to:

? See which factors affect the metric being analyzed.

? Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

#### NEW QUESTION 280

- (Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows a historic employee counts and predicts trends during the next six months.

Which type of visualization should you use?

- A. scatter chart
- B. ribbon chart
- C. line chart
- D. key influences

**Answer:** C

**Explanation:**

The best data for forecasting is time series data or uniformly increasing whole numbers. The line chart has to have only one line.

Try forecasting: Try the new forecasting capabilities of Power View today on your own data or with the sample report available as part of the Power BI report samples. To view your own data, upload a workbook with a Power View time series line chart to Power BI for Office 365.

Reference:

<https://powerbi.microsoft.com/en-us/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>

#### NEW QUESTION 282

HOTSPOT - (Topic 4)

You are creating reports in Power BI Desktop. The model has the following tables.

Table name	Column name	Data type
Order	Order_date	Datetime
	Order_amount	Float
	Customer_ID	Integer
Customer	Customer_ID	Integer
	Full_name	Varchar(100)
	Customer_Photo	Binary

There is a relationship between the tables.

You plan to publish a report to the Power BI service that displays Order\_amount by Order\_date by Full\_name.

You need to ensure that only the columns required for the report appear in Report View. The solution must minimize the size of the dataset that is published.

How should you configure the columns in Power BI Desktop? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Customer\_ID:

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer\_Photo:

From Query Editor, select the column and click Remove.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Customer\_ID:

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer\_Photo:

From Query Editor, select the column and click Remove.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

NEW QUESTION 283

- (Topic 4)  
You import two Microsoft Excel tables named Customer and Address into Power Query Customer contains the following columns:

- Customer ID
- Customer Name
- Phone
- Email Address
- Address ID

Address contains the following columns:

- Address ID
- Address Line 1
- Address Line 2
- City
- State/Region
- Country
- Postal Code


Each Customer ID represents a unique customer m the Customer table. Each Address ID represents a unique address m the Address table. You need to create a query that has one row per customer. Each row must contain City. State/Region, and Country for each customer. What should you do?

- A. Append the Customer and Address tables.
- B. Transpose the Customer and Address tables.
- C. Group the Customer and Address tables by the Address ID column.
- D. Merge the Customer and Address tables.

Answer: D

NEW QUESTION 285

- (Topic 4)  
Your organization has a team of power users who recently created 20 Power BI dashboards.  
The power users share the dashboards with other users in the organization.  
When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

**Answer:** A

**Explanation:**

References: <http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

#### NEW QUESTION 290

- (Topic 4)

You are building a Power BI report.

Users will view the report by using their mobile device.

You need to configure the report to display data based on each user s location.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. For the relevant columns, set synonyms to match common geographical terms.
- B. From Power Query Editor, detect the data types of the relevant columns.
- C. Use the columns of the geography data type in all visuals.
- D. Create a hierarchy for columns of the geography data type.
- E. In Data Category, set the geographic data category for the relevant columns.

**Answer:** CE

#### NEW QUESTION 293

- (Topic 4)

You have a Power Bi report for the procurement department. The report contains data from the following tables.

Table name	Source	Description	Column name	Approximate record count
Suppliers	Microsoft Dynamics 365	A list of all the suppliers approved for use by the company.	<ul style="list-style-type: none"> <li>ID</li> <li>Name</li> <li>Country</li> </ul>	100,000
LineItems	Microsoft Dynamics 365	All individual purchases made by employees across the company. An average of five line items per invoice.	<ul style="list-style-type: none"> <li>ID</li> <li>Invoice ID</li> <li>Invoice Date</li> <li>Supplier ID</li> <li>Description</li> <li>Units</li> <li>Price per Unit</li> <li>Discount</li> <li>Price</li> </ul>	1,000,000,000

There is a one-to-many relationship from Suppliers to Lineitems that uses the ID and Supplier ID columns. The report contains the visuals shown in the following table.



Name	Used field	Filter
Supplier usage by count and value of invoices	Suppliers[ID] Suppliers[Name] LineItems[Invoice ID] LineItems[Price]	None
Spend by supplier location	Suppliers[Country] LineItems[Price]	None
Top 10 largest invoices last month	LineItems[Invoice ID] LineItems[Price]	LineItems[Invoice Date] in last calendar month

You need to minimize the size of the dataset without affecting the visuals. What should you do?

- A. Remove the rows from Lineitems where LineItems[invoice Date] is before the beginning of last month
- B. Merge Suppliers and Uneltems.
- C. Group LineItems by LineItems[ invoice id) and LineItems[invoice Date) with a sum of LineItems(price).
- D. Remove the LineItems[Description] column.

Answer: D

### NEW QUESTION 295

- (Topic 4)

You are creating a sales report in Power BI for the NorthWest region sales territory of your company. Data will come from a view in a Microsoft SQL Server database. A sample of the data is shown in the following table:

ID	ProductKey	OrderDate	ShipDate	CustomerKey	SalesTerritoryRegion	SalesOrderNumber	SalesOrderLineNumber	OrderQuantity	UnitPrice	SalesAmount	TaxAmount	Freight
1	310	2010-12-29	2011-01-05	21768	Canada	SO43697	1	1	3578.27	3578.27	286.2616	89.4568
2	346	2010-12-29	2011-01-05	27365	France	SO43698	1	1	3399.99	3399.99	271.9992	84.9998
3	346	2010-12-29	2011-01-05	76537	NorthWest	SO43699	1	1	3399.99	3399.99	271.9992	84.9998
4	336	2010-12-29	2011-01-05	34256	SouthWest	SO43700	1	1	699.0982	699.0982	55.9279	17.4773
5	346	2010-12-29	2011-01-05	34253	Australia	SO43701	1	1	3399.99	3399.99	271.9992	84.9998
6	311	2010-12-30	2011-01-06	12543	SouthWest	SO43702	1	1	3578.27	3578.27	286.2616	89.4568
7	310	2010-12-30	2011-01-06	76545	Australia	SO43703	1	1	3578.27	3578.27	286.2616	89.4568

The report will facilitate the following analysis:

- The count of orders and the sum of total sales by Order Date
- The count of customers who placed an order
- The average quantity per order

You need to reduce data refresh times and report query times.

Which two actions should you perform? Each correct answer presents part of the solution NOTE: Each correct selection is worth one point.

- A. Fillet the data to only the NorthWest region sales territory.
- B. Remove the CustomerKey and ProductKey columns.
- C. Remove the TaxAmt and Freight columns.
- D. Set the data type for SatesOrderNumber to Decimal Number

Answer: AC

### NEW QUESTION 300

- (Topic 4)

You have a report that contains four pages. Each page contains slicers for the same four fields. Users report that when they select values on a slicer on one page, the visuals are not updated on all the pages. You need to recommend a solution to ensure that users can select a value once to filter the results on all the pages. What are two possible recommendations to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Sync the slicers across the pages.
- B. Replace the slicers with page-level filters.
- C. Replace the slicers with visual-level filters.
- D. Create a bookmark for each slicer value.
- E. Replace the slicers with report-level filters.

Answer: AE


### Explanation:

Add a report-level filter to filter an entire report.


The visuals on the active page, and on all pages in the report, change to reflect the new filter.

You can sync a slicer and use it on any or all pages in a report.

\* 1. On the Power BI Desktop View menu, select Sync slicers.



The Sync slicers pane appears between the Filters and Visualizations panes.



Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/power-bi-report-add-filter> <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

### NEW QUESTION 303

- (Topic 4)

You have two Power BI reports named ReportA and ReportB that each uses a distinct color palette.

You are creating a Power BI dashboard that will include two visuals from each report. You need to use a consistent dark theme for the dashboard. The solution must preserve the original colors of the reports.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Upload a snapshot.
- B. Select the dark dashboard theme.
- C. Turn on tile flow.
- D. When pinning visuals to the dashboard, select Use destination theme.
- E. For the browser, set the color preference to dark mode.

**Answer:** BD

### NEW QUESTION 308

HOTSPOT - (Topic 4)

You have a Power BI model that has the following tables:

? Product (Product\_id, Product\_Name)

? Sales (Order\_id, Order\_Date, Product\_id, Salesperson\_id, Sales\_Amount)

? Salesperson (Salesperson\_id, Salesperson\_name, address)

You plan to create the following measure.

Measure1 = DISTINCTCOUNT(Sales[ProductID]) You need to create the following relationships:

? Sales to Product

? Sales to Salesperson

The solution must ensure that you can use Measure1 to display the count of products sold by each salesperson.

How should you configure the relationships? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Cardinality:

▼
Many to One (*:1)
One to Many (1:*)
One to One (1:1)

Cross filter direction:

▼
Both
Single

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



Cardinality: 

▼
Many to One (*:1)
One to Many (1:*)
One to One (1:1)

Cross filter direction: 

▼
Both
Single


### NEW QUESTION 313

- (Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.  
 You implement the Power BI model.



You add another table named Territory to the model. A sample of the data is shown in the following table.

Territory Key	Territory Name
1	United States
1	USA
2	Canada
2	Can
3	United Kingdom
3	UK

You need to create a relationship between the Territory table and the Sales table.  
 Which function should you use in the query for Territory before you create the relationship?

- A. Table.RemoveMatchingRows
- B. Table.Distinct
- C. Table.InDistinct
- D. Table.ReplaceMatchingRows

**Answer:** B

**Explanation:**

References: <https://msdn.microsoft.com/en-us/library/mt260775.aspx>

### NEW QUESTION 317

- (Topic 4)

You are building a Power BI report to analyze customer segments.

You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort.

Which type of visualization should you use?

- A. decomposition tree
- B. funnel chart
- C. Q&A
- D. key influencers

**Answer:** A

**Explanation:**

The key influencers visual is a great choice if you want to: See which factors affect the metric being analyzed.

Contrast the relative importance of these factors. For example, do short-term contracts affect churn more than long-term contracts?

Note: The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. For example, suppose you want to figure out what influences employee turnover, which is also known as churn. One factor might be employment contract length, and another factor might be commute time.

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

### NEW QUESTION 321

- (Topic 4)

You have a Power BI workspace named BI Data that contains a dataset named BI Finance.

You have the Build permission for the BI Finance dataset but you do NOT have permissions for the workspace,

You need to connect to BI Finance and create a report.

Which actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the Power BI service, create a dataflow to the dataset by using DirectQuery.
- B. From Power BI Desktop, connect to a Dataverse data source.
- C. From the Power BI service, create a new report and select a published dataset
- D. From Power BI Desktop, connect to a shared dataset

**Answer:** BC

### NEW QUESTION 326

HOTSPOT - (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. You need to create a calculated table that will contain the following:

Answer Area

SalesSummary=

ROLLUP

SELECTCOLUMNS

SUMMARIZE

( Sales,

Date[Date]

Date[Year]

Sales[Date]

, "Sales", SUM (Sales[Sale] ) )

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

SalesSummary=

ROLLUP

SELECTCOLUMNS

SUMMARIZE

( Sales,

Date[Date]

Date[Year]

Sales[Date]

, "Sales", SUM (Sales[Sale] ) )

NEW QUESTION 331

- (Topic 4)  
You import a Power BI dataset that contains the following tables:

- Date
- Product
- Product Inventory

The Product inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product inventory table relates to the Product table by using the ProductKey column. You need to reduce the size of the data model without losing information. What should you do?

- A. Change Summarization for DateKey to Don't Summarize.
- B. Change the data type of UnitCost to Integer.
- C. Remove the relationship between Date and Product Inventory.
- D. Remove MovementDate.

Answer: D

NEW QUESTION 334

DRAG DROP - (Topic 4)  
You have a Microsoft Excel workbook that contains two sheets named Sheet1 and Sheet2. Sheet1 contains the following table named Table1.

Products
abc
def
ghi
jkl
mno

Sheet2 contains the following table named Table2.

Products
abc
xyz
tuv
mno
pqr
stu

You need to use Power Query Editor to combine the products from Table1 and Table2 into the following table that has one column containing no duplicate values.

Products
abc
xyz
tuv
mno
pqr
stu
def
ghi
jkl

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

From Power Query Editor, merge Table1 and Table2.

From Power Query Editor, remove errors from the table.

From Power Query Editor, append Table2 to Table1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

From Power Query Editor, merge Table1 and Table2.

From Power Query Editor, remove errors from the table.

From Power Query Editor, append Table2 to Table1.

Answer Area

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, append Table2 to Table1.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

NEW QUESTION 336

HOTSPOT - (Topic 4)

You are creating a Power BI model to analyze inventory. You load data into three tables named Date, Product, and Inventory. The Inventory table relates to the Date and Product tables by using one-to-many relationships. Inventory data is recorded daily with no exceptions. The correct inventory quantity for a given product in a month is the last recorded value for that month. You need to write a DAX measure that will show the correct inventory value when a user analyzes inventory by year, month, or date. How should you complete the measure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Last Inventory Count =

Calculate

AllSelected

Calculate

CalculateTable

SUM ( 'Inventory'[QuantityAvailable] ),

LastDate

LastDate

LastNonBlankValue

Max

( 'Date'[Date] ) )


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Answer Area



NEW QUESTION 341

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. From Power BI Desktop, customize the current theme,
- B. From power BI Desktop, use a built in report theme.
- C. Create a theme as a JSON file and import the theme into Power BI Desktop.
- D. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.

Answer: C

NEW QUESTION 346


HOTSPOT - (Topic 4)

You have a Power BI model that contains a table named Sales and a related date table. Sales contains a measure named Total Sales You need to create a measure that calculates the total sales from the equivalent month of the previous year.

How should you complete the calculation? To answer, select the appropriate options in the answer area

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

## Answer Area



### NEW QUESTION 347

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product. The Sales table contains purchase and ship dates. Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together. You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source. Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Date table.
- B. Duplicate the Date query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Import the Date table twice in Power Query and create active relationships between Sales and both Date tables in the modeling view.

**Answer: D**

#### Explanation:

Microsoft recommends defining active relationships whenever possible. They widen the scope and potential of how your model can be used by report authors, and users working with Q&A.

Refactoring methodology (example): Here's a methodology to refactor a model from a single role-playing dimension-type table, to a design with one table per role.

? Remove any inactive relationships.

? Consider renaming the role-playing dimension-type table to better describe its role.

In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport.

? Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

<https://docs.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

### NEW QUESTION 348

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You write a DAX expression that uses the FILTER function. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### Explanation:

The filter is applied after the data is imported. Instead add a WHERE clause to the SQL statement.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

### NEW QUESTION 349

- (Topic 4)

A manager can represent only a single country.

You need to use row-level security (RLS) to meet the following requirements: The managers must only see the data of their respective country.

The number of RLS roles must be minimized.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- Answer: AC**

In Power BI Service the username and userprincipalname both return the email address, it's only in Power BI Desktop that username is domain/username rather than the email address. So I agree that userprincipalname is better generally as you always get the same value, the answer is correct and you can use username as your RLS since the role will be applied in the Service. See <https://community.powerbi.com/t5/Community-Blog/USERNAME-v-s-USERPRINCIPALNAME-in-RLS-for-Power-BI-Embedded/ba-p/1867670> for more information.

- (Topic 4)

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

During the development process, you need to import a sample of the data from the Order table.

Solution: You add a WHERE clause to the SQL statement. Does this meet the goal?

- A. Yes  
B. No

**Answer: A**

The WHERE clause has its effects before the data is imported.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

### DRAG DROP - (Topic 4)

You use Power BI Desktop to create a Power BI data model and a blank report. You need to add the Word Cloud visual shown in the following exhibit to the report.



The solution must minimize development effort

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.
- From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.
- Format the data colors and title.
- Populate the drillthrough fields.
- Populate the Category, Value, and Excludes fields.

- A. Mastered  
B. Not Mastered



Answer: A

Explanation:

Actions

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Format the data colors and title.

Populate the drillthrough fields.

Populate the Category, Value, and Excludes fields.

Answer Area

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Populate the drillthrough fields.

Format the data colors and title.

NEW QUESTION 353

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI model that has two tables named CityData and Sales. CityData contains only the data shown in the following table.

State (CityData)	City	Population (million)
CA	Los Angeles	4.00
CA	San Francisco	0.90
New York	New York	8.50
WA	Seattle	0.70
WA	Spokane	0.20

Sales contains only the data shown in the following table.

State (Sales)	Type	Sales
CA	Internet	60
CA	Store	80
TX	Store	400
WA	Internet	150
WA	Store	100

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

In the Sales table, you can write a DAX expression that uses the RELATED() function to get data from the CityData table.

☐

☐

A DAX expression of Sales total =CALCULATE(SUM(Sales[Sales]),ALL(Sales)) will produce the correct total sales value for each state, based on the data model.

☐

☐

A table visualization that uses CityData[State] and Sales[Sales] will contain sales from the state of TX.

☐

☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Related function returns a related value from another table.

The RELATED function requires that a relationship exists between the current table and the table with related information. You specify the column that contains the data that you want, and the function follows an existing many-to-one relationship to fetch the value from the specified column in the related table. If a relationship does not exist, you must create a relationship.

Box 2: Yes

Box 3: No

TX only occurs in the Sales table, but not in the CityData table.

NEW QUESTION 355

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-300 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-300 Product From:

<https://www.2passeasy.com/dumps/PL-300/>

## Money Back Guarantee

### PL-300 Practice Exam Features:

- \* PL-300 Questions and Answers Updated Frequently
- \* PL-300 Practice Questions Verified by Expert Senior Certified Staff
- \* PL-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* PL-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year