

Exam Questions H19-301

Huawei Certified Pre-sales Specialist - IP Network (Datacom)

<https://www.2passeasy.com/dumps/H19-301/>



NEW QUESTION 1

Which model is designed for Smart Classroom?

- A. AR503
- B. AR129
- C. AR169RW-P-M9
- D. AR511

Answer: C

NEW QUESTION 2

The S5720-LI competes against the Cisco C2960X.

- A. True
- B. False

Answer: A

NEW QUESTION 3

Which O&M are AR G3 support? (Multiple Choice)

- A. Batch Deployment Using USB Flash Drive
- B. SNMP management
- C. web GUI
- D. CLJ(Command Line Interface)

Answer: ABCD

NEW QUESTION 4

NE08E routers support STM-4 cards.

- A. True
- B. False

Answer: B

NEW QUESTION 5

which models are belonged to the EC-IoT portfolio? (Multiple Choice)

- A. AR550series
- B. AR2504series
- C. AR530series
- D. AR503series
- E. AR160-M Series
- F. AR510 Series

Answer: ABCDEF

NEW QUESTION 6

FCoE achieves converged SAN network, which type of TOR can not support FCoE?

- A. CE7850
- B. CE6850
- C. CE6810
- D. CE5800

Answer: D

NEW QUESTION 7

Anti-tampering and anti-implantation of Huawei products include:

- A. After the service, delete all daily maintenance accounts of the system.
- B. Do not tamper with products.
- C. Do not reserve private or undisclosed interfaces or accounts.
- D. Do not implant malicious code, software, or backdoors in customer devices or systems.

Answer: BCD

NEW QUESTION 8

AR161FG-L can support LTE TDD

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 9

How many APs can Huawei AC6605 manage?

- A. A.-256B.512C.1024
- B. 2048

Answer: C

NEW QUESTION 10

Which of the following devices are data center fixed switches with flexible cards?

- A. CE8860
- B. CE12800
- C. CE8861
- D. CE6865
- E. CE6857

Answer: AC

NEW QUESTION 10

Which line card is NOT used for chassis switches?

- A. XIEcard
- B. EA card
- C. EB card
- D. EC card

Answer: C

NEW QUESTION 11

the maximum transmit power of indoor AP is 100mW, which is equal to ()?

- A. IdBm
- B. 1ddBm
- C. 20dBm
- D. 30dBm

Answer: C

NEW QUESTION 15

Which are AR G3 key reliability technologies? (Multiple Choice)

- A. Hot swap cards
- B. Power module redundancy
- C. Main controller redundance
- D. BFD

Answer: ABCD

NEW QUESTION 18

Normally, “PWH’ in the names of Sx7 switch models means that these models support IEEE 802.3bt PoE++ (60W)?

- A. True
- B. False

Answer: B

NEW QUESTION 23

When CloudEngine virtualized as Core of DC and Core of Campus using only one physical device, the service should separate with each other. So () is just the features

- A. CSS
- B. VS
- C. Trill
- D. SVF

Answer: B

NEW QUESTION 24

which encryption algorithms do AR support? (Multiple Choice)

- A. SMI

- B. SM2
- C. SM3
- D. SM4

Answer: ABCD

NEW QUESTION 27

Which of the following statements regarding the comparison between AR G3 and Cisco ISR G2 are true?

- A. ISR G2 does not support voice.
- B. AR G3 routers have a more advanced architecture and better performance.
- C. The host and cards of AR series are hot swappable.
- D. ISR G2 does not support firewalls

Answer: BCD

NEW QUESTION 30

Which NE05E08E have pluggable slot? (Multiple Choice)

- A. NE08E-S6
- B. NE05E-S2
- C. NE05E-SE
- D. NE05E-SG

Answer: B

NEW QUESTION 33

How many MPU slots does an S12710 have?

- A. 10
- B. 4
- C. 12
- D. 2

Answer: D

NEW QUESTION 36

which models are ICT gateway. (Multiple Choice)

- A. AR510 Series
- B. AR160-M Series
- C. AR3600 Series

Answer: ABC

NEW QUESTION 41

The highest density 40GE line card is () for CE12800

- A. 36*40GE
- B. 24*40GE
- C. 12*40GE
- D. 6*40GE

Answer: A

NEW QUESTION 42

Which devices can bring interference to Wi-Fi device? (Multiple Choice)

- A. Microwave Oven
- B. Bluetooth
- C. ZigBee
- D. Baby Monitor
- E. Cordless Telephone

Answer: ABCDE

NEW QUESTION 44

Which of the following functions are supported by an NGFW card on a chassis switch?

- A. URL filtering
- B. IPSec VPN
- C. NAT
- D. Firewall
- E. Server load balancing

Answer: AD

NEW QUESTION 47

Which of the following are typical Huawei firewall cases outside China?

- A. SCT of Mexico
- B. Lepida DC firewall requirement in Italy
- C. 2-year centralized procurement frame COSIP LAN 5 in Italy
- D. Secure interconnection of 1500 branches of Banco do Brazil

Answer: AB

NEW QUESTION 52

In a data center solution, high reliability is required for key services. Which modules (components) of CE switches can support hot backup?

- A. Fabric card
- B. Power supply
- C. Fan
- D. Main processing unit

Answer: AB

NEW QUESTION 54

eSight and U2000 both can manage full series of AR routers.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 58

What is the minimum interval of hardware-based BFD supported by the CE8861?

- A. 15 ms
- B. 3.3 ms
- C. 5 ms
- D. 10 ms

Answer: B

NEW QUESTION 60

The S12700 supports 1600W DC power module.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 64

How many spatial streams do AP8050DN and AP8150DN have at 5Ghz?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

NEW QUESTION 65

Cisco's C2960S can support G.8032.

- A. True
- B. False

Answer: B

NEW QUESTION 68

What O&M features does NE40E series support?

- A. BFD
- B. CFM
- C. Y.1731
- D. EFM

Answer: BCD

NEW QUESTION 71

Which of the following is the maximum capacity of an NE40E's service board?

- A. 1T
- B. 2T
- C. 480G
- D. 240G

Answer: B

NEW QUESTION 72

CE12800S have two different module, one is () another is () (Multiple Choice)

- A. CE12804S
- B. CE12808S
- C. CE12812S
- D. CE12816S

Answer: AB

NEW QUESTION 77

Which of the following are typical Huawei AntiDDoS cases outside China?

- A. KIO in Mexico
- B. Netherlands NBIP
- C. Netherlands Equinix
- D. Netherlands Serverius

Answer: BD

NEW QUESTION 82

In most scenarios, 2.4 GHz channels are as clean as 5 GHz channels.

- A. True
- B. False

Answer: A

NEW QUESTION 87

Which are highlights of Huawei IP hard pipe solution? (Multiple Choice)

- A. Low Latency
- B. No Packet Loss
- C. High Reliability
- D. No jitter

Answer: ABC

NEW QUESTION 92

IP FPM is abbreviation for IP Flow Performance Measurement.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 93

what is the maximum data rate supported by 802.11ac wavel standard?

- A. 450Mbps
- B. 600Mbps
- C. 1300Mbps
- D. 1750Mbps

Answer: C

NEW QUESTION 98

Cisco's C2960S can support G.8032 either.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 103

S12700 series can provide 1M MAC entries.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 107

Which of the following switches has no fan?

- A. S5700-52X-LI
- B. S5700-28P-LI
- C. S5700-52P-LI
- D. S5700-28X-PWR-LI

Answer: B

NEW QUESTION 109

Which devices support native AC? (Multiple Choice)

- A. S7700
- B. S9700
- C. S12700
- D. S5700
- E. S5720HI
- F. S6700

Answer: ABCE

NEW QUESTION 111

Which is not AR series model?

- A. AR3260
- B. AR550
- C. AR510
- D. AR520

Answer: D

NEW QUESTION 116

Which are AR G3 highlights? (Multiple Choice)

- A. Applications in one box Reducing at least 30% TCO
- B. Better experience Ensuring nonstop service transmission
- C. Cooperation platform Meeting customized applications

Answer: ABC

NEW QUESTION 120

Which of the following switches supports MPLS?

- A. S5720-LI
- B. S5720-SI
- C. S6720-SI
- D. S5720-HI

Answer: CD

NEW QUESTION 121

Which switch can't be managed by an SNMP-based network management system?

- A. S5700-LI
- B. S1720
- C. S5720-SI
- D. S5720-EI

Answer: B

NEW QUESTION 126

How many MPU slots does an S12710 have?

- A. 12
- B. 10
- C. 4
- D. 2

Answer: D

NEW QUESTION 127

the ethernet interface type of AP9131DN is ()?

- A. RJ45
- B. SMA
- C. M12
- D. RJ11

Answer: C

NEW QUESTION 131

Which of the following highlights does not apply to the NE08E-S6/S6E?

- A. Large capacity
- B. Highest density in the industry
- C. High reliability
- D. Dual-CXP

Answer: D

NEW QUESTION 132

Which of the following devices can bring interference to Wi-Fi devices?

- A. Baby monitor
- B. ZigBee
- C. Bluetooth
- D. Cordless telephone
- E. Microwave oven

Answer: ABCDE

NEW QUESTION 136

How many models are there in the S7700 series?

- A. 2
- B. 3
- C. 4
- D. 5

Answer: B

NEW QUESTION 137

Which cloud platforms AC-DCN can be interconnected with in data center network scenario? (Multiple Choice)

- A. Huawei FusionSphere
- B. openstack
- C. Vmware
- D. Microsoft System Center

Answer: ABCD

NEW QUESTION 141

AC6605 can manage up to 1024 Aps

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 142

Which xDSL can AR support? (Multiple Choice)

- A. G.SHDSL
- B. ADSL2+
- C. VDSL2
- D. VDSL

Answer: ABC

NEW QUESTION 144

the MAC table size of CE12800's F series line card is()

- A. 256K
- B. 512K
- C. 750K
- D. 1M

Answer: C

NEW QUESTION 146

which functions can AR G3 routers support? (Multiple Choice)

- A. Routing
- B. Switching
- C. VPN
- D. Voice
- E. Security
- F. WLAN

Answer: ABCDEF

NEW QUESTION 147

Which are value-add services that NE router could support? (Multiple Choice)

- A. BOD
- B. IP hard pipe
- C. DAA
- D. ISSU

Answer: AC

NEW QUESTION 149

S12700 uses industry-leading left-to-rear ventilation channel design.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 150

The maximum overall data rate of AP7050DE

- A. 1.3Gbps
- B. 1.73Gbps
- C. 2.33Gbps
- D. 2.53Gbps

Answer: D

NEW QUESTION 155

AR2500 is rack-mount industrial Ethernet switch, AR550 is DIN-mount industrail Ethernet switch?

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 157

Which factor should be considered for selecting the chassis?

- A. Weight
- B. Number of access ports
- C. Power type

Answer: B

NEW QUESTION 158

Which of the following models are ICT gateways?

- A. AR510 series
- B. AR160-M series
- C. AR3600 series

Answer: BC

NEW QUESTION 159

Which of the following switches does not support OSPF?

- A. S5720-SI
- B. S1720X-E
- C. S5720-EI
- D. S5720-LI

Answer: B

NEW QUESTION 161

CloudFabric provides an intent-driven network and can verify some configurations.

- A. True
- B. False

Answer: A

NEW QUESTION 166

The BFD detection time for the link that Huawei could support is?

- A. 10ms
- B. 5ms
- C. 3.3ms
- D. 50ms

Answer: C

NEW QUESTION 167

Which cards are ENP line cards that agile switch support? (Multiple Choice)

- A. 48-Port 10/100/1000BASE-T Interface Card (X1E, RJ45)
- B. 48-Port 100/1000BASE-X Interface Card (X1E, SFP)
- C. 4-Port 10GBASE-X and 24-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+) 8-Port 10GBASE-X and 8-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+)
- D. 48-Port 10GBASE-X Interface Card(EC, SFP+)

Answer: ABCD

NEW QUESTION 170

Both eSight and U2000 can manage full series of AR routers.

- A. True
- B. False

Answer: A

NEW QUESTION 175

AR2500 is a rack-mounted industrial Ethernet switch, and AR550 is a DIN-mounted industrial Ethernet switch.

- A. True
- B. False

Answer: A

NEW QUESTION 177

Huawei CE switch has made break through in several high-end industry globally such as banking, oil industry and internet service provider, please select the examples CE switch has set. (Multiple Choice)

- A. China Agricultural bank
- B. Baidu
- C. CNPC
- D. Alibaba

Answer: ABCD

NEW QUESTION 178

Different SFU types can be used in CE1Z800 chassis

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 179

CE6810U and CE5855EI can both support TRILL.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 182

which is main differences between MPU of CE12800 and CE12800s? (Multiple Choice)

- A. demension size
- B. integration of monitor module
- C. CPU
- D. RAM

Answer: AB

NEW QUESTION 185

Which of the Cisco product are corresponding to Huawei NE40E series product? (Multiple Choice)

- A. ASR9006
- B. ASR9010
- C. ASR9912
- D. ASR9922

Answer: ABCD

NEW QUESTION 188

About AR550, which description is wrong?

- A. work between 40oC~+60°C
- B. support SEP, STP
- C. comply with IP54
- D. comply with EN50155

Answer: C

NEW QUESTION 190

Which scenarios can IoT Gateway apply? (Multiple Choice)

- A. Street lighting
- B. Elevator Monitoring
- C. Smart Meter Reading
- D. Smart Building Terminal Control

Answer: ABCD

NEW QUESTION 191

Which type subcard does the CE8860 support? (Multiple Choice)

- A. 10GE
- B. 25GE
- C. 40GE
- D. 100GE

Answer: ABCD

NEW QUESTION 195

How many APs are supported by one native AC card and how many APs are supported by one chassis?

- A. 1K, 2k
- B. 1K, 4k
- C. 2K,8k
- D. 2K, 16k

Answer: B

NEW QUESTION 200

S5700-LI supports hardware ETH OAM and BFD.

- A. TRUE

B. FALSE

Answer: B

NEW QUESTION 204

Which scenarios is suitable to deploy wall plate AP2050DN? (Multiple Choice)

- A. Hotel
- B. Dormitory
- C. Hospital
- D. Outdoor square
- E. Shopping mall

Answer: ABC

NEW QUESTION 206

AR G3 routers can support built-in zone-based firewall function

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 210

Which type subcard does the CE8860 support? (Multiple Choice)

- A. 10GE
- B. 25GE
- C. 40GE
- D. 100GE

Answer: AC

NEW QUESTION 212

Which of the following is NOT an advantage of the S5730-SI compared to the S5720-SI?

- A. Pluggable dual fans
- B. BGP
- C. 40 GE ports
- D. Subcard

Answer: D

NEW QUESTION 214

How many LTE modules does AR503EQGW-L integrate?

- A. 4
- B. 3
- C. 2
- D. 1

Answer: A

NEW QUESTION 219

Which cloud platforms are compatible with Huawei Agile Controller-DCN in Huawei's data center resource management solution?

- A. FusionSphere
- B. OpenStack
- C. Microsoft Azure
- D. VMware

Answer: B

NEW QUESTION 224

Which of the following is NOT an advantage of the S5720-SI compared to the S5720-LI?

- A. 32k MAC entries
- B. OSPF
- C. Dual power modules
- D. BGP

Answer: A

NEW QUESTION 227

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual H19-301 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the H19-301 Product From:

<https://www.2passeasy.com/dumps/H19-301/>

Money Back Guarantee

H19-301 Practice Exam Features:

- * H19-301 Questions and Answers Updated Frequently
- * H19-301 Practice Questions Verified by Expert Senior Certified Staff
- * H19-301 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * H19-301 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year