

## Exam Questions 9A0-384

Adobe Experience Manager 6.0 Developer Exam

<https://www.2passeasy.com/dumps/9A0-384/>



#### NEW QUESTION 1

Which property should be used to find the repository where the configuration changes made in the Web Console are saved?

- A. Persistent Identity (PID)
- B. Reference Repository
- C. Component.id
- D. Component.name

**Answer:** A

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configuring\\_osgi.html](http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configuring_osgi.html)

#### NEW QUESTION 2

Which statement regarding an AEM instance started with author run-mode is correct?

- A. Author run-mode CANNOT be used to preview a website,
- B. The side-kick does NOT appear in the author mode,
- C. The run-mode can be changed to publish after installation,
- D. The run-mode CANNOT be changed to publish after installation.

**Answer:** C

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configure\\_runmodes.html](http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configure_runmodes.html)

#### NEW QUESTION 3

Which two URLs will show the server logs? (Choose two.)

- A. <http://{server}/system/console/status-slinglogs>
- B. <http://{server}/system/console/slinglog>
- C. <http://{server}/bin/crxde/logs>
- D. <http://{server}/system/console/logs>

**Answer:** BC

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/deploying/monitoring\\_and\\_maintaining.html](http://docs.adobe.com/docs/en/cq/5-6-1/deploying/monitoring_and_maintaining.html)

#### NEW QUESTION 4

Which three AEM jar names will start AEM in author mode? (Choose three.)

- A. quickstart-4502.jar
- B. cq5-author-p4502.jar
- C. aem-publish.jar
- D. cq5-author-4502.jar

**Answer:** BCD

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/getting\\_started/download\\_and\\_startworking.html](http://docs.adobe.com/docs/en/cq/5-6-1/getting_started/download_and_startworking.html)

#### NEW QUESTION 5

Which is a valid way of creating an OSGI service?


- A. `class MyServiceImpl extends ServiceRegistry{}`
- B. `@Service class MyServiceImpl extends MyService...`
- C. `@Component @Service class MyServiceImpl extends MyService`
- D. `/** */ class MyServiceImpl extends MyService{}`

**Answer:** A

#### NEW QUESTION 6

Which option will enable an in-place edit of a component that contains HTML text in it?

A) `<cq:inplaceEditing  
jcr:primaryType="cq:InplaceEditingConfig"  
active="{Boolean}true"  
editorType="text"/>`



- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

**Answer:** C

#### NEW QUESTION 7

Which template allowed Paths expression would allow a page to be created with the path/ content / main / page1/ page2?

- A. /content/main/?
- B. /content/main/[^]+(/,\*)?
- C. /content/main/[A]+[A/]
- D. /content/main/\*

**Answer:** C

**Explanation:** Reference:

<http://docs.adobe.com/docs/en/cq/5-6-1/developing/templates.html>

#### NEW QUESTION 8

Assume there are multiple publish instances (publ, pub2 and pub3) serving requests for an online shopping site. The end user is allowed to provide reviews and comments for each product and about their shopping experience. The Dispatcher module is in place to load balance the requests to publish instances and there is only one author instance, named author, where content editors create the pages. When a user, named User A, provides comments and the request being served by publish Instance publ, in which three ways are these comments replicated to pub2 and pub3? (Choose three.)

- A. Configure the dispatcher flush for the author pointing to a webserver uri on which the Dispatcher is deployed and configured.
- B. Configure replication agents for the author pointing to publ, pub2 and pub3.
- C. Configure reverse replication agents for the author pointing to publ, pub2 and pub3.
- D. Configure a static agent for the author.

**Answer:** ACD

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-4/deploying/configuring\\_cq.html](http://docs.adobe.com/docs/en/cq/5-4/deploying/configuring_cq.html)

#### NEW QUESTION 9

When installing Internet Information Services, which Application Development Feature needs to be enabled to work with the AEM Dispatcher?

- A. ISAPI Filters
- B. Server-Side Includes
- C. CGI
- D. ISAPI Extensions

**Answer:** A

**Explanation:** Reference: <https://docs.adobe.com/docs/en/dispatcher/disp-install.html>

#### NEW QUESTION 10

Where are ACL node permissions for a node stored in the JCR?

- A. They are stored as ACL permission in the groups under /home/groups
- B. They are stored as ACL permissions in the user node under /home/users
- C. They are stored as rep:policy node under the same node
- D. They are stored inside the template node under /etc/designs

**Answer:** A

#### NEW QUESTION 10

What is the correct way to use clientlibs with Sightly?

- A. `<meta data-sly-template="${clientLib.all @ categories=,your.clientlib,}" data-sly-unwrap></meta>`
- B. `<meta data-sly-call="${clientLib.all @ categories=,your.clientlib,}M data-sly-unwrap></meta>`
- C. `<meta data-sly-use="${clientLib.all @ categories='your.clientlib'}" data-sly-unwrap></meta>`
- D. `<meta data-sly-include=n"${clientLib.all @ categories='your.clientlib'}" data-sly-unwrap></meta>`


**Answer:** D

**Explanation:** Reference:

<http://blogs.adobe.com/experiencedelivers/experience-management/sightly-clientlibs/>

#### NEW QUESTION 15

You have written an OSGi service with the class name `com.acme.myapp.EmailUpdate`. You only use this service to run on the publish instance. Which two configurations would run the service on the publish instance only? (Choose two).



- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** BC

#### NEW QUESTION 17

Which Maven plugin allows direct installation of the bundle into AEM?

- A. maven-sling-plugin
- B. maven-scr-plugin
- C. maven-bundle-plugin
- D. maven-javadoc-plugin

**Answer:** D

**Explanation:** Reference:

<http://docs.adobe.com/docs/en/cq/5-6-1/developing/developmenttools/how-to-build-aem-projects-using-apache-maven.html>

#### NEW QUESTION 20

In a typical author, publish and dispatcher setup, where is the dispatcher flush configured?

- A. In the author instance.
- B. In the publish instance.
- C. In the dispatcher module.
- D. At the webserver level.

**Answer:** A

**Explanation:** Reference: <https://docs.adobe.com/docs/en/dispatcher.html>

#### NEW QUESTION 25

How do you delete a property inside a Node object?

- A. `node.setProperty(npropertyName, "");`
- B. `node.setProperty("propertyName", null);`
- C. `node.delete("propertyName");`
- D. `node.removeProperty("propertyName");`

**Answer:** B



### NEW QUESTION 30

You create annt:unstructured node inside the apps in CRXDE Lite and then you create a folder inside the apps and click save. What is the expected behavior?

- A. The folder and nt:unstructured node, none of them will get saved.
- B. The folder will get saved after refreshing the apps.
- C. The folder and nt:unstructured node, both will get saved.
- D. The folder will get saved.

**Answer:** C

### NEW QUESTION 35

How can a JSP be included in a sightly template?

- A. <cq:include script=" Include.jsp7>
- B. <divdata-sly-include="include.jsp"></div>
- C. <div data-sly-use="include.jsp"></div>
- D. <%@ include file="1include.jsp" %>

**Answer:** C

**Explanation:** Reference:

<http://docs.adobe.com/content/docs/en/aem/6-0/develop/sightly.html>

### NEW QUESTION 39

How do you specify the dependency of Junit with any version greater than or equal to 3.8?

A) 

```
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <version>(3.8,]</version>
  <scope>test</scope>
</dependency>
```

B) 

```
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <version>[3.8,</version>
  <scope>test</scope>
</dependency>
```

C) 

```
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <version>3.8</version>
  <scope>test</scope>
</dependency>
```

D) 

```
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <version>(3.8,</version>
  <scope>test</scope>
</dependency>
```

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

**Answer:** B

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/deploying/osgi\\_configuration\\_settings.html](http://docs.adobe.com/docs/en/cq/5-6-1/deploying/osgi_configuration_settings.html)

### NEW QUESTION 40

What is the optimal way to check-out content from the JCR repository to the local file system?

- A. Use VLT export command.
- B. Create and build a package using CQ Package manage
- C. Download and unzip the package in the local file system.
- D. Use VLT import command.
- E. Download content from the repository as an XML file.

**Answer:** C

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/core/how\\_to/how\\_to\\_use\\_the\\_vlttool.html](http://docs.adobe.com/docs/en/cq/5-6-1/core/how_to/how_to_use_the_vlttool.html)

#### NEW QUESTION 45

Which three statements are true when an AEM author instance is started in debug mode? (Choose three.)

- A. When AEM starts in debug mode, it does not force JVM to fork a separate process.
- B. AEM starts with -Xdebug option (e.g.; java -Xdebug -Xnoagent -Djava.compiler=NONE -Xmnjdpw:transport=dt\_socket,server=y,suspend=n,address=30303-jaraem6~author-p4502).
- C. AEM starts with an option -debug (e.g.; Java -jaraem6-author-p4502 -debug 30303) from command line.
- D. When AEM starts in debug mode, it forces JVM to fork a process.

**Answer:** ACD

**Explanation:** Reference:

<http://docs.adobe.com/docs/en/aem/6-0/deploy/custom-standalone-install.html>

#### NEW QUESTION 47

Which jar name can NOT be used to install an AEM publish instance?

- A. aem-publish-p4503, jar
- B. cq5-publish-4505, jar
- C. cq5-publish-4503, jar
- D. cq5-publish\_4503, jar

**Answer:** C

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/getting\\_started/download\\_and\\_startworking.html](http://docs.adobe.com/docs/en/cq/5-6-1/getting_started/download_and_startworking.html)

#### NEW QUESTION 52

What does the vlt command 'resolve' do?

- A. Removes the conflict markers.
- B. Semantically resolves conflicts.
- C. Removes the conflict-related artifact files.
- D. Allows the path to be committed with the conflicts.

**Answer:** C

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/crx/2-3/how\\_to/how\\_to\\_use\\_the\\_vlttool.html](http://docs.adobe.com/docs/en/crx/2-3/how_to/how_to_use_the_vlttool.html)

#### NEW QUESTION 57

You want to restrict the size of a custom log file and enable log file rotation. Which Apache Sling configuration has to be changed in the AEM Web Console?

- A. Apache Sling Composite Health Check
- B. Apache Sling Job Manager
- C. Apache Sling Logging Writer Configuration
- D. Apache Sling Logging Logger Configuration

**Answer:** D

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/deploying/osgi\\_configuration\\_settings.html](http://docs.adobe.com/docs/en/cq/5-6-1/deploying/osgi_configuration_settings.html)

#### NEW QUESTION 58

The same OSGI configuration parameter is present under /libs/\*/config.. AND /apps/\*/config..and modified in both locations as well as via felix Console. During runtime, what is the reload order?

- A. /libs/\*/config, Felix Console and /apps/\*/config
- B. Felix Console, /apps/\*/config and /libs/\*/config
- C. /libs/\*/config, /apps/\*/config and Felix Console
- D. /apps/\*/config, /libs/\*/config and Felix Console

**Answer:** A

**Explanation:** Reference:

<http://kalkanotel.com/change-made-via-felix-console-takes-more-precedence-over-apps-and-lib-why-i71179.htm>

#### NEW QUESTION 59

Which should be configured to create a custom log file with a different log level?

- A. Apache Sling Log Configuration
- B. Apache Sling Logging Reader Configuration
- C. Apache Sling Logging Logger Configuration
- D. Apache Sling Logging Configuration

**Answer:** C

**Explanation:** Reference:

[http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configure\\_logging.html](http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configure_logging.html)

#### NEW QUESTION 63

An author and publish instance has a shared data store with a very large number of assets. Which type of replication is recommended to avoid duplication of data?

- A. Asynchronous replication.
- B. Binaryless replication.
- C. ClusterDataStore with no replication agents.
- D. Replication with no versioning.

**Answer:** B

**Explanation:** Reference:

<http://docs.adobe.com/docs/en/cq/5-6-1/deploying/scaling.html>

#### NEW QUESTION 64

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 9A0-384 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 9A0-384 Product From:

<https://www.2passeasy.com/dumps/9A0-384/>

## Money Back Guarantee

### 9A0-384 Practice Exam Features:

- \* 9A0-384 Questions and Answers Updated Frequently
- \* 9A0-384 Practice Questions Verified by Expert Senior Certified Staff
- \* 9A0-384 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 9A0-384 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year