

1z0-934 Dumps

Oracle Cloud Platform Application Integration 2018 Associate

<https://www.certleader.com/1z0-934-dumps.html>



NEW QUESTION 1

What task can NOT be performed on Business Types View?

- A. Create business exceptions
- B. Create business objects
- C. Business rules
- D. Import business objects
- E. Create enum objects

Answer: C

NEW QUESTION 2

Which four Client Software Libraries can be used for developing applications with Oracle Internet of Things (IoT) Cloud Service?

- A. C POSIX
- B. Java SE
- C. .NET
- D. JavaScript
- E. Android
- F. VB Script

Answer: ABDE

NEW QUESTION 3

Which two actions can be repositioned in integration with Oracle Integration Cloud (OIC)?

- A. Function Call
- B. Switch
- C. Stage File with Read File in Segments
- D. Stage File

Answer: AB

NEW QUESTION 4

What fields are used to define static or dynamic list of values in web forms in Process Cloud Service?

- A. Links, Email and Message Fields
- B. Checklists, Radio button or Select controls
- C. Date, Time and Number Fields
- D. Text Input and Area Fields

Answer: B

Explanation: To configure static and dynamic list of values (for checklist, radio button and select controls):

- ▶ From the Basic Palette, drag and drop a checklist, radio button or select control onto the canvas.
- ▶ Select the control and configure its static list of values on the Properties pane General tab.
- ▶ Go to Option Source
- ▶ In the Option Names
- ▶ In the Option Values and clickStatic.
- field, enter a label to display for each option. field, enter an internal value for each option.
- ▶ Specify a default value from the option values available in the Default Value field.
- ▶ Select an option in the Autofocus loads.
- field to make that option the selected option when the form
- ▶ Optionally, configure dynamic list of values for the checklist, radio button or select control. There are two options to configure dynamic list of values.
- ▶ Specify that the control's options should come from a list of value data attributes defined in the Data definition pane.
- ▶ Click From Data.
- ▶ Select the list of values options source from available attributes in the Options List field.
- ▶ Specify a default value from the options available in the Default Value field.
- ▶ Select an option in the Autofocus form loads.
- field to make that option the selected option when the
- ▶ Specify that the control's options should come from a REST connector created for the application.
- ▶ Click Connector.
- ▶ Specify the connector settings in the Connector, Resource and Operation fields and map response settings. See Populating Controls Using REST Calls.
- ▶ Select an option in the Autofocus form loads.
- field to make that option the selected option when the
- ▶ Click Preview to try out using the control.

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-advanced-controls.html#GUID-0A790FE5>

NEW QUESTION 5

Which three are characteristics of Device Virtualization?

- A. Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.
- B. You can monitor each device endpoint's health, performance, and location via the client software library API or with REST calls made to those devices.
- C. You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.
- D. The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.
- E. Devices used are not real.
- F. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

Answer: BCD

NEW QUESTION 6

Which two are types of Authentication that are supported for Services in Integration API Platform Cloud Service?

- A. Kerberos
- B. WSS Username Token
- C. OAuth2
- D. BasicAuth

Answer: CD

Explanation: https://cloud.oracle.com/opc/paas/datasheets/APIPCSDataSheet_Jan2018.pdf

NEW QUESTION 7

Oracle Application Adapters in Service-Oriented Architecture Cloud Service (SOA CS) can connect to on-Premise systems. What are 2 key elements that you need to review in this architecture?

- A. Account for network connectivity and latency sensitivity to the on-premise application in the architecture.
- B. Ensure that Oracle Support Notes for a hybrid cloud architecture with that application are reviewed and supported.
- C. Design a load balancer solution for connectivity.
- D. The DMZ needs to open port 80 for proper connectivity.

Answer: AC

NEW QUESTION 8

Which built-in API platform policy lets you manipulate the request context?

- A. Application Rate Limiting Policy
- B. Key Validation Policy
- C. Redaction Policy
- D. Groovy Script Policy

Answer: D

Explanation: https://docs.oracle.com/cd/E83857_01/paas/api-platform-cloud/apfad/using-oracle-api-platform-cloud-service.p

NEW QUESTION 9

You receive an exception message: "java.security.cert.CertPathValidatorException: Path does not chain with any of the trust anchors" What needs to be verified when this exception message is received?

- A. Run this command to verify code.keystore has system certificates: keytool -list -stotetype JKS -keystore config\code.keystore
- B. Run this command to verify code.truststore has system certificates: keytool -list -storetype JKS -keystore config\code.truststore
- C. Run this command to verify cacerts has system certificates: keytool -list -storetype JKS -keystore security\cacerts
- D. Run this command to verify code.certstore has system certificates: keytool -list -storetype JKS -keystore config\code.certstore

Answer: A

NEW QUESTION 10

Which two statements are true about implementing an API-First strategy?

- A. The API is to be developed first before any UI or new business logic are created.
- B. It generally is assumed that SOAP/WSDL are the key specifications for defining the API.
- C. The code to execute business logic needs to exist and be exposed as an API first before you build a strategy around it.
- D. You define the API definition/contract first before any work on its implementation or any applications that use it, allowing to work in parallel.

Answer: AB

NEW QUESTION 10

You provision an Oracle SOA Cloud Service instance and specify a compute shape so that the JVM heap size for WebLogic Serve, and Load Balancer processes are determined automatically.

Which statement is correct after provisioning the instance in this scenario?

- A. You can change the heap size to a maximum of 32GB.
- B. You can change the heap size by logging a Oracle Cloud Support Service Request.
- C. You can change the heap size by using the Weblogic Server Administration Console.
- D. You cannot change the heap size once the Service Instance is provisioned.

Answer: C

NEW QUESTION 15

Which Enterprise Application System can be integrated with Oracle Internet of Things (IoT) Cloud Service?

- A. any system capable of receiving HTTP connections or making HTTP requests
- B. only systems which are deployed on Windows or Unix platform
- C. a system which exposes REST Service
- D. a system which exposes WSDL

Answer: C

Explanation: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/integrating-oracle-integration-cloud-service-oracle-iot-clou>

NEW QUESTION 16

You receive a status code: 502 Proxy Error. Which is a possible event cause for this error?

- A. when the proxy setup is incorrect
- B. while registering a large number of devices using the Batch Registration feature under the Devices menu
- C. while adding proxy for an enterprise application device
- D. while the proxy server is not responding to the request

Answer: B

Explanation: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console-issues.html>

NEW QUESTION 20

Oracle JCA (J2EE Connector Architecture) Adapters simplify how applications connect to each other. Which three technology adapters are supported in Oracle's Service-Oriented Architecture (SOA) Cloud Service?

- A. Oracle JCA Adapter for Sockets
- B. Oracle EBS Application Adapter
- C. Oracle JCA Adapter for Files/FTP
- D. Oracle JCXA Adapter for JMS

Answer: ACD

Explanation: https://docs.oracle.com/cd/E28280_01/integration.11111/e10231/intro.htm#TKADP112

NEW QUESTION 22

Which four statements are correct regarding the differences between WSDL/SOAP and REST/JSON?

- A. REST is typically invoked with HTTP verbs.
- B. WSLD is simpler, REST is richer
- C. Modern API-First architectures prefer to use thed-and-true WSDUSOAP services over REST services because they are richer and provide a tighter contract
- D. WSDL is a request for a service; REST is a request for a resource
- E. WSDL is a tight contract; REST is a loose contract
- F. REST more easily used in developing UIs than WSDUSOA
- G. REST is gaining popularity in application development.

Answer: BCDF

NEW QUESTION 27

What Expression Language does Decision Modeling and Notation (DMN) use?

- A. RegEx
- B. Groovy
- C. Friendly Enough Expression Language (FEEL)
- D. Process Expression Language (PEL)

Answer: C

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/understanding-feel-friendly-enough-expression-langua> Decision Modeling and Notation (DMN) defines Friendly Enough Expression Language (FEEL) to provide standard executable semantics to all expressions used within a decision model. In Process, you use FEEL to define expressions within all notations of decision logic, including decision tables.

NEW QUESTION 29

Which operation is NOT supported by Stage activity?

- A. Read Entire File
- B. Delete File
- C. Write File
- D. Unzip File
- E. Zip File
- F. Read File in Segments

Answer: F

NEW QUESTION 32

What policy is required to be in an API if that API is to be used under a Plan?

- A. Application Rate Limiting
- B. Basic Auth
- C. Key Validation
- D. Interface Filtering

Answer: C

NEW QUESTION 36

Which two options cannot be performed from the Monitoring Dashboard?

- A. Activity Stream Download
- B. Artifacts Download
- C. Download Incident Logs
- D. Download Lookup
- E. Download Diagnostic Logs

Answer: BC

NEW QUESTION 38

Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. Manage API
- C. Entitle API
- D. View all Details and Deploy API

Answer: A

NEW QUESTION 42

Which three are created and managed using the Integration page in Process Cloud Service (PCS)?

- A. ICS Integrations
- B. Java Cloud Services
- C. Rest Connectors
- D. Web Service Connectors

Answer: ACD

NEW QUESTION 46

What are the four steps required to complete the task 'create a connection'?

- A. Configure Connection Properties
- B. Import SSL Certificate
- C. Test Connection
- D. Select an Adapter
- E. Configure Lookup
- F. Configure Connection Security

Answer: ACDF

NEW QUESTION 50

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

- A. Native Spark Java APIs
- B. SQL Queries
- C. JavaScript APIs
- D. Big Data APIs

Answer:

A

Explanation: Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and Streaming spark APIs to write the analytics processing logic.
Developers can also import external APIs and use them in their application. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html>

NEW QUESTION 55

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

Answer: CD

Explanation: <https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

NEW QUESTION 56

Which is NOT a key advantage of using Oracle Integration Cloud (OIC)?

- A. Public/Private Cloud Portability
- B. choice of IDE for development
- C. Auto Association of Oracle SaaS Applications
- D. prebuilt integrations
- E. recommendations

Answer: B

NEW QUESTION 58

What Mapper function can you use to get the lookup value in Mapping Builder?

- A. GetLookupValue
- B. FindLookupValue
- C. LookupValue
- D. SearchLookupValue

Answer: C

NEW QUESTION 59

Which two statements are true about Internet of Things (IoT)?

- A. Different IOT approaches need to be established integrate different technologies such as mobile, cloud, big data, and analytics, and connects everyday objects to each other and to the Internet.
- B. Cloud technology is well suited to enable IoT, offering high degrees of agility, low and flexible costs, and excellent resource utilization.
- C. Using IoT, hospitality-based businesses can better track customer behavior and preferences to deliver rewards and more tailored services that differentiate their businesses.
- D. IOT is not useful in asset tracking scenarios because there is an unavailability of low-cost connected devices and sensors that can be embedded into all of the various assets that need tracking.

Answer: AB

Explanation: <https://www.oracle.com/assets/oracle-iot-solution-brief-2632911-es.pdf>

NEW QUESTION 62

Which two are ways Business Rules can be modeled in Process Cloud Service (PCS)?

- A. using Oracle Business Rules Editor
- B. using OIC Rule Editor
- C. using BPM Rule Editor
- D. using Decision Model Editor

Answer: AD

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-business-rules.html>

NEW QUESTION 64

Which Service-Oriented Architecture Cloud Service (SOA CS) component provides stateful orchestration?

- A. Oracle Mediator
- B. Oracle Business Activity Monitoring

- C. Oracle Service Bus
- D. Oracle Business Rules
- E. Oracle BPEL Process Manager

Answer: E

NEW QUESTION 66

Which three are valid Oracle Integration Cloud (OIC) Roles ?

- A. ServiceDeployer
- B. ServiceImplementor
- C. ServiceUser
- D. ServiceAdministrator

Answer: ACD

Explanation: Oracle Integration Cloud Roles Oracle Integration Cloud predefined roles govern access to various Oracle Integration Cloud features: Integrations, Processes, Visual Builder, Integration Insight, and Stream Analytics . Oracle Integration Cloud predefined roles include ServiceAdministrator, ServiceDeveloper, ServiceMonitor, ServiceDeployer, and ServiceUser.

<https://docs.oracle.com/en/cloud/paas/integration-cloud-um/integration-cloud-user-um/administering-oracle-inte>

NEW QUESTION 70

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-934 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-934-dumps.html>