

## Exam Questions C1000-010

IBM Operational Decision Manager Standard V8.9.1 Application Development

<https://www.2passeasy.com/dumps/C1000-010/>



#### NEW QUESTION 1

Which IRL function needs to be manually migrated to ARL?

- A. reset ()
- B. getCurrrentTask ()
- C. setMainTask(String)
- D. TaskInstance.getTask ()

**Answer:** D

#### NEW QUESTION 2

Why are synchronization connection entries useful?

- A. To keep the connection open to the Decision Center database.
- B. To track the state of the synchronization with Decision Center.
- C. To resolve the conflicts between Rule Designer and Decision Center.
- D. To enable Rule Designer to connect to Decision Center without user sec

**Answer:** B

#### NEW QUESTION 3

How can the state of a decision service branch be captured in Decision Center at a specific moment in time?

- A. By creating a new release
- B. By creating a snapshot from Business Console
- C. By creating a sub-branch from Business Console
- D. By creating a baseline from Enterprise Console

**Answer:** B

#### NEW QUESTION 4

Which statement is true of a rule project that has multiple BOM entries referenced and some of them have the same element name?

- A. There cannot be multiple BOM entries referenced to rule projects.
- B. Rule Designer will show the error of having same element name already exists.
- C. If there are several BOM entries, an element in the first BOM entry in the path overrides any other element with the same name in the other BOM entries
- D. If there are several BOM entries with same element name, then the order of runtime appearance has to be set or else it will not allow the project to be saved.

**Answer:** B

#### NEW QUESTION 5

Which two elements are both mandatory in the ruleset path?

- A. Version
- B. Ruleset name
- C. Branch level
- D. RuleApp name
- E. Rule Project Name

**Answer:** BD

#### NEW QUESTION 6

An application developer has changed the Java XOM. The developer then tries to update the BOM but no differences appear. What are two reasons this could happen? (Select two.)

- A. A member in the Java XOM was deleted.
- B. A member in the Java XOM was annotated as @Deprecated.
- C. Only the content of a method(s) in the Java XOM were changed.
- D. A @NotBusiness annotation was added to a member of the Java XOM.
- E. An additional optional parameter was added to a method(s) in the Java XO

**Answer:** BE

#### NEW QUESTION 7

Categories named Vehicle and Customer have been added to a rule project. In the BOM of this rule project, a business element Car has been assigned categories Vehicle and Automobile and a business element Client has been assigned the category Customer. Which category filters need to be assigned to an action rule so that both the Car and Client business element are visible in the rule? Select two.

- A. Any
- B. All
- C. Client
- D. Vehicle and Client
- E. Vehicle and Automobile

**Answer:**

AB

#### NEW QUESTION 8

When configuring Decision Server Rules on WebSphere Liberty Profile, which archive needs to be deployed on the application server in order to enable hosted transparent decision services?

- A. DSService.war
- B. HdtsService.war
- C. DecisionRunner.war
- D. DecisionService.war

Answer: A

#### NEW QUESTION 9

What is the resulting BOM class when the following Java XOM class is imported in the rule project?

```
public interface VehicleTypeClass {
    public String getMake ();
    @BusinessType (value="String")
    public int getModel ();
    public int getYear();
    public void setYear(int year);
    public void upgrade(VehicleTypeClass vehicle);
}
```

- A. 

```
public interface VehicleTypeClass
{
    public readonly abstract string make;
    public readonly abstract string model;
    public abstract int year;
    public void upgrade(VehicleTypeClass arg);
}
```
- B. 

```
public interface VehicleTypeClass
{
    public abstract string make;
    public abstract string model;
    public abstract int year;
    public void upgrade(VehicleTypeClass arg);
}
```
- C. 

```
public interface VehicleTypeClass
{
    public readonly abstract string make;
    public readonly abstract string model;
    public abstract int year;
    public readonly void upgrade(VehicleTypeClass arg);
}
```
- D. 

```
public interface VehicleTypeClass
{
    public readonly abstract string make;
    public readonly abstract int model;
    public abstract int year;
    public readonly void upgrade(VehicleTypeClass arg);
}
```

- A. Exhibit
- B. Exhibit
- C. Exhibit
- D. Exhibit

Answer: D

#### NEW QUESTION 10

A customer needs to calculate sales taxes based on the state of origin for an online pricing solution. The customer identified 15 states in the US that have a different sales tax and also include 2-3 additional types of taxes. Also, these 15 states have different regulations and need to update taxes on a monthly basis. How can a developer design the rule application to simplify the number of rules and the impact of multiple deployments so that unchanged rules are not duplicated?

- A. - Organize tax rules in a common rule project to address taxes for the states sharing the same logic - Create a separate rule project for every state where taxes calculations are unique- Override common rules with unique rules from this separate rule project
- B. - Create a rule project for every state to include its own tax rules- Package all rule projects into a single RuleApp with multiple rulesets
- C. - Create a rule project with only the rules of one state and use these rules as the only ruleset of a RuleApp
- D. - Create a rule project with a single decision table with all states listed and the tax logic for every state in separate virtual methods from the BOM that can be used in the table.- Use this rule project as the only ruleset in the RuleAp

**Answer: C**

#### NEW QUESTION 10

Which one of the proposals is possible using the HTDS REST?

- A. Filter code from the WADL
- B. Inline XSDs files in the WADL
- C. Outline XSDs files in the WADL
- D. Query certain elements in the WADL

**Answer: A**

#### NEW QUESTION 13

A developer is working with a mainframe legacy application. How can they build the execution object model (XOM) with the information from this application?

- A. Import the Cobol copybook.
- B. Extract objects through SQL queries.
- C. Use the Decision Engine API to map Cobol structures.
- D. Use the Rule Designer migration tool to convert the source Cobol copyboo

**Answer: B**

#### NEW QUESTION 14

A rule developer is creating a virtual method that will calculate the percentage of a provided value. The method receives 2 parameters: The first parameter is the percentage and second parameter is the value to calculate the percentage from. What is a correct verbalization to accomplish this?

- A. The {1}% of {2}
- B. The {0}%of{1}
- C. The {1}% of {this}
- D. The {0}% of {this}

**Answer: A**

#### NEW QUESTION 16

A rule developer needs to write an action rule to apply a 20% discount to customers whose status is GOLD irrespective of the value of their shopping cart or SILVER when the value of their shopping cart is more that \$100. Which two action rules correctly represent this business rule scenario?

```
A. if
    the status of the customer is GOLD
    or the status of the customer is SILVER
    and the value of the shopping cart is more than 100
then
    apply a 20% discount

B. if any of the following conditions is true:
    - the status of the customer is GOLD
    - the status of the customer is SILVER and the value of the shopping cart is more than 100
then
    apply a 20% discount
```



```
C. if any of the following conditions is true:
    - the status of the customer is GOLD
    - the status of the customer is SILVER
    - the value of the shopping cart is more than 100
  then
    apply a 20% discount

D. if
    (the status of the customer is GOLD
    or the status of the customer is SILVER)
    and the value of the shopping cart is more than 100
  then
    apply a 20% discount

E. if
    the status of the customer is GOLD
    and the value of the shopping cart is more than 100
    or the status of the customer is SILVER
  then
    apply a 20% discount
```

- A. Exhibit: A
- B. Exhibit: B
- C. Exhibit: C
- D. Exhibit: D
- E. Exhibit: E

**Answer:** BD

#### NEW QUESTION 18

Which execution algorithm should be used for a rule task with rule chaining?

- A. RetePlus E Fastpalh
- B. Sequential
- C. Working memory

**Answer:** A

#### NEW QUESTION 19

An application developer notices that a class in the Java Execution Object Model (XOM) contains a number of methods that should not be imported into the Business Object Model (BOM). How should the application developer annotate the XOM to filter the methods that should not be imported into the BOM?

- A. Add the @NotBusiness annotation.
- B. Add the @BusinessType annotation and specify null as the business type.
- C. Add the @BusinessName annotation and do not specify a value for the annotation.
- D. Add the @ Custom Property annotation and set name of the property as import and value as fals

**Answer:** C

#### NEW QUESTION 20

What has to be selected or defined when running a simulation in Decision Center?

- A. JDBC Connection
- B. The Cluster JVM
- C. Output Folder for Result
- D. The Decision Runner server
- E. B

**Answer:** E

#### NEW QUESTION 25

Which statement is true about the Business Console Administration tab?

- A. Administration tasks can be done only in Enterprise Console.
- B. Only users with "rtsAdministrator" role have access to this tab.
- C. Only users with "rtsAdministrator" or "rtsInstaller" roles have access to this tab.
- D. Only users with "rtsAdministrator" or "rtsConfigManager" roles have access to this ta

**Answer:** A

#### NEW QUESTION 30

Which statement applies when enforcing security on a project using Decision Center Business console?

- A. Decision Center Enterprise console must be used to grant access permissions to custom groups.
- B. Members of custom groups are restricted by the permissions assigned to that group, regardless of membership in other groups.
- C. When a user belongs to multiple groups and members of custom groups have varying permission levels, the most restrictive permissions apply.
- D. When a user belongs to multiple groups and members of custom groups have varying permission levels, the least restrictive permissions apply.

**Answer:** A

#### NEW QUESTION 35

How would the following business policy be classified? The vehicle usage MUST NOT BE Commercial

- A. Calculation
- B. Constraint
- C. Guideline
- D. Inference

**Answer:** C

#### NEW QUESTION 39

A developer needs to build an asynchronous decision service that can process extremely high transaction volume for a small input request and from an application that is not mission critical.

Which API offers the fastest throughput, sufficient reliability, and least amount of client side development for this decision service?

- A. SOAP/XML web service
- B. REST/JSON web service
- C. Java Message Service (JMS)
- D. Remote interface of an EJB rule session

**Answer:** D

#### NEW QUESTION 44

A rule task in a ruleflow contains multiple rules and all the rules in this task need to be evaluated. Which Exit Criteria should be chosen?

- A. Rule
- B. None
- C. Literal
- D. RuleInstance

**Answer:** A

#### NEW QUESTION 49

The project owner, Paul, asks a rule author, Bea, to update rules for the Spring release, and asks Adam to review and validate Bea's changes. After Bea finishes her updates, she notifies Adam. Adam is unable to access the project to test the changes. What is the problem?

- A. Paul forgot to assign Adam as a Tester.
- B. Adam has rtsUser permissions, therefore, he cannot test rules.
- C. After Bea finished her updates, she marked the status as Finished, which prevented Adam from testing.
- D. Paul needed to mark Bea's updates to the Spring release as Reviewed so that Adam could see the update

**Answer:** B

#### NEW QUESTION 52

GoodCreditLoans is a financial company that wants to create an automated loan approval application. They currently have an application that uses hard-coded logic and manual checks to assess loan applications, generate payment reminders, send marketing emails to potential clients, and create monthly sales reports. The existing application uses these entities: MarketingContact. Equipment. Loan, Reminder. Applicant. SalesReport Here are some example rules harvested during rule discovery for the new automated loan approval application:

if the amount of the loan is less than \$10,000,000.00 then the loan is rejected

If the amount of the loan is equal to or more than \$10,000,000.00 and the applicant's monthly salary is greater than \$175,000.00 then the loan is accepted

What two entities are needed to write the loan approval business rules?

- A. Loan
- B. Reminder
- C. Applicant
- D. SalesReport
- E. MarketingContact

**Answer:** DE

#### NEW QUESTION 57

What business rule application requirement would lead a Rule Developer to implement their own UrTraceDAO ,in order to create a custom DAO for storing execution traces?

- A. The business rule application must provide a full log of all the rules that were executed.
- B. The business rule application must provide evidence to auditors of how decisions were made.
- C. The business rule application must provide System Administrators with a way to roll back rule deployments.

D. The business rule application must provide the business users with data in the format they need for their business reports on how decisions were made .

**Answer:** D

#### NEW QUESTION 60

Which statement regarding decision services is true?

- A. The main rule project can be referenced by a XOM for purposes of exposing methods in rules.
- B. Decision services can be configured through parameters in the properties when rule extractors are used.
- C. The source rule project for the decision operation determines the rules, variables, and dependent projects that are eligible to be included in the rule set.
- D. When a decision service with multiple rule projects is published to Decision Center, standard rule projects are published as source decision service artifacts.

**Answer:** C

#### NEW QUESTION 64

A large enterprise has multiple decision services from different business units using Decision Center as the source of truth to maintain their rules. Some of these projects have customized Decision Center behaviors in order to meet business user authoring experience requirements.

What are two reasons to use Decision Center in non-production environments in order to minimize interruption to access to Decision Center for this customer?

- A. To test customizations
- B. To test product updates and ifixes
- C. To test the behavior of large decision tables
- D. To develop and encourage POCs away from production
- E. To simulate new complex rule ideas away from production

**Answer:** AB

#### NEW QUESTION 67

For a request, which object is used for a Java execution of a Rule session?

- A. IlrRequest
- B. rule Request
- C. restAPIRequest
- D. IlrSessionRequest

**Answer:** A

#### NEW QUESTION 72

After a decision service is implemented in the Rule Designer, a developer would like to analyze the rule artifacts in the rule project by creating a query in the file project. Which element can be found by the query?

- A. Function
- B. Rule task
- C. Parameter
- D. XOM class

**Answer:** B

#### NEW QUESTION 77

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual C1000-010 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the C1000-010 Product From:

<https://www.2passeasy.com/dumps/C1000-010/>

## Money Back Guarantee

### **C1000-010 Practice Exam Features:**

- \* C1000-010 Questions and Answers Updated Frequently
- \* C1000-010 Practice Questions Verified by Expert Senior Certified Staff
- \* C1000-010 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* C1000-010 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year