

Exam Questions H13-611

HCNA-Storage-BSSN(Building the Structure of Storage Network)

<https://www.2passeasy.com/dumps/H13-611/>



NEW QUESTION 1

Match the correct functionalities together: (1) IaaS (2) Hybrid (3) SaaS (a) Combination of public and private (b) Applications are hosted externally (c) Hardware is outsourced.

- A. 1-a; 2-b; 3-c
- B. 1-b; 2-c; 3-a
- C. 1-c; 2-a; 3-b
- D. 1-b; 2-a; 3-c

Answer: C

NEW QUESTION 2

Application program interface (API) is a set of routines, protocols, and tools for building software applications.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 3

Statement 1: A company should know what the Cost Of Downtime is to determine the backup strategy.

Statement 2: For the business continuity it is not important to determine the RTO.

- A. Statement 1 and Statement 2 are both True.
- B. Statement 1 is True; Statement 2 is False,
- C. Statement 1 is False; Statement 2 is True.
- D. Statement 1 and Statement 2 are both False

Answer: B

NEW QUESTION 4

Select the correct statements that describes Mean Time Between Failure(MTBF). (Multiple Choice)

- A. MTBF can accurately pinpoint the time of failures of the hard disks.
- B. The higher the MTBF, the hard disk will have shorter lifespan expectancy,
- C. MTBF is used to measure the reliability of hard disks.
- D. MTBF is the predicted elapsed time between inherent failures of hard disk

Answer: CD

NEW QUESTION 5

Statement 1: An ICT infrastructure should be built with high end equipment and be located in one site.

Statement 2: A server is a rackmounted enterprise version of a desktop computer and typically has more than one hard disk installed.

- A. Statement 1 and Statement 2 are both True.
- B. Statement 1 is True; Statement 2 is False.
- C. Statement 1 is False; Statement 2 is True.
- D. Statement 1 and Statement 2 are both False

Answer: C

NEW QUESTION 6

Each organization independently determines which data should be stored and for how long.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 7

Which of the following statements are characteristics of pre-copy technology? (Multiple Choice)

- A. Migrates data from a suspected faulty disk to a hot spare disk immediately after the error count of the suspected faulty disk exceeds the preset threshold.
- B. Reduces the occurrence of reconstruction.
- C. Improves system reliability.
- D. Reduces system performance

Answer: ABC

NEW QUESTION 8

Using SmartThin gives extra responsibility for the SAN administrator because there is a risk of overprovisioning storage capacity.

- A. TRUE

B. FALSE

Answer: A

NEW QUESTION 9

Which of the following are existing Solid State Disk types? (Multiple Choice)

- A. DLC
- B. eMLC
- C. TLC
- D. SLC

Answer: BCD

NEW QUESTION 10

A backup set is a group of data that is backed up in a batch. A backup set can be used for either full backup or incremental backup.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 10

In HUAWEI OceanStor V3, for synchronous replication to be successful, all host applications must be paused during the replication update process.

- A. TRUE
- B. FALS

Answer: B

NEW QUESTION 12

Which of the following is NOT a benefit of cloud datacenters?

- A. Mainframe servers improve performance.
- B. Virtualization technology improves resource utilization.
- C. Distributed computing and storage improve reliability.
- D. Unified resource management improves efficienc

Answer: A

NEW QUESTION 15

Which of the following is the correct procedure for configuring a HUAWEI OceanStor V3 storage system?

- A. Creating a Storage pool -> Creating a LUN -> Adding a mapping.
- B. Creating a Storage pool -> Adding a mapping -> Creating a LUN.
- C. Creating a LUN -> Creating a Storage pool -> Adding a mapping.
- D. Creating a LUN -> Adding a mapping -> Creating a Storage poo

Answer: A

NEW QUESTION 18

Which of the following statements are true for a NAS solution? (Multiple Choice)

- A. Cable length is around 10 m.
- B. Block size is configurable.
- C. CIFS and NFS are both commonly used protocols.
- D. NAS clients are connected to the NAS server using Ethernet switche

Answer: D

NEW QUESTION 20

Which of the following disk interface technologies use serial interface technology? (Multiple Choice)

- A. ATA
- B. SATA
- C. sas
- D. IDE

Answer: BCD

NEW QUESTION 23

In HUAWEI OceanStor V3, what statement is true about SmartThin LUNs?

- A. Space will be reclaimed in all Windows operating systems when data is deleted in the OS.

- B. A Thin LUN cannot be converted into a Thick LUN.
- C. SmartThin must be enabled on all LUNs of a storage pool.
- D. SmartThin LUNs consume just a little storage capacity at the time they are create

Answer: D

NEW QUESTION 25

Which are characteristics of the HUAWEI OceanStor V3 hardware? (Multiple Choice)

- A. SAN and NAS convergence
- B. SSD and HDD convergence
- C. No need for heterogeneous convergence anymore
- D. Primary and Backup convergence

Answer: ABD

NEW QUESTION 29

Government regulations can sometimes mean that when data must be destroyed it means that the physical media must be destroyed.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 34

It is common practice to create an extra copy of a backup tape that holds important data.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 36

In a RAID 5 group comprised of three disks, if 10110110 and 11010011 are written to the same stripe on the two data disks, respectively, 01100101 is calculated using the XOR function and then written to the parity disk.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 39

What is NOT a parameter used to identify a hard disk?

- A. Block size
- B. Bandwidth
- C. Rotations per minute
- D. Latency

Answer: B

NEW QUESTION 44

In a Red Hat Linux 5 operating system, which command is used to mount the sdb5 in the dev directory to the sdb5 in the mnt directory?

- A. cat /dev/sdb5 /mnt/sdb5
- B. ln/dev/sdb5/mnt/sdb5
- C. mount /dev/sdb5 /mnt/sdb5
- D. df/dev/sdb5/mnt/sdb5

Answer: C

NEW QUESTION 49

Which of the following are the 3 layers of components that storage systems are made up of? (Multiple Choice)

- A. Storage Analysis
- B. Storage Solution
- C. Storage Software
- D. Storage Hardware

Answer: BCD

NEW QUESTION 53

What is typical for a DAS solution? (Multiple Choice)

- A. More scaleable in capacity than a SAN solution
- B. Consists of a server/host with its locally connected disk drives
- C. Sharing of files between DAS solutions is possible via the network.
- D. Backups are centrally made on a special backup serve

Answer: BD

NEW QUESTION 54

It is a device which manages the physical disk drives and presents them to the users as logical units. Which of the following device fits the above description?

- A. Host.
- B. Storage NIC.
- C. Storage Controller.
- D. Storage Cach

Answer: C

NEW QUESTION 59

HUAWEI OceanStor V3 SmartTier can be used to position files to be on specific disk drive types.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 61

In HUAWEI OceanStor V3, which of the following statements about mapping a snapshot is true?

- A. Mapped snapshots are always Read-Only.
- B. Snapshots optionally can be mapped to multiple hosts.
- C. Snapshots can only be mapped to a the same host the original LUN was mapped to.
- D. All of the answers are true

Answer: B

NEW QUESTION 66

Which of the following file system is most suitable for the storage of Big Data?

- A. NTFS
- B. EXT4
- C. HDFS
- D. BTRFS

Answer: C

NEW QUESTION 71

In HUAWEI OceanStor V3, which of the following are characteristics of virtual snapshot LUN? (Multiple Choice)

- A. Virtual snapshot is based on the pointers specified in a mapping table.
- B. A snapshot LUN cannot be mapped to hosts,
- C. A full data replication is unnecessary.
- D. Data is located using a mapping tabl

Answer: ACD

NEW QUESTION 76

When does data become information?

- A. When it has been stored in the right file format.
- B. When it has been stored in a digital form.
- C. When the company understands the data and learns from it
- D. AH of the abov

Answer: C

NEW QUESTION 78

Which of the following is NOT a port name in Fibre Channel.

- A. FL_Port
- B. E_Port
- C. TX_Port
- D. U_Port

Answer: C

NEW QUESTION 80

You are tasked to setup a SAN storage system that has the following requirements: (1) To minimize the workload on server resources. (2) Optimize the capabilities on storage system for deduplication. Select the following options that fits the scenario above.
(Multiple Choice)

- A. Use NIC instead of HBA cards to minimize the host resource consumption during I/O operations.
- B. Offload the storage processing tasks to the server to optimize the data deduplication.
- C. Usage of TCP/IP offload engine technology to do processing on HBA cards on the server to minimize the usage of server resources.
- D. Adding hardware acceleration module to the storage system to optimize the performance of data deduplication.

Answer: CD

NEW QUESTION 83

Which of the following statements about the coffer disks of the HUAWEI V3 series storage systems are correct? (Multiple Choice)

- A. Coffers disks store cache data to prevent data loss after a power failure.
- B. BBUs supply power to cache and coffer disks in the event of unexpected power failure.
- C. Coffers disks cannot be used to save service data.
- D. The first 2 disks in a controller enclosure are coffer disk

Answer: AB

NEW QUESTION 84

Storage Pools cannot be created with a single tier of disks.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 87

A differential backup holds all changes that were made since the last successful full backup.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 89

Match the operating system with the protocol. The operating systems include:1.Windows 2.Linux 3.Apple OSX; The protocols include: A-NFS B - CIFS C - SMB

- A. 1-A; 2-C; 3-A.
- B. 1 - B+C; 2 - A ; 3 - A .
- C. 1 - A+D; 2 - A+B; 3 - A .
- D. 1 - C ; 2 - A+D; 3 - A.

Answer: B

NEW QUESTION 91

In HUAWEI OceanStor V3, which licensed feature is best described as: periodically detects hot-spot data and promotes them from low-speed storage media to high-speed media.

- A. SmartMove
- B. SmartMigration
- C. SmartMotion
- D. SmartTier

Answer: D

NEW QUESTION 94

In HUAWEI OceanStor V3,HyperSnap of a LUN uses the Copy On Write method to keep track of changes blocks

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 96

Lifecycle Management Of Information and Data consists of 5 different stages. Which of the following is the second stage?

- A. Maintenance.
- B. Transmission.
- C. Generation.
- D. Usag

Answer: B

NEW QUESTION 99

In a NAS environment entire files are sent across the ethernet based network. The NAS server however stores these files in the form as SCSI blocks mostly on multiple disks using RAID protection.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 100

Huawei V3 series storage system hardware includes controller enclosures and disk enclosures. Which of the following statements about controller enclosures is correct?

- A. When the external power supply fails, BBU modules provide backup power for all disks.
- B. When the external power supply fails, BBUs can supply power to enable data synchronization from the cache to disks in disk enclosures.
- C. If BBUs become faulty, the service system will be interrupted.
- D. When the power input is normal, BBUs are in the standby stat

Answer: B

NEW QUESTION 102

Statement 1: If possible it is always advised to make only Full Backups Statement 2: LAN free backups typically run slower than LAN based backups.

- A. Statements 1 and 2 are both true.
- B. Statement 1 is true and statement 2 is false.
- C. Statement 1 is false and statement 2 is true.
- D. Both statements 1 and 2 are fals

Answer: B

NEW QUESTION 104

Which of the following statements about HUAWEI OceanStor V3 SmartTier dynamic storage tiering technology is NOT true?

- A. The SmartTier calculates and analyzes the activity level of data.
- B. The SmartTier automatically and dynamically matches data from different activity levels with storage media of different characteristics.
- C. The SmartTier data relocation activities are based on configured policies.
- D. Data statistics, analysis, and relocation activities of the SmartTier affect service continuity and data availability.

Answer: D

NEW QUESTION 106

Grid storage employs the combination of large scale serial distributed storage to provide even distribution of storage across all nodes.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 110

Data and Information are the same thing.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 115

SAS uses a point-to-point connection design to enable a dedicated link to be established between two devices in the communication.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 116

It is an electronic device controlled by a motor that moves the hard drive head arm. Which of the following component fits the above description?

- A. Actuator.
- B. Spindle,
- C. Platter.
- D. Moto

Answer: A

NEW QUESTION 118

The mount command is used in Linux-based clients to connect the client to the NFS share.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 123

Which of the following is correct? (Multiple Choice)

- A. Only when a snapshot is activated will the system record all changes to the original LUN.
- B. A snapshot needs to be removed from the LUN group to be fully unmapped.
- C. SmartTier supports a High Performance, a Performance, a High Capacity and a Capacity Tier.
- D. To write data to the secondary LUN of a clone pair, the pair must be spli

Answer: ABD

NEW QUESTION 128

Statement 1: Disaster Recovery plans eliminate the need for backups on tape or disk.

Statement 2: With the design of the DR plan one should always assume the worst possible scenario.

- A. Statement 1 and 2 are true.
- B. Statement 1 is true; Statement 2 is false.
- C. Statement 1 is false; Statement 2 is true.
- D. Statement 1 and 2 are fals

Answer: C

NEW QUESTION 130

In a clustered NAS architecture, which of the following allows multiple file system to be consolidated and does not need to be managed separately?

- A. Global Namespace.
- B. Global Sharing.
- C. Global Cache.
- D. Global Concurrenc

Answer: A

NEW QUESTION 133

Which of the following are common RAID types. (Multiple Choice)

- A. RAID 1
- B. RAID 5
- C. RAID 0+1
- D. RAID 50

Answer: ABD

NEW QUESTION 137

Currently all OceanStor V3 devices support SAS at 12 Gb/s.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 138

You are the storage administrator of a media company that stores a lot of media files such as videos. You are asked to propose a proper storage architecture for a new storage system that stores all the video and graphic files of the company. The requirement is that it could run on commodity hardware in a distributed manner for unstructured dat

- A. Choose which one of the following architecture would be the better option.
- B. Block Storage Architecture.
- C. Clustered NAS Storage Architecture.
- D. Distributed Storage Architecture.
- E. Distributed Object Storage Architectur

Answer: D

NEW QUESTION 141

Which of the following is not a port type defined by Fibre Channel?

- A. E-Port
- B. F-Port
- C. G-Port
- D. NL-Port

Answer: D

NEW QUESTION 144

Which of the following are the 3 layers of SCSI Initiator Model? (Multiple Choice)

- A. SCSI Link Layer.
- B. SCSI Network Layer.
- C. SCSI Middle Layer.
- D. SCSI Device Driver Laye

Answer: ACD

NEW QUESTION 148

Which one of the following component is responsible for rotating the disk platter in the disk drive?

- A. Spindle.
- B. Actuator.
- C. Control Circuit Board.
- D. Read/Write Ar

Answer: A

NEW QUESTION 149

Which of the following is the common physical size division of the surface of the hard disk? (Multiple Choice)

- A. Track,
- B. Sector.
- C. Cylinder.
- D. Partitio

Answer: ABC

NEW QUESTION 150

A device can have one WWPN but multiple WWNN's.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 151

Which of the following is not a characteristic of the Cloud?

- A. Ubiquitous Access.
- B. Shared pool of configurable resources.
- C. On Demand Self Service.
- D. Quick analysis of vast amount of dat

Answer: D

NEW QUESTION 155

What does the term RPO mean?

- A. Return Purchase Order
- B. Recover Plan Objective
- C. Restore Point Objective
- D. Recovery Point Objective

Answer: D

NEW QUESTION 160

Statement 1: We have a a RAID5 protected group of disks. The protection level increases if we add more disks to the group. Statement 2: With a RAID 10 set the number of disks must be greater than 8 to always survive a dual disk failure.

- A. Statements 1 and 2 are both true.
- B. Statement 1 is true and statement 2 is false.
- C. Statement 1 is false and statement 2 is true.
- D. Both statements 1 and 2 are fals

Answer: D

NEW QUESTION 162

Statement 1: Deduplication reduces the amount of stored data. Statement 2: Deduplication is performed on file level only.

- A. Statements 1 and 2 are both true.
- B. Statement 1 is true and statement 2 is false.
- C. Statement 1 is false and statement 2 is true.
- D. Both statements 1 and 2 are fals

Answer: B

NEW QUESTION 165

Which of the following is NOT the characteristics of the active-active mode of a storage controller?

- A. Two controllers process the I/O requests from application servers concurrently.
- B. If a controller becomes faulty, the other takes over the work of the faulty controller without disrupting ongoing services.
- C. The primary controller processes the I/O requests from application servers and the secondary controller is in the idle state.
- D. The active-active mode achieves load balancing, full utilization of resources, and system performance improvement.

Answer: C

NEW QUESTION 167

Based on the new industrial revolution, what are the changes in the trend of ICT? (Multiple Choice)

- A. ICT trend is changing slowly with little significant changes.
- B. The initial phases of ICT focuses on office automation but slowly changed towards changing business flows.
- C. ICT is slowly being replaced by other new technologies such as IT and CT.
- D. ICT has become the core in the production systems in the recent year

Answer: BD

NEW QUESTION 169

Which of the following statements about RAID 10 are correct? (Multiple Choice)

- A. RAID 10 applies to scenarios with demanding requirements for speed and fault tolerance.
- B. RAID 10 requires at least four member disks.
- C. In RAID 10, if two member disks in the RAID 1 group fail, data read proceeds normally.
- D. Data is mirrored and then striped in RAID 10.

Answer: ABD

NEW QUESTION 172

Which of the following statements is NOT true for a SAN solution?

- A. Block based storage.
- B. Long distance connections not possible.
- C. Contains no Single Points Of Failure.
- D. Multiple protocols possible.

Answer: B

NEW QUESTION 175

Statement 1: FCoE is preferred over iSCSI because it uses fiber optic cables that can be much longer than Ethernet cables.

Statement 2: FCoE is preferred over iSCSI because we do not need any Ethernet switches anymore.

- A. Statements 1 and 2 are both true.
- B. Statement 1 is true and statement 2 is false.
- C. Statement 1 is false and statement 2 is true.
- D. Both statements 1 and 2 are fals

Answer: D

NEW QUESTION 178

The restore time objective (RTO) specifies the time needed to recover the data and servers after after a disaster has occurred,

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 179

Which statement is true about RAID 2.0+?

- A. Chunks belonging to a file will never be written on the same physical disk.
- B. RAID 2.0+ has a higher RAID overhead than traditional RAID types.

- C. With RAID 2.0+ it is supported to select no hot spare disks.
- D. RAID 2.0+ allows for a complete enclosure to fail without causing data loss

Answer: C

NEW QUESTION 181

Which of the following statements about RAID 5 are correct? (Multiple Choice)

- A. RAID 5 has fixed parity disks,
- B. RAID 5 uses the XOR algorithm for parity,
- C. RAID 5 writes data by stripes.
- D. RAID 5 tolerates the failure of a maximum of two member disks without losing data

Answer: BC

NEW QUESTION 183

Which of the following allows direct physical access to end users?

- A. Network Switch.
- B. Storage Array.
- C. Backup System.
- D. Client

Answer: D

NEW QUESTION 187

Statement 1: a snapshot of a ThinLUN at creation does not occupy storage capacity. The snapshot of a ThickLUN at creation immediately occupies storage capacity.

Statement 2: When a snapshot of a ThickLUN exists, there is always space available to store changes to the original data.

- A. Statements 1 and 2 are both true.
- B. Statement 1 is true and statement 2 is false.
- C. Statement 1 is false and statement 2 is true.
- D. Both statements 1 and 2 are false

Answer: D

NEW QUESTION 188

Statement 1: Creating an incremental backup is faster than creating a differential backup. Statement 2: Restoring from an incremental backup is faster than from a differential backup.

- A. Statements 1 and 2 are both true.
- B. Statement 1 is true and statement 2 is false.
- C. Statement 1 is false and statement 2 is true.
- D. Both statements 1 and 2 are false

Answer: B

NEW QUESTION 191

Which of the following technologies are able to quickly obtain valuable information from a variety of data types in a short period of time from a collection of vast amounts of data?

- A. Cloud.
- B. Big Data.
- C. Social Media.
- D. Internet Of Things

Answer: B

NEW QUESTION 192

Which of the following statements is NOT true? (Multiple Choice)

- A. CIFS is a network-based sharing protocol
- B. It has high demands on network transmission reliability, so it usually uses TCP/IP.
- C. One disadvantage of CIFS is that Windows clients must be equipped with dedicated software.
- D. NFS is a stateless protocol while CIFS is a stateful protocol
- E. NFS can be automatically recovered from a fault while CIFS cannot
- F. Both the CIFS as well as the NFS protocol requires file format conversion

Answer: BD

NEW QUESTION 196

To enable a Windows-based host to use the resources provided by a HUAWEI OceanStor V3 series storage device, perform the following operations:

1. Create a Disk Domain and a storage pool.
2. Create a host group and host.

3. Create a LUN group and LUN.
4. Configure an initiator on server and on storage device.
5. Connect the server to the storage device.
6. Format the logical disk.
7. Install the initiator software on server.
8. Mapping.

Place the steps in the proper order.

- A. 2 -> 3 -> 1 -> 4 -> 5 -> 6 -> 7-> 8
- B. 1 -> 2 -> 3 -> 4 -> 5 -> 6 -> 7 -> 8
- C. 2 -> 3 -> 1 -> 4 -> 8 -> 7 -> 5 -> 6
- D. 7 -> 5 -> 1 -> 3 -> 2 ->4 -> 8-> 6

Answer: D

NEW QUESTION 201

Which of the following are attached to the storage system serially? (Multiple Choice)

- A. ATA Drive.
- B. SAS Drive.
- C. NL-SAS Drive.
- D. IDE Driv

Answer: BC

NEW QUESTION 202

What is the main difference between mechanical drives such as SAS with solid state drives(SSD)?

- A. The presence of mechanical parts.
- B. The performance of the hard drive.
- C. The capacity of hard drive.
- D. The lifespan of hard driv

Answer: A

NEW QUESTION 204

Big Data refers to the process of collecting/ processing and analyzing vast amount of data and information to gain valuable insights.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 207

Which of the following occurs after multipathing software is installed on a host? (Multiple Choice)

- A. Maps a LUN to the host
- B. Avoids logical errors from occurring in the operating system as a result of multiple reachable paths to the same LUN.
- C. Improves link reliability and prevents the failure of a single link from causing a system failure.
- D. Sets up connection between a storage device and the hos

Answer: BC

NEW QUESTION 209

Which of the following statements about pre-copy is incorrect?

- A. Pre-copy is the process of copying data from a failing member disk to a hot spare disk.
- B. Data to be pre-copied must be reconstructed and calculated.
- C. Pre-copy greatly reduces the risk of data loss.
- D. Pre-copy requires hot spare disk

Answer: B

NEW QUESTION 212

When the RTO is 10 minutes the traditional Tape Backup method cannot be used.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 217

In an ICT infrastructure the servers can run different operating systems like Windows, Linux, AIX.

- A. TRUE

B. FALSE

Answer: A

NEW QUESTION 220

HyperReplication for HUAWEI OceanStor V3 can use FC links between the data centers. iSCSI links are not supported.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 222

Which of the following statements about reconstruction is incorrect?

- A. RAID 0,1, 5, 6, and 10 support reconstruction.
- B. Reconstruction requires hot spare disks.
- C. Reconstruction affects system performance.
- D. Reconstruction does not interrupt system service

Answer: A

NEW QUESTION 224

Synchronous replication in OceanStor V3 devices is based on the snapshot technology.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 226

Which is the correct formation order of the following elements in RAID 2.0+?

- A. LUN -> CK -> CKG -> Extent -> LD
- B. LD -> CKG -> CK -> Extent -> LUN
- C. LD -> CK -> CKG -> Extent -> LUN
- D. LD -> Extent -> CKG -> CK -> LUN

Answer: C

NEW QUESTION 231

The only cable type that can be used to connect disk enclosures is the mini SAS cable.

- A. FALSE
- B. TRUE

Answer: B

NEW QUESTION 234

Based on common ICT architecture, what effect does network latency have on the performance of networks?

- A. Low latency will cause network performance to drop.
- B. Higher latency has better network performance.
- C. Higher latency allows more data to be transmitted.
- D. Low latency allows quicker data transmission in network

Answer: D

NEW QUESTION 236

Statement 1: A port can be listed in multiple zones.

Statement 2: A switch configuration can contain multiple zones.

- A. Statement 1 and 2 are true.
- B. Statement 1 is false; Statement 2 is true.
- C. Statement 1 is true; Statement 2 is false.
- D. Statement 1 and 2 are fals

Answer: A

NEW QUESTION 240

Select the correct statements that describes the properties of bus technology in ICT architecture. (Choose all that apply.)

- A. Bus technology are only available in serial form.

- B. Bus can be divided into internal bus and external bus.
- C. The CPU needs to go through the memory to directly access the Bus.
- D. Bus is a communication system that transfers data between internal components and external components.

Answer: BD

NEW QUESTION 243

What are components of an ICT infrastructure? (Choose all that apply.)

- A. Software
- B. Hosts and Servers
- C. Backup Devices
- D. Network switches

Answer: BCD

NEW QUESTION 247

Statement 1: We have a RAID5 protected group of disks. The protection level increases if we add more disks to the group.
Statement 2: With a RAID 10 set the number of disks must be greater than 8 to always survive a dual disk failure.

- A. Statement 1 is true and statement 2 is false.
- B. Statements 1 and 2 are both true.
- C. Both statements 1 and 2 are false.
- D. Statement 1 is false and statement 2 is true.

Answer: C

NEW QUESTION 249

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual H13-611 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the H13-611 Product From:

<https://www.2passeasy.com/dumps/H13-611/>

Money Back Guarantee

H13-611 Practice Exam Features:

- * H13-611 Questions and Answers Updated Frequently
- * H13-611 Practice Questions Verified by Expert Senior Certified Staff
- * H13-611 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * H13-611 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year