

1z0-976 Dumps

Oracle CPQ Cloud Service 2017 Implementation Essentials

<https://www.certleader.com/1z0-976-dumps.html>



NEW QUESTION 1

A use case requires displaying 250 rows of data to a user and allowing the user to interact with the data in a mobile interface. What is the Oracle-recommended method for displaying an interactive 250-row data set in a Configurator?

- A. Split the data into two array sets and use logic to show the relevant set of data.
- B. Use an HTML attribute to display the data and use JavaScript to create interactivity.
- C. Use an array set to show this data.
- D. You do not have a good option because 250 rows are too much to display on the screen of a Configurator.

Answer: A

NEW QUESTION 2

You are asked to design a Document Designer template, which should generate an output document where users would be able to navigate to a specific section from the table of contents. This is a complex document with many sections and subsections that can go up to seven levels of parent/child relationships. Which three steps do you need to perform to ensure that the table of contents show only two levels of the sections and subsections so that the user reviewing the document can navigate to a desired section's page and scroll further to the deeper levels? (Choose three.)

- A. Enable the Table of Contents option for selected heading styles.
- B. Enable the Table of Contents option for all heading styles.
- C. Assign a heading style set to the Table of Contents layout.
- D. Create headings by using the Heading element for the section content in your template.
- E. Assign page numbers to all heading elements.

Answer: BDE

NEW QUESTION 3

Identify four types of attributes that can be set by formulas. (Choose four.)

- A. Integer Attributes
- B. Single Select Menu Attributes
- C. Date Attributes
- D. Text Attributes
- E. Boolean Attributes
- F. Currency Attributes

Answer: ACEF

NEW QUESTION 4

Consider the following requirements for integration with Salesforce:

- Transaction information needs to be pushed back to Salesforce and synchronized.
- You must be able to synchronize a transaction with up to 1,000 lines back to the Opportunity Product object in Salesforce.

On the basis of these requirements, which three XSL sets should you use to provide the integration? (Choose three.)

- A. SFDC Opportunity – Import
- B. SFDC Quote – Upset
- C. SFDC Products – Upset All (200, 400, 600, 800, 1000)
- D. SFDC Quote – Process Updates
- E. SFDC Opportunity – Upload

Answer: C

NEW QUESTION 5

What does the function `getConfigattrvalue ()` return?

- A. Returns all Text Area Attribute values only
- B. Returns the values of configuration attributes in Commerce
- C. Returns all Menu Attribute values only
- D. Returns the values of configuration attributes in Config

Answer: B

Explanation:

The best practice for retrieving the value of a configurable attribute in Commerce is to use the `getConfigattrvalue()`

NEW QUESTION 6

Your customer has a Configurator on a site with two Commerce processes. Which two options allow you to control in which Commerce process a new transaction will be created when starting from the Configurator?

- A. Populate the Target Commerce Process field with configuration recommended item rules.
- B. For one invocation action, define two different invocation rules with condition BML functions.
- C. For each Commerce process, create a "Create transaction" button by generating an invocation action.
- D. Assign a user or a user group to the Commerce process action permissions.

Answer: B

NEW QUESTION 7

Identify three types of activities that are captured in Administration logs. (Choose three.)

- A. migrations with the site as target
- B. deployment of configuration product families
- C. creation of data tables
- D. modification of Commerce process objects
- E. creation of configuration objects
- F. uploading of files in File Manager

Answer: ABD

NEW QUESTION 8

Identify three types of data written to different log files that you can find in the Error Logs menu. (Choose three.)

- A. email sending and receiving
- B. performance information
- C. server messages
- D. modsecurity messages
- E. administration changes
- F. output of print servers

Answer: CDE

NEW QUESTION 9

The Related Parts data table exists in the QA environment and in the production environment. The table has 3,000 records in the QA environment and 4,000 records in the production environment.

How many records will be present in the data table in the production environment if this table is migrated from the QA environment?

- A. 7,000
- B. 3,000
- C. 4,000
- D. 1,000

Answer: C

NEW QUESTION 10

What would you do if a partner organization is no longer needed and the access of all users needs to be removed?

- A. Proxy log in as superuser, go to the list of partner organizations, and select the partner organization and delete it.
- B. Go to the list of partner organizations, perform a proxy log in as the superuser of the partner organization, go to the list of users, select all active users, and click Inactivate.
- C. Proxy log in as superuser, go to the list of partner organizations, and select Denied in the Access drop-down list.
- D. Open the list of partner organizations and set the value of Maximum Users to "0".

Answer: B

NEW QUESTION 10

When doing a part search from home page, you have the Create Quote button to create a new Transaction. How do you change the label of this button?

- A. Open the Commerce Process admin page, navigate to Process Actions, and change the label of the "_action_new_transaction" action.
- B. Go to the Process Invocation admin page, open the Part Search Results page, select navigation "Rules" of the action that has the type "Start", and change the name of the invocation rule which points to the right commerce process.
- C. Go to the Process Invocation admin page, open the Part Search Results page, and change the name of the action that has the type "Start".
- D. Open the Text Administration admin page, go to "C", change the entry "Create Quote" and enter "Translated Text."

Answer: A

NEW QUESTION 12

When configuring a product, which pricing is applied last on a given item (part) after it is added to a valid configuration?

- A. Attribute value pricing
- B. List price from the PriceBook
- C. Base Price from the parts database
- D. Recommend Item Pricing

Answer: D

NEW QUESTION 14

You want to create a Document Designer template that contains text in multiple columns. How do you add multiple columns to the template?

- A. Set the number of columns to be used in the Text Element Properties panel.
- B. Drag a Column Text Element to the appropriate section of the template.
- C. Set the number of columns to be used in the Section Properties panel.
- D. Select the appropriate options for the number of columns you want in the Text Element Properties panel.
- E. Click the Column Section icon in the floating Layout Item palette.

Answer: C

NEW QUESTION 17

How can action buttons be hidden in Commerce?

- A. by using Commerce hiding rules
- B. by using Configuration hiding rules
- C. by using profiles and steps in Commerce
- D. by putting the action button bar on a hidden tab in Commerce

Answer: A
Explanation
References:

NEW QUESTION 18

Given the following code:

```
myArray = float [] {154.68, 174.29, 957.03, 947.56, 759.37};  
result = _____ (myArray, 174.29);  
return result;
```

Which function, when filled in the blank, will return a value of 1?

- A. findinarray
- B. arrayfind
- C. findarray
- D. findinsidearray

Answer: C

NEW QUESTION 23

The commerce step "Pending" has four participant profiles in the following order: SalesRep, SalesManager, Owner, and Admin. The Admin profile allows access with the FullAccess user type. The Owner profile has at performer steps "start" step selected. The step has an auto-forwarding rule.

A FullAccess user with the SalesGroupA and SalesManagerA groups creates a new quote and saves it, which moves the quote to "Pending."

The auto-forwarding rule returned the following two lines: SalesManagerA~Company~SalesManager SalesGroupA~Company~SalesRep

Which profile will be used to display the quote in the "Pending" step to this user?

- A. SalesManager profile
- B. Owner profile
- C. Admin profile
- D. SalesRep profile

Answer: D

NEW QUESTION 27

A multi-select attribute with five options is displayed as check boxes. Depending on the conditions, the Configurator should show a user three of these five options. How do you accomplish this?

- A. by writing a Constraint rule
- B. by writing a Hiding rule
- C. by writing a Recommendation rule
- D. by writing a Pricing rule

Answer: B

NEW QUESTION 30

Using standard functionality, how do you prevent a user from manually adding or removing rows in an array set?

- A. by using CSS to hide icons
- B. by hiding the control attribute
- C. by hiding the control attribute and marking it as a forced set
- D. by selecting the "Disable user override" property on the configurable array set editor page

Answer: B

NEW QUESTION 35

When creating a connection for a CPQ SOAP Endpoint in ICS, which format is expected?

- A. https://<siteURL>/v2_0/receiver/commerce/oraclecpqo?WSDL
- B. <https://<siteURL>>
- C. <https://<siteURL>/ics/catalog>
- D. <https://<siteURL>/v1/receiver?WSDL>

Answer: A

NEW QUESTION 37

Which three BOM Mapping Tables are required to map Configuration attributes to BOM items and Commerce Transaction Line attributes using a simple Table-

Based BOM Mapping Configuration rule? (Choose three.)

- A. BOM Attribute Translation
- B. BOM Attribute Definition
- C. BOM Item Definition
- D. BOM Item Mapping
- E. BOM Attribute Mapping

Answer: ACE

NEW QUESTION 42

Which two items are not included in an environment refresh?

- A. Automated FTP upload to CPQ schedule
- B. Active sessions
- C. Users
- D. Commerce transactions
- E. Configuration administration

Answer: AE

NEW QUESTION 45

Which attribute type cannot be displayed on the line item grid?

- A. Single-select menu attributes
- B. Currency attributes
- C. HTML attributes
- D. Text attributes

Answer: D

NEW QUESTION 50

When designing an integration with an ERP system, you must communicate with a third party integration tool (such as a middleware or a hub). Which three methods can be used to communicate with a middleware in this scenario? (Choose three.)

- A. Automated FTP
- B. urldata function call in a Commerce Advanced Modification BML function
- C. Formula Management
- D. Commerce Integration XSLs on an Action
- E. Send XML on a Transition Rule via Real Time Integration
- F. Commerce Integration Cloud Service Integration on an Action
- G. DataCube Reporting

Answer: BEF

NEW QUESTION 55

When using Web Services 1.0, consider the following sequence of a client system calling CPQ Cloud WebServices.

1. Call Security Login WebServices with User ID and Password.
2. Create a Commerce update Transaction WebServices call by using an existing transaction ID.
3. Make the following updates in the web service XML:
 - Set Session ID.
 - Set “_shipTo_first_name” to “myName”
4. Submit the WebService call.
5. Call Security Logout WebServices with the Session ID to close the session. Based on the given sequence, which two statements are true? (Choose two.)

- A. Step 5 is unnecessary
- B. Session ID is not needed to log out.
- C. The call in step 4 will throw an error.
- D. Step 3 does not specify an action to execute; therefore, nothing is updated in the transaction.
- E. The session will still be open.
- F. The Commerce transaction should be updated with the new Ship To name.

Answer: AD

NEW QUESTION 59

You want to perform a configuration migration from a development site to a QA site. What is the Oracle-recommended way to accomplish this?

- A. Using a DB Link, log in to the development site through the Migration Center section, select the components that need to be migrated, and start the migration.
- B. Open Migration Center in the development site, log in to the QA site through the Migration Center section, select the components that need to be migrated, and start the migration.
- C. Open Migration Center in the QA site, log in to the development site through the Migration Center section, select the components that need to be migrated, and start the migration.
- D. Download the components that need to be migrated from the development site and upload them to the QA site.

Answer: C

NEW QUESTION 60

While designing the integration of a CPQ Cloud transaction with an external Order Management System, you must ensure that the transaction is submitted as an Order on a single-action-click from within CPQ Cloud.

Which two statements are true given this requirement?

- A. TransactionID of a transaction is key during the Order submission process.
- B. The Order Management System will perform a getTransaction() API call to fetch transaction data in response to a valid request from the CPQ Cloud quote.
- C. The CPQ Cloud transaction will perform an update Transaction() API call to send transaction data in response to a valid request from the Order Management System.
- D. The Order Management System will need to initiate the Submit Order call on the click of a button within its own system.
- E. The CPQ Cloud transaction will initiate the Submit Order call on the click of a button from the transaction.

Answer: CD

NEW QUESTION 63

A customer sets up a BOM mapping for a configuration model using a single simple Table-Based BOM Mapping Configuration rule, as well as the BOM Item Definition and BOM Item Mapping Tables. When reviewing their implementation, they notice the following:

▶ The BOM Root Items Administration List shows the root BOM item and its child BOM items correctly.

No errors are displayed. (Accessed from Admin > Products > BOM > BOM Root Items List)

▶ The BOM Item Mapping Administration List shows no root BOM item or child BOM items. No errors are displayed. (Accessed from the BOM Mapping rule's "Save and View Details" button)

Which field have they incorrectly populated in their BOM Mapping Tables?

- A. "Parent BOM Map Variable Name" in the BOM Item Mapping Table
- B. "Root Variable Name" in the BOM Item Definition Table
- C. "Part Number" in the BOM Item Definition Table
- D. "Parent Variable Name" in the BOM Item Definition Table
- E. "BOM Item Variable Name" in the BOM Item Mapping Table
- F. "Configurable Attribute Variable Name" in the BOM Item Mapping Table

Answer: D

NEW QUESTION 65

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-976 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-976-dumps.html>