

Fortinet

Exam Questions FortiADC

FortiADC 4.4.0 Specialist



NEW QUESTION 1

Which of the following statements best describe what a SYN cookie does when a SYN packet is received?

- A. It replies with a RST packet if the SYN packet doesn't contain the right cookie in the sequence field.
- B. It sends a SYN/ACK with a cookie in the sequence field.
- C. It replies with a SYN/ACK packet containing a cookie value in the TCP acknowledge field.
- D. It replies with two SYN/ACK packet
- E. One containing the right acknowledge value, and one containing a wrong acknowledge value.

Answer: B

NEW QUESTION 2

For the case of outbound link load balancing, which upstream link is elected by the proximity route dynamic detection feature as the best one for a destination IP address?

- A. The link with the lowest round-trip delay to the destination IP address
- B. The link with the lowest number of sessions
- C. The link with the lowest traffic utilization
- D. The link with the lowest number of packets lost

Answer: A

NEW QUESTION 3

An administrator has configured all the back-end servers with a maximum warm-up state rate. Under which conditions is the maximum rate enforced by the FortiADC? (Choose two.)

- A. When the status of a server is set to Enabled from Maintain or Disabled
- B. When multiple health check methods have been configured for a server and some of them are failing but at least one is up
- C. During a warm-up period, when a server is back online after a health check downtime
- D. As long as a server keeps replying to the health check

Answer: CD

NEW QUESTION 4

Two FortiADC devices form an HA cluster. What information can be synchronized between both FortiADC devices? (Choose three.)

- A. SNMP system information
- B. Layer 4 persistence pickup
- C. RAID settings
- D. Layer 4 session pickup
- E. HTTP persistence pickup

Answer: BDE

Explanation:

Reference: https://docs.fortinet.com/uploaded/files/2308/FortiADC_4_2_1_Handbook_D_Series_Revision2.pdf Table 83 shows what cannot be synchronized.

NEW QUESTION 5

Which configuration elements must be in place for the FortiADC global load balancing feature to discover from local FortiADC server load balancers the virtual servers that can be included in the GLB virtual server pools? (Choose two.)

- A. Servers
- B. Hosts
- C. Data centers
- D. Address groups

Answer: AD

NEW QUESTION 6

Two FortiADC devices (ADC-1 and ADC-2) form an HA cluster. The following exhibits shows the HA configuration for both FortiADC devices

FortiADC-1

Operation Mode

☐ Standalone ☒ Cluster

Cluster Mode

☒ Active-Passive ☐ Active-Active

Group Name

Balancer

Group ID

2

Default: 0 Range: 0-31

Priority

5

Default: 5 Range: 0-9

Override

☒ Enable

Heartbeat Interval

2

Default: 2 Range: 1-30 intervals (100 milliseconds per interval)

Lost Heartbeat Threshold

6

Default: 6 Range: 1-60 retries

ARP Times

5

Default: 5 Range: 1-60 times

ARP Interval

6

Default: 6 Range: 1-30 seconds

Layer 7 Persistence Synchronization

☐ Enable

Layer 4 Persistence Synchronization

☐ Enable

Layer 4 Connection Synchronization

☐ Enable

Monitor Configuration

Link Monitor

Remote IP Monitor

1

2

3

4

5

6

7

8

9

10

Port

Monitor

Heartbeat

Data

port1

☐

☒

☐

FortiADC-1

Operation Mode

☐ Standalone ☒ Cluster

Cluster Mode

☒ Active-Passive ☐ Active-Active

Group Name

Group ID

Default: 0 Range: 0-31

Priority

Default: 5 Range: 0-9

Override

☒ Enable

Heartbeat Interval

Default: 2 Range: 1-20 intervals (100 milliseconds per interval)

Lost Heartbeat Threshold

Default: 6 Range: 1-60 retries

ARP Times

Default: 5 Range: 1-60 times

ARP Interval

Default: 6 Range: 1-20 seconds

Layer 7 Persistence Synchronization

☐ Enable

Layer 4 Persistence Synchronization

☐ Enable

Layer 4 Connection Synchronization

☐ Enable

Monitor Configuration

Link Monitor

Remote IP Monitor

1

2

3

4

5

6

7

8

9

10

Port

Monitor

Heartbeat

Data

port1

☐

☒

☐

If both FortiADC devices are up and operational, which FortiADC is the HA active FortiADC?

- A. FortiADC-2
- B. The FortiADC that has the highest-sorting serial number
- C. FortiADC-1
- D. The FortiADC that has the highest HA uptime value

Answer: A

NEW QUESTION 7

An administrator is running the following sniffer in a FortiADC: diagnose sniffer packet any "port 80" 2
What information is included in the output of the sniffer? (Choose two.)

- A. IP headers
- B. Ethernet headers
- C. IP payload
- D. Port names

Answer: AC

NEW QUESTION 10

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

FortiADC Practice Exam Features:

- * FortiADC Questions and Answers Updated Frequently
- * FortiADC Practice Questions Verified by Expert Senior Certified Staff
- * FortiADC Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FortiADC Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The FortiADC Practice Test Here](#)