

## Exam Questions 1z0-1042

Oracle Cloud Platform Application Integration 2019 Associate

<https://www.2passeasy.com/dumps/1z0-1042/>



#### NEW QUESTION 1

What are the correct steps involved in Business process creation in Process Cloud Service?

- A. Visio (vdx), BPMN 2.0 (bpmn) and XPD L 2.x (xpdl)
- B. Perform WSDL configuration, XML message definition and web page design
- C. Create an Abstract, Design Services, Set up Notify, Configure Send and Receive and Decisions
- D. Create a process; assign roles to the process; Design the flow; Configure flow element properties; Define the data and then Associate the data

**Answer:** D

#### Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-business-process.html#GUID-DE37452E-E16>

#### NEW QUESTION 2

Which three are created and managed using the Integration page in Process Cloud Service (PCS)?

- A. ICS Integrations
- B. Java Cloud Services
- C. Rest Connectors
- D. Web Service Connectors

**Answer:** ACD

#### NEW QUESTION 3

Which two are ways the Oracle Internet of Things (IoT) Cloud Service environment can be accessed?

- A. using SOAP Interface
- B. using REST Interface
- C. Using a desktop client
- D. using Web Browser

**Answer:** BD

#### NEW QUESTION 4

Which two statements are true regarding mapper activity?

- A. You can drag and drop a source on to multiple targets.
- B. You cannot drag and drop a source on to a target that is already mapped.
- C. You can drag and drop function activity in the target.
- D. You can drag and drop switcher activity in the target.

**Answer:** CD

#### NEW QUESTION 5

You receive a status code: 502 Proxy Error. Which is a possible event cause for this error?

- A. when the proxy setup is incorrect
- B. while registering a large number of devices using the Batch Registration feature under the Devices menu
- C. while adding proxy for an enterprise application device
- D. while the proxy server is not responding to the request

**Answer:** B

#### Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console-issues.html>

#### NEW QUESTION 6

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. Oracle Business Rules
- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

**Answer:** ABC

#### Explanation:

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbcscs/components-oracle-soa-cloud-service.html>

#### NEW QUESTION 7

Which is a required prerequisites for API Platform Cloud Services?

- A. Storage Cloud Service and Compute Cloud Service
- B. Integration Cloud Service

- C. Database Cloud Service (DBCS) and Storage Cloud Service
- D. Java Cloud Service (JCS) and Database Cloud Service (DBCS)

**Answer:** ABD

**Explanation:**

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud-um/apfad/you-begin-oracle-api-platform-cloud-service>

**NEW QUESTION 8**

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

**Answer:** CD

**Explanation:**

<https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

**NEW QUESTION 9**

What are two possible reasons for a Gateway not getting started?

- A. The IoT Service may be down.
- B. The provisioning file may contain correct Activation ID and Activation Secret.
- C. There is an invalid certificate.
- D. The provisioning file may contain incorrect Activation ID and incorrect Activation Secret.

**Answer:** AD

**NEW QUESTION 10**

Which three options are available for Business rule conflict resolution in Process Cloud Service?

- A. No Conflict
- B. Skip
- C. Override
- D. Escalate
- E. Conflict

**Answer:** ACE

**Explanation:**

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/editing-rule-and-decision-table-properties.html>

**NEW QUESTION 10**

Which JNDI name value must be provided when configuring the properties of a new database adapter outbound connection pool to support dependent SOA composite applications?

- A. The associated XA database adapter plan deployed with this database adapter outbound connection pool.
- B. The defined XA database adapter connection factory configured for this WebLogic domain.
- C. The corresponding XA enterprise resource adapter application deployed to the same WebLogic cluster.
- D. The corresponding XA datasource configuration deployed to the same WebLogic cluster.

**Answer:** C

**NEW QUESTION 12**

Which two options cannot be performed from the Monitoring Dashboard?

- A. Activity Stream Download
- B. Artifacts Download
- C. Download Incident Logs
- D. Download Lookup
- E. Download Diagnostic Logs

**Answer:** BC

**NEW QUESTION 13**

What two grants allow an API Manager to use a service in their API?

- A. Manage Service
- B. View All Details
- C. Deploy Service
- D. Reference Service

**Answer:** BC

**Explanation:**

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/managing-api-grants.html#GUID-18A50B0C-F>

**NEW QUESTION 18**

What Mapper function can you use to get the lookup value in Mapping Builder?

- A. GetLookupValue
- B. FindLookupValue
- C. LookupValue
- D. SearchLookupValue

**Answer: C**

**NEW QUESTION 21**

Which three are characteristics of Device Virtualization?

- A. Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.
- B. You can monitor each device endpoint's health, performance, and location via the client software library API or with REST calls made to those devices.
- C. You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.
- D. The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.
- E. Devices used are not real.
- F. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

**Answer: BCD**

**NEW QUESTION 22**

Which role is needed for managing users from Oracle Internet of Things (IoT) Cloud Service?

- A. IoTUsersGroup
- B. TotAdministratorsGroup
- C. System Administrator
- D. IoTOperatorsGroup

**Answer: C**

**NEW QUESTION 25**

Which Process type should you choose to model non-sequential process type in Oracle Integration Cloud (OIC)?

- A. Adaptive Case Management process
- B. Structured Process
- C. Dynamic process
- D. Unstructured Process

**Answer: C**

**Explanation:**

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/using-processes-oracle-integration-cloud>

**NEW QUESTION 26**

Which expression can you use to schedule integration runs?

- A. a XPATH
- B. an iCal
- C. a JavaScript
- D. a XSLT

**Answer: B**

**Explanation:**

[https://docs.oracle.com/cloud/previous/intcs\\_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8](https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8).

**NEW QUESTION 29**

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

- A. Native Spark Java APIs
- B. SQL Queries
- C. JavaScript APIs
- D. Big Data APIs

**Answer: A**

**Explanation:**

Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and Streaming spark APIs to write the analytics processing logic.

Developers can also import external APIs and use them in their application. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html>

### NEW QUESTION 33

What are the three threshold values for Database space?

- A. Quiesced Mode Threshold
- B. Un-Quiesce Threshold
- C. Warning Threshold
- D. Error Threshold

**Answer:** ABC

### NEW QUESTION 37

What options are available for Escalation and Expiration of human tasks in Process Cloud Service?

- A. Escalate, Restart, Next or Previous
- B. Renew, start, end, or error
- C. Never Escalate, Skip, hierarchy, or New
- D. Never expire, Expire, Renew, or Escalate

**Answer:** D

#### Explanation:

Configuring Task Expiration, Renewal, or Escalation

You can configure a human task to never expire, to expire after a certain time, to renew the expiration time, or to escalate after a certain time passes.

To configure an action to perform on a specific deadline:

➤ Click the Escalation and Expiration tab on the implementation pane.

The Escalation and Expiration tab appears.

➤ Use the radio buttons to specify if you want the human task to Never expire, Expire, Renew, or Escalate.

➤ Never expire: the human task doesn't expire and if no user completes it, it remains in the users task list for an indeterminate period of time.

➤ Expire: the human task expires after the specified time and is no longer accessible from the task list.

➤ Renew: when the specified time passes, the expiration date is extended for one more period until it reaches the specified amount of renewals allowed.

➤ Escalate: when the specified time passes, the human task is escalated to the specified escalation levels.

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-human-tasks.html#GUID-3869867C-45A>

### NEW QUESTION 42

Which setting is used for a system that is hosting a web application to be allowed to access Oracle Internet of Things (IoT) Cloud Service resources?

- A. Cross-Origin Resource Sharing (CORS)
- B. Management Console Timeout Interval
- C. Message Storage and Command Notification
- D. OAuth Access Token Lifetime

**Answer:** A

#### Explanation:

The cross origin resource sharing setting specifies if the system that is hosting a web application is allowed to access Oracle IoT Cloud Service resources. The assumption is that the web application is running in a browser that is also implementing the CORS specification. Any browser based JavaScript client running on the specified host can access Oracle IoT REST APIs. However they will need to follow the Oracle IoT REST API authorization process to run any operations.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-cross-origin-resource-sharing-value.html>

### NEW QUESTION 45

Which two statements are true about Internet of Things (IoT)?

- A. Different IOT approaches need to be established integrate different technologies such as mobile, cloud, big data, and analytics, and connects everyday objects to each other and to the Internet.
- B. Cloud technology is well suited to enable IoT, offering high degrees of agility, low and flexible costs, and excellent resource utilization.
- C. Using IoT, hospitality-based businesses can better track customer behavior and preferences to deliver rewards and more tailored services that differentiate their businesses.
- D. IOT is not useful in asset tracking scenarios because there is an unavailability of low-cost connected devices and sensors that can be embedded into all of the various assets that need tracking.

**Answer:** AB

#### Explanation:

<https://www.oracle.com/assets/oracle-iot-solution-brief-2632911-es.pdf>

### NEW QUESTION 46

What is the "Decision Table" in Business Rules in Process Cloud Service?

- A. a range value set in a spreadsheet-like format that defines a list of allowed value ranges for the input and output data objects of a decision

- B. a decision matrix that organizes if/then rules into a spreadsheet-like format, where rows represent conditions and actions, and columns match condition values to action alternatives
- C. an if/then rule that has one or more conditions (if statements) that together are true or false, and one or more actions (then statements) that are applied if the conditions are true
- D. a value set in a spreadsheet-like format that defines a list of allowed values for the input and output data objects of a decision

**Answer:** C

#### NEW QUESTION 50

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-1042 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-1042 Product From:

<https://www.2passeasy.com/dumps/1z0-1042/>

## Money Back Guarantee

### 1z0-1042 Practice Exam Features:

- \* 1z0-1042 Questions and Answers Updated Frequently
- \* 1z0-1042 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-1042 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-1042 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year