

Exam Questions 1Z0-062

Oracle Database 12c: Installation and Administration

<https://www.2passeasy.com/dumps/1Z0-062/>



NEW QUESTION 1

Examine the following command: CREATE TABLE (prod_id number(4), Prod_name varchar2 (20), Category_id number(30), Quantity_on_hand number (3) INVISIBLE);

Which three statements are true about using an invisible column in the PRODUCTS table? (Choose three.)

- A. The %ROWTYPE attribute declarations in PL/SQL to access a row will not display the invisible column in the output.
- B. The DESCRIBE commands in SQL *Plus will not display the invisible column in the output.
- C. Referential integrity constraint cannot be set on the invisible column.
- D. The invisible column cannot be made visible and can only be marked as unused.
- E. A primary key constraint can be added on the invisible column.

Answer: ABE

Explanation:

AB: You can make individual table columns invisible. Any generic access of a table does not show the invisible columns in the table. For example, the following operations do not display invisible columns in the output:

- * SELECT * FROM statements in SQL
- * DESCRIBE commands in SQL*Plus
- * %ROWTYPE attribute declarations in PL/SQL
- * Describes in Oracle Call Interface (OCI) Incorrect: Not D: You can make invisible columns visible.

You can make a column invisible during table creation or when you add a column to a table, and you can later alter the table to make the same column visible.

NEW QUESTION 2

The following parameter are set for your Oracle 12c database instance: OPTIMIZER_CAPTURE_SQL_PLAN_BASELINES=FALSE
 OPTIMIZER_USE_SQL_PLAN_BASELINES=TRUE

You want to manage the SQL plan evolution task manually. Examine the following steps:


1. Set the evolve task parameters.
2. Create the evolve task by using the DBMS_SPM.CREATE_EVOLVE_TASK function.
3. Implement the recommendations in the task by using the DBMS_SPM.IMPLEMENT_EVOLVE_TASK function.
4. Execute the evolve task by using the DBMS_SPM.EXECUTE_EVOLVE_TASK function.
5. Report the task outcome by using the DBMS_SPM.REPORT_EVOLVE_TASK function. Identify the correct sequence of steps:

- A. 2, 4, 5
- B. 2, 1, 4, 3, 5
- C. 1, 2, 3, 4, 5
- D. 1, 2, 4, 5

Answer: B

Explanation:

* Evolving SQL Plan Baselines



*2. Create the evolve task by using the DBMS_SPM.CREATE_EVOLVE_TASK function.

This function creates an advisor task to prepare the plan evolution of one or more plans for a specified SQL statement. The input parameters can be a SQL handle, plan name or a list of plan names, time limit, task name, and description.

1. Set the evolve task parameters. SET_EVOLVE_TASK_PARAMETER

This function updates the value of an evolve task parameter. In this release, the only valid parameter is TIME_LIMIT.

4. Execute the evolve task by using the DBMS_SPM.EXECUTE_EVOLVE_TASK function.

This function executes an evolution task. The input parameters can be the task name, execution name, and execution description. If not specified, the advisor generates the name, which is returned by the function.

3: IMPLEMENT_EVOLVE_TASK

This function implements all recommendations for an evolve task. Essentially, this function is equivalent to using ACCEPT_SQL_PLAN_BASELINE for all recommended plans. Input parameters include task name, plan name, owner name, and execution name.

5. Report the task outcome by using the DBMS_SPM_EVOLVE_TASK function.

This function displays the results of an evolve task as a CLOB. Input parameters include the task name and section of the report to include.

References:

NEW QUESTION 3

Which action takes place when a file checkpoint occurs?

- A. The checkpoint position is advanced in the checkpoint queue.
- B. All buffers for a checkpointed file that were modified before a specific SCN are written to disk by DBWn and the SCN is stored in the control file.
- C. The Database Writer process (DBWn) writes all dirty buffers in the buffer cache to data files.
- D. The Log Writer process (LGWR) writes all redo entries in the log buffer to online redo log file

Answer: B

NEW QUESTION 4

You configure your database Instance to support shared server connections.

Which two memory areas that are part of PGA are stored in SGA instead, for shared server connection? (Choose two.)

- A. User session data
- B. Stack space
- C. Private SQL area
- D. Location of the runtime area for DML and DDL Statements
- E. Location of a part of the runtime area for SELECT statements

Answer: AC

Explanation:

A: PGA itself is subdivided. The UGA (User Global Area) contains session state information, including stuff like package-level variables, cursor state, etc. Note that, with shared server, the UGA is in the SGA. It has to be, because shared server means that the session state needs to be accessible to all server processes, as any one of them could be assigned a particular session. However, with dedicated server (which likely what you're using), the UGA is allocated in the PGA.

C: The Location of a private SQL area depends on the type of connection established for a session. If a session is connected through a dedicated server, private SQL areas are located in the server process' PGA. However, if a session is connected through a shared server, part of the private SQL area is kept in the SGA.

Note:

* System global area (SGA)

The SGA is a group of shared memory structures, known as SGA components, that contain data and control information for one Oracle Database instance. The SGA is shared by all server and background processes. Examples of data stored in the SGA include cached data blocks and shared SQL areas.

* Program global area (PGA)

A PGA is a memory region that contains data and control information for a server process. It is nonshared memory created by Oracle Database when a server process is started. Access to the PGA is exclusive to the server process. There is one PGA for each server process. Background processes also allocate their own PGAs. The total memory used by all individual PGAs is known as the total instance PGA memory, and the collection of individual PGAs is referred to as the total instance PGA, or just instance PGA. You use database initialization parameters to set the size of the instance PGA, not individual PGAs.

References:

NEW QUESTION 5

Examine this command:

```
SQL > exec DBMS_STATS.SET_TABLE_PREFS ('SH', 'CUSTOMERS', 'PUBLISH', 'false');
```

Which three statements are true about the effect of this command? (Choose three.)

- A. Statistics collection is not done for the CUSTOMERS table when schema stats are gathered.
- B. Statistics collection is not done for the CUSTOMERS table when database stats are gathered.
- C. Any existing statistics for the CUSTOMERS table are still available to the optimizer at parse time.
- D. Statistics gathered on the CUSTOMERS table when schema stats are gathered are stored as pending statistics.
- E. Statistics gathered on the CUSTOMERS table when database stats are gathered are stored as pending statistics.

Answer: CDE

Explanation:

* SET_TABLE_PREFS Procedure

This procedure is used to set the statistics preferences of the specified table in the specified schema.

* Example:

Using Pending Statistics

Assume many modifications have been made to the employees table since the last time statistics were gathered. To ensure that the cost-based optimizer is still picking the best plan, statistics should be gathered once again; however, the user is concerned that new statistics will cause the optimizer to choose bad plans when the current ones are acceptable. The user can do the following:

```
EXECDBMS_STATS.SET_TABLE_PREFS('hr', 'employees', 'PUBLISH', 'false');
```

By setting the employees tables publish preference to FALSE, any statistics gather from now on will not be automatically published. The newly gathered statistics will be marked as pending.

NEW QUESTION 6

Examine the contents of SQL loader control file:

```
LOAD DATA
INFILE myfile1.dat
INFILE myfile2.dat
FIELD NAMES FIRST FILE
APPEND
INTO TABLE EMP
FIELDS CSV WITH EMBEDDED
DATE FORMAT "DD-Month_YYYY"
(empno,
ename,
job,
mgr,
hiredate DATE,
sal,
comm,
deptno,
entrydate DATE)
```

Which three statements are true regarding the SQL* Loader operation performed using the control file? (Choose three.)

- A. An EMP table is created if a table does not exist
- B. Otherwise, if the EMP table is appended with the loaded data.
- C. The SQL* Loader data file myfile1.dat has the column names for the EMP table.
- D. The SQL* Loader operation fails because no record terminators are specified.
- E. Field names should be the first line in both the SQL* Loader data files.
- F. The SQL* Loader operation assumes that the file must be a stream record format file with the normal carriage return string as the record terminator.

Answer: ABE

Explanation:

A: The APPEND keyword tells SQL*Loader to preserve any preexisting data in the table. Other options allow you to delete preexisting data, or to fail with an error if the table is not empty to begin with.

B (not D): Note:

* SQL*Loader-00210: first data file is empty, cannot process the FIELD NAMES record

Cause: The data file listed in the next message was empty. Therefore, the FIELD NAMES FIRST FILE directive could not be processed.

Action: Check the listed data file and fix it. Then retry the operation E:

* A comma-separated values (CSV) (also sometimes called character-separated values, because the separator character does not have to be a comma) file stores tabular data (numbers and text) in plain-text form. Plain text means that the file is a sequence of characters, with no data that has to be interpreted instead, as binary numbers. A CSV file consists of any number of records, separated by line breaks of some kind; each record consists of fields, separated by some other character or string, most commonly a literal comma or tab. Usually, all records have an identical sequence of fields.

* Fields with embedded commas must be quoted. Example:

1997,Ford,E350,"Super, luxurious truck" Note:

* SQL*Loader is a bulk loader utility used for moving data from external files into the Oracle database.

NEW QUESTION 7

You plan to migrate your database from a File system to Automatic Storage Management (ASM) on same platform. Which two methods or commands would you use to accomplish this task? (Choose two.)

- A. RMAN CONVERT command
- B. Data Pump Export and import
- C. Conventional Export and Import
- D. The BACKUP AS COPY DATABASE . . . command of RMAN
- E. DBMS_FILE_TRANSFER with transportable tablespace

Answer: AD

Explanation:

A:

1. Get the list of all datafiles.

Note: RMAN Backup of ASM Storage

There is often a need to move the files from the file system to the ASM storage and vice versa. This may come in handy when one of the file systems is corrupted by some means and then the file may need to be moved to the other file system. D: Migrating a Database into ASM

* To take advantage of Automatic Storage Management with an existing database you must migrate that database into ASM. This migration is performed using Recovery Manager (RMAN) even if you are not using RMAN for your primary backup and recovery strategy.

* Example:

Back up your database files as copies to the ASM disk group. BACKUP AS COPY INCREMENTAL LEVEL 0 DATABASEFORMAT '+DISK' TAG 'ORA_ASM_MIGRATION';

References:

NEW QUESTION 8

Which two statements are true? (Choose two.)

- A. A role cannot be assigned external authentication.
- B. A role can be granted to other roles.
- C. A role can contain both system and object privileges.
- D. The predefined resource role includes the unlimited_tablespace privilege.
- E. All roles are owned by the sys user.
- F. The predefined connect role is always automatically granted to all new users at the time of their creation.

Answer: BC

NEW QUESTION 9

Which three statements are true PFILEs, SPFILEs or both? (Choose three.)

- A. SPFILEs and PFILEs may both be edited with an O/S editing utility
- B. Some SPFILE parameters can be modified successfully with the SCOPE=MEMORY clause
- C. A SPFILE can be created by an idle instance
- D. A PFILE can be created by an idle instance
- E. All SPFILE parameters can be modified successfully with the SCOPE=BOTH clause
- F. All SPFILE parameters can be modified successfully with the SCOPE=MEMORY clause

Answer: BDE

NEW QUESTION 10

Examine the query and its output:

```
SQL> SELECT reason, metric_value FROM dba_outstanding_alerts;
```

REASON	METRIC_VALUE
Tablespace [TEST] is [28 percent] full	28.125
Metrics "Current Logons Count" is at 29	29
Metrics "Database Time Spent Waiting (%)" is at 99.03754 for event class "Application"	99.0375405
db_recovery_file_dest_size of 4294967296 bytes is 97.298 used and has 116228096 remaining bytes available.	97

After 30 minutes, you execute the same query:

```
SQL> SELECT reason,metric_value FROM dba_outstanding_alerets;
```

REASON	METRIC_VALUE
Tablespace [TEST] is [28 percent] full	28.125

What might have caused three of the alerts to disappear?

- A. The threshold alerts were cleared and transferred to DBA_ALERT_HISTORY.
- B. An Automatic Workload Repository (AWR) snapshot was taken before the execution of the second query.
- C. An Automatic Database Diagnostic Monitor (ADOM) report was generated before the execution of the second query.
- D. The database instance was restarted before the execution of the second quer

Answer: D

NEW QUESTION 10

Your database supports an online transaction processing (OLTP) application. The application is undergoing some major schema changes, such as addition of new indexes and materialized views. You want to check the impact of these changes on workload performance. What should you use to achieve this?

- A. Database replay
- B. SQL Tuning Advisor
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. Automatic Workload Repository compare reports

Answer: D

Explanation:

You can use the SQL Performance Analyzer to analyze the SQL performance impact of any type of system change. Examples of common system changes include:

- Database upgrades
 - Configuration changes to the operating system, hardware, or database
 - Database initialization parameter changes
 - Schema changes, such as adding new indexes or materialized views
 - Gathering optimizer statistics
 - SQL tuning actions, such as creating SQL profiles
- References:
http://docs.oracle.com/cd/B28359_01/server.111/b28318/intro.htm#CNCPT961

NEW QUESTION 15

Examine this command:

```
SQL> ALTER SYSTEM SET ENABLE_DDL_LOGGING=TRUE;
```

Which two statements are true? (Choose two.)

- A. All data definition language (DDL) statements are written to the control file
- B. Some DDL statements are written to an XML file in the ADR home
- C. All DDL statements are logged in to a text file in Automatic Diagnostic Repository (ADR) home
- D. Some data definition language (DDL) statements are written to the control file
- E. Some DDL statements are written to a text file in the ADR home
- F. The Alert Log still contains some DDL statements

Answer: DE

NEW QUESTION 19

After implementing full Oracle Data Redaction, you change the default value for the NUMBER data type as follows:

```
SQL> SELECT NUMBER_VALUE FROM REDACTION_VALUES_FOR_TYPE_FULL;

NUMBER_VALUE
-----
              0

SQL> EXEC DBMS_REDACT.UPDATE_FULL_REDACTION_VALUES(-1)

PL/SQL procedure successfully completed.

SQL> select number_value from redaction_values_for_type_full;

NUMBER_VALUE
-----
             -1
```

After changing the value, you notice that FULL redaction continues to redact numeric data with zero. What must you do to activate the new default value for numeric full redaction?

- A. Re-enable redaction policies that use FULL data redaction.
- B. Re-create redaction policies that use FULL data redaction.
- C. Re-connect the sessions that access objects with redaction policies defined on them.
- D. Flush the shared pool.
- E. Restart the database instance.

Answer: E

Explanation:

About Altering the Default Full Data Redaction Value

You can alter the default displayed values for full Data Redaction policies. By default, 0 is the redacted value when Oracle Database performs full redaction (DBMS_REDACT.FULL) on a column of the NUMBER data type. If you want to change it to another value (for example, 7), then you can run the DBMS_REDACT.UPDATE_FULL_REDACTION_VALUES procedure to modify this value. The modification applies to all of the Data Redaction policies in the current database instance. After you modify a value, you must restart the database for it to take effect.

Note:

* The DBMS_REDACT package provides an interface to Oracle Data Redaction, which enables you to mask (redact) data that is returned from queries issued by low-privileged users or an application.

* UPDATE_FULL_REDACTION_VALUES Procedure

This procedure modifies the default displayed values for a Data Redaction policy for full redaction.

* After you create the Data Redaction policy, it is automatically enabled and ready to redact data.

* Oracle Data Redaction enables you to mask (redact) data that is returned from queries issued by low-privileged users or applications. You can redact column data by using one of the following methods:

- / Full redaction.
- / Partial redaction.
- / Regular expressions.
- / Random redaction.
- / No redaction.

NEW QUESTION 22

You are administering a database and you receive a requirement to apply the following restrictions:

1. A connection must be terminated after four unsuccessful login attempts by user.
2. A user should not be able to create more than four simultaneous sessions.
3. User session must be terminated after 15 minutes of inactivity.
4. Users must be prompted to change their passwords every 15 days. How would you accomplish these requirements?

- A. by granting a secure application role to the users
- B. by creating and assigning a profile to the users and setting the REMOTE_OS_AUTHENT parameter to FALSE
- C. By creating and assigning a profile to the users and setting the SEC_MAX_FAILED_LOGIN_ATTEMPTS parameter to 4
- D. By Implementing Fine-Grained Auditing (FGA) and setting the REMOTE_LOGIN_PASSWORD_FILE parameter to NONE.
- E. By implementing the database resource Manager plan and setting the SEC_MAX_FAILED_LOGIN_ATTEMPTS parameters to 4.

Answer: A

Explanation:

You can design your applications to automatically grant a role to the user who is trying to log in, provided the user meets criteria that you specify. To do so, you

create a secure application role, which is a role that is associated with a PL/SQL procedure (or PL/SQL package that contains multiple procedures). The procedure validates the user: if the user fails the validation, then the user cannot log in. If the user passes the validation, then the procedure grants the user a role so that he or she can use the application. The user has this role only as long as he or she is logged in to the application. When the user logs out, the role is revoked.

Incorrect:

Not B: REMOTE_OS_AUTHENT specifies whether remote clients will be authenticated with the value of the OS_AUTHENT_PREFIX parameter.

Not C, not E: SEC_MAX_FAILED_LOGIN_ATTEMPTS specifies the number of authentication attempts that can be made by a client on a connection to the server process. After the specified number of failure attempts, the connection will be automatically dropped by the server process.

Not D: REMOTE_LOGIN_PASSWORDFILE specifies whether Oracle checks for a password file. Values:

shared

One or more databases can use the password file. The password file can contain SYS as well as non-SYS users. exclusive

The password file can be used by only one database. The password file can contain SYS as well as non-SYS users. none

Oracle ignores any password file. Therefore, privileged users must be authenticated by the operating system. Note:

The REMOTE_OS_AUTHENT parameter is deprecated. It is retained for backward compatibility only.

NEW QUESTION 27

Which task would you recommend before using the Database Upgrade Assistant (DBUA) to upgrade a single-instance Oracle 11g R2 database to Oracle Database 12c?

- A. shutting down the database instance that is being upgraded
- B. executing the catctl.pl script to run the upgrade processes in parallel
- C. running the Pre-Upgrade Information Tool
- D. copying the listener.ora file to the new ORACLE_HOME

Answer: C

Explanation:

References:

http://docs.oracle.com/cd/E11882_01/server.112/e23633/upgrade.htm#UPGRD12395

NEW QUESTION 30

On your Oracle 12c database, you invoked SQL *Loader to load data into the EMPLOYEES table in the HR schema by issuing the following command:

```
$> sqlldr hr/hr@pdb table=employees
```

Which two statements are true regarding the command? (Choose two.)

- A. It succeeds with default settings if the EMPLOYEES table belonging to HR is already defined in the database.
- B. It fails because no SQL *Loader data file location is specified.
- C. It fails if the HR user does not have the CREATE ANY DIRECTORY privilege.
- D. It fails because no SQL *Loader control file location is specified.

Answer: AC

Explanation:

Note:

* SQL*Loader is invoked when you specify the sqlldr command and, optionally, parameters that establish session characteristics.

NEW QUESTION 31

Examine the following parameters for a database instance: MEMORY_MAX_TARGET=0 MEMORY_TARGET=0 SGA_TARGET=0 PGA_AGGREGATE_TARGET=500m

Which three initialization parameters are not controlled by Automatic Shared Memory Management (ASMM)? (Choose three.)

- A. LOG_BUFFER
- B. SORT_AREA_SIZE
- C. JAVA_POOL_SIZE
- D. STREAMS_POOL_SIZE
- E. DB_16K_CACHE_SIZE
- F. DB_KEEP_CACHE_SIZE

Answer: AEF

Explanation:

Manually Sized SGAComponents that Use SGA_TARGET Space SGAComponent, Initialization Parameter

/ The log buffer LOG_BUFFER

/ The keep and recycle buffer caches DB_KEEP_CACHE_SIZE DB_RECYCLE_CACHE_SIZE

/ Nonstandard block size buffer caches DB_nK_CACHE_SIZE Note:

* In addition to setting SGA_TARGET to a nonzero value, you must set to zero all initialization parameters listed in the table below to enable full automatic tuning of the automatically sized SGA components.

* Table, Automatically Sized SGAComponents and Corresponding Parameters

SGA Component	Initialization Parameter
Fixed SGA and other internal allocations needed by the Oracle Database instance	N/A
The shared pool	SHARED_POOL_SIZE
The large pool	LARGE_POOL_SIZE
The Java pool	JAVA_POOL_SIZE
The buffer cache	DB_CACHE_SIZE
The Streams pool	STREAMS_POOL_SIZE

NEW QUESTION 32

Which two tasks can be performed on an external table? (Choose two.)

- A. partitioning the table
- B. creating an invisible index
- C. updating the table by using an UPDATE statement
- D. creating a public synonym
- E. creating a view

Answer: DE

Explanation:

http://docs.oracle.com/cd/B28359_01/server.111/b28310/tables013.htm#ADMIN01507

You can, for example select, join, or sort external table data. You can also create views and synonyms for external tables. However, no DML operations (UPDATE, INSERT, or DELETE) are possible, and no indexes can be created, on external tables.

NEW QUESTION 35

Examine the following impdp command to import a database over the network from a pre-12c Oracle database (source):

```
$> impdp <user_name> full=Y network_link=hrdb_test transportable=always
transport_datafiles=
'/u01/app/oracle/oradata/hrdb/sales01.dbf',
'/u01/app/oracle/oradata/hrdb/cust01.dbf',
'/u01/app/oracle/oradata/hrdb/emp01.dbf',
version=12 logfile=import.log
```

Which three are prerequisites for successful execution of the command? (Choose three.)

- A. The import operation must be performed by a user on the target database by a user with the DATAPUMP_IMP_FULL_DATABASE role, and the database link must connect to a user with the DATAPUMP_EXP_FULL_DATABASE role on the source database.
- B. All the user-defined tablespaces must be in read-only mode on the source database.
- C. The export dump file must be created before starting the import on the target database.
- D. The source and target database must be running on the same operating system (OS) with the same endianness.
- E. The impdp operation must be performed by the same user that performed the expdp operation.

Answer: ABD

Explanation:

In this case we have run the impdp without performing any conversion if endian format is different then we have to first perform conversion.

NEW QUESTION 40

You ran this command on a source database:

\$> expdp hr/hr DIRECTORY=dumpdir DUMPFILE=emp1.dmp VIEWS_AS_TABLES=emp_dept On the target database, you run this command:

\$> impdp hr/hr DIRECTORY=dumpdir DUMPFILE=emp1.dmp VIEWS_AS_TABLES=emp_dept Which two statements are true? (Choose two.)

- A. The expdp operation exports all rows for tables contained in the defining query of the EMP_DEPT view
- B. The impdp operation creates separate tables for each table contained in the defining query of the EMP_DEPT view
- C. The expdp operation exports all rows that are displayed when querying the EMP_DEPT view with no filter
- D. The impdp operation creates EMP_DEPT as a table
- E. The expdp operation exports the table definitions for tables that are queried in the EMP_DEPT view.
- F. The impdp operation creates EMP_DEPT as a view

Answer: DE

NEW QUESTION 43

Which three statements are true about adaptive SQL plan management? (Choose three.)

- A. It automatically performs verification or evolves non-accepted plans, in COMPREHENSIVE mode when they perform better than existing accepted plans.
- B. The optimizer always uses the fixed plan, if the fixed plan exists in the plan baseline.
- C. It adds new, better plans automatically as fixed plans to the baseline.
- D. The non-accepted plans are automatically accepted and become usable by the optimizer if they perform better than the existing accepted plans.
- E. The non-accepted plans in a SQL plan baseline are automatically evolved, in COMPREHENSIVE mode, during the nightly maintenance window and a persistent verification report is generated.

Answer: ADE

Explanation:

With adaptive SQL plan management, DBAs no longer have to manually run the verification or evolve process for non-accepted plans. When automatic SQL tuning is in COMPREHENSIVE mode, it runs a verification or evolve process for all SQL statements that have non-accepted plans during the nightly maintenance window. If the non-accepted plan performs better than the existing accepted plan (or plans) in the SQL plan baseline, then the plan is automatically accepted and becomes usable by the optimizer. After the verification is complete, a persistent report is generated detailing how the non-accepted plan performs compared to the accepted plan performance. Because the evolve process is now an AUTOTASK, DBAs can also schedule their own evolve job at end time.

Note:

* The optimizer is able to adapt plans on the fly by predetermining multiple subplans for portions of the plan.

* Adaptive plans, introduced in Oracle Database 12c, enable the optimizer to defer the final plan decision for a statement until execution time. The optimizer instruments its chosen plan (the default plan) with statistics collectors so that it can detect at runtime, if its cardinality estimates differ greatly from the actual

number of rows seen by the operations in the plan. If there is a significant difference, then the plan or a portion of it will be automatically adapted to avoid suboptimal performance on the first execution of a SQL statement.

NEW QUESTION 46

Which three statements are true concerning the multitenant architecture? (Choose three.)

- A. Each pluggable database (PDB) has its own set of background processes.
- B. A PDB can have a private temp tablespace.
- C. PDBs can share the sysaux tablespace.
- D. Log switches occur only at the multitenant container database (CDB) level.
- E. Different PDBs can have different default block sizes.
- F. PDBs share a common system tablespace.
- G. Instance recovery is always performed at the CDB level.

Answer: BDG

Explanation:

B:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contains other user created tablespaces in it.

* There is one default temporary tablespace for the entire CDB. However, you can create additional temporary tablespaces in individual PDBs.

D:

* There is a single redo log and a single control file for an entire CDB

* A log switch is the point at which the database stops writing to one redo log file and begins writing to another. Normally, a log switch occurs when the current redo log file is completely filled and writing must continue to the next redo log file.

G: instance recovery

The automatic application of redo log records to uncommitted data blocks when an database instance is restarted after a failure.

Incorrect: Not A:

* There is one set of background processes shared by the root and all PDBs.

* High consolidation density. The many pluggable databases in a single container database share its memory and background processes, letting you operate many more pluggable databases on a particular platform than you can single databases that use the old architecture.

Not C: There is a separate SYSAUX tablespace for the root and for each PDB. Not F: There is a separate SYSTEM tablespace for the root and for each PDB.

NEW QUESTION 48

Your database is open and the listener LISTENER is up. You issue the command: LSNRCTL> RELOAD

What is the effect of RELOAD on sessions that were originally established by LISTENER?

- A. Only sessions based on static listener registrations are disconnected.
- B. Existing connections are not disconnected; however, they cannot perform any operations until the listener completes the re-registration of the database instance and service handlers.
- C. The sessions are not affected and continue to function normally.
- D. All the sessions are terminated and active transactions are rolled bac

Answer: C

NEW QUESTION 52

The ORCL database is configured to support shared server mode. You want to ensure that a user connecting remotely to the database instance has a one-to-one ratio between client and server processes.

Which connection method guarantees that this requirement is met?

- A. connecting by using an external naming method
- B. connecting by using the easy connect method
- C. creating a service in the database by using the DBMS_SERVICE.CREATE_SERVICE procedure and using this service for creating a local naming service
- D. connecting by using the local naming method with the SERVER = DEDICATED parameter set in the tnsnames.ora file for the net service
- E. connecting by using a directory naming method

Answer: D

NEW QUESTION 54

You support Oracle Database 12c Oracle Database 11g, and Oracle Database log on the same server. All databases of all versions use Automatic Storage Management (ASM).

Which three statements are true about the ASM disk group compatibility attributes that are set for a disk group? (Choose three.)

- A. The ASM compatibility attribute controls the format of the disk group metadata.
- B. RDBMS compatibility together with the database version determines whether a database Instance can mount the ASM disk group.
- C. The RDBMS compatibility setting allows only databases set to the same version as the compatibility value, to mount the ASM disk group.
- D. The ASM compatibility attribute determines some of the ASM features that may be used by the Oracle disk group.
- E. The ADVN compatibility attribute determines the ACFS features that may be used by the Oracle 10 g database.

Answer: ABD

Explanation:

AD: The value for the disk group COMPATIBLE.ASM attribute determines the minimum software version for an Oracle ASM instance that can use the disk group. This setting also affects the format of the data structures for the Oracle ASM metadata on the disk.

B: The value for the disk group COMPATIBLE.RDBMS attribute determines the minimum COMPATIBLE database initialization parameter setting for any database instance that is allowed to use the disk group. Before advancing the COMPATIBLE.RDBMS attribute, ensure that the values for the COMPATIBLE initialization parameter for all of the databases that access the disk group are set to at least the value of the new setting for COMPATIBLE.RDBMS.

For example, if the COMPATIBLE initialization parameters of the databases are set to either 11.1 or 11.2, then COMPATIBLE.RDBMS can be set to any value between 10.1 and 11.1 inclusively.

Not E:

/The value for the disk group COMPATIBLE.ADVMS attribute determines whether the disk group can contain Oracle ASM volumes. The value must be set to 11.2 or higher. Before setting this attribute, the COMPATIBLE.ASM value must be 11.2 or higher. Also, the Oracle ADVMS volume drivers must be loaded in the supported environment.

/ You can create an Oracle ASM Dynamic Volume Manager (Oracle ADVMS) volume in a disk group. The volume device associated with the dynamic volume can then be used to host an Oracle ACFS file system.

The compatibility parameters COMPATIBLE.ASM and COMPATIBLE.ADVMS must be set to 11.2 or higher for the disk group.

Note:

* The disk group attributes that determine compatibility are COMPATIBLE.ASM, COMPATIBLE.RDBMS, and COMPATIBLE.ADVMS. The COMPATIBLE.ASM and COMPATIBLE.RDBMS attribute settings determine the minimum Oracle Database software version numbers that a system can use for Oracle ASM and the database instance types respectively. For example, if the Oracle ASM compatibility setting is 11.2, and RDBMS compatibility is set to 11.1, then the Oracle ASM software version must be at least 11.2, and the Oracle Database client software version must be at least 11.1. The COMPATIBLE.ADVMS attribute determines whether the Oracle ASM Dynamic Volume Manager feature can create a volume in a disk group.

NEW QUESTION 55

To enable the Database Smart Flash Cache, you configure the following parameters: DB_FLASH_CACHE_FILE = '/dev/flash_device_1', '/dev/flash_device_2'
 DB_FLASH_CACHE_SIZE=64G

What is the result when you start up the database instance?

- A. It results in an error because these parameter settings are invalid.
- B. One 64G flash cache file will be used.
- C. Two 64G flash cache files will be used.
- D. Two 32G flash cache files will be use

Answer: A

NEW QUESTION 60

Which two statements are true about Oracle Managed Files (OMF)? (Choose two.)

- A. OMF cannot be used in a database that already has data files created with user-specified directions.
- B. The file system directions that are specified by OMF parameters are created automatically.
- C. OMF can be used with ASM disk groups, as well as with raw devices, for better file management.
- D. OMF automatically creates unique file names for table spaces and control files.
- E. OMF may affect the location of the redo log files and archived log files.

Answer: DE

Explanation:

D: The database internally uses standard file system interfaces to create and delete files as needed for the following database structures:

Tablespaces Redo log files Control files Archived logs

Block change tracking files Flashback logs

RMAN backups Note:

* Using Oracle-managed files simplifies the administration of an Oracle Database. Oracle-managed files eliminate the need for you, the DBA, to directly manage the operating system files that make up an Oracle Database. With Oracle- managed files, you specify file system directories in which the database automatically creates, names, and manages files at the database object level. For example, you need only specify that you want to create a tablespace; you do not need to specify the name and path of the tablespace's datafile with the DATAFILE clause.

<http://www.oracle-base.com/articles/9i/oracle-managed-files.php>

http://docs.oracle.com/cd/B10500_01/server.920/a96521/omf.htm References:

NEW QUESTION 64

You are about to plug a multi-terabyte non-CDB into an existing multitenant container database (CDB). The characteristics of the non-CDB are as follows:

- Version: Oracle Database 11g Release 2 (11.2.0.2.0) 64-bit
- Character set: AL32UTF8
- National character set: AL16UTF16
- O/S: Oracle Linux 6 64-bit

The characteristics of the CDB are as follows:

- Version: Oracle Database 12c Release 1 64-bit
- Character Set: AL32UTF8
- National character set: AL16UTF16
- O/S: Oracle Linux 6 64-bit

Which technique should you use to minimize down time while plugging this non-CDB into the CDB?

- A. Transportable database
- B. Transportable tablespace
- C. Data Pump full export/import
- D. The DBMS_PDB package
- E. RMAN

Answer: B

Explanation:

* Overview, example:

- Log into ncdb12c as sys
- Get the database in a consistent state by shutting it down cleanly.
- Open the database in read only mode
- Run DBMS_PDB.DESCRIBE to create an XML file describing the database.
- Shut down ncdb12c
- Connect to target CDB (CDB2)
- Check whether non-cdb (NCDB12c) can be plugged into CDB(CDB2)
- Plug-in Non-CDB (NCDB12c) as PDB(NCDB12c) into target CDB(CDB2).
- Access the PDB and run the noncdb_to_pdb.sql script.

- Open the new PDB in read/write mode.

* You can easily plug an Oracle Database 12c non-CDB into a CDB. Just create a PDB manifest file for the non-CDB, and then use the manifest file to create a cloned PDB in the CDB.

* Note that to plug in a non-CDB database into a CDB, the non-CDB database needs to be of version 12c as well. So existing 11g databases will need to be upgraded to 12c before they can be part of a 12c CDB.

NEW QUESTION 69

Which two statements are true about SQL*Loader Express Mode in an Oracle 12c database? (Choose two.)

- A. It loads data faster than conventional SQL*Loader
- B. No data file needs to be specified
- C. It can load data in parallel
- D. It loads data more efficiently than conventional SQL*Loader
- E. It requires Enterprise Manager Express to be configured

Answer: AC

Explanation:

Reference: <https://www.oracle.com/technetwork/database/enterprise-edition/learnmore/sqlldr-express-modewp-1991038.pdf>

NEW QUESTION 71

You use a recovery catalog for maintaining your database backups. You execute the following command:

```
$rman TARGET / CATALOG rman / cat@catdb
RMAN > BACKUP VALIDATE DATABASE ARCHIVELOG ALL;
```

Which two statements are true? (Choose two.)

- A. Corrupted blocks, if any, are repaired.
- B. Checks are performed for physical corruptions.
- C. Checks are performed for logical corruptions.
- D. Checks are performed to confirm whether all database files exist in correct locations
- E. Backup sets containing both data files and archive logs are created.

Answer: BD

Explanation:

B (not C): You can validate that all database files and archived redo logs can be backed up by running a command as follows:

```
RMAN> BACKUP VALIDATE DATABASE ARCHIVELOG ALL;
```

This form of the command would check for physical corruption. To check for logical corruption, RMAN> BACKUP VALIDATE CHECK LOGICAL DATABASE ARCHIVELOG ALL;

D: You can use the VALIDATE keyword of the BACKUP command to do the following: Check datafiles for physical and logical corruption

Confirm that all database files exist and are in the correct locations. Note:

You can use the VALIDATE option of the BACKUP command to verify that database files exist and are in the correct locations (D), and have no physical or logical corruptions that would prevent RMAN from creating backups of them. When performing a BACKUP...VALIDATE, RMAN reads the files to be backed up in their entirety, as it would during a real backup. It does not, however, actually produce any backup sets or image copies (Not A, not E).

NEW QUESTION 72

You run a script that completes successfully using SQL*Plus that performs these actions:

1. Creates a multitenant container database (CDB)
2. Plugs in three pluggable databases (PDBs)
3. Shuts down the CDB instance
4. Starts up the CDB instance using STARTUP OPEN READ WRITE

Which two statements are true about the outcome after running the script? (Choose two.)

- A. The seed will be in mount state.
- B. The seed will be opened read-only.
- C. The seed will be opened read/write.
- D. The other PDBs will be in mount state.
- E. The other PDBs will be opened read-only.
- F. The PDBs will be opened read/write.

Answer: BD

Explanation:

B: The seed is always read-only.

D: Pluggable databases can be started and stopped using SQL*Plus commands or the ALTER PLUGGABLE DATABASE command.

NEW QUESTION 73

Examine the following query output:

```
SQL> SELECT name, force_logging FROM v$database;
```

NAME	FORCE_LOGGING
PROD	NO

You issue the following command to import tables into the hr schema:

```
$ > impdp hr/hr directory = dumpdir dumpfile = hr_new.dmp schemas=hr TRANSFORM=DISABLE_ARCHIVE_LOGGING: Y
```

Which statement is true?

- A. All database operations performed by the impdp command are logged.
- B. Only CREATE INDEX and CREATE TABLE statements generated by the import are logged.
- C. Only CREATE TABLE and ALTER TABLE statements generated by the import are logged.
- D. None of the operations against the master table used by Oracle Data Pump to coordinate its activities are logged.

Answer: C

Explanation:

Oracle Data Pump disable redo logging when loading data into tables and when creating indexes.
 The new TRANSFORM option introduced in data pumps import provides the flexibility to turn off the redo generation for the objects during the course of import.
 The Master Table is used to track the detailed progress information of a Data Pump job.
 The Master Table is created in the schema of the current user running the Pump Dump export or import, and it keeps tracks of lots of detailed information.

NEW QUESTION 78

You create a new pluggable database, HR_PDB, from the seed database. Which three tablespaces are created by default in HR_PDB? (Choose three.)

- A. SYSTEM
- B. SYSAUX
- C. EXAMPLE
- D. UNDO
- E. TEMP
- F. USERS

Answer: ABE

Explanation:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contain other user created tablespaces in it.
 * Oracle Database creates both the SYSTEM and SYSAUX tablespaces as part of every database.
 * tablespace_datafile_clauses
 Use these clauses to specify attributes for all data files comprising the SYSTEM and SYSAUX tablespaces in the seed PDB.
 Incorrect:
 Not D: a PDB can not have an undo tablespace. Instead, it uses the undo tablespace belonging to the CDB. Note:
 * Example:
 CONN pdb_admin@pdb1
 SELECT tablespace_name FROM dba_tablespaces; TABLESPACE_NAME
 ----- SYSTEM
 SYSAUX TEMP USERS SQL>

NEW QUESTION 79

Which four statements are true about database instance behavior? (Choose four.)

- A. An idle instance is created when a STARTUP NOMOUNT is successful
- B. All dynamic performance views (v\$ views) return data when queried from a session connected to an instance in NOMOUNT state
- C. The consistency of redo logs and data files is checked when mounting the database
- D. Redo log files can be renamed in MOUNT state
- E. An SPFILE can be updated when connected to an idle instance
- F. Datafiles can be renamed in MOUNT state

Answer: CDEF

NEW QUESTION 82

Identify three scenarios in which you would recommend the use of SQL Performance Analyzer to analyze impact on the performance of SQL statements.

- A. Change in the Oracle Database version
- B. Change in your network infrastructure
- C. Change in the hardware configuration of the database server
- D. Migration of database storage from non-ASM to ASM storage
- E. Database and operating system upgrade

Answer: ACE

Explanation:

Oracle 11g/12c makes further use of SQL tuning sets with the SQL Performance Analyzer, which compares the performance of the statements in a tuning set before and after a database change. The database change can be as major or minor as you like, such as:
 * (E) Database, operating system, or hardware upgrades.
 * (A, C) Database, operating system, or hardware configuration changes.
 * Database initialization parameter changes.
 * Schema changes, such as adding indexes or materialized views.
 * Refreshing optimizer statistics.
 * Creating or changing SQL profiles.

NEW QUESTION 85

You execute the following piece of code with appropriate privileges:

```

BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    FUNCTION_TYPE => DBMS_REDACT.FULL,
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES","MGR") = "FALSE"';
END;
/

CREATE VIEW SCOTT.EMP_V AS SELECT * FROM SCOTT.EMP;

BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP_V',
    POLICY_NAME   => 'SCOTT_EMP_V',
    COLUMN_NAME   => 'SAL',
    FUNCTION_TYPE => DBMS_REDACT.NONE,
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES","MGR") = "FALSE"';
END;
/

```

User SCOTT has been granted the CREATE SESSION privilege and the MGR role.

Which two statements are true when a session logged in as SCOTT queries the SAL column in the view and the table? (Choose two.)

- A. Data is redacted for the EMP.SAL column only if the SCOTT session does not have the MGR role set.
- B. Data is redacted for EMP.SAL column only if the SCOTT session has the MGR role set.
- C. Data is never redacted for the EMP_V.SAL column.
- D. Data is redacted for the EMP_V.SAL column only if the SCOTT session has the MGR role set.
- E. Data is redacted for the EMP_V.SAL column only if the SCOTT session does not have the MGR role set.

Answer: AC

Explanation:

Note:

- * DBMS_REDACT.FULL completely redacts the column data.
- * DBMS_REDACT.NONE applies no redaction on the column data. Use this function for development testing purposes. LOB columns are not supported.
- * The DBMS_REDACT package provides an interface to Oracle Data Redaction, which enables you to mask (redact) data that is returned from queries issued by low-privileged users or an application.
- * If you create a view chain (that is, a view based on another view), then the Data Redaction policy also applies throughout this view chain. The policies remain in effect all of the way up through this view chain, but if another policy is created for one of these views, then for the columns affected in the subsequent views, this new policy takes precedence.

NEW QUESTION 90

What is the effect of specifying the "ENABLE PLUGGABLE DATABASE" clause in a "CREATE DATABASE" statement?


- A. It will create a multitenant container database (CDB) with only the root opened.
- B. It will create a CDB with root opened and seed read only.
- C. It will create a CDB with root and seed opened and one PDB mounted.
- D. It will create a CDB that must be plugged into an existing CDB.
- E. It will create a CDB with root opened and seed mounted.

Answer: B

Explanation:

* The CREATE DATABASE ... ENABLE PLUGGABLE DATABASE SQL statement creates a new CDB. If you do not specify the ENABLE PLUGGABLE DATABASE clause, then the newly created database is a non-CDB and can never contain PDBs.

Along with the root (CDB\$ROOT), Oracle Database automatically creates a seed PDB (PDB\$SEED). The following graphic shows a newly created CDB:



* Creating a PDB

Rather than constructing the data dictionary tables that define an empty PDB from scratch, and then populating its Obj\$ and Dependency\$ tables, the empty PDB is created when the CDB is created. (Here, we use empty to mean containing no customer-created artifacts.) It is referred to as the seed PDB and has the name PDB\$Seed. Every CDB non-negotiably contains a seed PDB; it is non-negotiably always open in read-only mode. This has no conceptual significance; rather, it is just an optimization device. The create PDB operation is implemented as a special case of the clone PDB operation.

NEW QUESTION 93

Which three statements are true about using flashback database in a multitenant container database (CDB)? (Choose three.)

- A. The root container can be flashed back without flashing back the pluggable databases (PDBs).
- B. To enable flashback database, the CDB must be mounted.
- C. Individual PDBs can be flashed back without flashing back the entire CDB.
- D. The DB_FLASHBACK_RETENTION_TARGET parameter must be set to enable flashback of the CDB.
- E. ACDB can be flashed back specifying the desired target point in time or an SCN, but not a restore point.

Answer: ABD

NEW QUESTION 96

Which two statements are true about extents? (Choose two.)

- A. Blocks belonging to an extent can be spread across multiple data files.
- B. Data blocks in an extent are logically contiguous but can be non-contiguous on disk.
- C. The blocks of a newly allocated extent, although free, may have been used before.
- D. Data blocks in an extent are automatically reclaimed for use by other objects in a tablespace when all the rows in a table are deleted.

Answer: BC

NEW QUESTION 98

Identify three valid methods of opening, pluggable databases (PDBs).

- A. ALTER PLUGGABLE DATABASE OPEN ALL ISSUED from the root
- B. ALTER PLUGGABLE DATABASE OPEN ALL ISSUED from a PDB
- C. ALTER PLUGGABLE DATABASE PDB OPEN issued from the seed
- D. ALTER DATABASE PDB OPEN issued from the root
- E. ALTER DATABASE OPEN issued from that PDB
- F. ALTER PLUGGABLE DATABASE PDB OPEN issued from another PDB
- G. ALTER PLUGGABLE DATABASE OPEN issued from that PDB

Answer: AEG

Explanation:

E: You can perform all ALTER PLUGGABLE DATABASE tasks by connecting to a PDB and running the corresponding ALTER DATABASE statement. This functionality is provided to maintain backward compatibility for applications that have been migrated to a CDB environment.

AG: When you issue an ALTER PLUGGABLE DATABASE OPEN statement, READ WRITE is the default unless a PDB being opened belongs to a CDB that is used as a physical standby database, in which case READ ONLY is the default.

You can specify which PDBs to modify in the following ways: List one or more PDBs.

Specify ALL to modify all of the PDBs.

Specify ALL EXCEPT to modify all of the PDBs, except for the PDBs listed.

NEW QUESTION 101

Your database supports a DSS workload that involves the execution of complex queries: Currently, the library cache contains the ideal workload for analysis. You want to analyze some of the queries for an application that are cached in the library cache.

What must you do to receive recommendations about the efficient use of indexes and materialized views to improve query performance?

- A. Create a SQL Tuning Set (STS) that contains the queries cached in the library cache and run the SQL Tuning Advisor (STA) on the workload captured in the STS.
- B. Run the Automatic Workload Repository Monitor (AWRM).
- C. Create an STS that contains the queries cached in the library cache and run the SQL Performance Analyzer (SPA) on the workload captured in the STS.
- D. Create an STS that contains the queries cached in the library cache and run the SQL Access Advisor on the workload captured in the STS.

Answer: D

Explanation:

* SQL Access Advisor is primarily responsible for making schema modification recommendations, such as adding or dropping indexes and materialized views. SQL Tuning Advisor makes other types of recommendations, such as creating SQL profiles and restructuring SQL statements.

* The query optimizer can also help you tune SQL statements. By using SQL Tuning Advisor and SQL

Access Advisor, you can invoke the query optimizer in advisory mode to examine a SQL statement or set of statements and determine how to improve their efficiency. SQL Tuning Advisor and SQL Access Advisor can make various recommendations, such as creating SQL profiles, restructuring SQL statements, creating additional indexes or materialized views, and refreshing optimizer statistics.

Note:

* Decision support system (DSS) workload

* The library cache is a shared pool memory structure that stores executable SQL and PL/SQL code. This cache contains the shared SQL and PL/SQL areas and control structures such as locks and library cache handles.

NEW QUESTION 104

Which two must be installed or configured either manually or by DBCA in order to use Enterprise Manager Database Express (EM Express)? (Choose two.)

- A. A port number for Oracle HTTP Server must be configured

- B. The APEX_PUBLIC_USER role must be granted to SYSMAN
- C. A SYSMAN user with SYSDBA privilege must be created
- D. At least one TCP/IP dispatcher must be configured
- E. The Oracle HTTP Server must be installed

Answer: BD

NEW QUESTION 106

Which three features work together, to allow a SQL statement to have different cursors for the same statement based on different selectivity ranges? (Choose three.)

- A. Bind Variable Peeking
- B. SQL Plan Baselines
- C. Adaptive Cursor Sharing
- D. Bind variable used in a SQL statement
- E. Literals in a SQL statement

Answer: ACD

NEW QUESTION 107

Which three statements are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. All AWR tables belong to the SYSTEM schema.
- B. The AWR data is stored in memory and in the database.
- C. The snapshots collected by AWR are used by the self-tuning components in the database
- D. AWR computes time model statistics based on time usage for activities, which are displayed in the v\$SYS time model and V\$SESS_TIME_MODEL views.
- E. AWR contains system wide tracing and logging information.

Answer: BCD

NEW QUESTION 111

Which Oracle Database component is audited by default if the unified Auditing option is enabled?

- A. Oracle Data Pump
- B. Oracle Recovery Manager (RMAN)
- C. Oracle Label Security
- D. Oracle Database Vault
- E. Oracle Real Application Security

Answer: B

NEW QUESTION 114

What is the result of executing a TRUNCATE TABLE command on a table that has Flashback Archiving enabled?

- A. It fails with the ORA-665610 Invalid DDL statement on history-tracked message
- B. The rows in the table are truncated without being archived.
- C. The rows in the table are archived, and then truncated.
- D. The rows in both the table and the archive are truncate

Answer: C

NEW QUESTION 117

You want to schedule a job to rebuild a table's indexes after a bulk insert, which must be scheduled as soon as a file containing data arrives on the system. What would you do to accomplish this?

- A. Create a file watcher and an event-based job for bulk insert and then create another job to rebuild indexes on the table.
- B. Create a file watcher for the bulk inserts and then create a job to rebuild indexes.
- C. Create a job array and add a job for bulk insert and a job to rebuild indexes to the job array.
- D. Create an event-based job for the file arrival event, then create a job for bulk insert, and then create a job to rebuild indexes.

Answer: A

NEW QUESTION 119

You upgraded from a previous Oracle database version to Oracle Database version to Oracle Database 12c. Your database supports a mixed workload. During the day, lots of insert, update, and delete operations are performed. At night, Extract, Transform, Load (ETL) and batch reporting jobs are run. The ETL jobs perform certain database operations using two or more concurrent sessions.

After the upgrade, you notice that the performance of ETL jobs has degraded. To ascertain the cause of performance degradation, you want to collect basic statistics such as the level of parallelism, total database time, and the number of I/O requests for the ETL jobs. How do you accomplish this?

- A. Examine the Active Session History (ASH) reports for the time period of the ETL or batch reporting runs.
- B. Enable SQL tracing for the queries in the ETL and batch reporting queries and gather diagnostic data from the trace file.
- C. Enable real-time SQL monitoring for ETL jobs and gather diagnostic data from the V\$SQL_MONITOR view.
- D. Enable real-time database operation monitoring using the DBMS_SQL_MONITOR.BEGIN_OPERATION function, and then use the DBMS_SQL_MONITOR.REPORT_SQL_MONITOR function to view the required information.

Answer: D

Explanation:

* Monitoring database operations

Real-Time Database Operations Monitoring enables you to monitor long running database tasks such as batch jobs, scheduler jobs, and Extraction, Transformation, and Loading (ETL) jobs as a composite business operation. This feature tracks the progress of SQL and PL/SQL queries associated with the business operation being monitored. As a DBA or developer, you can define business operations for monitoring by explicitly specifying the start and end of the operation or implicitly with tags that identify the operation.

NEW QUESTION 122

Examine the following commands for redefining a table with Virtual Private Database (VPD) policies:

```
BEGIN
  DBMS_RLS.ADD_POLICY (
    object_schema => 'hr',
    object_name   => 'employees',
    policy_name   => 'employees_policy',
    function_schema => 'hr',
    policy_function => 'auth_emp_dep_100',
    statement_types => 'select, insert, update, delete'
  );
END;

BEGIN
  DBMS_REDEFINITION.START_REDEF_TABLE (
    uname          => 'hr',
    orig_table     => 'employees',
    int_table      => 'int_employees',
    col_mapping    => NULL,
    options_flag   => DBMS_REDEFINITION.CONST_USE_PK,
    orderby_cols  => NULL,
    part_name     => NULL,
    copy_vpd_opt  => DBMS_REDEFINITION.CONST_VPD_AUTO);
END;
```

Which two statements are true about redefining the table? (Choose two.)

- A. All the triggers for the table are disabled without changing any of the column names or column types in the table.
- B. The primary key constraint on the EMPLOYEES table is disabled during redefinition.
- C. VPD policies are copied from the original table to the new table during online redefinition.
- D. You must copy the VPD policies manually from the original table to the new table during online redefinition.

Answer: BC

Explanation:

C (not D): CONS_VPD_AUTO

Used to indicate to copy VPD policies automatically

* DBMS_RLS.ADD_POLICY

/ The DBMS_RLS package contains the fine-grained access control administrative interface, which is used to implement Virtual Private Database (VPD).DBMS_RLS is available with the Enterprise Edition only.

Note:

* CONS_USE_PK and CONS_USE_ROWID are constants used as input to the "options_flag" parameter in both the START_REDEF_TABLE Procedure and CAN_REDEF_TABLE Procedure. CONS_USE_ROWID is used to indicate that the redefinition should be done using rowids while CONS_USE_PK implies that the redefinition should be done using primary keys or pseudo-primary keys (which are unique keys with all component columns having NOT NULL constraints).

* DBMS_REDEFINITION.START_REDEF_TABLE

To achieve online redefinition, incrementally maintainable local materialized views are used. These logs keep track of the changes to the master tables and are used by the materialized views during refresh synchronization.

* START_REDEF_TABLE Procedure

Prior to calling this procedure, you must manually create an empty interim table (in the same schema as the table to be redefined) with the desired attributes of the post-redefinition table, and then call this procedure to initiate the redefinition.

NEW QUESTION 123

Which statement is true about Oracle Net Listener?

- A. It acts as the listening endpoint for the Oracle database instance for all local and non-local user connections.
- B. A single listener can service only one database instance and multiple remote client connections.
- C. Service registration with the listener is performed by the process monitor (PMON) process of each database instance.
- D. The listener.ora configuration file must be configured with one or more listening protocol addresses to allow remote users to connect to a database instance.
- E. The listener.ora configuration file must be located in the ORACLE_HOME/network/admin directly.

Answer: C

Explanation:

<https://docs.oracle.com/database/121/CNCPT/process.htm>

NEW QUESTION 124

Examine the parameters for your database instance:

NAME	TYPE	VALUE
optimizer_adaptive_reporting_only	boolean	FALSE
optimizer_capture_sql_plan_baselines	boolean	FALSE
optimizer_dynamic_sampling	integer	2
optimizer_features_enable	string	12.1.0.1

Which three statements are true about the process of automatic optimization by using cardinality feedback? (Choose three.)

- A. The optimizer automatically changes a plan during subsequent execution of a SQL statement if there is a huge difference in optimizer estimates and execution statistics.
- B. The optimizer can CK optimize a query only once using cardinality feedback.
- C. The optimizer enables monitoring for cardinality feedback after the first execution of a query.
- D. The optimizer does not monitor cardinality feedback if dynamic sampling and multicolumn statistics are enabled.
- E. After the optimizer identifies a query as a re-optimization candidate, statistics collected by the collectors are submitted to the optimizer.

Answer: ACD

Explanation:

C: During the first execution of a SQL statement, an execution plan is generated as usual.
 D: if multi-column statistics are not present for the relevant combination of columns, the optimizer can fall back on cardinality feedback. (not B)* Cardinality feedback. This feature, enabled by default in 11.2, is intended to improve plans for repeated executions.
 optimizer_dynamic_sampling optimizer_features_enable
 * dynamic sampling or multi-column statistics allow the optimizer to more accurately estimate selectivity of conjunctive predicates. Note:
 * OPTIMIZER_DYNAMIC_SAMPLING controls the level of dynamic sampling performed by the optimizer. Range of values. 0 to 10
 * Cardinality feedback was introduced in Oracle Database 11gR2. The purpose of this feature is to automatically improve plans for queries that are executed repeatedly, for which the optimizer does not estimate cardinalities in the plan properly. The optimizer may misestimate cardinalities for a variety of reasons, such as missing or inaccurate statistics, or complex predicates. Whatever the reason for the misestimate, cardinality feedback may be able to help.

NEW QUESTION 126

Oracle Grid Infrastructure for a stand-alone server is installed on your production host before installing the Oracle Database server. The database and listener are configured by using Oracle Restart.

Examine the following command and its output:

\$ crsctl config has CRS-4622: Oracle High Availability Services auto start is enabled. What does this imply?

- A. When you start an instance on a high with SQL *Plus dependent listeners and ASM disk groups are automatically started.
- B. When a database instance is started by using the SRVCTL utility and listener startup fails, the instance is still started.
- C. When a database is created by using SQL* Plus, it is automatically added to the Oracle Restart configuration.
- D. When you create a database service by modifying the SERVICE_NAMES initialization parameter, it is automatically added to the Oracle Restart configuration.

Answer: B

Explanation:

About Startup Dependencies

Oracle Restart ensures that Oracle components are started in the proper order, in accordance with component dependencies. For example, if database files are stored in Oracle ASM disk groups, then before starting the database instance, Oracle Restart ensures that the Oracle ASM instance is started and the required disk groups are mounted. Likewise, if a component must be shut down, Oracle Restart ensures that dependent components are cleanly shut down first. Oracle Restart also manages the weak dependency between database instances and the Oracle Net listener (the listener): When a database instance is started, Oracle Restart attempts to start the listener. If the listener startup fails, then the database is still started. If the listener later fails, Oracle Restart does not shut down and restart any database instances. http://docs.oracle.com/cd/E16655_01/server.121/e17636/restart.htm#ADMIN12710

NEW QUESTION 130

Your multitenant container (CDB) containing three pluggable databases (PDBs) is running in ARCHIVELOG mode. You find that the SYSAUX tablespace is corrupted in the root container.

The steps to recover the tablespace are as follows:

1. Mount the CDB.
2. Close all the PDBs.
3. Open the database.
4. Apply the archive redo logs.
5. Restore the data file.
6. Take the SYSAUX tablespace offline.
7. Place the SYSAUX tablespace online.
8. Open all the PDBs with RESETLOGS.
9. Open the database with RESETLOGS.
10. Execute the command SHUTDOWN ABORT.

Which option identifies the correct sequence to recover the SYSAUX tablespace?

- A. 6, 5, 4, 7
- B. 10, 1, 2, 5, 8
- C. 10, 1, 2, 5, 4, 9, 8
- D. 10, 1, 5, 8, 10

Answer: A

Explanation:

```

RMAN> ALTER TABLESPACE sysaux OFFLINE IMMEDIATE; RMAN> RESTORE TABLESPACE sysaux;
RMAN> RECOVER TABLESPACE sysaux; RMAN> ALTER TABLESPACE sysaux ONLINE;

```

* Example:

While evaluating the 12c beta3 I was not able to do the recover while testing "all pdb files lost". Cannot close the pdb as the system datafile was missing...

So only option to recover was: Shutdown cdb (10) startup mount; (1)

restore pluggable database recover pluggable database alter database open; alter pluggable database name open;

Oracle support says: You should be able to close the pdb and restore/recover the system tablespace of PDB.

* Inconsistent backups are usually created by taking online database backups. You can also make an inconsistent backup by backing up data files while a database is closed, either:

/ Immediately after the crash of an Oracle instance (or, in an Oracle RAC configuration, all instances)

/ After shutting down the database using SHUTDOWN ABORT

Inconsistent backups are only useful if the database is in ARCHIVELOG mode and all archived redo logs created since the backup are available.

* Open the database with the RESETLOGS option after finishing recovery: SQL> ALTER DATABASE OPEN RESETLOGS;

NEW QUESTION 132

Which three statements are true when the listener handles connection requests to an Oracle 12c database instance with multithreaded architecture enabled in UNIX? (Choose three.)

- A. Thread creation must be routed through a dispatcher process
- B. The local listener may spawn a new process and have that new process create a thread
- C. Each Oracle process runs an SCM thread.
- D. Each multithreaded Oracle process has an SCM thread.
- E. The local listener may pass the request to an existing process which in turn will create a thread

Answer: ADE

NEW QUESTION 137

You use the segment advisor to help determine objects for which space may be reclaimed. Which three statements are true about the advisor given by the segment advisor? (Choose three.)

- A. It may advise the use of online table redefinition for tables in dictionary managed tablespace.
- B. It may advise the use of segment shrink for tables in dictionary managed tablespaces if they have no chained rows.
- C. It may advise the use of online table redefinition for tables in locally managed tablespaces
- D. It will detect and advise about chained rows.
- E. It may advise the use of segment shrink for free list managed tables.

Answer: ACD

NEW QUESTION 138

Examine the parameters for a database instance:

NAME	TYPE	VALUE
temp_undo_enabled	boolean	TRUE
undo_management	string	AUTO
undo_retention	integer	900
undo_tablespace	string	UNDOTBS1

Which two statements are true? (Choose two.)

- A. Undo records for temporary tables are stored in a temporary tablespace.
- B. Undo records for temporary tables are stored in the undo tablespace and logged in the redo.
- C. Undo records for temporary tables are stored in the undo tablespace and logged in the redo only for those sessions where temporary undo is enabled.
- D. No redo is generated for the undo records belonging to temporary tables.
- E. No redo and undo records are generated for temporary table

Answer: AD

NEW QUESTION 139

You execute this command:

```

SQL> CREATE TABLESPACE lmtbsb DATAFILE '/u02/oracle/data/lmtbsb01.dbf' SIZE 50M
EXTENT MANAGEMENT LOCAL;

```

Which two statements are true about segment space management for segments in this tablespace? (Choose two.)

- A. Space utilization inside segments is mapped by bitmaps.
- B. Segments are automatically shrunk and compressed when rows are deleted.
- C. The PCTFREE storage parameter has no effect on segments created in this tablespace.
- D. The PCTUSED storage parameter has no effect on segments created in this tablespace

Answer: AD

NEW QUESTION 140

A redaction policy was added to the SAL column of the SCOTT.EMP table:

```
BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES", "MGR") = "FALSE"');
END;
```

All users have their default set of system privileges.

For which three situations will data not be redacted? (Choose three.)

- A. SYS sessions, regardless of the roles that are set in the session
- B. SYSTEM sessions, regardless of the roles that are set in the session
- C. SCOTT sessions, only if the MGR role is set in the session
- D. SCOTT sessions, only if the MGR role is granted to SCOTT
- E. SCOTT sessions, because he is the owner of the table
- F. SYSTEM session, only if the MGR role is set in the session

Answer: ABD

NEW QUESTION 144

Your multitenant container database, CDB1, is running in ARCHIVELOG mode and has two pluggable databases, HR_PDB and ACCOUNTS_PDB. An RMAN backup exists for the database.

You issue the command to open ACCOUNTS_PDB and find that the USERDATA.DBF data file for the default permanent tablespace USERDATA belonging to ACCOUNTS_PDB is corrupted.

What should you do before executing the commands to restore and recover the data file in ACCOUNTS_PDB?

- A. Place CDB1 in the mount stage and then the USERDATA tablespace offline in ACCOUNTS_PDB.
- B. Place CDB1 in the mount stage and issue the ALTER PLUGGABLE DATABASE accounts_pdb CLOSE IMMEDIATE command.
- C. Issue the ALTER PLUGGABLE DATABASE accounts_pdb RESTRICTED command.
- D. Take the USERDATA tablespace offline in ACCOUNTS_PDB.

Answer: D

Explanation:

* You can take an online tablespace offline so that it is temporarily unavailable for general use. The rest of the database remains open and available for users to access data. Conversely, you can bring an offline tablespace online to make the schema objects within the tablespace available to database users. The database must be open to alter the availability of a tablespace.

NEW QUESTION 149

In your Database, the TBS PERCENT USED parameter is set to 60 and the TBS PERCENT FREE parameter is set to 20. Which two storage-tiering actions might be automated when using information Lifecycle Management (ILM) to automate data movement? (Choose two.)

- A. The movement of all segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds TBS PERCENT USED
- B. Setting the target tablespace to read-only
- C. The movement of some segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds TBS PERCENT USED
- D. Setting the target tablespace offline
- E. The movement of some blocks to a target tablespace with a lower degree of compression, on a different storage tier, when the source tablespace exceeds TBS PERCENT USED

Answer: BC

Explanation:

The value for TBS_PERCENT_USED specifies the percentage of the tablespace quota when a tablespace is considered full. The value for TBS_PERCENT_FREE specifies the targeted free percentage for the tablespace. When the percentage of the tablespace quota reaches the value of TBS_PERCENT_USED, ADO begins to move data so that percent free of the tablespace quota approaches the value of TBS_PERCENT_FREE. This action by ADO is a best effort and not a guarantee.

NEW QUESTION 154

A warehouse fact table in your Oracle 12c Database is range-partitioned by month and accessed frequently with queries that span multiple partitions. The table has a local prefixed, range partitioned index.

Some of these queries access very few rows in some partitions and all the rows in other partitions, but these queries still perform a full scan for all accessed partitions.

This commonly occurs when the range of dates begins at the end of a month or ends close to the start of a month.

You want an execution plan to be generated that uses indexed access when only a few rows are accessed from a segment, while still allowing full scans for segments where many rows are returned.

Which three methods could transparently help to achieve this result? (Choose three.)

- A. Using a partial local Index on the warehouse fact table month column with indexing disabled to the table partitions that return most of their rows to the queries.
- B. Using a partial local Index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.
- C. Using a partitioned view that does a UNION ALL query on the partitions of the warehouse fact table, which retains the existing local partitioned column.

- D. Converting the partitioned table to a partitioned view that does a UNION ALL query on the monthly tables, which retains the existing local partitioned column.
- E. Using a partial global index on the warehouse fact table month column with indexing disabling for the table partitions that return most of their rows to the queries.
- F. Using a partial global index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.

Answer: ACE

Explanation:

Note:

* Oracle 12c now provides the ability to index a subset of partitions and to exclude the others.

Local and global indexes can now be created on a subset of the partitions of a table. Partial Global indexes provide more flexibility in index creation for partitioned tables. For example, index segments can be omitted for the most recent partitions to ensure maximum data ingest rates without impacting the overall data model and access for the partitioned object.

Partial Global Indexes save space and improve performance during loads and queries. This feature supports global indexes that include or index a certain subset of table partitions or subpartitions, and exclude the others. This operation is supported using a default table indexing property. When a table is created or altered, a default indexing property can be specified for the table or its partitions.

NEW QUESTION 159

In your database, USERS is the default permanent tablespace. Examine the commands and their outcome:

```
SQL> CREATE USER user02 identified by us123 QUOTA 10M ON users;
User created.
```

```
SQL> GRANT create session, sysdba TO user02;
Grant succeeded.
```

You plan to execute the commands:

```
SQL> CONN user02/us123 AS SYSDBA
SQL> CREATE TABLE mytab (id number, lname varchar2(20));
```

Which two statements are true? (Choose two.)

- A. The MYTAB table is created in the SYSTEM tablespace but no rows can be inserted into the table by USER02.
- B. The MYTAB table is created in the SYSTEM tablespace and rows can be inserted into the table by USER02.
- C. The MYTAB table is created in the USERS tablespace but no rows can be inserted into the table by USER02.
- D. The CREATE TABLE statement generates an error because the SYSDBA privilege does not provide any space quota on the SYSTEM tablespace by default.
- E. The MYTAB table is owned by the SYS user

Answer: BE

NEW QUESTION 162

The DEFERRED_SEGMENT_CREATION parameter is set to TRUE in your database instance. You execute the following command to create a table:

```
SQL> CREATE TABLE acct1
(ac_no NUMBER,
ac_desc varchar2(25),
amount number(10,2));
```

Which two statements are true? (Choose two.)

- A. The table is created without a segment because the storage clause is missing.
- B. A segment is allocated when the first row is inserted in the table.
- C. A segment is allocated when an index is created for any column in the table.
- D. The table is created and extents are immediately allocated as per the default storage defined for its tablespace.
- E. A segment is allocated for the table if the ALTER TABLE... ALLOCATE EXTENT command is issue

Answer: BE

NEW QUESTION 167

In your Oracle 12c database, you plan to execute the command:

```
SQL> CREATE TABLESPACE tbs1 DATAFILE '/u02/oracle/data/tbs01.dbf' SIZE 50M; The u02 file system has 1 GB of free space available.
```

What is the outcome?

- A. It creates a locally managed tablespace with manual segment space management enabled.
- B. It raises an error because extent management is not specified.
- C. It creates a locally managed tablespace with automatic segment space management enabled.
- D. It creates a dictionary-managed tablespace with manual segment space management enabled.

Answer: C

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/tspaces002.htm#ADMIN11359

NEW QUESTION 169

Your database is configured in ARCHIVELOG mode. Examine the RMAN configuration parameters:

```
CONFIGURE RETENTION POLICY TO REDUNDANCY 1; # default
CONFIGURE BACKUP OPTIMIZATION OFF; # default
CONFIGURE CONTROLFILE AUTOBACKUP OFF; # default
CONFIGURE DEVICE TYPE DISK PARALLELISM 1 BACKUP TYPE TO BACKUPSET;
CONFIGURE ARCHIVELOG BACKUP COPIES FOR DEVICE TYPE DISK TO 1; # default
```

Examine the command:

```
RMAN> BACKUP DATABASE PLUS ARCHIVELOG DELETE INPUT;
```

What is the outcome?

- A. It fails because the DELETE INPUT option can be used only with the BACKUP AS BACKUPSET command.
- B. It executes successfully and creates a backup set of the database along with archived log files and then deletes the original archived log files.
- C. It executes successfully and creates an image copy of the database along with archive log files and then deletes the original archived log files.
- D. It fails because the DELETE INPUT option can be used only with the BACKUP AS COPY command.

Answer: B

Explanation:

References: https://docs.oracle.com/cd/B13789_01/server.101/b10734/rcmbackp.htm

NEW QUESTION 172

You want to create a role that:

- is protected from unauthorized usage
 - does not use a password embedded in the application source code or stored in a table
 - is enabled for a user based on security policies defined in a PL/SQL package
- How would you create this role?

- A. as a secure application role
- B. with definer's rights
- C. with global authentication
- D. with external authentication

Answer: A

Explanation:

References: https://docs.oracle.com/cd/B28359_01/network.111/b28531/authorization.htm#DBSEG97973

NEW QUESTION 174

The user SCOTT owns the CUST table that is placed in the SALES tablespace. The user SCOTT opens a session and executes commands as follows:

```
SQL> INSERT INTO cust VALUES(101, 'JACK'); 1 row created.
SQL> INSERT INTO cust VALUES(102, 'SMITH'); 1 row created.
```

As a DBA, you execute the following command from another session: ALTER TABLESPACE sales READ ONLY; Which statement is true regarding the effect of this command on the transaction in Scott's session?

- A. The command fails as a transaction is still pending.
- B. The transaction in Scott's session is rolled back and the tablespace becomes readonly.
- C. The command waits and the user SCOTT can execute data manipulation language (DML) statements only as part of the current transaction.
- D. The command hangs until all transactions on the objects in the tablespace commit or rollback, and then the tablespace is placed in readonly mode.

Answer: B

NEW QUESTION 177

Which two statements are true about standard database auditing? (Choose two.)

- A. DDL statements can be audited.
- B. Statements that refer to standalone procedure can be audited.
- C. Operations by the users logged on as SYSDBA cannot be audited.
- D. Only one audit record is ever created for a session per audited statement even though it is executed more than once.

Answer: AB

NEW QUESTION 182

Which three are direct benefits of the multiprocess, multithreaded architecture of Oracle Database 12c when it is enabled? (Choose three.)

- A. Reduced logical I/O
- B. Reduced virtual memory utilization
- C. Improved parallel Execution performance
- D. Improved Serial Execution performance
- E. Reduced physical I/O
- F. Reduced CPU utilization

Answer: BCF

Explanation:

* Multiprocess and Multithreaded Oracle Database Systems

Multiprocess Oracle Database (also called multiuser Oracle Database) uses several processes to run different parts of the Oracle Database code and additional Oracle processes for the users—either one process for each connected user or one or more processes shared by multiple users. Most databases are multiuser because a primary advantage of a database is managing data needed by multiple users simultaneously.

Each process in a database instance performs a specific job. By dividing the work of the database and applications into several processes, multiple users and applications can connect to an instance simultaneously while the system gives good performance.

* In previous releases, Oracle processes did not run as threads on UNIX and Linux systems. Starting in Oracle Database 12c, the multithreaded Oracle Database model enables Oracle processes to execute as operating system threads in separate address spaces.

NEW QUESTION 187

The persistent configuration settings for RMAN have default for all parameters. Identify four RMAN commands that produce a multi-section backup.

- A. BACKUP TABLESPACE SYSTEM SECTION SIZE 100M;
- B. BACKUP AS COPY TABLESPACE SYSTEM SECTION SIZE 100M;
- C. BACKUP ARCHIVELOG ALL SECTION SIZE 25M;
- D. BACKUP TABLESPACE "TEMP" SECTION SIZE 10M;
- E. BACKUP TABLESPACE "UNDO" INCLUDE CURRENT CONTROLFILE SECTION SIZE 100M;
- F. BACKUP SPFILE SECTION SIZE 1M;
- G. BACKUP INCREMENTAL LEVEL 0 TABLESPACE SYSAUX SECTION SIZE 100M;

Answer: ABEG

NEW QUESTION 190

You have the following entry in the tnsnames.ora of your hq.us.example.com host machine:

```
ORCL =
  (DESCRIPTION =
    (ADDRESS_LIST =
      (ADDRESS = (PROTOCOL = TCP) (HOST = hq.us.example.com) (PORT = 1521))
    )
    CONNECTED_DATA =
      (SERVICE_NAME = ORCL.us.example.com)
  )
)
```

You issue the following command at the command prompt: Sqlplus HR/HR@ORCL

Which statement is true about the connection to the ORCL database instance?

- A. The connection succeeds, provided the NAMES.DEFAULT_DOMAIN parameter is set to us.example.com in the sqlnet.ora file on the client side.
- B. The connection fails because the net service name does not have the suffix us.example.com.
- C. The connection succeeds, provided the SERVICE_NAMES initialization parameter is set to ORCL.
- D. The connection succeeds, provided the ORCL.us.example.com database service is registered with a listener, the listener is up, and the database is open.

Answer: D

NEW QUESTION 193

Which three statements are true about automated maintenance tasks? (Choose three.)

- A. They run at predefined time intervals that are intended to occur during a period of low system load.
- B. An Oracle Scheduler job is created for each maintenance task that is scheduled to run in a maintenance window.
- C. A maintenance window is automatically extended until all the maintenance tasks defined are completed.
- D. A repository is maintained in the SYSTEM tablespace to store the history of execution of all tasks.
- E. Predefined maintenance tasks consist of automatic optimizer statistics collection, running Automatic Segment Advisor, and running Automatic SQL Tuning Advisor.

Answer: ABE

Explanation:

References: https://docs.oracle.com/cd/E11882_01/server.112/e25494/tasks.htm#ADMIN12331

NEW QUESTION 197

Examine the following command;

ALTER SYSTEM SET enable_ddl_logging = TRUE; Which statement is true?

- A. Only the data definition language (DDL) commands that resulted in errors are logged in the alert log file.
- B. All DDL commands are logged in the alert log file.
- C. All DDL commands are logged in a different log file that contains DDL statements and their execution dates.
- D. Only DDL commands that resulted in the creation of new segments are logged.
- E. All DDL commands are logged in XML format in the alert directory under the Automatic Diagnostic Repository (ADR) home.

Answer: E

NEW QUESTION 200

A database is stored in an Automatic Storage Management (ASM) disk group, disk group, DGROUP1 with SQL:

```
SQL> CREATE DISKGROUP dgroup1 NORMAL REDUNDANCY
  FAILGROUP controller1 DISK '/devices/diska1', '/devices/diska2'
  FAILGROUP controller2 DISK '/devices/diskb1', '/devices/diskb2';
```

There is enough free space in the disk group for mirroring to be done.
 What happens if the CONTROLLER1 failure group becomes unavailable due to error or for maintenance?

- A. Transactions and queries accessing database objects contained in any tablespace stored in DGROUP1 will fall.
- B. Mirroring of allocation units will be done to ASM disks in the CONTROLLER2 failure group until the CONTROLLER1 for failure group is brought back online.
- C. The data in the CONTROLLER1 failure group is copied to the controller2 failure group and rebalancing is initiated.
- D. ASM does not mirror any data until the controller failure group is brought back online, and newly allocated primary allocation units (AU) are stored in the controller2 failure group, without mirroring.
- E. Transactions accessing database objects contained in any tablespace stored in DGROUP1 will fail but queries will succeed.

Answer: D

NEW QUESTION 201

What can be automatically implemented after the SQL Tuning Advisor is run as part of the Automated Maintenance Task?

- A. statistics recommendations
- B. SQL profile recommendations
- C. SQL statement restructure recommendations
- D. creation of materialized views to improve query performance

Answer: B

NEW QUESTION 204

On your Oracle 12c database, you Issue the following commands to create indexes
 SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customers_id, sales_rep_id) INVISIBLE; SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON oe.orders (customers_id, sales_rep_id); Which two statements are correct? (Choose two.)

- A. Both the indexes are created; however, only the ORD_COSTOMER index is visible.
- B. The optimizer evaluates index access from both the Indexes before deciding on which index to use for query execution plan.
- C. Only the ORD_CUSTOMER_IX1 index is created.
- D. Only the ORD_CUSTOMER_IX2 index is created.
- E. Both the indexes are updated when a new row is inserted, updated, or deleted In the orders table.

Answer: AE

Explanation:

11G has a new feature called Invisible Indexes. An invisible index is invisible to the optimizer as default. Using this feature, we can test a new index without effecting the execution plans of the existing sql statements or we can test the effect of dropping an index without dropping it.

NEW QUESTION 207

Your multitenant container database (CDB) contains some pluggable databases (PDBs), you execute the following command in the root container:

```
SQL> CREATE USER c##a_admin
IDENTIFIED BY password
DEFAULT TABLESPACE data_ts
QUOTA 100M ON test_ts
QUOTA 500K ON data_ts
TEMPORARY TABLESPACE temp_ts
PROFILE hr_profile;
```

Which two statements are true? (Choose two.)

- A. Schema objects owned by the C# # A_ADMIN common user can be shared across all PDBs.
- B. The C # # A_ADMIN user will be able to use the TEMP_TS temporary tablespace only in root.
- C. The command will, create a common user whose description is contained in the root and each PDB.
- D. The schema for the common user C # # A_ADMIN can be different in each container.
- E. The command will create a user in the root container only because the container clause is not use

Answer: CD

NEW QUESTION 210

Which three statements are true regarding the use of the Database Migration Assistant for Unicode (DMU)? (Choose three.)

- A. ADBA can check specific tables with the DMU
- B. The database to be migrated must be opened read-only.
- C. The release of the database to be converted can be any release since 9.2.0.8.
- D. The DMU can report columns that are too long in the converted character set.
- E. The DMU can report columns that are not represented in the converted character set.

Answer: ADE

Explanation:

A: In certain situations, you may want to exclude selected columns or tables from scanning or conversion steps of the migration process.

D: Exceed column limit

The cell data will not fit into a column after conversion. E: Need conversion

The cell data needs to be converted, because its binary representation in the target character set is different than the representation in the current character set, but neither length limit issues nor invalid representation issues have been found

* Oracle Database Migration Assistant for Unicode (DMU) is a unique next-generation migration tool providing an end-to-end solution for migrating your databases from legacy encodings to Unicode.

Incorrect:

Not C: The release of Oracle Database must be 10.2.0.4, 10.2.0.5, 11.1.0.7, 11.2.0.1, or later.

NEW QUESTION 215

You create a table with the PERIODFOR clause to enable the use of the Temporal Validity feature of Oracle Database 12c.

Examine the table definition:

```
create table employees
(empno number, salary number,
deptid number, name varchar2(100),
period for employee_time);
```

Which three statements are true concerning the use of the Valid Time Temporal feature for the EMPLOYEES table? (Choose three.)

- A. The valid time columns employee_time_start and employee_time_end are automatically created.
- B. The same statement may filter on both transaction time and valid temporal time by using the AS OF TIMESTAMP and PERIODFOR clauses.
- C. The valid time columns are not populated by the Oracle Server automatically.
- D. The valid time columns are visible by default when the table is described.
- E. Setting the session valid time using DBMS_FLASHBACK_ARCHIVE.ENABLE_AT_VALID_TIME sets the visibility for data manipulation language (DML), data definition language (DDL), and queries performed by the session.

Answer: ABC

NEW QUESTION 216

Which activity is audited by default and recorded in the operating system audit trail irrespective of whether or not database auditing is enabled?

- A. execution of SQL statements by users connected with the SYSDBA privilege
- B. creation of a fine-grained audit policy
- C. configuration of unified auditing mode
- D. usage of the AUDIT statement

Answer: A

Explanation:

References https://docs.oracle.com/cd/B28359_01/network.111/b28531/auditing.htm#DBSEG0622

NEW QUESTION 218

Which three statements are true about space usage alerts? (Choose three.)

- A. Alerts are issued only when the critical threshold for space available in a tablespace is breached.
- B. The sum of active extents and allocated user quotas is considered to compute space usage for an undo tablespace.
- C. Database alerts can provide warnings about low space availability at both tablespace and segment levels.
- D. Alerts are not issued for locally managed tablespaces that are offline or in read-only mode.
- E. A newly created locally managed tablespace is automatically assigned the default threshold values defined for a database.

Answer: ADE

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema001.htm#ADMIN10120

NEW QUESTION 219

Which three operations can be performed as multipartition operations in Oracle? (Choose three.)

- A. Merge partitions of a list partitioned table
- B. Drop partitions of a list partitioned table
- C. Coalesce partitions of a hash-partitioned global index.
- D. Move partitions of a range-partitioned table
- E. Rename partitions of a range partitioned table
- F. Merge partitions of a reference partitioned index

Answer: ABF

Explanation:

Multipartition maintenance enables adding, dropping, truncate, merge, split operations on multiple partitions. A: Merge Multiple Partitions:

The new "ALTER TABLE ... MERGE PARTITIONS" help merge multiple partitions or subpartitions with a single statement. When merging multiple partitions, local and global index operations and semantics for inheritance of unspecified physical attributes are the same for merging two partitions.

B: Drop Multiple Partitions:

The new "ALTER TABLE ... DROP PARTITIONS" help drop multiple partitions or subpartitions with a single statement.

Example:

view plaincopy to clipboardprint?

```
SQL> ALTER TABLE Tab_tst1 DROP PARTITIONS
```

```
Tab_tst1_PART5, Tab_tst1_PART6, Tab_tst1_PART7; Table altered
```

```
SQL>
```

Restrictions :

- You can't drop all partitions of the table.

- If the table has a single partition, you will get the error: ORA-14083: cannot drop the only partition of a partitioned.

NEW QUESTION 224

Which statement is true about profiles?

- A. Resource limits specified in a profile assigned to a user are always enabled.
- B. A user can exist without any profile.
- C. A profile can be assigned only to one user.
- D. Password management using profiles is always enable

Answer: D

NEW QUESTION 225

Examine this command executed on a client that is remote from the database server. SQL> CONNECT hr/hr@orcl Which two are required for this command to connect the SQLPLUS client to a database instance? (Choose two.)

- A. An orcl TNS entry must be defined in the client-side and server-side tnsnames.ora files
- B. An orcl TNS entry must be defined in the client-side tnsnames.ora file
- C. A service name must be defined to the listener that matches the service name in the orcl TNS entry
- D. An orcl TNS entry must be defined in the server-side tnsnames.ora file
- E. The service name orcl must be defined to the listener

Answer: DE

NEW QUESTION 227

The schema SALES exists in two databases, ORCL1 and ORCL2, and has the same password, SALES123. User SALES has CREATE DATABASE LINK and CREATE SESSION privileges on both databases. Examine these commands: Conn SALES/SALES123

```
CREATE DATABASE LINK orcl2 USING 'orcl2';
```

What is the outcome of executing these commands in the ORCL1 database?

- A. ORCL2 is created as a public database link to connect a single session to the SALES schema in the ORCL2 database.
- B. ORCL2 is created as a shared database link to connect multiple sessions to the SALES schema in the ORCL2 database.
- C. ORCL2 is created as a private database link to connect to only the SALES schema in the ORCL2 database.
- D. ORCL2 database link creation fail

Answer: C

NEW QUESTION 230

Identify two prerequisites for configuring Enterprise Manager Database Express (EM Express).

- A. Grant the APEX_PUBLIC_USER role to the SYSMAN user.
- B. Use the DBMS_XDB_CONFIG.SETHTTPPORT procedure to configure a port number for Oracle HTTP Server.
- C. Install Oracle HTTP Server.
- D. Configure at least one dispatcher for the TCP/IP protocol.
- E. Create a SYSMAN user with the SYSDBA privilege as an administrator for EM Express

Answer: BD

NEW QUESTION 233

What is the outcome of the SHUTDOWN ABORT command?

- A. Pending transactions are committed and the database is closed.
- B. Dirty buffers in the buffer cache and unwritten redo are not written to the data files and redo log files respectively.
- C. Uncommitted transactions are rolled back
- D. Instance recovery must be requested by the DBA at the next startup

Answer: B

NEW QUESTION 238

Which three statements are true about server-generated alerts? (Choose three.)

- A. Server-generated alerts notify administrators of problems that cannot be resolved automatically.
- B. Alerts are not issued for locally managed read-only tablespaces.
- C. Response actions cannot be specified for server-generated alerts.
- D. Stateful alerts can be queried only from the DBA_ALERT_HISTORY view.
- E. When an alert is cleared, it is moved to the DBA_ALERT_HISTORY view.

Answer: ABE

Explanation:

References https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema001.htm#ADMIN10120

NEW QUESTION 239

In your database, the STATISTICS_LEVEL parameter is set to TYPICAL and an Automatic Workload Repository (AWR) snapshot is taken every 30 minutes. Which two statements are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It measures database performance by analyzing the wait time and CPU time of all non-idle user sessions.
- B. It always compares the latest snapshot with the baseline snapshot for analysis.
- C. It runs after each AWR snapshot is created and it requires at least two snapshots for analysis.
- D. It requires at least four AWR snapshots for analysis.
- E. It calls other advisors if required, but does not provide recommendations about the advisors to be use

Answer: AC

NEW QUESTION 243

Which three functions can be performed by the SQL Tuning Advisor? (Choose three.)

- A. recommending creation of indexes based on SQL workload
- B. recommending restructuring of SQL statements that have suboptimal plans
- C. checking schema objects for missing and state statistics
- D. recommending optimization of materialized views
- E. generating SQL profiles

Answer: BCE

NEW QUESTION 244

Examine the following steps:

ADBA grants the CREATE TABLE system privilege with ADMIN OPTION to the user SIDNEY. SIDNEY grants the CREATE TABLE system privilege to the HR user.

Which statement is true?

- A. SIDNEY can revoke the CREATE TABLE system privilege only from HR, to whom he granted it.
- B. HR can grant the CREATE TABLE system privilege to other users.
- C. Neither SIDNEY nor HR can create new tables if the DBA revokes the CREATE TABLE privilege from SIDNEY.
- D. HR still retains the CREATE TABLE system privilege if the DBA revokes the CREATE TABLE privilege from SIDNEY.

Answer: D

Explanation:

References:

http://www.dba-oracle.com/t_with_grant_admin_privileges.htm

NEW QUESTION 245

You create a locally managed tablespace ORDERS_TBS with automatic segment management.

You then create the table DAILY_ORDS_LST in the ORDERS_TBS tablespace using the command. CREATE TABLE daily_ords_1st(ordno NUMBER, ord_date DATE) PCTFREE 20;

How does the PCTFREE storage parameter influence data storage for this table?

- A. It allows only 80% of space to be occupied in all data blocks of this table.
- B. It minimizes row chaining during row insertion.
- C. It minimizes row migration during existing row data updation.
- D. It automatically coalesces free space of a data block when it reaches 20% of available spac

Answer: A

NEW QUESTION 249

Which statement is true regarding the DEFAULT profile?

- A. The values assigned to the resource limits and password parameters in the default profile can be altered.
- B. A different DEFAULT profile can be created before each user in a database.
- C. It can be dropped and recreated.
- D. it must be explicitly assigned to the use

Answer: A

NEW QUESTION 254

The HR user owns the BONUSSES table. HR grants privileges to the user TOM by using the command: SQL> GRANT SELECT ON bonuses TO tom WITH GRANT OPTION;

TOM then executes this command to grant privileges to the user JIM: SQL> GRANT SELET ON hr.bonuses TO jim; Which statement is true?

- A. TOM cannot revoke the SELECT ON HR.BONUSSES privilege from JIM.
- B. HR can revoke the SELECT ON HR.BONUSSES privilege from JIM.
- C. JIM can grant the SELECT ON HR.BONUSSES privilege to other users, but cannot revoke the privilege from them.
- D. HR can revoke the SELECT ON HR.BONUSSES privilege from TOM, which will automatically revoke the SELECT ON HR.BONUSSES privilege from JIM.

Answer: D

NEW QUESTION 256

You create an Oracle 12c database and then import schemas that are required by an application which has not yet been developed. You want to get advice on creation of or modifications to indexes, materialized views and partitioning in these schemas. What must you run to achieve this?

- A. SQL Access Advisor with a SQL tuning set
- B. Automatic Database Diagnostic Monitor (ADDM) report
- C. SQL Tuning Advisor
- D. SQL Access Advisor with a hypothetical workload
- E. SQL Performance Analyzer

Answer: D

NEW QUESTION 258

In your database instance, the UNDO_RETENTION parameter is set to 1000 and undo retention is not guaranteed for the fixed size undo tablespace. Which statement is true about undo retention?

- A. Undo is retained in the UNDO tablespace for 1000 seconds, and then moved to the SYSTEM tablespace to provide read consistency.
- B. Inactive undo is retained for at least 1000 seconds if free undo space is available.
- C. Inactive undo is retained for 1000 seconds even if new transactions fall due to lack of space in the undo tablespace.
- D. Undo becomes expired obsolete after 1000 second

Answer: B

NEW QUESTION 260

Which two services may you see on the My Service Dashboard page? (Choose two.)

- A. Network Cloud Service
- B. User Cloud Service
- C. Compute Cloud Service
- D. Database Cloud Service

Answer: CD

NEW QUESTION 264

What is a requirement for creating a remote database scheduler job?

- A. The remote database job must run as a user that is valid on the target remote database.
- B. A private database link must be created from the originating database to the target remote database.
- C. The target remote database on which the job is scheduled must be Oracle Database 11g Release 2 or later.
- D. The target remote database must be on a different host from the originating scheduler database hos

Answer: A

NEW QUESTION 265

An application repeatedly accesses small lookup tables, causing a lot of physical I/O operations. What do you recommend to minimize this?

- A. Configure the nonstandard buffer cache with a buffer size greater than the size of the default buffer cache.
- B. Increase the size of the shared pool
- C. Configure the KEEP buffer cache and alter the tables to use the KEEP cache.
- D. Configure the RECYCLE buffer cache and alter the tables to use the RECYCLE cach

Answer: C

NEW QUESTION 267

In your database, archive logging and control file autobackup are enabled.

The data files and redo log files are intact but control files are impacted due to media failure. In which two recovery scenarios must you use the RESETLOGS option? (Choose two.)

- A. One control file copy is intact so the spfile is changed to refer to only one copy.
- B. One control file copy is intact and damaged control file copies have to be restored to the default location.
- C. All copies of the control file are damaged and the CREATE CONTROLFILE statement is executed manually.
- D. All copies of the control file are damaged and the auto backed up control file is used for recovery.
- E. One control file copy is intact and damaged control file copies have to be restored to a non-default locatio

Answer: CD

NEW QUESTION 269

Which three statements are true about windows? (Choose three.)

- A. Only one window can be open at any given time
- B. Consumer groups are associated with windows
- C. Windows work with job classes to control resource allocation
- D. The database service name must be provided during windows creation
- E. Windows can automatically start job or change resource allocation among jobs for various time periods

Answer: ACE

NEW QUESTION 273

Which four statements are true about the components of the Oracle Scheduler? (Choose four.)

- A. A schedule can be specified to a single job only.
- B. A scheduler job can point to a chain instead of pointing to a single program object.
- C. A job may get started automatically when a window opens.
- D. A program and job can be specified as part of a schedule definition.
- E. A job is specified as part of a program specification.
- F. A program can be used in the definition of multiple jobs.
- G. A program and schedule can be specified as part of a job definition.

Answer: BCFG

Explanation:

References: https://docs.oracle.com/cd/B19306_01/server.102/b14231/schedover.htm

NEW QUESTION 278

Which three statements are true about Enterprise Manager Database Express? (Choose three.)

- A. It can be used to perform database backup operations.
- B. It can use the HTTP protocol.
- C. The same port number is used for multiple Database Express configurations on the same host.
- D. It can use the HTTPS protocol.
- E. It is available only when the database is open.

Answer: BDE

NEW QUESTION 282

Which set of statements is true about data dictionary views?

- 1. They are stored in the SYSTEM tablespace.
- 2. They are based on virtual tables.
- 3. They are owned by the SYS user.
- 4. They can be queried by a normal user only if the `07_DICTIONARY_ACCESSIBILITY` parameter is set to TRUE.
- 5. The `V$FIXED_TABLE` view can be queried to list the names of these views.
- 6. They are owned by the SYSTEM user.

- A. 2, 5, and 6
- B. 1, 2, and 3
- C. 1 and 3
- D. 2, 3, 4, and 5

Answer: C

Explanation:

References: https://docs.oracle.com/cd/E11882_01/server.112/e40540/datadict.htm#CNCPT002

NEW QUESTION 285

You want to load data from a large file into your database without causing an overhead on the SGA. Which tool would you use.

- A. external table
- B. Oracle data Pump
- C. SQL*Loader with a direct data path
- D. SQL*Loader with a conventional data path
- E. Enterprise Manager Database Express

Answer: C

Explanation:

References: https://docs.oracle.com/cd/B19306_01/server.102/b14215/ldr_modes.htm#i1007501

NEW QUESTION 288

Which two tasks must you perform before you begin the upgrade process to Oracle Database 12c? (Choose two.)

- A. Put all readonly tablespaces in read write mode
- B. Recompile all invalid objects
- C. Set the compatible parameter to 12.1.0.1
- D. Gather dictionary statistics
- E. Empty all user recycle bins

Answer: BE

NEW QUESTION 292

You plan to upgrade your Oracle Database 9i to Oracle Database 12c. Which two methods can you use? (Choose two.)

- A. Perform a rolling upgrade.
- B. Perform a direct upgrade by running the Database Upgrade Assistant (DBUA).
- C. Perform a direct upgrade by manually running the `catctl.pl` and `catupgrd.sql` scripts before issuing the `STARTUPUPGRADE` command.

- D. Install the Oracle Database 12c software, create a new Oracle 12c database, and then use the Oracle Data Pump to import data from the source Oracle 9i database to the target Oracle 12c database.
- E. Upgrade your current database to Oracle Database release 10.2.0.5, and then upgrade to Oracle Database 12c.

Answer: AE

NEW QUESTION 295

Which two statements are true about Oracle Data Pump export and import operations? (Choose two.)

- A. You cannot specify how partitioned tables should be handled during an import operation.
- B. Only data can be compressed during an export operation.
- C. Existing dump files can be overwritten during an export operation.
- D. Tables cannot be renamed during an import operation.
- E. Metadata that is exported and imported can be filtered based on objects and object types.

Answer: AE

Explanation:

References https://docs.oracle.com/cd/B28359_01/server.111/b28300/expimp.htm#UPGRD12560

NEW QUESTION 298

What is the benefit of running the catctl.pl script during an upgrade of a pre-12c database to an Oracle 12c database?

- A. It provides a summary of the upgrade results.
- B. It recompiles all invalid PL/SQL and Java code.
- C. It generates a log file containing the fixes that can be made to the source database.
- D. It provides parallel upgrade options to finish the upgrade process with a reduced down time.
- E. It generates fix-up scripts to be run on the source database before upgrade.

Answer: D

Explanation:

References: <https://docs.oracle.com/database/121/UPGRD/upgrade.htm#UPGRD52860>

NEW QUESTION 299

Identify three situations in which messages are written to the alert log file. (Choose three.)

- A. Rebuilding an index using ALTER INDEX . . . REBUILD fails with an ORA-01578: ORACLE data block corrupted (file # 14, block # 50)"
- B. Creating a table returns "ORA-00955: name is already in used by an existing object"
- C. Inserting a value into a table returns "ORA-01722: invalid number"
- D. Updating a record in a table returns "ORA-00060: deadlock detected while waiting for resource"
- E. Inserting a value into a table returns "ORA-00001: unique constraint (SYS.PK_XXXX) violated"
- F. Running a query on a table returns "ORA-01578: ORACLE data block corrupted (file # 4, block # 131)"

Answer: ADF

NEW QUESTION 302

You configured the Fast Recovery Area (FRA) for your database. The database instance is in ARCHIVELOG mode. The default location for the archived redo log files is the FRA.

Which two files are removed automatically if space is required in the FRA as per the retention policy? (Choose two.)

- A. Archived redo log files that have multiple copies in a different archive location
- B. user-managed backups of data files and control files
- C. RMAN backups that are obsolete
- D. flashback logs

Answer: CD

NEW QUESTION 304

Your database supports a Decision Support System (DSS) workload that involves the execution of complex queries. Currently, the database is running with peak workload. You want to analyze some of the most resource-intensive statements cached in the library cache.

What must you run to receive recommendations on the efficient use of indexes and materialized views to improve query performance?

- A. Automatic Database Diagnostic Monitor (ADDM)
- B. SQL Tuning Advisor
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. Automatic Workload Repository (AWR) report

Answer: C

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28314/tdpdw_perform.htm#TDPDW00813

NEW QUESTION 305

Which three statements are true about checkpointing? (Choose three.)

- A. It prompts the Checkpoint (CKPT) process to write data to the data files and redo information to the online redo log files.
- B. It ensures that all dirty buffers are written to data files during consistent shutdown.
- C. It reduces the time required for recovery in case of an instance failure.
- D. Frequent thread checkpoints can degrade database performance.
- E. It prompts the Database Writer (DBWn) process to write checkpoint information into data file headers and the control file.

Answer: BCD

NEW QUESTION 310

You want to create a file watcher and an event-based job for detecting the arrival of files on the local server from various locations. To achieve this, you enable the raising of file arrival events from remote systems.

Which two conditions must be satisfied to receive file arrival events from a remote system? (Choose two.)

- A. The remote system must have a running Oracle Database instance and a scheduler agent installed.
- B. The initialization parameter REMOTE_OS_AUTHENT must be set to TRUE on your database.
- C. The local database must be set up to run remote external jobs.
- D. The remote system's scheduler agent must be registered with your database.
- E. Database links to remote databases must be created.

Answer: CD

Explanation:

References: https://docs.oracle.com/cd/E18283_01/server.112/e17120/scheduse005.htm

NEW QUESTION 313

Which statement is true about the Oracle central inventory directory (oraInventory)?

- A. oraInventory must not be shared by all Oracle software installations on a single system.
- B. If ORACLE_BASE is set to /u01/app/oracle for the oracle user during an installation, OUI creates the Oracle Inventory directory in the /u01/app/oracle/oraInventory path.
- C. If an OFA-compliant path is not created and the ORACLE_BASE environment variable is not set during an Oracle Database installation, the Oracle Inventory directory is placed in the home directory of the user that is performing the installation.
- D. Oracle software owners must be members of the same central oraInventory group, but they need not have this group as their primary group.

Answer: D

Explanation:

References <https://docs.oracle.com/database/121/CWLIN/usgrps.htm#CWLIN483>

NEW QUESTION 315

You executed the following query:

```
SELECT oldest_flashback_scn, oldest_flashback_time FROM V$FLASHBACK_DATABASE_LOG;
```

Considering that all the redo logs are available, what information can you derive from the output of the preceding query?

- A. The time when the last flashback operation in your database was performed
- B. The time when the first flashback operation in our database was performed
- C. The approximate time and the lowest system change number (SCN) to which you can flash back your database
- D. The system change number (SCN) and the time when the Flashback Database was enabled in the database instance

Answer: C

NEW QUESTION 316

Which three statements are true about Oracle Data Pump? (Choose three.)

- A. Oracle Data Pump export and import operations can be performed to move data across different database releases.
- B. DBMS_DATAPUMP PL/SQL packages can be used independent of Data Pump clients.
- C. A directory object must exist and a user performing an EXPDP or IMPDP operation must have read and write permission on that directory object.
- D. Oracle Data Pump export and import operations can be performed only by users with the SYSDBA privilege.
- E. Oracle Data Pump export operations invoked from the clients that are connected remotely by using a connection string, create Data Pump files on the client file system.

Answer: ABC

NEW QUESTION 319

Your database has archive logging enabled and RMAN backups are taken at regular intervals. A data file in the USERS tablespace is damaged.

Which command must you execute before starting the recovery of this tablespace?

- A. ALTER TABLESPACE users OFFLINE
- B. STARTUP FORCE NOMOUNT
- C. STARTUP FORCE
- D. SWITCH DATAFILE ALL

Answer: A

NEW QUESTION 320

In your database, the RESOURCE_LIMIT parameter is set to TRUE. You create the profile:

```
CREATE PROFILE app_user LIMIT
SESSIONS_PER_USER 5
CPU_PER_SESSION UNLIMITED
CPU_PER_CALL 3000
IDLE_TIME 10
PASSWORD_LIFE_TIME 60
PASSWORD_REUSE_TIME 60
PASSWORD_REUSE_MAX UNLIMITED
```

Which two statements are true about users and their sessions that are subject to this profile? (Choose two.)

- A. The CPU_PER_CALL is ignored in the user sessions because of the unlimited value of CPU_PER_SESSION.
- B. These users can never reuse a password.
- C. The PASSWORD_LIFE_TIME value is ignored because of the unlimited value of PASSWORD_REUSE_MAX.
- D. In each user session, the limit for LOGICAL_READS_PER_SESSION is the same as defined in the DEFAULT profile.

Answer: CD

NEW QUESTION 323

Your database instance has Automatic Memory Management enabled and supports shared server connections. Examine the following:

1. Parallel execution messages and control structures
2. Local variables for a process
3. Security and resource usage information
4. Runtime memory values, such as rows retrieved for a SQL statement using a serial execution plan
5. SQL execution work areas

Which option indicates what is allocated from the large pool in this instance?

- A. only 1
- B. 1, 2, and 5
- C. 1, 2, 3, and 5
- D. 1, 2, and 4

Answer: D

NEW QUESTION 325

Which two statements are true about availability audit features after migration to unified auditing? (Choose two.)

- A. The ability of users to audit their own schema objects is not available in the post-migrated database.
- B. Operating system audit trail is available in the post-migrated database.
- C. Network auditing is available in the post-migrated database.
- D. Mandatory auditing of audit administrative actions is available in the post-migrated database.

Answer: AD

Explanation:

References: https://docs.oracle.com/database/121/DBSEG/audit_changes.htm#DBSEG341

NEW QUESTION 327

Tape streaming is not happening while performing RMAN tape backup. On investigation, you find that it is not because of the incremental backup or the empty file backup and that RMAN is sending data blocks to tape drive fast enough. What could be a solution to make streaming happen during the backup?

- A. Configure backup optimization
- B. Configure the channel to increase MAXOPENFILES
- C. Configure the channel to increase the capacity with the RATE parameter
- D. Configure the channel to adjust the tape buffer size with the BLKSIZE option

Answer: D

NEW QUESTION 329

You are administering a database that supports an OLTP workload.

The default UNDO tablespace is a fixed size tablespace with the RETENTION NOGUARANTEE clause and undo retention set to 12 minutes.

The user SCOTT queries a large table during peak activity.

The query runs for more than 15 minutes and then SCOTT receives the following error: ORA-01555: snapshot too old

Which is possible reason for this?

- A. The Oracle server is unable to generate a read-consistent image for a block containing updates committed after the query began.
- B. The query is unable to place data blocks in the UNDO tablespace.
- C. The flashback data archive is not enabled for the table on which the query is issued.
- D. There is not enough space in Fast Recovery Area.
- E. The Oracle server is unable to generate a read-consistent image for a block containing uncommitted update

Answer: A

NEW QUESTION 332

Because of a logical corruption in the EMPLOYEES tables, you want to perform Tablespace Point-in-Time Recovery (TSPITR) to recover the table. Before you started the TSPITR process, you queried the TS_PITR_CHECK view and you realized that the table has a referential constraint with DEPARTMENTS that exists in

another tablespace, MASTERTBS. Which two actions will permit the TSPITR to work? (Choose two.)

- A. Taking the MASTERTBS tablespace offline
- B. Dropping the relationship between the tables
- C. Adding the MASTERTBS tablespace to the recovery set
- D. Putting the MASTERTBS tablespace in read-only mode

Answer: BC

Explanation:

http://docs.oracle.com/cd/E11882_01/backup.112/e10642/rcmtspit.htm#BRADV99978

If constraints for the tables in tablespace tbs1 are contained in the tablespace tbs2, then you cannot recover tbs1 without also recovering tbs2.

NEW QUESTION 334

You are managing an Oracle Database 12c database. The database is open, and you plan to perform Recovery Manager (RMAN) backups. Which three statements are true about these backups? (Choose three.)

- A. The backups would be consistent.
- B. The backups would be possible only if the database is running in ARCHIVELOG mode.
- C. The backups need to be restored and the database has to be recovered in case of a media failure.
- D. The backups would be inconsistent.
- E. The backups by default consist of all the data blocks within the chosen files or the full databas

Answer: BCD

NEW QUESTION 338

When does a database checkpoint occur?

- A. When there is an online redo log switch.
- B. When a user session terminates abnormally.
- C. When a server process terminates abnormally.
- D. When the SHUTDOWN ABORT command is issue

Answer: A

NEW QUESTION 342

Your database instance has the following parameter setting: OS_AUTHENT_PREFIX = OPS\$

You execute the following command:

```
SQL> CREATE USER ops$guest_user
IDENTIFIED EXTERNALLY
DEFAULT TABLESPACE users;
```

And then grant OPS\$GUEST_USER the CREATE SESSION privilege. Which two statements are true? (Choose two.)

- A. GUEST_USER can query the tables created in the USERS tablespace by default.
- B. The authentication details for GUEST_USER are stored in the database password file.
- C. A local GUEST_USER OS account should exist before GUEST_USER can log on to the database.
- D. GUEST_USER can log on to the database without specifying a username and password.
- E. GUEST_USER is forced to change the password at the first logi

Answer: CD

NEW QUESTION 346

Which three statements are true about user account administration? (Choose three.)

- A. A user's current session is not affected when the user's profile is changed.
- B. Only users with the SYSDBA privilege can change the tablespace quota for other users.
- C. A new user account can be created only by SYS or SYSTEM users.
- D. A user's quota can be set for any permanent tablespace but not for the default temporary tablespace.
- E. A user requires only the CREATE SESSION privilege to change his or her own passwor

Answer: ADE

NEW QUESTION 351

Which statement is true about using the Database Upgrade Assistant (DBUA) to upgrade your database from Oracle Database 11g to Oracle Database 12c?

- A. It terminates if the SYSTEM tablespace in the source database is not autoextensible.
- B. It automatically makes necessary changes to Oracle environment variables.
- C. It automatically enables unified auditing in the upgraded database.
- D. It automatically adds new data files if there is not enough disk space to grow.

Answer: D

Explanation:

References: https://docs.oracle.com/cd/E18283_01/server.112/e17222/upgrade.htm#insertedID5

NEW QUESTION 352

Which three statements are true about Database Resource Manager? (Choose three.)

- A. A resource plan change can be automated by using the Oracle Scheduler.
- B. It can be used to control the consumption of only physical I/Os where excessive physical I/Os can trigger an automatic session termination but excessive logical I/Os cannot.
- C. It can be used to control the usage of the undo tablespace by consumer groups.
- D. A resource plan can have multiple resource plan directives, each of which controls resource allocation for a different consumer group.
- E. It can be used to enable resumable timeout for user sessions.
- F. It can be used to control the usage of the temp tablespace by consumer group

Answer: ACD

NEW QUESTION 354

Which three statements are true about Oracle checkpoint processing? (Choose three.)

- A. Frequent thread checkpoints can degrade database performance
- B. Database Writer (DBWn) processes write checkpoint information to datafile headers and the control file
- C. It reduces the recovery time from instance failures
- D. Incremental checkpoints write some dirty buffers to the datafiles and unwritten redo to the online redo logs.
- E. Thread checkpoints ensure that all dirty buffers are written to data files during a normal shutdown

Answer: BCE

NEW QUESTION 357

Which two tools can be used to configure static service information in the listener.ora file? (Choose two.)

- A. Oracle Net Manager
- B. Oracle Enterprise Manager Cloud Control
- C. Oracle Net Configuration Assistant
- D. Listener Control Utility (LSNRCTL)
- E. Oracle Enterprise Manager Database Express

Answer: AB

NEW QUESTION 360

Which three statements are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. An AWR snapshot shows the SQL statements that are producing the highest load on the system, based on criteria such as elapsed time and CPU time.
- B. AWR data is stored in memory and in a database.
- C. All AWR tables belong to the SYSTEM schema.
- D. The manageability monitor (MMON) process gathers statistics and creates an AWR snapshot that is used by the self-tuning components in a database.
- E. An AWR snapshot contains system-wide tracing and logging information

Answer: ABD

NEW QUESTION 363

Your database is running in ARCHIVELOG mode. You want to take a consistent whole database backup. Which two statements are true in this scenario? (Choose two.)

- A. RMAN backups contain only data files.
- B. The database instance must be shut down to take a user-managed consistent backup.
- C. Consistent RMAN backups can be taken while the database is open.
- D. User-managed backups only contain formatted data blocks.
- E. The database must be in MOUNT state to take consistent RMAN backup

Answer: CD

NEW QUESTION 366

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Z0-062 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Z0-062 Product From:

<https://www.2passeasy.com/dumps/1Z0-062/>

Money Back Guarantee

1Z0-062 Practice Exam Features:

- * 1Z0-062 Questions and Answers Updated Frequently
- * 1Z0-062 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-062 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Z0-062 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year