



VEEAM

Exam Questions VMCE2020

Veeam Certified Engineer 2020

NEW QUESTION 1

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

Answer: A

NEW QUESTION 2

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

Answer: AC

NEW QUESTION 3

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

NEW QUESTION 4

A backup administrator has replicated a virtual machine between two Hyper-V hosts and now would like to automatically verify the recoverability of the replica. What would they need to do?

- A. It is not supported to perform SureBackup replica testing for Hyper-V
- B. Create a virtual switch with no uplinks and start the virtual machine connected to the new switch
- C. Create a virtual lab and an application group; create a SureBackup for the replica job and run it once a day
- D. Start the virtual machine manually using the universal application item recovery wizard

Answer: A

NEW QUESTION 5

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor. When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

Answer: A

NEW QUESTION 6

Which of the following predefined tests can be performed during a SureBackup verification test on a backup file? (Choose three.)

- A. Application test
- B. Heartbeat test
- C. Ping test
- D. SAN check
- E. Boot time
- F. OS test

Answer: ABC

NEW QUESTION 7

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with ??staged restore??
- B. Instant VM Recovery with ??secure restore??
- C. SureBackup

D. Virtual disk restore

Answer: B

NEW QUESTION 8

A company has separate networks for management traffic and data traffic. All Veeam components are communicating over the management network. How would they define the data network for backup data transfers?

- A. Re-add all Veeam components involved in data transfer through the required interfaces
- B. Update routing tables on the components involved in data transfer
- C. Create a global network traffic rule, set appropriate source and target IP range
- D. Use the preferred network settings to switch to data network for the backup traffic

Answer: C

NEW QUESTION 9

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the ??failback?? action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.
- B. to 7 a.
- C. Data from 1 a.
- D. to 2 p.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

Answer: B

NEW QUESTION 10

A backup administrator is deploying a Veeam ONE environment. They have chosen to use separate servers from their Veeam Backup & Replication environment. What benefit will they receive if they install the Veeam ONE Agent onto their backup server?

- A. Track whether VMs and agents are properly protected and following the 3-2-1 rule
- B. Collect Veeam Backup & Replication logs and execute remediation actions
- C. Collect virtual environment configuration from Veeam Backup & Replication
- D. Analyze Veeam Backup & Replication log data and retrieve signature updates

Answer: C

NEW QUESTION 10

When deploying an advanced single-host virtual lab in a VMware environment, what will Veeam create?

- A. A distributed virtual switch with uplink(s)
- B. A standard virtual switch with uplink(s)
- C. A distributed virtual switch without uplink(s)
- D. A standard virtual switch without uplink(s)

Answer: B

NEW QUESTION 13

Figure A shows the backup files on a Scale-out Backup Repository (SOBR) created by a single Veeam backup job. The SOBR is configured to offload to capacity tier in move mode. If the offload was completed successfully, what will remain on the performance extents for the files uploaded to the capacity tier?




Figure A

- A. VIB files (metadata and data)
- B. VBM files (metadata only)

- C. VIB and VBK files (metadata only)
- D. VBK files (metadata and data)
- E. VIB and VBK files (data blocks only)

Answer: C

NEW QUESTION 17

Which storage optimization option uses a block size of 512 KB?

- A. LAN target
- B. WAN target
- C. Local target (large blocks)
- D. Local target

Answer: A

NEW QUESTION 21

An end user has deleted a business-critical document and they need it back right away. The IT team has been doing hypervisor-level backups of the VM that the document was on. What is the fastest option for this backup administrator to get the user's document back?

- A. Entire VM restore
- B. Guest files restore
- C. Instant VM Recovery
- D. Virtual disks restore

Answer: A

NEW QUESTION 24

A company wants to leverage Veeam DataLabs to automate the creation of a test environment. As testing one large, multi-VM application could require more than a single host, a dedicated VMware ESXi cluster has been identified. The sandbox is to be refreshed weekly or on demand. Select the benefits of using replication jobs in this environment. (Choose two.)

- A. There are additional tests available in DataLabs when replicas are the source
- B. Replication jobs do not stop the sandbox, unlike backup jobs
- C. The VMs are running directly on a high performance datastore, uncompressed
- D. There is a bigger number of VMs supported for multi-VM application tests when replicas are used
- E. Replicas can take advantage of advanced multi-host virtual labs

Answer: CE

NEW QUESTION 25

Look at the diagram. This daily backup job has been running for over 30 days and no active full backups have been taken since the first run. Which of the following best describes the backup job?

- A. This is a reverse incremental backup, keeping seven restore points
- B. This is a forward incremental backup with Sunday and Wednesday synthetic full, keeping seven restore points
- C. This is a forward incremental backup with transform enabled, keeping four restore points
- D. This is forever forward incremental backup, keeping seven restore points

Answer: A

NEW QUESTION 30

Select the correct description of a synthetic full backup.

- A. A synthetic full backup will generate a new VBK file by getting data from the hypervisor
- B. A synthetic full backup combines a VIB file with one or more VBK files from a repository to generate a new VBK file
- C. A synthetic full backup combines a VBK file with one or more VIB files from a repository to generate a new VBK file
- D. A synthetic full backup will update the existing VBK with data from the hypervisor and generate a new VRB file

Answer: A

NEW QUESTION 35

A financial company is looking for a new backup application. One of their main requirements is the ability to have quick access to their backup data. What features in Veeam Backup & Replication support the rapid availability of data, applications and VMs? (Choose three.)

- A. Full VM recovery without quick rollback
- B. Microsoft SQL database, and Oracle database publishing
- C. Instant VM Recovery
- D. Instant VM disk recovery
- E. Bare metal recovery
- F. Restore to Amazon EC2

Answer: ABF

NEW QUESTION 39

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under ??Run the following script before the job:??

Answer: C

NEW QUESTION 43

Which Veeam Backup & Replication job type offers the shortest recovery time objective (RTO)?

- A. Backup copy
- B. Backup to tape
- C. Replication
- D. File to tape

Answer: C

NEW QUESTION 46

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

Answer: A

NEW QUESTION 50

.....

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

Answer: A

NEW QUESTION 2

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

Answer: AC

NEW QUESTION 3

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

NEW QUESTION 4

A backup administrator has replicated a virtual machine between two Hyper-V hosts and now would like to automatically verify the recoverability of the replica. What would they need to do?

- A. It is not supported to perform SureBackup replica testing for Hyper-V
- B. Create a virtual switch with no uplinks and start the virtual machine connected to the new switch
- C. Create a virtual lab and an application group; create a SureBackup for the replica job and run it once a day
- D. Start the virtual machine manually using the universal application item recovery wizard

Answer: A

NEW QUESTION 5

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor. When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

Answer: A

NEW QUESTION 6

Which of the following predefined tests can be performed during a SureBackup verification test on a backup file? (Choose three.)

- A. Application test
- B. Heartbeat test
- C. Ping test
- D. SAN check
- E. Boot time
- F. OS test

Answer: ABC

NEW QUESTION 7

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with ??staged restore??
- B. Instant VM Recovery with ??secure restore??
- C. SureBackup

D. Virtual disk restore

Answer: B

NEW QUESTION 8

A company has separate networks for management traffic and data traffic. All Veeam components are communicating over the management network. How would they define the data network for backup data transfers?

- A. Re-add all Veeam components involved in data transfer through the required interfaces
- B. Update routing tables on the components involved in data transfer
- C. Create a global network traffic rule, set appropriate source and target IP range
- D. Use the preferred network settings to switch to data network for the backup traffic

Answer: C

NEW QUESTION 9

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the ??failback?? action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.
- B. to 7 a.
- C. Data from 1 a.
- D. to 2 p.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

Answer: B

NEW QUESTION 10

A backup administrator is deploying a Veeam ONE environment. They have chosen to use separate servers from their Veeam Backup & Replication environment. What benefit will they receive if they install the Veeam ONE Agent onto their backup server?

- A. Track whether VMs and agents are properly protected and following the 3-2-1 rule
- B. Collect Veeam Backup & Replication logs and execute remediation actions
- C. Collect virtual environment configuration from Veeam Backup & Replication
- D. Analyze Veeam Backup & Replication log data and retrieve signature updates

Answer: C

NEW QUESTION 10

When deploying an advanced single-host virtual lab in a VMware environment, what will Veeam create?

- A. A distributed virtual switch with uplink(s)
- B. A standard virtual switch with uplink(s)
- C. A distributed virtual switch without uplink(s)
- D. A standard virtual switch without uplink(s)

Answer: B

NEW QUESTION 13

Figure A shows the backup files on a Scale-out Backup Repository (SOBR) created by a single Veeam backup job. The SOBR is configured to offload to capacity tier in move mode. If the offload was completed successfully, what will remain on the performance extents for the files uploaded to the capacity tier?




Figure A

- A. VIB files (metadata and data)
- B. VBM files (metadata only)

- C. VIB and VBK files (metadata only)
- D. VBK files (metadata and data)
- E. VIB and VBK files (data blocks only)

Answer: C

NEW QUESTION 17

Which storage optimization option uses a block size of 512 KB?

- A. LAN target
- B. WAN target
- C. Local target (large blocks)
- D. Local target

Answer: A

NEW QUESTION 21

An end user has deleted a business-critical document and they need it back right away. The IT team has been doing hypervisor-level backups of the VM that the document was on. What is the fastest option for this backup administrator to get the user's document back?

- A. Entire VM restore
- B. Guest files restore
- C. Instant VM Recovery
- D. Virtual disks restore

Answer: A

NEW QUESTION 24

A company wants to leverage Veeam DataLabs to automate the creation of a test environment. As testing one large, multi-VM application could require more than a single host, a dedicated VMware ESXi cluster has been identified. The sandbox is to be refreshed weekly or on demand. Select the benefits of using replication jobs in this environment. (Choose two.)

- A. There are additional tests available in DataLabs when replicas are the source
- B. Replication jobs do not stop the sandbox, unlike backup jobs
- C. The VMs are running directly on a high performance datastore, uncompressed
- D. There is a bigger number of VMs supported for multi-VM application tests when replicas are used
- E. Replicas can take advantage of advanced multi-host virtual labs

Answer: CE

NEW QUESTION 25

Look at the diagram. This daily backup job has been running for over 30 days and no active full backups have been taken since the first run. Which of the following best describes the backup job?

- A. This is a reverse incremental backup, keeping seven restore points
- B. This is a forward incremental backup with Sunday and Wednesday synthetic full, keeping seven restore points
- C. This is a forward incremental backup with transform enabled, keeping four restore points
- D. This is forever forward incremental backup, keeping seven restore points

Answer: A

NEW QUESTION 30

Select the correct description of a synthetic full backup.

- A. A synthetic full backup will generate a new VBK file by getting data from the hypervisor
- B. A synthetic full backup combines a VIB file with one or more VBK files from a repository to generate a new VBK file
- C. A synthetic full backup combines a VBK file with one or more VIB files from a repository to generate a new VBK file
- D. A synthetic full backup will update the existing VBK with data from the hypervisor and generate a new VRB file

Answer: A

NEW QUESTION 35

A financial company is looking for a new backup application. One of their main requirements is the ability to have quick access to their backup data. What features in Veeam Backup & Replication support the rapid availability of data, applications and VMs? (Choose three.)

- A. Full VM recovery without quick rollback
- B. Microsoft SQL database, and Oracle database publishing
- C. Instant VM Recovery
- D. Instant VM disk recovery
- E. Bare metal recovery
- F. Restore to Amazon EC2

Answer: ABF

NEW QUESTION 39

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under ??Run the following script before the job:??

Answer: C

NEW QUESTION 43

Which Veeam Backup & Replication job type offers the shortest recovery time objective (RTO)?

- A. Backup copy
- B. Backup to tape
- C. Replication
- D. File to tape

Answer: C

NEW QUESTION 46

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

Answer: A

NEW QUESTION 50

.....

Relate Links

100% Pass Your VMCE2020 Exam with ExamBible Prep Materials

<https://www.exambible.com/VMCE2020-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>