

1z0-931-20 Dumps

Oracle Autonomous Database Cloud 2020 Specialist

<https://www.certleader.com/1z0-931-20-dumps.html>



NEW QUESTION 1

Which three Oracle Cloud Infrastructure (OCI) resources do you need to configure before provisioning your Autonomous Database with Private Endpoint?

- A. Network Security Group
- B. Security List
- C. VCN
- D. Route Table
- E. Subnet

Answer: ACE

Explanation:

To provision an Autonomous Database with a private endpoint, you must have the following resources already created:

- A VCN within the region that will contain your Autonomous Database with shared Exadata infrastructure. Cannot be changed after provisioning.
- A private subnet within your VCN configured with default DHCP options. Cannot be changed after provisioning.
- At least 1 network security group (NSG) within your VCN for the Autonomous Database. Can be changed or edited after provisioning.

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbsprivateaccess.htm>

NEW QUESTION 2

Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of CPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use.

Which statement is FALSE regarding the auto scaling feature?

- A. For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that aren't being used by other auto scaling databases to meet high-load demands.
- B. The base number of OCPU cores allocated to a database is not guaranteed.
- C. For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- D. Auto scaling is enabled by default and can be enabled or disabled at any time.

Answer: A

NEW QUESTION 3

Which statement is true when the Autonomous Database has auto scaling enabled?

- A. Database concurrency is scaled up when needed by the workload.
- B. Increases the number of sessions available to the database.
- C. Scales the PGA and SGA size when needed for the workload.
- D. Enables the database to use up to 3x CPU/IO resources immediately when needed by the workload.

Answer: D

NEW QUESTION 4

When enabling auto-scaling, which three options do not change?

- A. Number of OCPUs displayed in the console.
- B. Amount of storage
- C. I/O resources
- D. parallelism settings
- E. Level of concurrency

Answer: DE

NEW QUESTION 5

According to Oracle documentation, it is a best practice when planning and instituting Access Controls for your Autonomous Dedicated environment regarding Subnets, Compartments and User Groups.

Which statement is true?

- A. Create a separate VCN that contains only public subnets
- B. Only 1 of each is allowed to be allocated per environment.
- C. Only 1 Subnet and 1 Compartment are allowed, multiple Groups highly advised.
- D. Create at least 2 of each resource

Answer: C

NEW QUESTION 6

Which three security features are available in Oracle Autonomous Database Shared Infrastructure?

- A. Transparent Data Encryption
- B. Database Vault
- C. Customer Managed Keys
- D. Data Redaction
- E. Audit Vault

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpfg/security-features-adb1.html#GUID-89E3C22E-D4EB-472>

NEW QUESTION 7

Where can a user's public ssh key be added on the Oracle Cloud Infrastructure Console in order to execute API calls?

- A. On the Autonomous Database Console.
- B. SSH keys are not required in Oracle Cloud Infrastructure.
- C. SSH keys cannot be added from console.
- D. They have to be added using REST APIs only.
- E. Navigate to Identity, select Users panel on the console and select "Add Public Key".

Answer: D

Explanation:

- In the Console, click Identity, and then click Users. Locate the user in the list, and then click the user's name to view the details.
- Click Add Public Key.
- Paste the key's value into the window and click Add.

NEW QUESTION 8

Which Autonomous Database Service is NOT used to connect to an Autonomous Transaction Processing instance?

- A. TPPERFORMANT
- B. MEDIUM
- C. HIGH
- D. LOW
- E. TPURGENT

Answer: A

Explanation:

Predefined Database Service Names for Autonomous Transaction Processing

The tnsnames.ora file provided with the credentials zip file contains five database service names identifiable as tpurgent, tp, high, medium, and low. The predefined service names provide different levels of performance and concurrency for Autonomous Transaction Processing.

- tpurgent: The highest priority application connection service for time critical transaction processing operations. This connection service supports manual parallelism.
 - tp: A typical application connection service for transaction processing operations. This connection service does not run with parallelism.
 - high: A high priority application connection service for reporting and batch operations. All operations run in parallel and are subject to queuing.
 - medium: A typical application connection service for reporting and batch operations. All operations run in parallel and are subject to queuing. Using this service the degree of parallelism is limited to four (4).
 - low: A lowest priority application connection service for reporting or batch processing operations. This connection service does not run with parallelism.
- <https://docs.oracle.com/en/cloud/paas/atp-cloud/atpug/manage-priorities.html#GUID-80E464A7-8ED4-45BB-A>

NEW QUESTION 9

Which two statements are correct about Autonomous Data Warehouse on Shared Exadata Infrastructure?

- A. Parallelism is not enabled by default.
- B. Compression is enabled by default.
- C. Autonomous Data Warehouse uses Hybrid Columnar Compression for all tables by default.
- D. Oracle Database Result Cache is enabled by default for all SQL statements.
- E. You have direct access to the database node.

Answer: AB

NEW QUESTION 10

For someone that is not a service administrator to use SQL Developer Web, what package would you need to use to give them access?

- A. SQLDEV_ADMIN.GRANT_SCHEMA
- B. ORDS_ADMIN.ENABLE_SCHEMA
- C. ORDS_ADMIN.GRANT_SCHEMA
- D. ORDS_PRIV.ENABLE_SCHEMA

Answer: C

NEW QUESTION 10

Which management operation is correct about Autonomous Databases on shared Exadata infrastructure?

- A. You can skip a scheduled maintenance run.
- B. For Autonomous Databases on shared Exadata infrastructure, you can skip maintenance runs for up to two consecutive quarters if needed.
- C. You can choose to use Release Update (RU) or Release Update Revision (RUR) updates for your Autonomous Databases on shared Exadata infrastructure.
- D. You cannot configure the scheduling for your Autonomous Databases on shared Exadata infrastructure.
- E. You can perform a "rolling restart" on all the Autonomous Database.
- F. During a rolling restart, each node of an Autonomous Database is restarted separately while the remaining nodes continue to be available.

Answer:

D

NEW QUESTION 15

When using Data Pump to migrate your Oracle database to Autonomous Database, which two objects are imported?

- A. Data
- B. Schemas
- C. Tablespaces
- D. Reports

Answer: AB

NEW QUESTION 20

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX. What statement describes the step to provide the developer a new workspace in APEX?

- A. Create an IDCS user with the APEX role.
- B. Access the APEX Administration Services and create the workspace for the developer.
- C. Create a new developer account.
- D. Create a database user with the APEX role.

Answer: B

NEW QUESTION 25

What is the role of a Fleet Administrator in Autonomous Database (ADB) on Dedicated Infrastructure deployments?

- A. Fleet Administrator defines and gains access to the ADMIN administrative user account for the database.
- B. Fleet administrators create, monitor and manage Autonomous Exadata Infrastructure and Autonomous Container Database resources.
- C. Fleet Administrators are responsible for patching and backups of all container databases.
- D. Fleet Administrators create, monitor and manage Autonomous Databases.

Answer: B

NEW QUESTION 26

Which three event types are supported for Autonomous Database?

- A. Terminate End
- B. Maintenance Begin
- C. Change Compartment Begin
- D. Change Autoscaling Configuration Compartment
- E. Update IORM Begin

Answer: ABC

Explanation:

<https://docs.oracle.com/en-us/iaas/Content/Events/Reference/eventsproducers.htm>

NEW QUESTION 27

Which TWO statements are TRUE about using an Autonomous Database with Private Endpoints

- A. A Network Security Group is required within your Virtual Cloud Network before you can provision a Shared Autonomous Database to use Private Endpoints
- B. An Autonomous Database with private endpoints can be accessed from the public internet by adding your ip address to an Access Control List.
- C. Private Endpoints can be configured when you clone a Shared Autonomous Database that was initially created with public endpoints.
- D. You can configure Private Endpoints for an Always Free Autonomous Database

Answer: BC

NEW QUESTION 28

Which statement is NOT correct when setting up compartment quotas?

- A. There are three types of quota policy statements which are set, unset and zero.
- B. Compartment quotas use policies that allow allocation of resources with a high level of flexibility.
- C. Along with compartment budgets, compartment quotas create a powerful toolset to manage your spending.
- D. Compartment quotas are set by Oracle.

Answer: C

NEW QUESTION 29

You need to create a new database via the Oracle Cloud Infrastructure (OCI) CLI with the following requirements:

- Autonomous Transaction Processing
- License Included
- Shared Infrastructure

Which parameter would you NOT use?

- A. db-workload

- B. is-dedicated
- C. db-type
- D. license-model

Answer: B

NEW QUESTION 31

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-931-20 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-931-20-dumps.html>