

CRT-450 Dumps

Salesforce Certified Platform Developer I (SU18)

<https://www.certleader.com/CRT-450-dumps.html>



NEW QUESTION 1

A developer has the controller class below.

```
public with sharing class myFooController {  
    public integer prop { get; private set; }  
}
```

Which code block will run successfully in an execute anonymous window?

- A. myFooController m = new myFooController();System.assert(m.prop !=null);
- B. myFooController m = new myFooController();System.assert(m.prop ==0);
- C. myFooController m = new myFooController();System.assert(m.prop ==null);
- D. myFooController m = new myFooController();System.assert(m.prop ==1);

Answer: C

NEW QUESTION 2

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

Answer: ADE

NEW QUESTION 3

A lead object has a custom field Prior_Email c. The following trigger is intended to copy the current Email into the Prior_Email c field any time the Email field is changed:

```
trigger test on Lead (before update) {  
    for(Lead ld: trigger.new)  
    {  
        if(ld.Email != trigger.oldMap.get (ld.ld).email)  
        {  
            ld.Prior_Email__c = trigger.old,ap.get(ld.ld).email;  
            update ld;  
        }  
    }  
}
```

Which type of exception will this trigger cause?

- A. A null reference exception
- B. A compile time exception
- C. A DML exception
- D. A limit exception when doing a bulk update

Answer: C

NEW QUESTION 4

Which tool allows a developer to send requests to the Salesforce REST APIs and view the responses?

- A. REST resource path URL
- B. Workbench REST Explorer
- C. Developer Console REST tab
- D. Force.com IDE REST Explorer tab

Answer: B

NEW QUESTION 5

What is a capability of the <ltng:require> tag that is used for loading external Javascript libraries in Lightning Component? (Choose three.)

- A. Loading files from Documents.
- B. One-time loading for duplicate scripts.
- C. Specifying loading order.
- D. Loading scripts in parallel.
- E. Loading externally hosted script

Answer: BCD

NEW QUESTION 6

For which three items can a trace flag be configured? (Choose three.)

- A. Apex Trigger

- B. Apex Class
- C. Process Builder
- D. User
- E. Visualforce

Answer: ABD

NEW QUESTION 7

What is the requirement for a class to be used as a custom Visualforce controller?

- A. Any top-level Apex class that has a constructor that returns a PageReference
- B. Any top-level Apex class that extends a PageReference
- C. Any top-level Apex class that has a default, no-argument constructor
- D. Any top-level Apex class that implements the controller interface

Answer: D

NEW QUESTION 8

When an Account's custom picklist field called Customer Sentiment is changed to a value of "Confused", a new related Case should automatically be created. Which two methods should a developer use to create this case? (Choose two.)

- A. Process Builder
- B. Apex Trigger
- C. Custom Button
- D. Workflow Rule

Answer: AB

NEW QUESTION 9

When viewing a Quote, the sales representative wants to easily see how many discounted items are included in the Quote Line Items. What should a developer do to meet this requirement?

- A. Create a trigger on the Quote object that queries the Quantity field on discounted Quote Line Items.
- B. Create a Workflow Rule on the Quote Line Item object that updates a field on the parent Quote when the item is discounted.
- C. Create a roll-up summary field on the Quote object that performs a SUM on the quote Line Item Quantity field, filtered for only discounted Quote Line Items.
- D. Create a formula field on the Quote object that performs a SUM on the Quote Line Item Quantity field, filtered for only discounted Quote Line Items.

Answer: C

NEW QUESTION 10

Given:
Map<ID, Account> accountMap = new Map<ID, Account> ([SELECT Id, Name FROM Account]); What are three valid Apex loop structures for iterating through items in the collection? (Choose three.)

- A. for (ID accountId : accountMap.keySet()) {...}
- B. for (Account accountRecord : accountMap.values()) {...}
- C. for (Integer i=0; i < accountMap.size(); i++) {...}
- D. for (ID accountId : accountMap) {...}
- E. for (Account accountRecord : accountMap.keySet()) {...}

Answer: ABC

NEW QUESTION 10

Which three options allow a developer to use custom styling in a Visualforce page? (Choose three.)

- A. <apex:stylesheet> tag
- B. Inline CSS
- C. <apex:style>tag
- D. <apex:stylesheets>tag
- E. A static resource

Answer: ABE

NEW QUESTION 11

A developer needs to join data received from an integration with an external system with parent records in Salesforce. The data set does not contain the Salesforce IDs of the parent records, but it does have a foreign key attribute that can be used to identify the parent. Which action will allow the developer to relate records in the data model without knowing the Salesforce ID?

- A. Create and populate a custom field on the parent object marked as Unique.
- B. Create a custom field on the child object of type External Relationship.
- C. Create and populate a custom field on the parent object marked as an External ID.
- D. Create a custom field on the child object of type Foreign Key.

Answer: D

NEW QUESTION 12

A developer needs to test an Invoicing system integration. After reviewing the number of transactions required for the test, the developer estimates that the test data will total about 2 GB of data storage. Production data is not required for the integration testing. Which two environments meet the requirements for testing? (Choose two.)

- A. Developer Sandbox
- B. Full Sandbox
- C. Developer Edition
- D. Partial Sandbox
- E. Developer Pro Sandbox

Answer: BD

NEW QUESTION 14

Which approach should a developer take to automatically add a “Maintenance Plan” to each Opportunity that includes an “Annual Subscription” when an opportunity is closed?

- A. Build a OpportunityLineItem trigger that adds a PriceBookEntry record.
- B. Build an OpportunityLineItem trigger to add an OpportunityLineItem record.
- C. Build an Opportunity trigger that adds a PriceBookEntry record.
- D. Build an Opportunity trigger that adds an OpportunityLineItem recor

Answer: D

NEW QUESTION 17

A developer needs to display all of the available fields for an object.

In which two ways can the developer retrieve the available fields if the variable myObject represents the name of the object? (Choose two.)

- A. Use myObject.sObjectType.getDescribe().fieldSet() to return a set of fields.
- B. Use mySObject.myObject.fields.getMap() to return a map of fields.
- C. Use Schema.describeSObjects(new String[]{myObject})[0].fields.getMap() to return a map of fields.
- D. Use getGlobalDescribe().get(myObject).getDescribe().fields.getMap() to return a map of field

Answer: BC

NEW QUESTION 19

A developer executes the following query in Apex to retrieve a list of contacts for each account:

```
List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;
```

Which two exceptions may occur when it executes? (Choose two.)

- A. CPU limit exception due to the complexity of the query.
- B. SOQL query row limit exception due to the number of contacts.
- C. SOQL query limit exception due to the number of contacts.
- D. SOQL query row limit exception due to the number of account

Answer: CD

NEW QUESTION 20

A platform developer at Universal Containers needs to create a custom button for the Account object that, when clicked, will perform a series of calculations and redirect the user to a custom Visualforce page.

Which three attributes need to be defined with values in the <apex:page> tag to accomplish this? (Choose three.)

- A. action
- B. renderAs
- C. standardController
- D. readOnly
- E. extensions

Answer: ABC

NEW QUESTION 21

A newly hired developer discovers that there are multiple triggers on the case object.

What should the developer consider when working with triggers?

- A. Developers must dictate the order of trigger execution.
- B. Trigger execution order is based on creation date and time.
- C. Unit tests must specify the trigger being tested.
- D. Trigger execution order is not guaranteed for the same sObjec

Answer: D

NEW QUESTION 22

A company has a custom object named Warehouse. Each Warehouse record has a distinct record owner, and is related to a parent Account in Salesforce. Which kind of relationship would a developer use to relate the Account to the Warehouse?

- A. One -to -Many
- B. Lookup
- C. Master -Detail

D. Parent -Child

Answer: B

NEW QUESTION 27

An sObject named Application_c has a lookup relationship to another sObject named Position_c. Both Application _c and Position_c have a picklist field named Status_c. When the Status_c field on Position_c is updated, the Status_c field on Application_c needs to be populated automatically with the same value, and execute a workflow rule on Application_c. How can a developer accomplish this?

- A. By changing Application_c.Status_c into a roll -up summary field.
- B. By changing Application_c.Status_c into a formula field.
- C. By using an Apex trigger with a DML operation.
- D. By configuring a cross-object field update with a workflo

Answer: C

NEW QUESTION 31

Which trigger event allows a developer to update fields in the Trigger.new list without using an additional DML statement? Choose 2 answers

- A. Before insert
- B. Before update
- C. After update
- D. After insert

Answer: AB

NEW QUESTION 33

Which data type or collection of data types can SOQL statements populate or evaluate to? (Choose 3)

- A. A single sObject
- B. An integer
- C. A string
- D. A list of sObjects
- E. A Boolean

Answer: ABD

NEW QUESTION 37

What is the return data type when ApexPages.currentPage().getParameters() is used to retrieve URL parameters from a visualforce controller?

- A. Map
- B. List
- C. Enum
- D. String[]

Answer: A

NEW QUESTION 38

A developer wants to create a custom object to track Customer Invoices. How should Invoices and Accounts be related to ensure that all Invoices are visible to everyone with access to an Account?

- A. The Account should have a Master-Detail relationship to the Invoice.
- B. The Invoice should have a Master-Detail relationship to the Account
- C. The Account should have a Lookup relationship to the Invoice
- D. The Invoice should have a Lookup relationship to the Account Previous

Answer: B

NEW QUESTION 40

A custom exception "RecordNotFoundException" is defined by the following code of block. public class RecordNotFoundException extends Exception() which statement can a developer use to throw a custom exception? choose 2 answers

- A. Throw new RecordNotFoundException("problem occurred");
- B. Throw new RecordNotFoundException();
- C. throw RecordNotFoundException("problem occurred");
- D. Throw RecordNotFoundException();

Answer: AB

NEW QUESTION 44

In an organization that has enabled multiple currencies, a developer needs to aggregate the sum of the Estimated_value c currency field from the CampaignMember object using a roll-up summary field called Total_estimated_value c on Campaign.

- A. The values in Campaignmember.Estimated_value c are converted into the currency of the Campaign record and the sum is displayed using the currency on the Campaign record.

- B. The values in CampaignMember.Estimated_value c are converted into the currency on the majority of the CampaignMember records and the sum is displayed using that currency.
- C. The values in CampaignMember.Estimated_value c are summed up and the resulting Total_estimated_value c field is displayed as a numeric field on the Campaign record.
- D. The values In CampaignMember.Estimated_value c are converted into the currency of the current user, and the sum is displayed using the currency on the Campaign record.

Answer: A

NEW QUESTION 47

Before putting an app into production, which step should be taken?

- A. Run the production check feature via the web interface
- B. Switch to a production database
- C. Insure that you have installed a performance introspection add-on
- D. Scale your dynos

Answer: A

NEW QUESTION 48

When creating unit tests in Apex, which statement is accurate?Choose 2

- A. Unit tests with multiple methods result in all methods failing every time one method fails.
- B. Increased test coverage requires large test classes with many lines of code in one method.
- C. Triggers do not require any unit tests in order to deploy them from sandbox to production.
- D. System Assert statements that do not Increase code coverage contribute important feedback in unit tests

Answer: BD

NEW QUESTION 49

What is an accurate statement about variable scope? (Choose 3)

- A. Parallel blocks can use the same variable name.
- B. A variable can be defined at any point in a block.
- C. Sub-blocks cannot reuse a parent block's variable name.
- D. Sub-blocks can reuse a parent block's variable name if it's value is null.
- E. A static variable can restrict the scope to the current block of its value is nul

Answer: ABC

NEW QUESTION 54

What is an accurate constructor for a custom controller named "MyController"?

- A. `public MyController () { account = new Account () ; }`
- B. `public MyController (sObject obj) { account = (Account) obj; }`
- C. `public MyController (List objects) { accounts = (List) objects; }`
- D. `public MyController (ApexPages.StandardController stdController) { account = (Account) stdController.getRecord(); }`

Answer: A

NEW QUESTION 55

What is the minimum log level needed to see user-generated debug statements?

- A. DEBUG
- B. FINE
- C. INFO
- D. WARN

Answer: A

NEW QUESTION 60

What is true for a partial sandbox that is not true for a full sandbox? Choose 2 answers:

- A. More frequent refreshes.
- B. Only Includes necessary metadata.
- C. Use of change sets.
- D. Limited to 5 GB of dat

Answer: AD

NEW QUESTION 61

When can a developer use a custom Visualforce page in a Force.com application? (Choose 2)

- A. To generate a PDF document with application data
- B. To create components for dashboards and layouts

- C. To deploy components between two organizations
- D. To modify the page layout settings for a custom object

Answer: AB

NEW QUESTION 63

A Visual force page displays two fields named Phone Number and Email. User1 has access to Phone Number, but not to Email. User2 has access to Email, but not Phone Number. A developer needs to ensure that User1 can only see Phone Number, and User2 can only see Email. Which method can the developer use to achieve this?

- A. Schema.isUpdateable() method.
- B. Schema.isAccessible() method.
- C. Schema.isReadable() method.
- D. Schema.isCreateable() method.

Answer: B

NEW QUESTION 65

What is a capability of cross-object formula fields? Choose 3 answers

- A. Formula fields can reference fields from master-detail or lookup parent relationships.
- B. Formula fields can expose data the user does not have access to in a record.
- C. Formula fields can be used in three roll-up summaries per object.
- D. Formula fields can reference fields in a collection of records from a child relationship.
- E. Formula fields can reference fields from objects that are up to 10 relationships away.

Answer: ABE

NEW QUESTION 66

What is the result of the following code block ?

```
Integer x = 1; Integer Y = 0; While(x < 10){Y++;}
```

- A. An error occurs
- B. Y = 9
- C. Y = 10
- D. X = 0

Answer: A

NEW QUESTION 69

Which scenario is invalid for execution by unit tests?

- A. Executing methods for negative test scenarios
- B. Loading the standard Pricebook ID using a system method
- C. Loading test data in place of user input for Flows.
- D. Executing methods as different user

Answer: C

NEW QUESTION 74

How would a developer determine if a CustomObject c record has been manually shared with the current user in Apex?

- A. By querying the role hierarchy.
- B. By calling the isShared() method for the record.
- C. By querying CustomObject Share.
- D. By calling the profile settings of the current user.

Answer: C

NEW QUESTION 75

What is the preferred way to reference web content such as images, style sheets, JavaScript, and other libraries that is used in Visualforce pages?

- A. By accessing the content from Chatter Files.
- B. By uploading the content in the Documents tab.
- C. By accessing the content from a third-party CDN.
- D. By uploading the content as a Static Resource.

Answer: D

NEW QUESTION 80

A developer writes a SOQL query to find child records for a specific parent. How many levels can be returned in a single query?

- A. 1
- B. 7
- C. 5

D. 3

Answer: C

NEW QUESTION 81

A developer creates a new Visualforce page and Apex extension, and writes test classes that exercise 95% coverage of the new Apex extension. Change set deployment to production fails with the test coverage warning: "Average test coverage across all Apex classes and triggers is 74%, at least 75% test coverage is required." What can the developer do to successfully deploy the new Visualforce page and extension?

- A. Create test classes to exercise the Visualforce page markup.
- B. Select "Disable Parallel Apex Testing" to run all the tests.
- C. Add test methods to existing test classes from previous deployments.
- D. Select "Fast Deployment" to bypass running all the test

Answer: C

NEW QUESTION 85

What is a capability of the Developer Console?

- A. Execute Anonymous Apex code, Create/Edit code, view Debug Logs.
- B. Execute Anonymous Apex code, Run REST API, create/Edit code.
- C. Execute Anonymous Apex code, Create/Edit code, Deploy code changes.
- D. Execute Anonymous Apex code, Run REST API, deploy code change

Answer: A

NEW QUESTION 89

An org has different Apex Classes that provide Account -related functionality. After a new validation rule is added to the object, many of the test methods fail. What can be done to resolve the failures and reduce the number of code changes needed for future validation rules? Choose 2 answers:

- A. Create a method that creates valid Account records, and call this method from within test methods.
- B. Create a method that loads valid Account records from a Static Resource, and call this method within test methods.
- C. Create a method that performs a callout for a valid Account record, and call this method from within test methods.
- D. Create a method that queries for valid Account records, and call this method from within test method

Answer: AB

NEW QUESTION 93

A user selects a value from a multi-select picklist. How is this selected value represented in Apex?

- A. As a string ending with a comma
- B. As a string
- C. As a list< String > with one element
- D. As a set< string > with one element

Answer: B

NEW QUESTION 98

A developer has a unit test that is failing. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous Apex Tool. The code then executes without failing. Why did the unit test failed, but not the Execute Anonymous?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the database
- C. The test method use a try/catch block
- D. The test method calls an @future metho

Answer: B

NEW QUESTION 102

On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID that is passed on the URL?

- A. Use the constructor method for the controller.
- B. Use the \$Action.View method in the Visualforce page.
- C. Create a new PageReference object with the Id.
- D. Use the tag in the Visualforce pag

Answer: A

NEW QUESTION 107

Where would a developer build a managed package?

- A. Developer Sandbox
- B. Unlimited Edition
- C. Partial Copy Sandbox
- D. Developer Edition

Answer: D

NEW QUESTION 110

In which two org types can a developer create new Apex Classes? Choose 2 answers

- A. Developer Edition
- B. Sandbox
- C. Enterprise Edition
- D. Unlimited

Answer: AB

NEW QUESTION 111

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using PageReference.setRedirect() to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- B. By using Messaging.sendEmail() to continue the transaction and send an alert to the user after the number of DML statements is exceeded.
- C. By using ApexMessage.Messages() to display an error message after the number of DML statements is exceeded.
- D. By using Limits.getDMLRows() and then displaying an error message before the number of DML statements is exceeded.

Answer: D

NEW QUESTION 113

A developer needs to confirm that an Account trigger is working correctly without changing the organization's data. What would the developer do to test the Account trigger?

- A. Use the Test menu on the developer Console to run all test classes for the account trigger.
- B. Use the New button on the Salesforce Accounts Tab to create a new Account record.
- C. Use the Open Execute Anonymous feature on the Developer Console to run an 'insert Account' DML statement.
- D. Use Deploy from the Force.com IDE to deploy an 'insert Account' Apex class

Answer: A

NEW QUESTION 118

What features are available when writing apex test classes? (Choose 2 Answers)

- A. The ability to select error types to ignore in the developer console.
- B. The ability to write assertions to test after a @future method.
- C. The ability to set and modify the CreatedDate field in apex tests.
- D. The ability to set breakpoints to freeze the execution at a given point.
- E. The ability to select testing data using csv files stored in the system

Answer: CE

NEW QUESTION 122

Which declarative method helps ensure quality data? (Choose 3)

- A. Validation Rules
- B. Workflow alerts
- C. Exception Handling
- D. Lookup Filters
- E. Page Layouts

Answer: ADE

NEW QUESTION 125

In which order does Salesforce execute events upon saving a record?

- A. Before Triggers; Validation Rules; After Triggers; Assignment Rules; Workflow Rules; Commit
- B. Validation Rules; Before Triggers; After Triggers; Workflow Rules; Assignment Rules; Commit
- C. Before Triggers; Validation Rules; After Triggers; Workflow Rules; Assignment Rules; Commit
- D. Validation Rules; Before Triggers; After Triggers; Assignment Rules; Workflow Rules; Commit

Answer: A

NEW QUESTION 129

What is a valid statement about Apex classes and interfaces? Choose 2 answers:

- A. The default modifier for a class is private.
- B. Exception classes must end with the word exception.
- C. A class can have multiple levels of inner classes.
- D. The default modifier for an interface is private

Answer: BD

NEW QUESTION 130

What is a benefit of the Lightning Component framework? Choose 3 answers

- A. It uses client-side Apex controllers for logic.
- B. It uses a traditional publish-subscribe model.
- C. It uses an event-driven architecture
- D. It uses an MVC architectural design pattern.
- E. It uses server-side JavaScript controller for logic.

Answer: BCD

NEW QUESTION 134

What is a good practice for a developer to follow when writing a trigger? (Choose 2)

- A. Using @future methods to perform DML operations.
- B. Using the Map data structure to hold query results by ID.
- C. Using the Set data structure to ensure distinct records.
- D. Using synchronous callouts to call external system

Answer: BC

NEW QUESTION 139

A developer wants to list all of the Tasks for each Account on the Account detail page. When a task is created for a Contact, what does the developer need to do to display the Task on the related Account record?

- A. Nothin
- B. The task is automatically displayed on the Account page.
- C. Nothin
- D. The Task cannot be related to an Account and a Contact.
- E. Create a Workflow rule to relate the Task to the Contact's Account.
- F. Create an Account formula field that displays the Task informatio

Answer: A

NEW QUESTION 141

Which type of information is provided by the Checkpoints tab in the Developer Console? (Choose 2)

- A. Namespace
- B. Time
- C. Exception
- D. Debug Statement

Answer: AB

NEW QUESTION 144

A developer creates an Apex Trigger with the following code block:
`List<Account> customers = new List<Account>();
For (Order c o: trigger.new){
Account a = [SELECT Id, Is_Customer c FROM Account WHERE Id = :o.Customer c];
a.Is_Customer c = true;
customers.add(a);
Database.update(customers, false);
}`
The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders. How many Orders are successfully loaded when the developer attempts to load the 150 Orders?

- A. 1
- B. 150
- C. 100

Answer: A

NEW QUESTION 149

A developer runs the following anonymous code block:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];  
Delete acc;  
Database.emptyRecycleBin(acc);  
system.debug(Limits.getDMLStatements()+ ' ',  
+Limits.getLimitDMLStatements());  
What is the result?
```

- A. 11, 150
- B. 150, 2
- C. 150, 11
- D. 2, 150

Answer: D

NEW QUESTION 154

Which component is available to deploy using Metadata API? Choose 2 answers

- A. Case Layout
- B. Account Layout
- C. Case Feed Layout
- D. ConsoleLayout

Answer:

AB

NEW QUESTION 158

A developer needs to provide a Visualforce page that lets users enter Product-specific details during a Sales cycle. How can this be accomplished? (Choose 2)

- A. Download a Managed Package from the AppExchange that provides a custom Visualforce page to modify.
- B. Copy the standard page and then make a new Visualforce page for Product data entry.
- C. Download an Unmanaged Package from the AppExchange that provides a custom Visualforce page to modify.
- D. Create a new Visualforce page and an Apex controller to provide Product data entr

Answer: CD**NEW QUESTION 159**

What would a developer do to update a picklist field on related Opportunity records when a modification to the associated Account record is detected?

- A. Create a process with Process Builder.
- B. Create a workflow rule with a field update.
- C. Create a Lightning Component.
- D. Create a Visualforce pag

Answer: A**NEW QUESTION 162**

A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing. What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Triggers
- B. HTTP Callouts
- C. Apex Controllers
- D. Anonymous Blocks

Answer: D**NEW QUESTION 163**

A developer creates an Apex class that includes private methods. What can the developer do to ensure that the private methods can be accessed by the test class?

- A. Add the TestVisible attribute to the Apex class
- B. Add the SeeAllData attribute to the test methods.
- C. Add the TestVisible attribute to the apex methods.
- D. Add the SeeAllData attribute to the test class

Answer: C**NEW QUESTION 166**

A developer created a lightning component name accountList.cmp that display a list of Accounts. Client-side logic that is executed when a user hovers over an account in the list should be stored in which bundle member?

- A. AccountListHelper.js
- B. AccountListRenderer.js
- C. AccountList.renderer
- D. AccountList.helper

Answer: C**NEW QUESTION 168**

To which primitive data type in Apex is a currency field atomically assigned?

- A. Integer
- B. Decimal
- C. Double
- D. Currency

Answer: B**NEW QUESTION 169**

A developer needs to create a Visualforce page that will override the standard Account edit button. The page will be used to validate the account's address using a SOQL query. The page will also allow the user to make edits to the address. Where would the developer write the Account address verification logic?

- A. In a Standard Extension.
- B. In a Standard Controller.
- C. In a Custom Controller.
- D. In a Controller Extensio

Answer:

D

NEW QUESTION 174

A developer has the following code:try {List nameList;Account a;String s = a.Name;nameList.add(s);} catch (ListException le) {System.debug(' List Exception ');} catch (NullPointerException npe) {System.debug(' NullPointerException ');} catch (Exception e) {System.debug(' Generic Exception ');} What message will be logged?

- A. List Exception
- B. NullPointerException
- C. Generic Exception
- D. No message is logged

Answer: B

NEW QUESTION 178

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record. Which type of trigger would the developer create? Choose 2 answers

- A. Before update
- B. After insert
- C. Before insert
- D. After update

Answer: AC

NEW QUESTION 180

What are two correct examples of the model in the salesforce MVC architecture? Choose 2 answers.

- A. Custom field on the custom wizard_c object
- B. Standard lightning component
- C. Workflow rule on the contact object
- D. Standard account lookup on the contract object

Answer: BC

NEW QUESTION 182

A reviewer is required to enter a reason in the comments field only when a candidate is recommended to be hired. Which action can a developer take to enforce this requirement?

- A. Create a required Visualforce component.
- B. Create a formula field.
- C. Create a required comments field.
- D. Create a validation rul

Answer: D

NEW QUESTION 184

A developer has the following trigger that fires after insert and creates a child Case whenever a new Case is created. List<Case> childCases = new List<Case>();for (Case parent : Trigger.new){Case child = new Case (ParentId = parent.Id, Subject = parent.Subject);childCases.add(child);}insert childCases; What happens after the code block executes?

- A. Multiple child cases are created for each parent case in Trigger.new.
- B. Child case is created for each parent case in Trigger.new.
- C. The trigger enters an infinite loop and eventually fails.
- D. The trigger fails if the Subject field on the parent is blan

Answer: B

NEW QUESTION 188

A developer in a Salesforce org with 100 Accounts executes the following code using the Developer console:Account myAccount = new Account(Name = 'MyAccount');Insert myAccount;For (Integer x = 0; x < 150; x++)
{Account newAccount = new Account (Name='MyAccount' + x);try {Insert newAccount;} catch (Exception ex)
{System.debug (ex) ;}}insert new Account (Name='myAccount');How many accounts are in the org after this code is run?

- A. 101
- B. 100
- C. 102
- D. 252

Answer: B

NEW QUESTION 189

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class

- B. Adobe Flash
- C. JavaScript
- D. Documentation

Answer: CD

NEW QUESTION 193

A candidate may apply to multiple jobs at the company Universal Containers by submitting a single application per job posting. Once an application is submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting. What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a master-detail relationship in the Job Postings custom object to the Applications custom object.
- B. Create a master-detail relationship in the Application custom object to the Job Postings custom object.
- C. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- D. Create a lookup relationship in the Applications custom object to the Job Postings custom object

Answer: A

NEW QUESTION 197

What is a capability of a StandardSetController? Choose 2 answers

- A. It allows pages to perform mass updates of records
- B. It allows pages to perform pagination with large record sets
- C. It enforces field-level security when reading large record sets
- D. It extends the functionality of a standard or custom controller

Answer: AB

NEW QUESTION 201

How can a developer avoid exceeding governor limits when using an Apex Trigger? choose 2 answers

- A. By using a helper class that can be invoked from multiple triggers.
- B. By using the Database class to handle DML transactions.
- C. By using Maps to hold data from query results.
- D. By performing DML transactions on lists of SObject

Answer: CD

NEW QUESTION 206

What is a valid Apex statement?

- A. Map conMap = (SELECT Name FROM Contact);
- B. Account[] acctList = new List{new Account()}
- C. Integer w, x, y = 123, z = 'abc',
- D. Private static constant Double rate = 775;

Answer: B

NEW QUESTION 208

Which standard field needs to be populated when a developer inserts new Contact records programmatically?

- A. AccountId
- B. Name
- C. LastName
- D. FirstName

Answer: C

NEW QUESTION 212

How can a developer avoid exceeding governor limits when using Apex Triggers? (Choose 2)

- A. By using a helper class that can be invoked from multiple triggers
- B. By using Maps to hold data from query results
- C. By using the Database class to handle DML transactions
- D. By performing DML transactions on a list of sObject

Answer: BD

NEW QUESTION 216

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your CRT-450 Exam with Our Prep Materials Via below:

<https://www.certleader.com/CRT-450-dumps.html>