

## Exam Questions OG0-092

TOGAF 9 Part 2

<https://www.2passeasy.com/dumps/OG0-092/>



### NEW QUESTION 1

Chiamin Metals is a leading world-wide manufacturer for continuous casting and bottom pouring powders. In addition to mould powders, the company also produces cored wire for secondary metallurgy. Chiamin Metals offers a variety of products and uses a paper-based catalog to sponsor them. A new CIO has joined the enterprise and has set up a team of Enterprise Architects following the TOGAF 9 practice. The main challenge is now to offer to Chiamin Metals customers a centralized and reliable entry point for their request via the implementation of a global online portal. This will allow the management of new marketing activities and will enable the new Chiamin Metals' ecommerce service.

Refer to the scenario above

You are the Chief Architect and the CIO asked you to present an Architecture Vision to address the above business problem. Identify the best answer accordingly to the TOGAF 9.

Choose one of the following answers

- A. You identify key stakeholders, their concerns, and define the key business requirements to be addressed in the architecture engagement and generate a Stakeholder Map
- B. You Evaluate business capabilities and execute a Business Transformation Readiness Assessment
- C. You apply the Business Scenarios technique to create a high-level view of the Baseline and Target Architectures also based on the stakeholder concerns, business capability requirements, scope, constraints, and principles.
- D. As requested by the CIO you focus on the Architecture Vision documentation and apply the Business Scenarios technique to create a high-level view of the Baseline and Target Architectures also based on the stakeholder concerns, business capability requirements, scope, constraints, and principles.
- E. You create a high-level view of the Target Architectures and then present them to the CIO.
- F. As requested by the CIO you focus on the Architecture Vision and create a detailed view of the Baseline Architecture
- G. This is done for Business, Data, Application and Technology domains and then presented to the CIO using the Architecture Definition Document.

**Answer: A**

### NEW QUESTION 2

Scenario: Zephyr Enterprises

Please read this scenario prior to answering the question

Zephyr Enterprises specializes in the development of wind turbine blades for use in large-scale commercial wind energy production systems. Zephyr has manufacturing facilities located in Palm Springs, California, Omaha, Nebraska, and Winnipeg, Ontario. Each of these plants supplies a different manufacturer that builds and sells complete systems. The turbine blades are custom engineered to meet each manufacturer's design specifications.

Until recently, most turbine blades were fabricated manually using molded fiber-reinforced plastics. However, recent improvements in composite materials, coupled with enhanced automated methods for precision application of materials during the molding process, have led to significant reduction in weight, increase in strength, and greatly improved blade longevity. Zephyr has pioneered the development of a proprietary automated process for continuous extrusion of the turbine blades. Patents have been filed to protect the process, but certain trade secrets must be closely guarded.

Zephyr has a mature Enterprise Architecture organization that is supported by a cross-functional Architecture Review Board. The Chief Information Officer and the Chief Operating Officer co-sponsor the Enterprise Architecture program.

Zephyr has used TOGAF and its Architecture Development Method (ADM) to develop its automated manufacturing processes and systems that are used to design, manufacture, and test the blade assemblies. They have recently updated to TOGAF 9 and have adapted the Zephyr Enterprise Architecture to closely follow the TOGAF 9 framework. All of Zephyr's IT architects have been trained and certified on TOGAF 9. Recently, an architecture project was completed that defined a standard approach for controlling the Automated Test System that is used at each plant to perform final quality assurance tests on each completed blade assembly. The Manufacturing Architecture Board approved the plan for immediate implementation at each plant.

An Architecture Contract was developed that detailed the work needed to implement and deploy the new Automated Test System controller. The Chief Engineer, sponsor of the activity, has expressed concern that a uniform process be employed at each site to ensure consistency.

Refer to the Zephyr Enterprises Scenario:

You have been assigned by the Lead Architect for the Automated Test System controller project to conduct Compliance Assessments at each manufacturing plant.

During the course of the assessment at the Omaha plant, you discover that the Distributed Data Acquisition System they have purchased uses a proprietary Remote Procedure Call (RPC) that utilizes kernel mode threads instead of the user mode threads that are specified in the Architecture Definition Document. In all other respects, the system meets the requirements stated in the Architecture Definition Document and seems to perform correctly.

You have been asked to describe the compliance of this system for the final report. Based on TOGAF 9, which of the following is the best answer?

- A. You observe that all of the features in the Architecture Definition Document have been implemented in accordance with the specification, except for the RPC mechanism
- B. Your recommendation is that the system be described as conformant.
- C. You observe that the system has many features in common with the Architecture Definition Document, and those features have been implemented in accordance with the specification
- D. However, you note that the RPC mechanism has been implemented using features that are not covered by the specification
- E. Your recommendation is that the system be described as consistent.
- F. You observe that the implementation of the RPC mechanism has no features in common with the Architecture Definition Document, therefore the question of its conformance should not be considered
- G. Your recommendation is that the system be described as consistent.
- H. You observe that the system meets most of the requirements stated in the Architecture Definition Document and appears to work correctly
- I. However, you note that the RPC mechanism has not been implemented according to the specification
- J. Your recommendation is that the system be described as non-conformant.

**Answer: D**

### NEW QUESTION 3

MightyGears produces components for the Car industry. Driven by the global financial downturn they are looking to reduce IT costs. They believe there is a cost saving opportunity within IT but this is not quantified in terms of potential savings nor is there an agreed target architecture. Final decisions on the solutions are not yet fully agreed. They have completed the first pass architecture and now are looking at the best opportunities and solutions to meet their financial goals.

You are the Chief Architect from a consulting organization brought into review the work to date by MightyGears and to make recommendations to the CIO and the board on the opportunities and solutions present.

Refer to the scenario above

Which of the following answers best describes how TOGAF recommends examining the opportunities and solutions before presenting to the board?

Choose one of the following answers

- A. I would examine the architecture work today ensuring it is complete and accurate and addressing any gap
- B. I would look at functional and integration requirements
- C. I would then ensure all dependencies are understood and documented

- D. I would then create the necessary artefacts including major work packages and transition architectures and the project charters for the recommended projects for presentation to the board.
- E. I would assess the architecture work today, create, and priorities projects to transition Widget Inc from the current architecture to target architecture
- F. This will include a business value for each project, the resources required and the intended timeline
- G. I would then validate the prioritizations with the board particularly looking at cost benefits and risk
- H. Lastly, I would generate the Architecture Implementation Roadmap and document lessons learned.
- I. I would assess the requirements of the organization particularly those requirements describing the functions required and information flows within the architecture
- J. I would then look to produce artifacts that describe the recommended projects, the risk, issues and dependencies
- K. This would also include transition architects to move us from current architecture to the recommended target architecture
- L. I would present my recommendations to the board for agreement
- M. Once this is done, I would update the architectures reflecting any changes resulting from the board discussion.
- N. I would look at the corporate culture and attitude to change, understand the constraints such as cost and the required time horizon
- O. I would then look at the architecture work to ensure it is complete and seek to address any gap
- P. I would review the functional requirements and ensure there are complete interoperability requirements
- Q. I would then validate any dependencies and risk
- R. Then formulate an implementation and migration strategy identifies major work packages and the transition architecture requirements
- S. Finally, once agreement is reached with the board I will create project charters and re-factor any changes needed from the board discussion into the architecture.

**Answer:** A

#### NEW QUESTION 4

Scenario: Vittronics Ltd.

Please read this scenario prior to answering the question

Vittronics Ltd. is a leading medical device manufacturer in the highly competitive market for Migraine Headache Pain Management (MHPM) devices. These tiny wireless devices are implanted in the brain and can deliver a precise electric shock when the wearable Pain Control Unit (PCU) detects an increase in stress induced by the onset of a migraine headache.

This technology will be a breakthrough in the treatment of this condition, and several competitors are striving to be the first to introduce a product into the market. However, all of them must demonstrate the effectiveness and safety of their products in a set of clinical trials that will satisfy the regulatory requirements of the countries in the target markets.

The Enterprise Architecture group at Vittronics has been engaged in an architecture development project to create a Secure Private Immersive Collaborative Environment (SPICE) that will allow researchers at its product development laboratories worldwide to share information about their independent clinical trials.

The Vittronics Enterprise Architecture group is a mature organization that has been utilizing

TOGAF for several years. They have recently upgraded to TOGAF 9. The Vittronics Architecture Development Method (VADM) is strictly based on the TOGAF 9 Architecture Development Method (ADM) with extensions required to support current good manufacturing practices and good laboratory practices in their target markets.

The SPICE project team has now completed the Business, Information Systems, and Technology Architecture phases and has produced a complete set of deliverables for each phase. Due to the highly sensitive nature of the information that is managed in SPICE, special care was taken to ensure that each architecture domain included an examination of the security and privacy issues that are relevant for each domain. A corresponding SPICE Security Architecture has been defined.

The Executive Vice President for Clinical Research is the sponsor of the Enterprise Architecture activity. He has stated that the changes to the SPICE architecture will need to be rolled out on a geographic basis that will minimize disruptions to ongoing clinical trials. The work will need to be done in stages and rolled out in geographical regions.

Refer to the Vittronics Ltd Scenario

You are serving as the Lead Architect for the SPICE project team.

You have been asked to recommend the approach to identify the work packages that will be included in the Transition Architecture(s).

Based on TOGAF 9, which of the following is the best answer?

- A. Create an Implementation Factor Assessment and Deduction Matrix and a Consolidated Gaps, Solutions and Dependencies Matrix
- B. For each gap, identify a proposed solution and classify it as new development, purchased solution, or based on an existing product
- C. Group similar solutions together to form work package
- D. Identify dependencies between work packages factoring in the clinical trial schedule
- E. Regroup the packages into a set of Capability Increments scheduled into a series of Transition Architectures and documented in an Architecture Definition Increments Table.
- F. Determine the set of Solution Building Blocks required by identifying which Solution Building Blocks need to be developed and which need to be procured
- G. Eliminate any duplicate building block
- H. Group the remaining Solution Building Blocks together to create the work packages using a CRLO matrix
- I. Rank the work packages in terms of cost and select the most cost-effective options for inclusion in a series of Transition Architectures
- J. Schedule the roll out of the work packages to be sequential across the geographic regions.
- K. Use a Consolidated Gaps, Solutions and Dependencies Matrix as a planning tool
- L. For each gap classify whether the solution is either a new development, purchased solution, or based on an existing product
- M. Group the similar solutions together to define the workpackage
- N. Regroup the work packages into a set of Capability Increments to transition to the Target Architecture taking into account the schedule for clinical trials.
- O. Group the Solution Building Blocks from a Consolidated Gaps, Solutions and Dependencies Matrix into a set of work package
- P. Using the matrix as a planning tool, regroup the work packages to account for dependencies
- Q. Sequence the work packages into the Capability Increments needed to achieve the Target Architecture
- R. Schedule the rollout one region at a time
- S. Document the progression of the enterprise architecture using an Enterprise Architecture State Evolution table.

**Answer:** A

#### NEW QUESTION 5

Scenario: MegaMart

Case Study Title (Case Study):

MegaMart is a Retail Chain which has expanded throughout India and the Far East. The CEO and CIO decide that there is a crying need to put an Enterprise Architecture in

place to realize MegaMart's strategy to expand its revenue and diversify. The CIO has evaluated and decided to go in for TOGAF9 and adapt it to his enterprise requirements.

The Preliminary and Vision Phase have been completed.

As such very few architectural artifacts exist and the target architecture as of now is not very clear. As the Lead Architect how would you guide your team of architects for the Business Architecture definition?



- A. In the first iteration start with the definition of the Target Business Architecture using a Top down Approach. Then keep on iterating in Phase B till the Target Business Architecture is refined before going to Phase C and Phase
- B. After Phase C and Phase D are over, iterate again to Phase B and define the baseline Business Architecture, analyze the gaps finalize the Architecture Definitions documents and proceed to Phase C and Phase D.
- C. In the first iteration start with the definition of the Baseline Business Architecture using a Top Down approach
- D. Define the Architecture Definition document after analyzing the impacts and reviewing with the stakeholder
- E. Then proceed to Phase C and Phase
- F. In the next iteration finalize the Target Business Architecture and proceed to Phase C and Phase D.
- G. In the first iteration start with the definition of the Baseline Business Architecture using a Bottom Up approach
- H. Define the Architecture Definition document after analyzing the impacts and reviewing with the stakeholders'. Proceed to Phase C and Phase
- I. In the next iteration finalize the Target Business Architecture, determine the gaps and the roadmap, and the impact and update the Architecture Definition document
- J. after analyzing the impacts and reviewing with the stakeholder
- K. Then proceed with the iteration.
- L. In the first iteration start with the definition of the Target Business Architecture using a Top Down approach
- M. Define the Architecture Definition document after analyzing the impacts and reviewing with the stakeholders proceed to Phase C and Phase
- N. In the next iteration finalize the Baseline Business Architecture, determine the gaps and the roadmap, and the impact and update the Architecture Definition document
- O. After analyzing the impacts and reviewing with the stakeholder
- P. Then proceed with the iteration.

**Answer: C**

#### NEW QUESTION 6

Scenario: Sollace Manufacturing

Please read this scenario prior to answering the question Sollace Manufacturing is a major supplier in the automotive industry, headquartered in Cleveland, Ohio with manufacturing plants in Chicago, Sao Paulo, Stuttgart, Yokohama, and Seoul. Each of these plants has been operating its own planning and production scheduling systems, as well as custom developed applications that drive the automated production equipment at each plant.

Sollace Manufacturing is implementing lean manufacturing principles to minimize waste and improve the efficiency of all of its production operations. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in process waste could be achieved by replacing the current planning and scheduling systems with a common Enterprise Resource Planning (ERP) system located in the Cleveland data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities. A reduced number of IT staff could support the remaining applications. In some cases, a third-party contractor could provide those staff. The Sollace Manufacturing Enterprise Architecture department has been operating for several years and has mature, well-developed architecture governance and development processes that are strongly based on TOGAF 9. At a recent meeting, the Architecture Review Board approved a Request for Architecture Work from the Chief Engineer of Global Manufacturing Operations who is the project sponsor. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation. The Common ERP Deployment architecture project team has now been formed, and the project team has been asked to develop an Architecture Vision that will achieve the desired outcomes and benefits. Some of the plant managers have expressed concern about the security and reliability of driving their planning and production scheduling from a central system located in Cleveland. The Chief Engineer wants to know how these concerns can be addressed.

Refer to the Sollace Manufacturing Scenario You are serving as the Lead Enterprise Architect for the Common ERP Deployment architecture project. One of the earliest initiatives in the Enterprise Architecture program at Sollace Manufacturing was the definition of a set of IT principles and architecture principles that are well aligned with the overall enterprise principles. These now need to be updated to address the concerns raised.

You have been asked to select a set of principles most appropriate for guiding the team to define a robust solution. [Note: You should assume that Sollace Manufacturing has adopted the example set of principles that are listed and defined in TOGAF 9, Section 23.6.] Based on TOGAF 9, which of the following is the best answer?

- A. Common-use Applications, Data is Shared, Data is Accessible, Data Security, Interoperability, Control Technical Diversity
- B. Business Continuity, Service-orientation, Data is Accessible, Data Security, Responsive Change Management
- C. Maximize Benefit to the Enterprise, Business Continuity, Common-use Applications, Data is Shared, Data is Accessible, Data Security
- D. Information Management is Everybody's Business, IT Responsibility, Data Trustee, Technology Independence, Responsive Change Management

**Answer: C**

#### NEW QUESTION 7

Scenario:

Please read this scenario prior to answering the Question

You have been assigned the role of Lead Enterprise Architect for a manufacturing firm that specializes in musical instruments. The firm has been established for over 100 years, operating in North America for most of that time. In the last ten years, the firm has expanded into European markets and will soon establish a market in Latin America. A future expansion into the Asia Pacific region is also planned.

The firm is organized into several business units that each focus on manufacturing particular families of instruments such as brass, woodwind, and percussion. Each business unit has acquired other producers to expand its manufacturing capacity. This has resulted in a complex environment with a high diversity of business and manufacturing systems.

The Enterprise Architecture (EA) program within the firm has been functioning for several years. It has made significant progress in consolidating the technology portfolio and establishing key standards. The CIO and the COO are joint sponsors of the EA program. The EA program is mature, with an active Architecture Board and a well-defined architecture process and standard content templates based on the TOGAF 9 Architecture Content Framework. The EA process framework is well coordinated with the PMO, Systems Development, and Operations functions.

The firm has completed a strategic plan to reorganize its Sales & Marketing organization according to the four target geographic markets. One of the goals of this reorganization is to improve the ability of Marketing to collect more meaningful market analytics that will enable each sector to better address market needs with effective marketing campaigns and global product presence.

A Request for Architecture Work to address the goals of the reorganization has been approved. As the architecture team commences its work, the CIO has expressed concerns about whether the firm will be able to adapt to the proposed architecture and how to manage the associated risks.

Refer to the Scenario

You have been asked how to address the concerns of the CIO. Based on TOGAF 9, which of the following is the best answer?

- A. In Phase B, the team should create a set of views that will enable them to identify the factors that will influence the successful introduction of the architecture into the organization
- B. There should then be an assessment of each factor on a maturity scale that will allow the team to gauge the urgency, readiness, and degree of difficulty to fix
- C. These factors can then be used to assess the initial risks associated with the proposed architecture.
- D. In Phase A the team should analyze their risk by completing an Implementation Factor Assessment and Deduction Matrix to identify the particular risks associated with the implementation and deployment

- E. The matrix should include a list of factors to be considered, their descriptions, and constraints that should be taken into account
- F. These factors can then be used to assess the initial risks associated with the proposed architecture.
- G. In Phase A, the team should use the Business Transformation Readiness Assessment technique to identify the factors that will influence the successful introduction of the architecture into the organization
- H. The assessment should include determining the readiness rating for each factor based on a maturity scale that will allow the team to gauge the urgency, readiness, and degree of difficulty to fix
- I. These factors can then be used to assess the initial risks associated with the proposed architecture.
- J. In Phase A, the team should conduct a Business Scenario to identify the stakeholders' concerns and the resulting retirement
- K. Once the retirements have been identified, they can be assessed in terms of their risk
- L. The risks should be evaluated in terms of how they could be avoided, transferred, or mitigated
- M. Any risks that cannot be resolved should be identified as residual risks and their disposition should be decided by the Architecture Board.

**Answer: C**

#### NEW QUESTION 8

Scenario:

Please read this scenario prior to answering the question

Your role is consultant to the Lead Architect within a company that manufactures a variety of small electromechanical devices. As part of a corporate-wide Lean Manufacturing initiative, the company has defined a strategic architecture to improve its ability to meet consumer demand and improve its ability to manage its supply chain. The strategic architecture called for the consolidation of multiple Enterprise Resource Planning (ERP) applications that have been operating independently in several of the divisions' production facilities. The goal is to replace the functionality of the existing applications with a new ERP product running as a single instance in the company's primary data center.

The company has a mature enterprise architecture practice and uses TOGAF 9 for the basis of its architecture framework. In addition to the EA program, the company has a number of management frameworks in use, including business planning, portfolio/project management, and operations management. The EA program is sponsored by the CIO.

Each division has completed the Architecture Definition documentation required to tailor and configure the environment to meet its own specific manufacturing requirements.

The enterprise architects have analyzed the key corporate change attributes and implementation constraints. A consolidated gap analysis has been completed which has identified the gaps across the Business, Data, Application, and Technology domains. Based on the results of the gap analysis, the architects have reviewed the requirements, dependencies and interoperability requirements needed to integrate the new ERP environment into the existing environment. The architects have completed the Business Transformation Readiness Assessment started in Phase A. Based on all of these factors they have produced a risk assessment.

Because of the risks posed by the complexity of the current environment, it has been determined that a phased approach is needed to implement the target architectures. The overall implementation process is estimated to take several years.

Refer to the Scenario

The Implementation and Migration Plan v0.1, the draft Architecture Roadmap, and the Capability Assessment deliverables are now complete. You have been asked to recommend the next steps to prepare the final Implementation and Migration Plan.

Based on TOGAF 9, which of the following is the best answer?

- A. You would apply the Business Value Assessment Technique to prioritize the implementation projects and project increment
- B. The assessment should focus on return on investment and performance evaluation criteria that can be used to monitor the progress of the architecture transformation
- C. You would confirm the Transition Architecture phases using an Architecture Definition Increments Table to list the project
- D. You would then document the lessons learned and generate the final plan.
- E. You would assess how the plan impacts the other frameworks in use in the organization
- F. Minimally, the plan should be coordinated with the business planning, portfolio/project management and operations management framework
- G. You would then assign a business value to each project, taking into account available resources and priorities for the project
- H. Finally, you would generate the Implementation and Migration Plan.
- I. You would conduct a series of Compliance Assessments to ensure that the implementation team is implementing the architecture according to the contract
- J. The Compliance Assessment should verify that the implementation team is using the proper development methodology
- K. It should include deployment of monitoring tools and ensure that performance targets are being met
- L. If they are not met, then changes to performance requirements should be identified and updated in the Implementation and Migration Plan.
- M. You would place the strategic Architecture Definition and Transition Architectures under configuration control as part of the ongoing architecture development cycle
- N. This will ensure that the architecture remains relevant and responsive to the needs of the enterprise
- O. You would then produce an Implementation Governance Model to manage the lessons learned prior to finalizing the plan
- P. You recommend that lessons learned be accepted by the Architecture Board as changes to the architecture without review.

**Answer: B**

#### NEW QUESTION 9

TotalComms is a telecommunications company formed from the merging of other 2 telecommunication companies. The business operating model has been unified, the TOGAF 9 Architecture Board approved the outline Implementation and Migration Plan the detailed migration planning must now be approved. Your help is needed to work on the migration planning with all the key stakeholders to achieve an agreement.

Refer to the scenario above

You are the Lead Architect asked to describe accordingly to TOGAF 9 the best way to address the following activities:

- ? The way the migration planning is conducted.
- ? What is going to be implemented.
- ? The stakeholders involved in the implementation.
- ? The definition of the deliverables to use

Choose one of the following answers

- A. The Chief Architect will conduct the Migration planning and then share it with the other domain architects. The migration plan will be formed by a list of projects, their priority, their costs and a recommendation on how to proceed
- B. After the plan is shared with the Architectural Board members and any observation that may raise concerns incorporated in the plan, any individual project will go in front of the board for the approval for resources for the next project increment
- C. A GANT chart will be included to be used as a roadmap.
- D. The Migration planning will be conducted as a series of steps: confirming and then coordinating the corporate management frameworks involved; establishing clear business value for the deliverables; creating detailed resource estimates for the work to do; define priority of the work, sequence and then the Transition Architecture
- E. After this, an Implementation and Migration Plan can be confirmed

- F. The Portfolio Management, Operations Management and Business Planning teams should be involved in the implementation of the major deliverable
- G. Once these have been completed, regular meetings will be done to enable the architecture to be kept up-to-date.
- H. Implementation and Migration Strategy will be used to define project plans focusing on scope, time and budget
- I. The business value of each project is assessed and Project Managers will prepare submissions to the IT governance Board to ask for their funding and the Lead Architect will be active part of the board
- J. The collection of project roadmaps and plans will be used to detail the EA Implementation and Migration Plan.
- K. This step will be conducted by the Enterprise Architecture team involving Business, Application, Data, Technology, and Security architect
- L. They will implement the Transition Architectures and together will prioritize a list of activities and include the Architecture Building Blocks in an Implementation and Migration Plan and Roadmap
- M. After this, the comments on the deliverables shared with lines of business and the members of the Executive Board are integrated, this to enable the funding on the Enterprise Architecture work.

**Answer: B**

#### NEW QUESTION 10

Scenario: Eight Twelve

Eight Twelve has retail outlets throughout North America. An Enterprise Architecture practice already exists in Eight Twelve. Now the CEO and CIO decide that they want to use TOGAF9 to re-architect their Enterprise Architecture to cater to the changing strategies of Eight Twelve to better respond to the changes in the economic and technology environments.

Some of the key issues which need to be addressed in this re-architecting work are:

1. Since Eight Twelve's retail chain operate 24 hours a day and are expanding to South America and Europe, the retail chain business ecosystem should be able to withstand any unforeseen disruptions which might affect the chain's day to day operations. This is highly critical to ensure high levels of customer satisfaction and thus maintaining and enhancing Eight Twelve's revenue chain.
2. Dependency between the application components, which are the nerve centers to Eight Twelve's sophisticated range of services both external and internal, and the application platform and technology infrastructure should be minimal. This would facilitate scalability and ease of enhancement of the service offerings.
3. Eight Twelve uses the ARTS Data Model and the quality of data is of utmost importance for its operation.
4. Users of the Enterprise Information ecosystem should have an environment which is able to cater to their needs without any undue delays.

Which one of the following set of Architecture Principles do you feel is the most appropriate for these guidelines stated above for the TOGAF 9 architecting work which Eight Twelve is embarking on?

- A. a) Maximize Benefit to the Enterprise b).Data Trustee c) Service Orientation d) Responsive Change Management
- B. a) Business Continuity b).Data is an Asset c) Data is Shared d) Requirements Based Change
- C. a) Maximize Benefit to the Enterprise b).Data is an Asset c) Data is Shared d) Requirements Based Change
- D. a) Business Continuity b).Data Trustee c) Technology Independence d) Responsive Change Management

**Answer: D**

#### NEW QUESTION 10

Scenario: Vittronics Ltd.

Please read this scenario prior to answering the question

Vittronics Ltd. is a leading medical device manufacturer in the highly competitive market for Migraine Headache Pain Management (MHPM) devices. These tiny wireless devices are implanted in the brain and can deliver a precise electric shock when the wearable Pain Control Unit (PCU) detects an increase in stress induced by the onset of a migraine headache.

This technology will be a breakthrough in the treatment of this condition, and several competitors are striving to be the first to introduce a product into the market. However, all of them must demonstrate the effectiveness and safety of their products in a set of clinical trials that will satisfy the regulatory requirements of the countries in the target markets.

The Enterprise Architecture group at Vittronics has been engaged in an architecture development project to create a Secure Private Immersive Collaborative Environment (SPICE) that will allow researchers at its product development laboratories worldwide to share information about their independent clinical trials. The Vittronics Enterprise Architecture group is a mature organization that has been utilizing TOGAF for several years. They have recently upgraded to TOGAF 9. The Vittronics Architecture Development Method (VADM) is strictly based on the TOGAF 9 Architecture Development Method (ADM) with extensions required to support current good manufacturing practices and good laboratory practices in their target markets.

The SPICE project team has now completed the Business, Information Systems, and Technology Architecture phases and has produced a complete set of deliverables for each phase. Due to the highly sensitive nature of the information that is managed in SPICE, special care was taken to ensure that each architecture domain included an examination of the security and privacy issues that are relevant for each domain. A corresponding SPICE Security Architecture has been defined.

The Executive Vice President for Clinical Research is the sponsor of the Enterprise Architecture activity.

Refer to the Vittronics Ltd Scenario:

You are serving as the Lead Architect for the SPICE project team.

As required by TOGAF, the SPICE project team recently completed a Business Transformation Readiness Assessment in Phase A (Architecture Vision). In that assessment, it was determined that there are risks associated with the adoption of the Immersive Collaborative Environment. Despite a clear expression of the vision and the business need for utilizing SPICE to accelerate the clinical trials, the researchers have been resisting the change because of concerns about safeguarding individually identifiable information about the subjects who were participating in the trials.

You have been asked to recommend how this situation be managed in the implementation planning phases.

Based on TOGAF 9, which of the following is the best answer?

- A. You decide that in Phase E, the team creates an overall solutions strategy that can guide the Target Architecture implementation and structure the Transition Architecture
- B. You check that there is consensus before proceeding.
- C. You decide to return to Phase A, where the team should brainstorm a technical solution that mitigates the residual risks presented by the privacy issue
- D. Then, during Phase D, you will direct the team to develop an Architecture Building Block to manage the security risk
- E. After that, the team should select Solution Building Blocks that mitigate all of the identified risks and revise the Requirements Impact Statement to reflect the changes to the high-level solutions strategy and migration plan.
- F. You decide that in Phase E, the team review the Business Transformation Readiness Assessment and identify, classify, and mitigate the risks associated with the identified readiness factor
- G. If the risks can be satisfactorily mitigated, then you would continue to define a high-level solutions strategy that includes the Transition Architectures needed to make the change culturally and technically feasible.
- H. You decide that in Phase E, the team determines an approach to implementing an overall strategic direction that will address and mitigate the risks identified.

**Answer: B**



#### NEW QUESTION 14

Scenario: Rollins Manufacturing

Please read this scenario prior to answering the question

Rollins Manufacturing is a major supplier in the automotive industry, headquartered in Cleveland, Ohio with manufacturing plants in Chicago, Sao Paulo, Stuttgart, Yokohama, and Seoul. Each of these plants has been operating its own Manufacturing Requirements

Planning (MRPII) system, production scheduling, and custom developed applications that drive the automated production equipment at each plant.

Rollins is implementing lean manufacturing principles to minimize waste and improve the efficiency of all of its production operations. During a recent exercise held for internal quality improvement, it was determined that a significant reduction in process waste could be achieved by replacing the current MRPII and scheduling systems with a common Enterprise Resource Planning (ERP) system located in the Cleveland data center. This central system would provide support to each of the plants replacing the functionality in the existing systems. It would also eliminate the need for full data centers at each of the plant facilities. A reduced number of IT staff could support the remaining applications. In some cases, a third-party contractor could provide those staff.

The Rollins Enterprise Architecture department has been operating for several years and has mature, well-developed architecture governance and development processes that are strongly based on TOGAF 9. At a recent meeting, the Architecture Review Board approved a Request for Architecture Work from the Chief Engineer of Global Manufacturing Operations who is the project sponsor. The request covered the initial architectural investigations and the development of a comprehensive architecture to plan the transformation.

The Common ERP Deployment architecture project team has now been formed, and the project team has been asked to develop an Architecture Vision that will achieve the desired outcomes and benefits. Some of the plant managers have expressed concern about the security and reliability of driving their MRPII and production scheduling from a central system located in Cleveland. The Chief Engineer wants to know how these concerns can be addressed.

Refer to the Rollins Manufacturing Scenario

You are serving as the Lead Enterprise Architect of the newly-formed Common ERP Deployment architecture project team.

As the Common ERP Deployment architecture project team assembles for its initial meeting, many of the participants have voiced concerns about the sweeping scope of the initiative. Others are confident that they know a solution that will work. During the meeting, a number of alternative recommendations for how to proceed are put forward by members of the team.

You have been asked to select the most appropriate recommendation to ensure that the team evaluates different approaches to the problem and clarifies the requirements for the architecture.

Based on TOGAF 9, which of the following is the best answer?

- A. The team should hold a series of interviews at each of the manufacturing plants using the business scenario technique
- B. This will then enable them to identify and document the characteristics of the architecture from the business requirements.
- C. The team should exercise due diligence and carefully research vendor literature and conduct a series of briefings with vendors that are on the current approved supplier list
- D. Based on the findings from the research, the team should define a preliminary target Architecture Vision
- E. The team should then use that model to build consensus among the key stakeholders.
- F. The team should create Baseline and Target Architectures for each of the manufacturing plant
- G. A gap analysis between the architectures will then validate the approach, and determine the Transition Architecture needed to achieve the target state.
- H. The team should conduct a pilot project that will enable vendors on the short list to demonstrate potential solutions that will address the concerns of the stakeholder
- I. Based on the findings of that pilot project, a complete set of requirements can be developed that will drive the evolution of the architecture.

**Answer: A**

#### NEW QUESTION 16

Scenario:

Please read this scenario prior to answering the Question

Your role is that of Lead Enterprise Architect within a vacation property management firm that has been growing through acquisition. The firm manages over 200 resort properties across North America. Many of the resort properties use the same internal IT systems that they used before they were acquired. Until recently, the only requirement that has been placed on each property is that they use a standard financial reporting system to report their financial results to the headquarters on a weekly basis.

The CEO has stated his concerns about the inefficiencies of the current approach and identified the need to change. He has defined a new strategic vision that will enhance the business by standardizing its operations across the network to provide consolidated financial, human resources, logistics, sales and marketing, and yield management. He has also stated that he expects results by the end of the current fiscal year.

These changes will provide the company with improved utilization of its capacity and more efficient operations. The addition of a corporate-wide data warehouse will provide analytics that will enable the marketing group to improve its ability to target advertising into key markets to improve yields.

The firm has a mature enterprise architecture practice and uses TOGAF 9 as the method and guiding framework. The CIO is the sponsor of the activity.

In planning this change, the Chief Architect engaged the services of a well-known consulting firm that specializes in business strategy. An initial study has been conducted to identify the strategic changes needed to implement the CEO's vision. This recently completed with approval of a strategic architecture encompassing the entire firm, including detailed requirements and recommendations.

Based on the recommendations from the initial study, the firm has taken the decision to adopt a packaged suite of integrated applications that is tailored to the needs of the hospitality industry.

Refer to the scenario

You have been asked by the Chief Architect to justify the best approach for architecture development to realize the CEO's vision.

Based on TOGAF 9, which of the following is the best answer?

- A. You recommend that the target architecture is defined first, followed by transition planning
- B. This is because the vision is well understood and the strategic architecture agrees
- C. This will ensure that the current problems and inefficiencies of the baseline architecture are not carried forward, and that the proposed solution addresses the requirements identified in the initial study.
- D. You recommend that the team focus on architecture definition, with a specific emphasis on understanding the strategic change parameters of the business strategy
- E. Once understood, the team will be in the best position to identify the requirements, drivers, issues, and constraints for this engagement
- F. You would ensure that the target architecture addresses non-functional requirements so as to ensure the target architecture is robust and secure.
- G. You recommend that the team focus on defining the target architecture by going through the architecture definition phases (B-D). This is because the initial study identified the need to change
- H. This will ensure that the change can be defined in a structured manner and address the requirements needed to realize the vision.
- I. You recommend that this engagement define the baseline Technology Architecture first in order to assess the current infrastructure capacity and capabilities
- J. Then the focus should be on transition planning and architecture deployment
- K. This will identify retirements to ensure that the projects are sequenced in an optimal fashion so as to realize the vision.

**Answer: D**

#### NEW QUESTION 21

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual OG0-092 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the OG0-092 Product From:

<https://www.2passeasy.com/dumps/OG0-092/>

## Money Back Guarantee

### OG0-092 Practice Exam Features:

- \* OG0-092 Questions and Answers Updated Frequently
- \* OG0-092 Practice Questions Verified by Expert Senior Certified Staff
- \* OG0-092 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* OG0-092 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year