

ANS-C00 Dumps

AWS Certified Advanced Networking Specialty Exam

<https://www.certleader.com/ANS-C00-dumps.html>



NEW QUESTION 1

Considering your knowledge of both the OSI and TCP/IP models - select the following statement which you consider to NOT be true.

- A. The TCP/IP Application layer maps to 2 of the OSI Layers
- B. The top layer in the OSI model is named the Application layer
- C. The TCP/IP Application layer maps to 3 of the OSI Layers
- D. The top layer in the TCP/IP model is named the Application layer

Answer: A

Explanation:

Reference:

https://en.wikipedia.org/wiki/OSI_model

NEW QUESTION 2

Select the VPC Peering statement below that is NOT true

- A. VPC peering supports transitive peering relationships for IPv6 traffic but not IPv4
- B. VPC peering can be performed between VPCs in different AWS accounts in the same region
- C. TCP connections can be performed between peered VPCs
- D. UDP connections can be performed between peered VPCs

Answer: A

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/vpc-peering-basics.html#vpcpeering- limitations>

NEW QUESTION 3

You are the AWS cloud architect and have been tasked with designing an appropriate subnetting design for your production VPC. Your production VPC requires secure communications back to the corporate private network. Quality of Service (QoS) is very important 24x7 for this particular connection, as real-time data is passed continually backwards and forwards between your on-prem bioinformatics enterprise application, and the number crunching servers deployed in the cloud. Any potential latency incurred on this connection will have a direct impact on the company's ability to attract investors and expansion into new markets. Select the correct network configuration that best facilitates your company's continued growth plans.

- A. Provision a Direct Connect connection - between your service provider's data center and the AWS region that your cloud compute resources exist in . Configure just a Private VirtualInterface
- B. As this is a Direct Connection, a Virtual Private Gateway is not required
- C. Configure a site-to-site layer 2 software router using OpenVPN within your VPC and ensure that QoS enabled - this is a secure and cheap option
- D. Configure a site-to-site layer 3 software router using OpenVPN within your VPC and ensure that QoS enabled - this is a secure and cheap option
- E. Provision a Direct Connect connection - between your existing service provider's data center and the AWS region that your cloud compute resources exist i
- F. Configure a Virtual Private Gateway and Private Virtual Interface

Answer: D

Explanation:

Reference:

<https://aws.amazon.com/directconnect/faqs/>

NEW QUESTION 4

You are your company's AWS cloud architect. You have created a VPC topology that consists of 3 VPCs. You have a centralised VPC (VPC-Shared) that provides shared services to the remaining 2 departmental dedicated VPCs (VPC-Dept1 and VPC-Dept2). The centralised VPC is VPC peered to both of the departmental VPCs, that is a VPC peering connection exists between VPC-Shared and VPC-Dept1, and a VPC peering connection exists between VPC-Shared and VPC-Dept2. Select the correct option from the list below.

- A. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been disabled.
- B. Instances within VPC-Dept1 can communicate directly with instances in VPC-Shared, as long as the appropriate routes and security groups are in place, and vice versa regardless of who initiates communication
- C. All network communication remains blocked between all VPCs until the respective peering bidirectional communication flags are set to the appropriate setting that allows traffic to flow.
- D. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been enabled.

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-partialaccess. html#one-to-two-vpcs-instances>

NEW QUESTION 5

In your current role as the corporate network architect - you have decided to replace your existing hardware firewall appliances with a pair of Juniper SRX-Series Services Gateways. You have chosen these as AWS lists these as supportable devices for establishing IPsec connections. With this in mind, select the minimum set of options to ensure that you can establish IPsec connectivity between your on premise private corporate network and your AWS hosted VPC. Select which option is NOT required

- A. Initiate network connections from somewhere within your corporate network, this is required to bring the tunnels UP

- B. Deploy a Customer Gateway within your corporate network
- C. Deploy a Customer Gateway within your VPC
- D. Deploy a Virtual Private Gateway within your VPC

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 6

Within the TCP/IP model what is the name of the Packet Data Unit (PDU) used between Transport Layers for communication between sender and receiver

- A. Frames
- B. Packets
- C. Data
- D. Segments

Answer: D

Explanation:

Reference:
https://en.wikipedia.org/wiki/Transmission_Control_Protocol

NEW QUESTION 7

An unfortunate situation has just come to your attention. A business critical application with sensitive data running on-prem will run out of storage disk space in 24hrs. This business critical application is dependent a very large set of routes - required for integration with other system. You make a quick but well informed decision to migrate this application quickly to AWS. You are able to quickly launch a new VPC and within it equivalent infrastructure to re-home the application. In order to complete the replication of application data and ensure the application remains operational beyond the next 24hrs, select the best implementation.

- A. Within the new VPC - establish a Direct Connect connection with max 10Gbps port speed for data replicatio
- B. Establish a 802.1Q VLAN and configure a Virtual Private Gateway and Private Virtual Interface, and ensure Jumbo Frames is enabled.
- C. Within the new VPC - deploy a Virtual Private Gateway, Customer Gateway, and establish a new IPsec VPN Connection with BGP dynamic routing
- D. Within the new VPC - deploy a Virtual Private Gateway, Customer Gateway, and establish a new IPsec VPN Connection with static routing, and ensure Jumbo Frames is enabled.
- E. Within the new VPC - deploy a software based virtual router (for example a Cisco CSR). Configure with dual ENIs (external and internal), create and attach an EIP to the external ENI, Configure and setup IPsec VPN tunnels, and ensure Jumbo Frames is enabled.

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonVPC/latest/NetworkAdminGuide/GenericConfig.html>

NEW QUESTION 8

Convert the following IPv4 address in presented in binary form, into dotted decimal form 10101100.01111011.00001101.10011101

- A. 172.123.13.157
- B. 173.13.13.157
- C. 172.122.13.15
- D. 172.124.13.57

Answer: A

Explanation:

Reference:
<https://en.wikipedia.org/wiki/IPv4>

NEW QUESTION 9

You have been tasked with migrating your company's proprietary massively large dataset sorting application to AWS. The application currently runs on 4 highly spec'd servers that are in a cluster arrangement and runs 24x7, with the average CPU utilisation across any 24hr period being approx 85% - the migration of this cluster once up and running on AWS is expected to run similarly. The servers shuffle data internally and between themselves. Your company's financial performance is entirely dependent on the speed at which it can sort your customers datasets, that is the faster a sorted result can be returned the better your company's bottom line. Of the choices presented below, select the optimal network configuration that will ensure the best financial results for your company.

- A. Disable Jumbo Frames to ensure better data throughput between instances
- B. Enable Jumbo Frames to ensure better data throughput between instances
- C. Create an autoscaled group of c4.8xlarge instances - with min 1 and max 4 - this will ensure your operational costs a minimal
- D. Configure a CloudWatch Alarm to add more CPUs to the instances when average cluster CPU utilisation breaches 85%

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 10

Which statement is NOT true about accessing remote AWS region in the US by your AWS Direct Connect which is located in the US?

- A. To connect to a VPC in a remote region, you can use a virtual private network (VPN) connection over your public virtual interface.
- B. To access public resources in a remote region, you must set up a public virtual interface and establish a border gateway protocol (BGP) session.
- C. If you have a public virtual interface and established a BGP session to it, your router learns the routes of the other AWS regions in the US.
- D. Any data transfer out of a remote region is billed at the location of your AWS Direct Connect data transfer rate.

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/remote_regions.html

NEW QUESTION 10

Over which of the following Ethernet standards does AWS Direct Connect link your internal network to an AWS Direct Connect location?

- A. Copper backplane cable
- B. Twisted pair cable
- C. Single mode fiber-optic cable
- D. Shielded balanced copper cable

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

NEW QUESTION 14

Fill in the blanks: One of the basic characteristics of security groups for your VPC is that you _____ .

- A. can specify allow rules, but not deny rules
- B. can specify deny rules, but not allow rules
- C. can specify allow rules as well as deny rules
- D. can neither specify allow rules nor deny rules

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_SecurityGroups.html

NEW QUESTION 18

Which of the following physical layer standards is required for connection to AWS Direct Connect over a standard 1 gigabit or 10 gigabit Ethernet fiber-optic cable?

- A. Single mode fiber, 1000BASE-LX for 1 gigabit Ethernet, or 10GBASE-ER for 10 gigabit Ethernet
- B. Multi mode fiber, 1000BASE-LX for 1 gigabit Ethernet, or 10GBASE-ER for 10 gigabit Ethernet
- C. Single mode fiber, 1000BASE-LX for 1 gigabit Ethernet, or 10GBASE-LR for 10 gigabit Ethernet
- D. Multi mode fiber, 1000BASE-SX for 1 gigabit Ethernet, or 10GBASE-SR for 10 gigabit Ethernet

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

NEW QUESTION 20

To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

- A. Complete the Cross Connect
- B. Verify your Virtual Interface
- C. Create a Virtual Interface
- D. Submit AWS Direct Connect Connection Request

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterfac>

NEW QUESTION 22

Does Amazon VPC support multicast or broadcast?

- A. Yes, both.
- B. It doesn't support any of them.
- C. Multicast yes, Broadcast no.
- D. Both, but only outside Amazon VP

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 23

Imagine you are using AWS Direct Connect with just one connection from your router to the AWS Direct Connect router. If your connection becomes unavailable, the communication with AWS cloud is lost. What is the best method to prevent this from happening?

- A. AWS Direct Connect neither provides BGP nor provides the failover.
- B. AWS Direct Connect recommends to have the same configuration set up in a multi AZ zone to prevent such loss in connections.
- C. AWS Direct Connect recommends that you request and configure two dedicated connections to AWS either using BGP Multipath (Active/Active) connection or the failover (Active/Passive) connection.
- D. AWS Direct connect does not have a provision to prevent the situation but when you design the system, it is recommended to request a back-up instance to which the traffic can be re-routed.

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnections>

NEW QUESTION 25

After setting an AWS Direct Connect, which of the following cannot be done with an AWS Direct Connect Virtual Interface?

- A. You can delete a virtual interface; if its connection has no other virtual interfaces, you can delete the connection.
- B. You can change the region of your virtual interface.
- C. You can create a hosted virtual interface.
- D. You can exchange traffic between the two ports in the same region connecting to different Virtual Private Gateways (VGWs) if you have more than one virtual interface.

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html>

NEW QUESTION 28

By default, all AWS accounts are limited to EIPs, because public (IPv4) Internet addresses are a scarce public resource.

- A. 5
- B. 8
- C. 6
- D. 2

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>

NEW QUESTION 29

Which of the following types of contents cannot serve over HTTP or HTTPS in Amazon CloudFront?

- A. Apple HTTP Live Streaming
- B. Static and dynamic download content
- C. Adobe Flash multimedia content
- D. CloudFront RTMP distribution

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-overview.html>

NEW QUESTION 30

In the context of CloudFront RTMP Distribution, the Adobe Flash Media Server _____ file specifies which domains can access media files in a particular domain.

- A. accessdomain.JSON
- B. crossdomain.xml
- C. accessdomain.xml
- D. crossdomain.JSON

Answer: B

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_CrossDomain.html

NEW QUESTION 34

For ____ distributions, CloudFront does not cache cookies in edge caches.

- A. AMI
- B. Web
- C. RTMP
- D. Web and RTMP

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 38

What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

- A. Unlimited
- B. 5 GB
- C. 100 MB
- D. 20 GB

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBehaviorS3Origin.html#ResponseBehaviorS3Origin>

NEW QUESTION 41

In the context of Amazon CloudFront Actions, you use the _____ when specifying APIs in IAM policies.

- A. object names
- B. class names
- C. entity names
- D. action names

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/UsingWithIAM.html>

NEW QUESTION 44

With AWS CloudTrail, creating multiple trails in one region allows _____ to focus on one aspect of AWS operation.

- A. callers
- B. events
- C. buckets
- D. stakeholders

Answer: D

Explanation:

Reference:

<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 47

What is the maximum number of CloudTrails that you can create per AWS region?

- A. 10
- B. 2
- C. 16
- D. 5

Answer: D

Explanation:

Reference:

<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 51

Use _____ to get more visibility into the health of your AWS Elastic Beanstalk application and take appropriate actions in case of hardware failure or performance degradation.

- A. Amazon Elastic Beanstalk command line
- B. Amazon EC2 log files
- C. Amazon CloudWatch
- D. Amazon Load balancing

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/concepts.concepts.design.html>

NEW QUESTION 52

To directly manage your CloudTrail security layer, you can use _____ for your CloudTrail log files.

- A. SSE-S3
- B. SCE-KMS
- C. SCE-S3
- D. SSE-KMS

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/awscloudtrail/latest/userguide/encrypting-cloudtrail-log-files-withaws-kms.html>

NEW QUESTION 57

What service is used to store the log files generated by CloudTrail?

- A. EC2
- B. EBS
- C. S3
- D. VPC

Answer: C

Explanation:

Reference: <https://aws.amazon.com/cloudtrail/>

NEW QUESTION 61

Which CloudWatch attributes are used for the statistics generation?

- A. All the options are used
- B. Dimension
- C. Data point unit
- D. NameSpace

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/APIReference/API_MetricDatum.html

NEW QUESTION 62

Which of the following statements is true of AWS Elastic Beanstalk?

- A. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, meaning CloudWatch costs are applied to your AWS account for any alarms that you use.
- B. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, and both are free of charge.
- C. AWS Elastic Beanstalk doesn't use CloudWatch for monitoring and alarms, but you pay extra for any AWS Elastic Beanstalk Alarm you set in the monitoring tool.
- D. AWS Elastic Beanstalk has its own free-of-charge monitoring tool, and you are not charged for the alarm you set.

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.alarms.html>

NEW QUESTION 64

Which of the following services is used to send an alert from CloudWatch?

- A. AWS SNS
- B. AWS EBS
- C. AWS SES
- D. AWS SQS

Answer: A

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/related_services.html**NEW QUESTION 66**

Which endpoint is considered to be best practise when analysing data within a Configuration Stream of AWS Config?

- A. SNS
- B. E-Mail
- C. SQS
- D. Kinesis

Answer: C**Explanation:**

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/monitor-resource-changes.html>**NEW QUESTION 70**

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains another JSON string in its _____ parameter, which describes the event that triggered the rule.

- A. resultToken
- B. eventLeftScope
- C. invokingEvent
- D. configRuleName

Answer: C**Explanation:**

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html**NEW QUESTION 72**

You can use the _____ page of the AWS Config console to look up resources that AWS Config has discovered, including deleted resources and resources that are not currently being recorded.

- A. snapshot listing
- B. configuration history
- C. resource inventory
- D. resource database

Answer: C**Explanation:**

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/looking-up-discovered-resources.html>**NEW QUESTION 74**

An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's _____, which can include a combination of a resource type and a resource ID, for example.

- A. trigger
- B. domain
- C. manifest
- D. scope

Answer: D**Explanation:**

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>**NEW QUESTION 78**

Which other AWS service is used to track 'Related Events' within the Configuration Item?

- A. AWS WAF
- B. SQS
- C. AWS CloudTrail
- D. S3

Answer: C**Explanation:**

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/resource-config-reference.html#configitem-table>

NEW QUESTION 83

Which element of AWS Config can be used to help maintain internal and external compliance controls?

- A. Configuration Item
- B. Configuration Recorder
- C. Configuration Streams
- D. Config Rules

Answer: D

Explanation:

Reference:
<https://aws.amazon.com/config/>

NEW QUESTION 85

Which AWS service is used within an AWS Config Rule to perform the logic evaluation of that rule?

- A. Inspector
- B. WAF
- C. Lambda
- D. SWF

Answer: C

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules_nodejssample.html

NEW QUESTION 90

A user is collecting 1000 records per second. The user wants to send the data to CloudWatch using a custom namespace, Which of the below mentioned options is recommended for this activity?

- A. Aggregate the data with statistics, such as Min, max, Average, Sum and Sample data and send the data to CloudWatch
- B. Send all the data values to CloudWatch in a single command by separating them with a comm
- C. CloudWatch will parse automatically
- D. It is not possible to send all the data in one cal
- E. Thus, it should be sent one by on
- F. CloudWatch will aggregate the data automatically
- G. Create one csv file of all the data and send a single file to CloudWatch

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/publishingMetrics.html>

NEW QUESTION 94

A user is having data generated randomly based on a certain event. The user wants to upload that data to CloudWatch. It may happen that event may not have data generated for some period due to randomness. Which of the below mentioned options is a recommended option for this case?

- A. For the period when there is no data, the user should not send the data at all
- B. The user must upload the data to CloudWatch as having no data for some period will cause an error at CloudWatch monitoring
- C. For the period when there is no data the user should send the value as 0
- D. For the period when there is no data the user should send a blank value

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/publishingMetrics.html>

NEW QUESTION 98

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) _____ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. invokingEvent
- B. mappingTemplate
- C. ruleConfiguration
- D. inputParameters

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html

NEW QUESTION 101

You can use the _____ command of the AWS Config service CLI to see the compliance state of each resource that AWS Config evaluates for a specific rule.

- A. describe-compliance-by-resource
- B. describe-compliance-by-config-rule
- C. get-compliance-details-by-config-rule
- D. get-compliance-details-by-config-rule

Answer: C

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 105

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your ANS-C00 Exam with Our Prep Materials Via below:

<https://www.certleader.com/ANS-C00-dumps.html>