

## 1Z0-071 Dumps

### Oracle Database 12c SQL

<https://www.certleader.com/1Z0-071-dumps.html>



**NEW QUESTION 1**

Evaluate the following SQL statements that are issued in the given order:

```
CREATE TABLE emp
(emp_no NUMBER(2) CONSTRAINT emp_emp_no_pk PRIMARY KEY,
ename VARCHAR2(15),
salary NUMBER (8,2),
mgr_no NUMBER(2) CONSTRAINT emp_mgr_fk REFERENCES emp(emp_no));
ALTER TABLE emp
DISABLE CONSTRAINT emp_emp_no_pk CASCADE;
ALTER TABLE emp
ENABLE CONSTRAINT emp_emp_no_pk;
What would be the status of the foreign key EMP_MGR_PK?
```

- A. It would remain disabled and can be enabled only by dropping the foreign key constraint and recreating it.
- B. It would remain disabled and has to be enabled manually using the ALTER TABLE command.
- C. It would be automatically enabled and immediate.
- D. It would be automatically enabled and deferred.

**Answer: B**

**NEW QUESTION 2**


You must write a query that prompts users for column names and conditions every time it is executed. (Choose the best answer.)  
The user must be prompted only once for the table name. Which statement achieves those objectives?

- A. SELECT &col1, '&col2'FROM &tableWHERE &&condition = '&cond';
- B. SELECT &col1, &col2 FROM "&table"WHERE &condition =&cond;
- C. SELECT &col1, &col2 FROM &&tableWHERE &condition = &cond;
- D. SELECT &col1, &col2 FROM &&tableWHERE &condition = &&cond

**Answer: C**

**NEW QUESTION 3**

View the Exhibit and examine the structure of the EMPLOYEES and JOB\_HISTORY tables. (Choose all that apply.)



Examine this query which must select the employee IDs of all the employees who have held the job SA\_MAN at any time during their employment.  
SELECT EMPLOYEE\_ID FROM EMPLOYEES WHERE JOB\_ID = 'SA\_MAN'

```
----- SELECT EMPLOYEE_ID FROM JOB_HISTORY WHERE JOB_ID = 'SA_MAN';
```

Choose two correct SET operators which would cause the query to return the desired result.

- A. UNION
- B. MINUS
- C. INTERSECT
- D. UNION ALL

**Answer: AD**

**NEW QUESTION 4**

Which two statements are true regarding the COUNT function?

- A. A SELECT statement using the COUNT function with a DISTINCT keyword cannot have a WHERE clause.
- B. COUNT (DISTINCT inv\_amt) returns the number of rows excluding rows containing duplicates and NULL values in the INV\_AMT column.
- C. COUNT (cust\_id) returns the number of rows including rows with duplicate customer IDs and NULL value in the CUST\_ID column.
- D. COUNT (\*) returns the number of rows including duplicate rows and rows containing NULL value in any of the columns.
- E. The COUNT function can be used only for CHAR, VARCHAR2, and NUMBER data types.

**Answer: BD**

**NEW QUESTION 5**

Which statement is true regarding the UNION operator?

- A. By default, the output is not sorted.
- B. Null values are not ignored during duplicate checking.
- C. Names of all columns must be identical across all select statements.
- D. The number of columns selected in all select statements need not be the same.

**Answer: B**

**NEW QUESTION 6**

Examine the data in the CUST\_NAME column of the CUSTOMERS table.

CUST\_NAME

-----  
Renske Ladwig Jason Mallin Samuel McCain Allan MCEwen Irene Mikilineni Julia Nayer

You need to display customers' second names where the second name starts with "Mc" or "MC". Which query gives the required output?

- A. SELECT SUBSTR (cust\_name, INSTR (cust\_name, '')+1)FROM customersWHERE SUBSTR (cust\_name, INSTR (cust\_name, '')+1)LIKE INITCAP ('MC%');
- B. SELECT SUBSTR (cust\_name, INSTR (cust\_name, '')+1)FROM customersWHERE INITCAP (SUBSTR(cust\_name, INSTR (cust\_name, '')+1)) = 'Mc';
- C. SELECT SUBSTR (cust\_name, INSTR (cust\_name, '')+1)FROM customersWHERE INITCAP (SUBSTR(cust\_name, INSTR (cust\_name, '')+1))LIKE 'Mc%';
- D. SELECT SUBSTR (cust\_name, INSTR (cust\_name, '')+1)FROM customersWHERE INITCAP (SUBSTR(cust\_name, INSTR (cust\_name, '')+1)) =INITCAP 'MC%';

**Answer: C**

**NEW QUESTION 7**

View the exhibit for the structure of the STUDENT and FACULTY tables. STUDENT

NameNull?Type

----- STUDENT\_IDNOT NULLNUMBER(2) STUDENT\_NAMEVARCHAR2(20) FACULTY\_IDVARCHAR2(2)

LOCATION\_IDNUMBER(2) FACULTY

NameNull?Type

----- FACULTY\_IDNOT NULLNUMBER(2) FACULTY\_NAMEVARCHAR2(20) LOCATION\_IDNUMBER(2)

You need to display the faculty name followed by the number of students handled by the faculty at the base location.

Examine the following two SQL statements: Statement 1

SQL>SELECT faculty\_name, COUNT(student\_id) FROM student JOIN faculty

USING (faculty\_id, location\_id) GROUP BY faculty\_name; Statement 2

SQL>SELECT faculty\_name, COUNT(student\_id)

FROM student NATURAL JOIN faculty GROUP BY faculty\_name;


Which statement is true regarding the outcome?

- A. Only statement 2 executes successfully and gives the required result.
- B. Only statement 1 executes successfully and gives the required result.
- C. Both statements 1 and 2 execute successfully and give different results.
- D. Both statements 1 and 2 execute successfully and give the same required result.

**Answer: B**

**NEW QUESTION 8**

View the Exhibit and examine the structure of the ORDERS table.



Which UPDATE statement is valid?

- A. UPDATE ordersSET order\_date = '12-mar-2007',order\_total IS NULLWHERE order\_id = 2455;
- B. UPDATE ordersSET order\_date = '12-mar-2007',AND order\_total = TO\_NUMBER(NULL)WHERE order\_id = 2455;
- C. UPDATE ordersSET order\_date = '12-mar-2007',order\_total = NULLWHERE order\_id = 2455;
- D. UPDATE ordersSET order\_date = TO\_DATE('12-mar-2007','dd-mon-yyyy'),SET order\_total = TO\_NUMBER (NULL)WHERE order\_id = 2455;

**Answer: C**

**NEW QUESTION 9**

Evaluate the following SQL statement:

```
SQL> select cust_id, cust_last_name "Last name" FROM customers
WHERE country_id = 10 UNION
SELECT cust_id CUST_NO, cust_last_name FROM customers
WHERE country_id = 30
```

Identify three ORDER BY clauses either one of which can complete the query.

- A. ORDER BY "Last name"
- B. ORDER BY 2, cust\_id
- C. ORDER BY CUST\_NO
- D. ORDER BY 2, 1
- E. ORDER BY "CUST\_NO"

**Answer:** ABD


**Explanation:**

Using the ORDER BY Clause in Set Operations

- The ORDER BY clause can appear only once at the end of the compound query.
- Component queries cannot have individual ORDER BY clauses.
- The ORDER BY clause recognizes only the columns of the first SELECT query.
- By default, the first column of the first SELECT query is used to sort the output in an ascending order.

**NEW QUESTION 10**

View the Exhibit and examine the structure in the DEPARTMENTS tables. (Choose two.)



Examine this SQL statement:

```
SELECT department_id "DEPT_ID", department_name, 'b' FROM departments
WHERE departments_id=90 UNION
SELECT department_id, department_name DEPT_NAME, 'a' FROM departments
WHERE department_id=10
```

Which two ORDER BY clauses can be used to sort output?

- A. ORDER BY DEPT\_NAME;
- B. ORDER BY DEPT\_ID;
- C. ORDER BY 'b';
- D. ORDER BY 3;

**Answer:** BD

**NEW QUESTION 10**

A subquery is called a single-row subquery when .

- A. There is only one subquery in the outer query and the inner query returns one or more values
- B. The inner query returns a single value to the outer query.
- C. The inner query uses an aggregating function and returns one or more values.
- D. The inner query returns one or more values and the outer query returns a single value.

**Answer:** B

**NEW QUESTION 13**

On your Oracle 12c database, you invoked SQL \*Loader to load data into the EMPLOYEES table in the HR schema by issuing the following command:

```
$> sqlldr hr/hr@pdb table=employees
```

Which two statements are true regarding the command?

- A. It succeeds with default settings if the EMPLOYEES table belonging to HR is already defined in the database.
- B. It fails because no SQL \*Loader data file location is specified.
- C. It fails if the HR user does not have the CREATE ANY DIRECTORY privilege.
- D. It fails because no SQL \*Loader control file location is specified.

**Answer:** AC

**NEW QUESTION 18**

Which statement is true about transactions?

- A. A set of Data Manipulation Language (DML) statements executed in a sequence ending with a SAVEPOINT forms a single transaction.
- B. Each Data Definition Language (DDL) statement executed forms a single transaction.
- C. A set of DDL statements executed in a sequence ending with a COMMIT forms a single transaction.
- D. A combination of DDL and DML statements executed in a sequence ending with a COMMIT forms a single transaction.

**Answer: B**

**Explanation:**


References:

<https://docs.oracle.com/database/121/CNCPT/transact.htm#CNCPT038>

**NEW QUESTION 20**

View the exhibit and examine the structure of the SALES, CUSTOMERS, PRODUCTS and TIMES tables.

SH



The PROD\_ID column is the foreign key in the SALES table referencing the PRODUCTS table.

The CUST\_ID and TIME\_ID columns are also foreign keys in the SALES table referencing the CUSTOMERS and TIMES tables, respectively.

Examine this command:

```
CREATE TABLE new_sales (prod_id, cust_id, order_date DEFAULT SYSDATE)
```

AS

```
SELECT prod_id, cust_id, time_id FROM sales;
```

Which statement is true?

- A. The NEW\_SALES table would get created and all the FOREIGN KEY constraints defined on the selected columns from the SALES table would be created on the corresponding columns in the NEW\_SALES table.
- B. The NEW\_SALES table would not get created because the column names in the CREATE TABLE command and the SELECT clause do not match.
- C. The NEW\_SALES table would not get created because the DEFAULT value cannot be specified in the column definition.
- D. The NEW\_SALES table would get created and all the NOT NULL constraints defined on the selected columns from the SALES table would be created on the corresponding columns in the NEW\_SALES table.

**Answer: D**

**NEW QUESTION 24**

Which two statement are true regarding table joins available in the Oracle Database server? (Choose two.)

- A. You can use the ON clause to specify multiple conditions while joining tables.
- B. You can explicitly provide the join condition with a NATURAL JOIN.
- C. You can use the JOIN clause to join only two tables.
- D. You can use the USING clause to join tables on more than one column.

**Answer: AD**

**NEW QUESTION 28**

View the Exhibit and examine the data in the PRODUCTS table. (Choose the best answer.)

**PRODUCTS**

PROD_ID	PROD_NAME	PROD_CATEGORY	PROD_MIN_PRICE	PROD_UNIT_OF_MEASURE
101	Envoy 156MB-40GB	Hardware	6000	Nos.
102	Y Box	Electronics	9000	
103	DVD-R Disc, 4.7 GB	Software/Other	2000	Nos.
104	Documentation	Software/Other	4000	

You must display product names from the PRODUCTS table that belong to the 'Software/other' category with minimum prices as either \$2000 or \$4000 and with no unit of measure.

You issue this query:

SQL > SELECT prod\_name, prod\_category, prod\_min\_price FROM products

WHERE prod\_category LIKE '%Other%' AND (prod\_min\_price = 2000 OR prod\_min\_price = 4000) AND prod\_unit\_of\_measure <> '';

Which statement is true?

- A. It executes successfully but returns no result.
- B. It executes successfully and returns the required result.
- C. It generates an error because the condition specified for PROD\_UNIT\_OF\_MEASURE is not valid.
- D. It generates an error because the condition specified for the PROD\_CATEGORY column is not valid.

**Answer: A**

**NEW QUESTION 30**

You execute the following commands: SQL > DEFINE hiredate = '01-APR-2011'

SQL > SELECT employee\_id, first\_name, salary FROM employees

WHERE hire\_date > '&hiredate' AND manager\_id > &mgr\_id;


For which substitution variables are you prompted for the input?

- A. none, because no input required
- B. both the substitution variables '&hiredate' and '&mgr\_id'.
- C. only hiredate'
- D. only '&mgr\_id'

**Answer: D**

**NEW QUESTION 35**

View the exhibit and examine the structure of the EMPLOYEES table.



You want to display all employees and their managers having 100 as the MANAGER\_ID. You want the output in two columns: the first column would have the LAST\_NAME of the managers and the second column would have LAST\_NAME of the employees.

Which SQL statement would you execute?

- A. SELECT m.last\_name "Manager", e.last\_name "Employee" FROM employees m JOIN employees e ON m.employee\_id = e.manager\_id WHERE m.manager\_id = 100;
- B. SELECT m.last\_name "Manager", e.last\_name "Employee" FROM employees m JOIN employees e ON m.employee\_id = e.manager\_id WHERE e.manager\_id = 100;
- C. SELECT m.last\_name "Manager", e.last\_name "Employee" FROM employees m JOIN employees e ON e.employee\_id = m.manager\_id WHERE m.manager\_id = 100;
- D. SELECT m.last\_name "Manager", e.last\_name "Employee" FROM employees m JOIN employees e WHERE m.employee\_id = e.manager\_id and AND e.manager\_id = 100

**Answer: B**

**NEW QUESTION 40**

Evaluate the following statement. INSERT ALL

```
WHEN order_total < 10000 THEN INTO small_orders
WHEN order_total > 10000 AND order_total < 20000 THEN INTO medium_orders
WHEN order_total > 200000 AND order_total < 20000 THEN INTO large_orders
SELECT order_id, order_total, customer_id FROM orders;
Which statement is true regarding the evaluation of rows returned by the subquery in the INSERT statement?
```

- A. They are evaluated by all the three WHEN clauses regardless of the results of the evaluation of any other WHEN clause.
- B. They are evaluated by the first WHEN clause
- C. If the condition is true, then the row would be evaluated by the subsequent WHEN clauses.
- D. They are evaluated by the first WHEN clause
- E. If the condition is false, then the row would be evaluated by the subsequent WHEN clauses.
- F. The insert statement would give an error because the ELSE clause is not present for support in case none of WHEN clauses are true.

**Answer:** A

**Explanation:**

References:  
<http://psoug.org/definition/WHEN.htm>

**NEW QUESTION 43**

Which two statements are true regarding the SQL GROUP BY clause?

- A. You can use a column alias in the GROUP BY clause.
- B. Using the WHERE clause after the GROUP BY clause excludes rows after creating groups.
- C. The GROUP BY clause is mandatory if you are using an aggregating function in the SELECT clause.
- D. Using the WHERE clause before the GROUP BY clause excludes rows before creating groups.
- E. If the SELECT clause has an aggregating function, then columns without an aggregating function in the SELECT clause should be included in the GROUP BY clause.

**Answer:** DE

**NEW QUESTION 45**

In the customers table, the CUST\_CITY column contains the value 'Paris' for the CUST\_FIRST\_NAME 'Abigail'. Evaluate the following query:

```
SQL> SELECT INITCAP(cust_first_name || ' ' ||
                UPPER(SUBSTR(cust_city, -LENGTH(cust_city), 2)))
FROM customers
WHERE cust_first_name = 'Abigail';
```

What would be the outcome?

- A. Abigail PA
- B. Abigail Pa
- C. Abigail IS
- D. An error message

**Answer:** B

**NEW QUESTION 50**

View the exhibits and examine the structures of the COSTS and PROMOTIONS tables.

Table COSTS		
Name	Null?	Type
PROD_ID	NOT NULL	NUMBER
TIME_ID	NOT NULL	DATE
PROMO_ID	NOT NULL	NUMBER
CHANNEL_ID	NOT NULL	NUMBER
UNIT_COST	NOT NULL	NUMBER(10,2)
UNIT_PRICE	NOT NULL	NUMBER(10,2)

Table PROMOTIONS		
Name	Null?	Type
PROMO_ID	NOT NULL	NUMBER(6)
PROMO_NAME	NOT NULL	VARCHAR2(30)
PROMO_SUBCATEGORY	NOT NULL	VARCHAR2(30)
PROMO_SUBCATEGORY_ID	NOT NULL	NUMBER
PROMO_CATEGORY	NOT NULL	VARCHAR2(30)
PROMO_CATEGORY_ID	NOT NULL	NUMBER
PROMO_COST	NOT NULL	NUMBER(10,2)
PROMO_BEGIN_DATE	NOT NULL	DATE
PROMO_END_DATE	NOT NULL	DATE

Evaluate the following SQL statement: SQL> SELECT prod\_id FROM costs WHERE promo\_id IN (SELECT promo\_id FROM promotions WHERE promo\_cost < ALL (SELECT MAX(promo\_cost) FROM promotions GROUP BY (promo\_end\_date- promo\_begin\_date))); What would be the outcome of the above SQL statement?

- A. It displays prod IDs in the promo with the lowest cost.
- B. It displays prod IDs in the promos with the lowest cost in the same time interval.

- C. It displays prod IDs in the promos with the highest cost in the same time interval.
- D. It displays prod IDs in the promos which cost less than the highest cost in the same time interval.

**Answer:** D

**NEW QUESTION 51**

Which two statements are true regarding constraints?

- A. A table can have only one primary key and one foreign key.
- B. A table can have only one primary key but multiple foreign keys.
- C. Only the primary key can be defined at the column and table levels.
- D. The foreign key and parent table primary key must have the same name.
- E. Both primary key and foreign key constraints can be defined at both column and table levels.

**Answer:** BE

**NEW QUESTION 55**

View the Exhibit and examine the structure of the CUSTOMERS table.

Table CUSTOMERS		
Name	Null?	Type
CUST_ID	NOT NULL	NUMBER
CUST_FIRST_NAME	NOT NULL	VARCHAR2 (20)
CUST_LAST_NAME	NOT NULL	VARCHAR2 (40)
CUST_GENDER	NOT NULL	CHAR (1)
CUST_YEAR_OF_BIRTH	NOT NULL	NUMBER (4)
CUST_MARITAL_STATUS		VARCHAR2 (20)
CUST_STREET_ADDRESS	NOT NULL	VARCHAR2 (40)
CUST_POSTAL_CODE	NOT NULL	VARCHAR2 (10)
CUST_CITY	NOT NULL	VARCHAR2 (30)
CUST_STATE_PROVINCE	NOT NULL	VARCHAR2 (40)
COUNTRY_ID	NOT NULL	NUMBER
CUST_INCOME_LEVEL		VARCHAR2 (30)
CUST_CREDIT_LIMIT		NUMBER
CUST_EMAIL		VARCHAR2 (30)

Using the CUSTOMERS table, you must generate a report that displays a credit limit increase of 15% for all customers. Customers with no credit limit should have "Not Available" displayed. Which SQL statement would produce the required result?

- A. SELECT NVL (TO\_CHAR(cust\_credit\_limit\*.15), 'Not Available') "NEW CREDIT" FROM customers
- B. SELECT TO\_CHAR(NVL(cust\_credit\_limit\*.15, 'Not Available')) "NEW CREDIT" FROM customers
- C. SELECT NVL (cust\_credit\_limit\*.15, 'Not Available') "NEW CREDIT" FROM customers
- D. SELECT NVL (cust\_credit\_limit, 'Not Available')\*.15 "NEW CREDIT" FROM customers

**Answer:** C

**NEW QUESTION 60**

Which two statements best describe the benefits of using the WITH clause? (Choose two.)

- A. It can improve the performance of a large query by storing the result of a query block having the WITH clause in the session's temporary tablespace.
- B. It enables sessions to reuse the same query block in a SELECT statement, if it occurs more than once in a complex query.
- C. It enables sessions to store a query block permanently in memory and use it to create complex queries.
- D. It enables sessions to store the results of a query permanently.

**Answer:** AB

**NEW QUESTION 61**

Evaluate the following SQL statement:

```
SELECT product_name || 'it's not available for order' FROM product_information
WHERE product_status = 'obsolete';
```

You received the following error while executing the above query: ERROR

ORA-01756: quoted string not properly terminated What would you do to execute the query successfully?

- A. Use Quote (q) operator and delimiter to allow the use of single quotation mark in the literal character string.
- B. Enclose the literal character string in the SELECT clause within the double quotation marks.
- C. Do not enclose the character literal string in the SELECT clause within the single quotation marks.
- D. Use escape character to negate the single quotation mark inside the literal character string in the SELECT clause.

**Answer:** A

**Explanation:**

References:

[http://docs.oracle.com/cd/B19306\\_01/server.102/b14200/sql\\_elements003.htm](http://docs.oracle.com/cd/B19306_01/server.102/b14200/sql_elements003.htm)

**NEW QUESTION 62**

Which three statements are true regarding the usage of the WITH clause in complex correlated subqueries: (Choose three.)

- A. It can be used only with the SELECT clause.
- B. The WITH clause can hold more than one query.
- C. If the query block name and the table name are the same, then the table name takes precedence.
- D. The query name in the WITH clause is visible to other query blocks in the WITH clause as well as to the main query block

**Answer:** ABD

**NEW QUESTION 63**

Which two statements are true regarding constraints? (Choose two.)

- A. A constraint is enforced only for an INSERT operation on a table.
- B. A foreign key cannot contain NULL values.
- C. The column with a UNIQUE constraint can store NULLS.
- D. You can have more than one column in a table as part of a primary key.

**Answer:** CD

**NEW QUESTION 66**

View the Exhibit and examine the structure of the PRODUCTS table. (Choose the best answer.)

Table PRODUCTS		
Name	Null?	Type
PROD_ID	NOT NULL	NUMBER(6)
PROD_NAME	NOT NULL	VARCHAR2(50)
PROD_DESC	NOT NULL	VARCHAR2(4000)
PROD_CATEGORY	NOT NULL	VARCHAR2(50)
PROD_CATEGORY_ID	NOT NULL	NUMBER
PROD_UNIT_OF_MEASURE		VARCHAR2(20)
SUPPLIER_ID	NOT NULL	NUMBER(6)
PROD_STATUS	NOT NULL	VARCHAR2(20)
PROD_LIST_PRICE	NOT NULL	NUMBER(8,2)
PROD_MIN_PRICE	NOT NULL	NUMBER(8,2)

You must display the category with the maximum number of items.

You issue this query:

```
SQL > SELECT COUNT(*), prod_category_id FROM products
GROUP BY prod_category_id
HAVING COUNT(*) = (SELECT MAX(COUNT(*)) FROM products);
What is the result?
```

- A. It generates an error because = is not valid and should be replaced by the IN operator.
- B. It executes successfully but does not give the correct output.
- C. It executes successfully and gives the correct output.
- D. It generate an error because the subquery does not have a GROUP BY clause.

**Answer:** D

**NEW QUESTION 68**

Which two statements are true regarding constraints? (Choose two.)

- A. All constraints can be defined at the column level and at the table level.
- B. A constraint can be disabled even if the constraint column contains data.
- C. A column with the UNIQUE constraint can contain NULLS.
- D. A foreign key column cannot contain NULLS.
- E. A constraint is enforced only for INSERT operations.

**Answer:** BC

**NEW QUESTION 69**

Examine the command:

```
SQL> ALTER TABLE books_transactions
ADD CONSTRAINT fk_book_id FOREIGN KEY (book_id) REFERENCES books (book_id) ON DELETE CASCADE;
What does ON DELETE CASCADE imply?
```

- A. When the BOOKS table is dropped, the BOOK\_TRANSACTIONS table is dropped.
- B. When the BOOKS table is dropped, all the rows in the BOOK\_TRANSACTIONS table are deleted but the table structure is retained.
- C. When a row in the BOOKS table is deleted, the rows in the BOOK\_TRANSACTIONS table whose BOOK\_ID matches that of the deleted row in the BOOKS table are also deleted.
- D. When a value in the BOOKS.BOOK\_ID column is deleted, the corresponding value is updated in the BOOKS\_TRANSACTIONS.BOOK\_ID column.

**Answer:** C

**NEW QUESTION 70**

View the Exhibit and examine the details of PRODUCT\_INFORMATION table.

PRODUCT\_NAME CATEGORY\_ID SUPPLIER\_ID

Inkjet C/8/HQ 12

102094

Inkjet C/4 12

102090

LaserPro 600/6/BW 12

102087

LaserPro 1200/8/BW 12

102099

Inkjet B/6 12

102096

Industrial 700/ID 12

102086

Industrial 600/DQ 12

102088

Compact 400/LQ 12

102087

Compact 400/DQ 12

102088

HD 12GB /R 13

102090

HD 10GB /I 13

102071

HD 12GB @7200 /SE 13

102057

HD 18.2GB @10000 /E 13

102078

HD 18.2GB @10000 /I 13

102050

HD 18GB /SE 13

102083

HD 6GB /I 13

102072

HD 8.2GB@5400 13

102093

You have the requirement to display PRODUCT\_NAME from the table where the CATEGORY\_ID column has values 12 or 13, and the SUPPLIER\_ID column has the value 102088. You executed the following SQL statement:

```
SELECT product_name FROM product_information
```

```
WHERE (category_id = 12 AND category_id = 13) AND supplier_id = 102088; Which statement is true regarding the execution of the query?
```

- A. It would not execute because the same column has been used in both sides of the AND logical operator to form the condition.
- B. It would not execute because the entire WHERE clause condition is not enclosed within the parentheses.
- C. It would execute and the output would display the desired result.
- D. It would execute but the output would return no rows.

**Answer:** D

#### NEW QUESTION 71

Which three statements are true regarding subqueries? (Choose three.)

- A. The ORDER BY Clause can be used in a subquery.
- B. A subquery can be used in the FROM clause of a SELECT statement.
- C. If a subquery returns NULL, the main query may still return rows.
- D. A subquery can be placed in a WHERE clause, a GROUP BY clause, or a HAVING clause.
- E. Logical operators, such as AND, OR and NOT, cannot be used in the WHERE clause of a subquery.

**Answer:** ABC

#### NEW QUESTION 73

Which two statements are true about sequences created in a single instance database? (Choose two.)

- A. When the MAXVALUE limit for the sequence is reached, you can increase the MAXVALUE limit by using the ALTER SEQUENCE statement.
- B. DELETE <sequencename> would remove a sequence from the database.
- C. The numbers generated by a sequence can be used only for one table.
- D. CURRVAL is used to refer to the last sequence number that has been generated.
- E. When a database instance shuts down abnormally, the sequence numbers that have been cached but not used would be available once again when the database instance is restarted.

**Answer:** AD

#### Explanation:

References:

[http://docs.oracle.com/cd/E11882\\_01/server.112/e41084/statements\\_2012.htm#SQLRF00817](http://docs.oracle.com/cd/E11882_01/server.112/e41084/statements_2012.htm#SQLRF00817)

[https://docs.oracle.com/cd/A84870\\_01/doc/server.816/a76989/ch26.htm](https://docs.oracle.com/cd/A84870_01/doc/server.816/a76989/ch26.htm)

#### NEW QUESTION 75

View the Exhibit and examine the structure of the EMP table which is not partitioned and not an index-organized table. (Choose two.)

EMP Name	Null?	Type
EMPNO	NOT NULL	NUMBER (4)
FIRST_NAME		VARCHAR2 (20)
LAST_NAME		VARCHAR2
SALARY		NUMBER (10, 2)
DEPTNO		NUMBER (2)

Evaluate this SQL statement: ALTER TABLE emp  
DROP COLUMN first\_name; Which two statements are true?

- A. The FIRST\_NAME column can be dropped even if it is part of a composite PRIMARY KEY provided the CASCADE option is added to the SQL statement.
- B. The FIRST\_NAME column would be dropped provided at least one column remains in the table.
- C. The FIRST\_NAME column would be dropped provided it does not contain any data.
- D. The drop of the FIRST\_NAME column can be rolled back provided the SET UNUSED option is added to the SQL statement.

**Answer:** B

#### NEW QUESTION 78

Which two statements are true about sequences created in a single instance Oracle database?

- A. The numbers generated by an explicitly defined sequence can only be used to insert data in one table.
- B. DELETE <sequencename> would remove a sequence from the database.
- C. CURRVAL is used to refer to the most recent sequence number that has been generated for a particular sequence.
- D. When the MAXVALUE limit for a sequence is reached, it can be increased by using the ALTER SEQUENCE statement.
- E. When the database instance shuts down abnormally, sequence numbers that have been cached but not used are available again when the instance is restarted.

**Answer:** CD

#### NEW QUESTION 83

The first DROP operation is performed on PRODUCTS table using the following command: DROP TABLE products PURGE;  
Then you performed the FLASHBACK operation by using the following command: FLASHBACK TABLE products TO BEFORE DROP;  
Which statement describes the outcome of the FLASHBACK command?

- A. It recovers only the table structure.
- B. It recovers the table structure, data, and the indexes.
- C. It recovers the table structure and data but not the related indexes.
- D. It is not possible to recover the table structure, data, or the related indexes.

**Answer:** D

#### Explanation:

References:  
[https://docs.oracle.com/cd/B19306\\_01/server.102/b14200/statements\\_9003.htm](https://docs.oracle.com/cd/B19306_01/server.102/b14200/statements_9003.htm)

#### NEW QUESTION 85

Which two statements are true regarding the GROUP BY clause in a SQL statement? (Choose two.)

- A. You can use column alias in the GROUP BY clause.
- B. Using the WHERE clause after the GROUP BY clause excludes the rows after creating groups.
- C. The GROUP BY clause is mandatory if you are using an aggregate function in the SELECT clause.
- D. Using the WHERE clause before the GROUP BY clause excludes the rows before creating groups.
- E. If the SELECT clause has an aggregate function, then those individual columns without an aggregate function in the SELECT clause should be included in the GROUP BY clause.

**Answer:** DE

#### NEW QUESTION 86

View the Exhibit and examine the data in the PRODUCT\_INFORMATION table.

PRODUCT_INFORMATION				
PDT_ID	SUP_ID	PDT_STATUS	LIST_PRICE	MIN_PRICE
1797	102094	orderable	349	288
2254	102071	obsolete	453	371
2382	102050	under development	850	731
2459	102099	under development	699	568
3127	102087	orderable	498	444
3353	102071	obsolete	489	413
3354	102066	orderable	543	478

Which two tasks would require subqueries? (Choose two.)

- A. displaying all the products whose minimum list prices are more than average list price of products having the status orderable
- B. displaying the total number of products supplied by supplier 102071 and having product status OBSOLETE
- C. displaying the number of products whose list prices are more than the average list price
- D. displaying all supplier IDs whose average list price is more than 500
- E. displaying the minimum list price for each product status

**Answer:** AC

**NEW QUESTION 90**

You notice a performance change in your production Oracle 12c database. You want to know which change caused this performance difference. Which method or feature should you use?

- A. Compare Period ADDM report.
- B. AWR Compare Period report.
- C. Active Session History (ASH) report.
- D. Taking a new snapshot and comparing it with a preserved snapshot.

**Answer:** B

**NEW QUESTION 93**

View the Exhibit and examine the data in the employees table.

EMPLOYEES			
ENAME	HIREDATE	SAL	COMM
SMITH	17-DEC-00	800	
ALLEN	20-FEB-99	1600	300
WARD	22-FEB-95	1250	500
JONES	02-APR-98	2975	
MARTIN	28-SEP-99	1250	1400
BLAKE	01-MAY-97	2850	

You want to generate a report showing the total compensation paid to each employee to date. You issue the following query:

```
SQL>SELECT ename || ' joined on ' || hiredate ||
', the total compensation paid is ' ||
TO_CHAR(ROUND(ROUND(SYSDATE-hiredate)/365) * sal + comm)
"COMPENSATION UNTIL DATE"
FROM employees;
```

What is the outcome?

- A. It executes successfully but does not give the correct output.
- B. It generates an error because the concatenation operator can be used to combine only two items.
- C. It generates an error because the usage of the round function in the expression is not valid
- D. It generates an error because the alias is not valid.
- E. It executes successfully and gives the correct output.

**Answer:** A

**NEW QUESTION 96**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 1Z0-071 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/1Z0-071-dumps.html>