



**Oracle**

## **Exam Questions 1z0-808**

Java SE 8 Programmer I

**NEW QUESTION 1**

You are asked to create a method that accepts an array of integers and returns the highest value from that array.  
Given the code fragment:

```
class Test{
    public static void main(String[] args) {
        int numbers[] = {12, 13, 42, 32, 15, 156, 23, 51, 12};
        int[] keys = findMax(numbers);
    }

    /* line n1 */ {
        int[] keys = new int[3];
        /* code goes here*/
        return keys;
    }
}
```

Which method signature do you use at line n1?

- A. public int findMax (int[] numbers)
- B. static int[] findMax (int[] max)
- C. static int findMax (int[] numbers)
- D. final int findMax (int[] )

**Answer: C**

**NEW QUESTION 2**

Given the code fragments:

```
class Student {
    String name;
    int age;
}
```

And:

```
4. public class Test {
5.     public static void main(String[] args) {
6.         Student s1 = new Student();
7.         Student s2 = new Student();
8.         Student s3 = new Student();
9.         s1 = s3;
10.        s3 = s2;
11.        s2 = null;
12.    }
13. }
```

Which statement is true?

- A. After line 11, three objects are eligible for garbage collection.
- B. After line 11, two objects are eligible for garbage collection.
- C. After line 11, one object is eligible for garbage collection.
- D. After line 11, none of the objects are eligible for garbage collection.

**Answer: C**

**NEW QUESTION 3**

You are asked to develop a program for a shopping application, and you are given this information:

- The application must contain the classes Toy, EduToy, and ConsToy. The Toy class is the superclass of the other two classes.
- The int calculatePrice (Toy t) method calculates the price of a toy.
- The void printToy (Toy t) method prints the details of a toy.

Which definition of the Toy class adds a valid layer of abstraction to the class hierarchy?

- A
- ```
public abstract class Toy{
    public abstract int calculatePrice(Toy t);
    public void printToy(Toy t) { /* code goes here */ }
}
```
- B
- ```
public abstract class Toy {
    public int calculatePrice(Toy t) ;
    public void printToy(Toy t) ;
}
```
- C
- ```
public abstract class Toy {
    public int calculatePrice(Toy t);
    public final void printToy(Toy t){ /* code goes here */ }
}
```
- D
- ```
public abstract class Toy {
    public abstract int calculatePrice(Toy t) { /* code goes here */ }
    public abstract void printToy(Toy t) { /* code goes here */ }
}
```

- A. Option A  
B. Option B  
C. Option C  
D. Option D

Answer: A

#### NEW QUESTION 4

Given:

```
String stuff = "TV";
String res = null;

if (stuff.equals("TV")) {
    res = "Walter";
} else if (stuff.equals("Movie")) {
    res = "White";
} else {
    res = "No Result";
}
```

Which code fragment can replace the if block?

- A
- ```
stuff.equals ("TV") ? res= "Walter" : stuff.equals ("Movie") ?
res = "White" : res = "No Result";
```
- B
- ```
res = stuff.equals ("TV") ? "Walter" else stuff.equals
("Movie")? "White" : "No Result";
```
- C
- ```
res = stuff.equals ("TV") ? stuff.equals ("Movie")? "Walter" :
"White" : "No Result";
```
- D
- ```
res = stuff.equals ("TV")? "Walter" : stuff.equals ("Movie")?
"White" : "No Result";
```

- A. Option A  
B. Option B  
C. Option C  
D. Option D

Answer: D

#### NEW QUESTION 5

Given the definitions of the MyString class and the Test class:

```
package p1;
class MyString {
    String msg;
    MyString(String msg) {
        this.msg = msg;
    }
}
```

Test.java:

```
package p1;
public class Test {
    public static void main(String[] args) {
        System.out.println("Hello " + new StringBuilder("Java SE 8"));
        System.out.println("Hello " + new MyString("Java SE 8").msg);
    }
}
```

What is the result?

- A
- ```
Hello Java SE 8
Hello Java SE 8
```
- B
- ```
Hello java.lang.StringBuilder@<<hashCode1>>
Hello p1.MyString@<<hashCode2>>
```
- C
- ```
Hello Java SE 8
Hello p1.MyString@<<hashCode>>
```
- D Compilation fails at the Test class

- A. Option A  
B. Option B  
C. Option C  
D. Option D  
E. Option E

**Answer: D**

#### NEW QUESTION 6

Given this code for a Planet object:

```
public class Planet {
    public String name;
    public int moons;

    public Planet(String name, int moons) {
        this.name = name;
        this.moons = moons;
    }
}
```

And this method:

```
public static void main(String[] args){
    Planet[] planets = {
        new Planet("Mercury", 0),
        new Planet("Venus", 0),
        new Planet("Earth", 1),
        new Planet("Mars", 2)
    };

    System.out.println(planets);
    System.out.println(planets[2].name);
    System.out.println(planets[2].moons);
}
```

What is the output?

- A
 

```
planets
Earth
1
```
- B
 

```
[LPlanets.Planet;@15db9742
Earth
1
```
- C
 

```
[LPlanets.Planet;@15db9742
Planets.Planet@6d06d69c
1
```
- D
 

```
[LPlanets.Planet;@15db9742
Planets.Planet@6d06d69c
[LPlanets.Moon;@7852e922
```
- E
 

```
[LPlanets.Planet;@15db9742
Venus
0
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

**Answer: C**

#### NEW QUESTION 7

Given the code fragment:



```
public static void main(String[] args) {
    Short s1 = 200;
    Integer s2 = 400;
    Long s3 = (long) s1 + s2;           //line n1
    String s4 = (String) (s3 * s2);     //line n2
    System.out.println("Sum is " + s4);
}
```

What is the result?

- A. Sum is 600
- B. Compilation fails at line n1.
- C. Compilation fails at line n2.
- D. A ClassCastException is thrown at line n1.
- E. A ClassCastException is thrown at line n2.

**Answer:** C

#### NEW QUESTION 8

Which two are benefits of polymorphism? (Choose two.)

- A. Faster code at runtime
- B. More efficient code at runtime
- C. More dynamic code at runtime
- D. More flexible and reusable code
- E. Code that is protected from extension by other classes

**Answer:** BD

#### NEW QUESTION 9

Given:

```
public class App {
    int count;
    public static void displayMsg() {
        System.out.println("Welcome Visit Count: " + count++); // line n1
    }
    public static void main(String[] args) {
        App.displayMsg();
        displayMsg(); // line n2
    }
}
```

What is the result?

- A. Welcome Visit Count:0Welcome Visit Count: 1
- B. Compilation fails at line n2.
- C. Compilation fails at line n1.
- D. Welcome Visit Count:0Welcome Visit Count: 0

**Answer:** C

**Explanation:**



```
1
2 public class App {
3     int count;
4     public static void displayMsg() {
5         System.out.println("Welcome Visit Count: " + count ++); //line n1
6     }
7     public static void main(String[] args) {
8         App.displayMsg();
9         displayMsg();
10    }
11 }
12
```

#### NEW QUESTION 10

Given the code from the Greeting.Java file:

```
public class Greeting {
    public static void main(String[] args) {
        System.out.println("Hello " + args[0]);
    }
}
```

Which set of commands prints Hello Duke in the console?

- ☐ A) javac Greeting  
java Greeting Duke
- ☐ B) javac Greeting.java Duke  
java Greeting
- ☐ C) javac Greeting.java  
java Greeting Duke
- ☐ D) javac Greeting.java  
java Greeting.class Duke

A. Option A  
B. Option B  
C. Option C  
D. Option D

**Answer: C**

#### NEW QUESTION 10

This grid shows the state of a 2D array:

|   |   |   |
|---|---|---|
| 0 | 0 |   |
|   | X | 0 |
| X |   | X |

The grid is created with this code:

```
char[][] grid = new char[3][3];  
grid[1][1] = 'X';  
grid[0][0] = '0';  
grid[2][0] = 'X';  
grid[0][1] = '0';  
grid[2][2] = 'X';  
grid[1][2] = '0';  
//line n1
```

Which line of code, when inserted in place of //line n1, adds an X into the grid so that the grid contains three consecutive Xs?

- A. grid[2][1] = 'X';  
B. grid[3][2] = 'X';  
C. grid[3][1] = 'X';  
D. grid[2][3] = 'X';

**Answer: D**

#### NEW QUESTION 14

Given the code fragment:

```
public static void main(String[] args) {  
    LocalDate date = LocalDate.of(2012, 1, 30);  
    date.plusDays(10);  
    System.out.println(date);  
}
```

What is the result?

- A. 2012-02-10 00:00  
B. 2012-01-30  
C. 2012-02-10  
D. A DateTimeException is thrown at runtime.

**Answer: B**

**Explanation:**



```

Main.java  saved
1  import java.time.LocalDate;
2  import java.time.Month;
3
4  public class Main {
5      public static void main(String[] args) {
6          LocalDate date = LocalDate.of(2012, 1, 30);
7          date.plusDays(10);
8          System.out.println(date);
9      }
10 }

```

```

java version "1.8.0_31"
Java(TM) SE Runtime Environment (build 1.8.0_31-b13)
Java HotSpot(TM) 64-Bit Server VM (build 25.31-b07, mixed mode)
> javac -classpath ./run_dir/junit-4.12.jar:./run_dir/hamcrest-core-1.3.jar:./run_dir/json-simple-1.1.1.jar -d . Main.java
> java -classpath ./run_dir/junit-4.12.jar:./run_dir/hamcrest-core-1.3.jar:./run_dir/json-simple-1.1.1.jar Main
2012-01-30

```

### NEW QUESTION 17

Given:

```

class Product {
    double price;
}

public class Test {
    public void updatePrice(Product product, double price) {
        price = price * 2;
        product.price = product.price + price;
    }
    public static void main(String[] args) {
        Product prt = new Product();
        prt.price = 200;
        double newPrice = 100;

        Test t = new Test();
        t.updatePrice(prt, newPrice);
        System.out.println(prt.price + " : " + newPrice);
    }
}

```

What is the result?

- A. 200.0 : 100.0
- B. 400.0 : 200.0
- C. 400.0 : 100.0
- D. Compilation fails.

**Answer: C**

### NEW QUESTION 20

Given:

```

class X {
    static int i;
    int j;
    public static void main(String[] args) {
        X x1 = new X();
        X x2 = new X();
        x1.i = 3;
        x1.j = 4;
        x2.i = 5;
        x2.j = 6;
        System.out.println(
            x1.i + " " +
            x1.j + " " +
            x2.i + " " +
            x2.j);
    }
}

```

What is the result?

- A. 3 4 5 6



- B. 3 4 3 6
- C. 5 4 5 6
- D. 3 6 4 6

**Answer:** C

#### NEW QUESTION 21

Which three statements are true about exception handling? (Choose three.)

- A. Only unchecked exceptions can be rethrown.
- B. All subclasses of the RuntimeException class are not recoverable.
- C. The parameter in a catch block is of Throwable type.
- D. All subclasses of the RuntimeException class must be caught or declared to be thrown.
- E. All subclasses of the RuntimeException class are unchecked exceptions.
- F. All subclasses of the Error class are not recoverable.

**Answer:** BCD

#### NEW QUESTION 24

Given:

```
class A {
    public void test() {
        System.out.println("A ");
    }
}

class B extends A {
    public void test() {
        System.out.println("B ");
    }
}

public class C extends A {
    public void test() {
        System.out.println("C ");
    }
}

public static void main(String[] args) {
    A b1 = new A();
    A b2 = new C();
    A b3 = (B) b2;           //line n1
    b1 = (A) b2;             //line n2
    b1.test();
    b3.test();
}
```

What is the result?

- A. AB
- B. AC
- C. CC
- D. A ClassCastException is thrown only at line n1.
- E. A ClassCastException is thrown only at line n2.

**Answer:** D

#### NEW QUESTION 29

Which statement is true about Java byte code?

- A. It can run on any platform.
- B. It can run on any platform only if it was compiled for that platform.
- C. It can run on any platform that has the Java Runtime Environment.
- D. It can run on any platform that has a Java compiler.
- E. It can run on any platform only if that platform has both the Java Runtime Environment and a Java compiler.

**Answer:** D

#### Explanation:

Java bytecodes help make "write once, run anywhere" possible. You can compile your program into bytecodes on any platform that has a Java compiler. The bytecodes can then be run on any implementation of the Java VM. That means that as long as a computer has a Java VM, the same program written in the Java programming language can run on Windows 2000, a Solaris workstation, or on an iMac.

#### NEW QUESTION 30

Given:

```
class X {
    int i;
    static int j;
    public static void main(String[] args) {
        X x1 = new X();
        X x2 = new X();
        x1.i = 3;
        x1.j = 4;
        x2.i = 5;
        x2.j = 6;
        System.out.println(
            x1.i + " " +
            x1.j + " " +
            x2.i + " " +
            x2.j);
    }
}
```

What is the result?

- A. 3 4 5 6
- B. 3 4 3 6
- C. 5 4 5 6
- D. 3 6 5 6

**Answer:** D

**Explanation:**

```
3 6 5 6
Completed with exit code: 0
```

#### NEW QUESTION 34

Given:

```
interface I {
    public void displayI();
}
abstract class C2 implements I {
    public void displayC2() {
        System.out.print("C2");
    }
}
class C1 extends C2 {
    public void displayI() {
        System.out.print("C1");
    }
}
```

And the code fragment:

```
C2 obj1 = new C1();
I obj2 = new C1();

C2 s = (C2) obj2;
I t = obj1;

t.displayI();
s.displayC2();
```

What is the result?

- A. C1C2
- B. C1C1
- C. Compilation fails.
- D. C2C2

**Answer:** A

**Explanation:**

lund

src

App.java

```

1
2 interface I {
3     public void displayI();
4 }
5 abstract class C2 implements I {
6     public void displayC2() {
7         System.out.print("C2");
8     }
9 }
10 class C1 extends C2 {
11     public void displayI() {
12         System.out.print("C1");
13     }
14
15 }
16
17 public class App {
18     public static void main(String[] args) {
19         C2 obj1 = new C1();
20         I obj2 = new C1();
21
22         C2 s = (C2) obj2;
23         I t = obj1;
24
25         t.displayI();
26         s.displayC2();
27     }
28
29 }

```

Console 1

Console 2

Console 3

Console 4

C1C2

Completed with exit code: 0

## NEW QUESTION 35

Given:

```
class Caller {
    private void init () {
        System.out.println("Initialized");
    }

    private void start () {
        init();
        System.out.println("Started");
    }
}

public class TestCall {
    public static void main(String[] args) {
        Caller c = new Caller();
        c.start(); // line n1
        c.init();  // line n2
    }
}
```

What is the result?

- A. Compilation fails at line n1.
- B. InitializedStartedInitialized
- C. InitializedStarted
- D. Compilation fails at line n2.

**Answer:** D

#### NEW QUESTION 36

Given the code snippet from a compiled Java source file:

```
public class MyFile
{
    public static void main (String[] args)
    {
        String arg1 = args[1];
        String arg2 = args[2];
        String arg3 = args[3];
        System.out.println("Arg is " + arg3);
    }
}
```

Which command-line arguments should you pass to the program to obtain the following output? Arg is 2

- A. java MyFile 1 3 2 2
- B. java MyFile 2 2 2
- C. java MyFile 1 2 2 3 4
- D. java MyFile 0 1 2 3

**Answer:** A

#### NEW QUESTION 38

Given:

```
class Test {
    int a1;

    public static void doProduct(int a) {
        a = a * a;
    }

    public static void doString(String s) {
        s.concat(" " + s);
    }

    public static void main(String[] args) {
        Test item = new Test();
        item.a1 = 11;
        String sb = "Hello";
        Integer i = 10;
        doProduct(i);
        doString(sb);
        doProduct(item.a1);
        System.out.println(i + " " + sb + " " + item.a1);
    }
}
```

What is the result?

- A. 10 Hello Hello 11
- B. 10 Hello Hello 121
- C. 100 Hello 121
- D. 100 Hello Hello 121
- E. 10 Hello 11

**Answer:** E

#### NEW QUESTION 39

Given the code fragment:

```
public static void main(String[] args) {
    LocalDate date = LocalDate.of(2012, 1, 30);
    date.plusDays(10);
    System.out.println(date);
}
```

What is the result?

- A. 2012-02-10
- B. 2012-01-30
- C. 2012-02-10 00:00
- D. A DateTimeException is thrown at runtime.

**Answer:** C

#### NEW QUESTION 44

Given:



```
public class Triangle {
    static double area;
    int b = 2, h = 3;
    public static void main(String[] args) {
        double p, b, h;          //line n1
        if (area == 0) {
            b = 3;
            h = 4;
            p = 0.5;
            area = p * b * h;      //line n2
        }
        System.out.println("Area is " + area);
    }
}
```

What is the result?

- A. Area is 6.0
- B. Area is 3.0
- C. Compilation fails at line n1
- D. Compilation fails at line n2.

**Answer:** D

#### NEW QUESTION 49

Given the code fragment:

```
public static void main(String[] args) {
    String myStr = "Hello World ";
    myStr.trim();
    int i1 = myStr.indexOf(" ");
    System.out.println(i1);
}
```

What is the result?

- A. An exception is thrown at runtime.
- B. -1
- C. 5
- D. 10

**Answer:** A

#### NEW QUESTION 53

Given:

```
class Test {
    public static void main (String [] args) {
        int numbers [ ];
        numbers = new int [2];
        numbers [0] = 10;
        numbers [1] = 20;

        numbers = new int [4];
        numbers [2] = 30;
        numbers [3] = 40;
        for (int x : numbers) {
            System.out.print (" " + x) ;
        }
    }
}
```

What is the result?

- A. 10 20 30 40
- B. 0 0 30 40
- C. Compilation fails.
- D. An exception is thrown at runtime.

Answer: C

#### NEW QUESTION 56

Given:

```
public class Test {  
    public static void main(String[] args) {  
        Test ts = new Test();  
        System.out.print(isAvailable + " ");  
        isAvailable= ts.doStuff();  
        System.out.println(isAvailable);  
    }  
    public static boolean doStuff() {  
        return !isAvailable;  
    }  
    static boolean isAvailable = false;  
}
```

What is the result?

- A. Compilation fails.
- B. false true
- C. true false
- D. true true
- E. false false

Answer: B

#### NEW QUESTION 61

Which three are advantages of the Java exception mechanism? (Choose three.)

- A. Improves the program structure because the error handling code is separated from the normal program function
- B. Provides a set of standard exceptions that covers all possible errors
- C. Improves the program structure because the programmer can choose where to handle exceptions
- D. Improves the program structure because exceptions must be handled in the method in which they occurred
- E. Allows the creation of new exceptions that are customized to the particular program being created

Answer: ACE

#### NEW QUESTION 66

Which statement is true about the switch statement?

- A. It must contain the default section.
- B. The break statement, at the end of each case block, is optional.
- C. Its case label literals can be changed at runtime.
- D. Its expression must evaluate to a collection of values.

Answer: B

#### NEW QUESTION 69

Given this segment of code:

```
ArrayList<Cycle> myList = new ArrayList<>();  
myList.add(new Motorcycle());
```

Which two statements, if either were true, would make the code compile? (Choose two.)

- A. Motorcycle is an interface that implements the Cycle class.
- B. Cycle is an interface that is implemented by the Motorcycle class.
- C. Cycle is an abstract superclass of Motorcycle.
- D. Cycle and Motorcycle both extend the Transportation superclass.
- E. Cycle and Motorcycle both implement the Transportation interface.
- F. Motorcycle is a superclass of Cycle.

Answer: BC

#### NEW QUESTION 72

Which statement will empty the contents of a StringBuilder variable named sb?

- A. s
- B. deleteAll ();
- C. s
- D. delete (0, s
- E. size () );
- F. s
- G. delete (0, s
- H. length () );
- I. s

J. removeAll ();

**Answer:** C

#### NEW QUESTION 73

Given the code fragment:

```
int nums1[] = {1, 2, 3};
int nums2[] = {1, 2, 3, 4, 5};
nums 2 = nums 1;
for (int x : nums2){
    System.out.print(x + ":");
}
```

What is the result?

- A. 1:2:3:4:5:
- B. 1:2:3:
- C. Compilation fails.
- D. An ArrayOutOfBoundsException is thrown at runtime.

**Answer:** A

#### NEW QUESTION 77

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 1z0-808 Practice Exam Features:

- \* 1z0-808 Questions and Answers Updated Frequently
- \* 1z0-808 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-808 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-808 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-808 Practice Test Here](#)**