



Amazon-Web-Services

Exam Questions SAA-C02

AWS Certified Solutions Architect - Associate (SAA-C02)

NEW QUESTION 1

A solutions architect is designing a system to analyze the performance of financial markets while the markets are closed. The system will run a series of compute-intensive jobs for 4 hours every night. The time to complete the compute jobs is expected to remain constant, and jobs cannot be interrupted once started. Once completed, the system is expected to run for a minimum of 1 year.

Which type of Amazon EC2 instances should be used to reduce the cost of the system?

- A. Spot Instances
- B. On-Demand Instances
- C. Standard Reserved Instances
- D. Scheduled Reserved Instances

Answer: D

NEW QUESTION 2

A solutions architect is designing a two-tier web application. The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets. The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet. Security is a high priority for the company.

How should security groups be configured in this situation? (Select TWO.)

- A. Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.
- B. Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.
- C. Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.
- D. Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.
- E. Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

Answer: AC

NEW QUESTION 3

A solutions architect is designing a solution where users will be directed to a backup static error page if the primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53, where their domain is pointing to an Application Load Balancer (ALB).

Which configuration should the solutions architect use to meet the company's needs while minimizing changes and infrastructure overhead?

- A. Point a Route 53 alias record to an Amazon CloudFront distribution with the ALB as one of its origins. Then, create custom error pages for the distribution.
- B. Set up a Route 53 active-passive failover configuration. Direct traffic to a static error page hosted within an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.
- C. Update the Route 53 record to use a latency-based routing policy. Add the backup static error page hosted within an Amazon S3 bucket to the record so the traffic is sent to the most responsive endpoints.
- D. Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance hosting a static error page as endpoints. Route 53 will only send requests to the instance if the health checks fail for the ALB.

Answer: B

NEW QUESTION 4

A gaming company has multiple Amazon EC2 instances in a single Availability Zone for its multiplayer game that communicates with users on Layer 4. The chief technology officer (CTO) wants to make the architecture highly available and cost-effective.

What should a solutions architect do to meet these requirements? (Select TWO.)

- A. Increase the number of EC2 instances.
- B. Decrease the number of EC2 instances.
- C. Configure a Network Load Balancer in front of the EC2 instances.
- D. Configure an Application Load Balancer in front of the EC2 instances.
- E. Configure an Auto Scaling group to add or remove instances in multiple Availability Zones automatically.

Answer: CE

NEW QUESTION 5

A manufacturing company wants to implement predictive maintenance on its machinery equipment. The company will install thousands of IoT sensors that will send data to AWS in real time. A solutions architect is tasked with implementing a solution that will receive events in an ordered manner for each machinery asset and ensure that data is saved for further processing at a later time.

Which solution would be MOST efficient?

- A. Use Amazon Kinesis Data Streams for real-time events with a partition for each equipment asset. Use Amazon Kinesis Data Firehose to save data to Amazon S3.
- B. Use Amazon Kinesis Data Streams for real-time events with a shard for each equipment asset. Use Amazon Kinesis Data Firehose to save data to Amazon EBS.
- C. Use an Amazon SQS FIFO queue for real-time events with one queue for each equipment asset. Trigger an AWS Lambda function for the SQS queue to save data to Amazon EFS.
- D. Use an Amazon SQS standard queue for real-time events with one queue for each equipment asset. Trigger an AWS Lambda function from the SQS queue to save data to Amazon S3.

Answer: A

NEW QUESTION 6

A company is hosting a website behind multiple Application Load Balancers. The company has different distribution rights for its content around the world. A solutions architect needs to ensure that users are served the correct content without violating distribution rights.

Which configuration should the solutions architect choose to meet these requirements?

D18912E1457D5D1DDCDBD40AB3BF70D5D

- A. Configure Amazon CloudFront with AWS WAF.
- B. Configure Application Load Balancers with AWS WAF.
- C. Configure Amazon Route 53 with a geolocation policy.
- D. Configure Amazon Route 53 with a geoproximity routing policy.

Answer: C

NEW QUESTION 7

A company has a multi-tier application that runs six front-end web servers in an Amazon EC2 Auto Scaling group in a single Availability Zone behind an Application Load Balancer (ALB). A solutions architect needs to modify the infrastructure to be highly available without modifying the application. Which architecture should the solutions architect choose that provides high availability?

- A. Create an Auto Scaling group that uses three instances across each of two Regions.
- B. Modify the Auto Scaling group to use three instances across each of two Availability Zones.
- C. Create an Auto Scaling template that can be used to quickly create more instances in another Region.
- D. Change the ALB in front of the Amazon EC2 instances in a round-robin configuration to balance traffic to the web tier.

Answer: B

NEW QUESTION 8

A solutions architect is optimizing a website for an upcoming musical event. Videos of the performances will be streamed in real time and then will be available on demand. The event is expected to attract a global online audience. Which service will improve the performance of both the real-time and on-demand streaming?

- A. Amazon CloudFront
- B. AWS Global Accelerator
- C. Amazon Route 53
- D. Amazon S3 Transfer Acceleration

Answer: A

NEW QUESTION 9

A company is running an ecommerce application on Amazon EC2. The application consists of a stateless web tier that requires a minimum of 10 instances, and a peak of 250 instances to support the application's usage. The application requires 50 instances 80% of the time. Which solution should be used to minimize costs?

- A. Purchase Reserved Instances to cover 250 instances.
- B. Purchase Reserved Instances to cover 80 instances. Use Spot Instances to cover the remaining instances.
- C. Purchase On-Demand Instances to cover 40 instances. Use Spot Instances to cover the remaining instances.
- D. Purchase Reserved Instances to cover 50 instances. Use On-Demand and Spot Instances to cover the remaining instances.

Answer: D

NEW QUESTION 10

A company's website is using an Amazon RDS MySQL Multi-AZ DB instance for its transactional data storage. There are other internal systems that query this DB instance to fetch data for internal batch processing. The RDS DB instance slows down significantly the internal systems' fetch data. This impacts the website's read and write performance, and the users experience slow response times. Which solution will improve the website's performance?

- A. Use an RDS PostgreSQL DB instance instead of a MySQL database.
- B. Use Amazon ElastiCache to cache the query responses for the website.
- C. Add an additional Availability Zone to the current RDS MySQL Multi-AZ DB instance.
- D. Add a read replica to the RDS DB instance and configure the internal systems to query the read replica.

Answer: D

NEW QUESTION 10

A company has on-premises servers running a relational database. The current database serves high read traffic for users in different locations. The company wants to migrate to AWS with the least amount of effort. The database solution should support disaster recovery and not affect the company's current traffic flow. Which solution meets these requirements?

- A. Use a database in Amazon RDS with Multi-AZ and at least one read replica.
- B. Use a database in Amazon RDS with Multi-AZ and at least one standby replica.
- C. Use databases hosted on multiple Amazon EC2 instances in different AWS Regions.
- D. Use databases hosted on Amazon EC2 instances behind an Application Load Balancer in different Availability Zones.

Answer: A

NEW QUESTION 11

A recently acquired company is required to build its own infrastructure on AWS and migrate multiple applications to the cloud within a month. Each application has approximately 50 TB of data to be transferred. After the migration is complete, this company and its parent company will both require secure network connectivity with consistent throughput from their data centers to the applications. A solutions architect must ensure one-time data migration and ongoing network connectivity. Which solution will meet these requirements?

- A. AWS Direct Connect for both the initial transfer and ongoing connectivity.
- B. AWS Site-to-Site VPN for both the initial transfer and ongoing connectivity.
- C. AWS Snowball for the initial transfer and AWS Direct Connect for ongoing connectivity.

D. AWS Snowball for the initial transfer and AWS Site-to-Site VPN for ongoing connectivity

Answer: C

NEW QUESTION 13

A company is planning to use Amazon S3 to store images uploaded by its users. The images must be encrypted at rest in Amazon S3. The company does not want to spend time managing and rotating the keys, but it does want to control who can access those keys. What should a solutions architect use to accomplish this?

- A. Server-Side Encryption with keys stored in an S3 bucket
- B. Server-Side Encryption with Customer-Provided Keys (SSE-C)
- C. Server-Side Encryption with Amazon S3-Managed Keys (SSE-S3)
- D. Server-Side Encryption with AWS KMS-Managed Keys (SSE-KMS)

Answer: C

NEW QUESTION 14

A company serves content to its subscribers across the world using an application running on AWS. The application has several Amazon EC2 instances in a private subnet behind an Application Load Balancer (ALB). Due to a recent change in copyright restrictions, the chief information officer (CIO) wants to block access for certain countries.

Which action will meet these requirements?

- A. Modify the ALB security group to deny incoming traffic from blocked countries
- B. Modify the security group for EC2 instances to deny incoming traffic from blocked countries
- C. Use Amazon CloudFront to serve the application and deny access to blocked countries
- D. Use ALB listener rules to return access denied responses to incoming traffic from blocked countries

Answer: C

NEW QUESTION 19

A security team wants to limit access to specific services or actions in all of the team's AWS accounts. All accounts belong to a large organization in AWS Organizations. The solution must be scalable and there must be a single point where permissions can be maintained. What should a solutions architect do to accomplish this?

- A. Create an ACL to provide access to the services or actions.
- B. Create a security group to allow accounts and attach it to user groups
- C. Create cross-account roles in each account to deny access to the services or actions.
- D. Create a service control policy in the root organizational unit to deny access to the services or actions

Answer: D

NEW QUESTION 20

A company's web application is using multiple Linux Amazon EC2 instances and storing data on Amazon EBS volumes. The company is looking for a solution to increase the resiliency of the application in case of a failure and to provide storage that complies with atomicity, consistency, isolation, and durability (ACID). What should a solutions architect do to meet these requirements?

- A. Launch the application on EC2 instances in each Availability Zone
- B. Attach EBS volumes to each EC2 instance.
- C. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Mount an instance store on each EC2 instance.
- D. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Store data on Amazon EFS and mount a target on each instance.
- E. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Store data using Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: C

NEW QUESTION 23

A solutions architect is designing a high performance computing (HPC) workload on Amazon EC2. The EC2 instances need to communicate to each other frequently and require network performance with low latency and high throughput. Which EC2 configuration meets these requirements?

- A. Launch the EC2 instances in a cluster placement group in one Availability Zone
- B. Launch the EC2 instances in a spread placement group in one Availability Zone
- C. Launch the EC2 instances in an Auto Scaling group in two Regions and peer the VPCs
- D. Launch the EC2 instances in an Auto Scaling group spanning multiple Availability Zones

Answer: A

NEW QUESTION 24

A data science team requires storage for nightly log processing. The size and number of logs is unknown and will persist for 24 hours only. What is the MOST cost-effective solution?

- A. Amazon S3 Glacier
- B. Amazon S3 Standard
- C. Amazon S3 intelligent-Tiering
- D. Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: B

NEW QUESTION 26

A start-up company has a web application based in the us-east-1 Region with multiple Amazon EC2 instances running behind an Application Load Balancer across multiple Availability Zones. As the company's user base grows in the us-west-1 Region, it needs a solution with low latency and high availability. What should a solutions architect do to accomplish this?

- A. Provision EC2 instances in us-west-1. Switch the Application Load Balancer to a Network Load Balancer to achieve cross-Region load balancing.
- B. Provision EC2 instances and an Application Load Balancer in us-west-1. Make the load balancer distribute the traffic based on the location of the request.
- C. Provision EC2 instances and configure an Application Load Balancer in us-west-1. Create an accelerator in AWS Global Accelerator that uses an endpoint group that includes the load balancer endpoints in both Regions.
- D. Provision EC2 instances and configure an Application Load Balancer in us-west-1. Configure Amazon Route 53 with a weighted routing policy.
- E. Create alias records in Route 53 that point to the Application Load Balancer.

Answer: B

NEW QUESTION 28

A company's legacy application is currently relying on a single-instance Amazon RDS MySQL database without encryption. Due to new compliance requirements, all existing and new data in this database must be encrypted. How should this be accomplished?

- A. Create an Amazon S3 bucket with server-side encryption enabled. Move all the data to Amazon S3. Delete the RDS instance.
- B. Enable RDS Multi-AZ mode with encryption at rest enabled. Perform a failover to the standby instance to delete the original instance.
- C. Take a snapshot of the RDS instance. Create an encrypted copy of the snapshot. Restore the RDS instance from the encrypted snapshot.
- D. Create an RDS read replica with encryption at rest enabled. Promote the read replica to master and switch the application over to the new master. Delete the old RDS instance.

Answer: C

NEW QUESTION 32

A Solutions Architect must design a web application that will be hosted on AWS, allowing users to purchase access to premium, shared content that is stored in an S3 bucket. Upon payment, content will be available for download for 14 days before the user is denied access. Which of the following would be the LEAST complicated implementation?

- A. Use an Amazon CloudFront distribution with an origin access identity (OAI). Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design a Lambda function to remove data that is older than 14 days.
- B. Use an S3 bucket and provide direct access to the file. Design the application to track purchases in a DynamoDB table. Configure a Lambda function to remove data that is older than 14 days based on a query to Amazon DynamoDB.
- C. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 14 days for the URL.
- D. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 60 minutes for the URL and recreate the URL as necessary.

Answer: C

NEW QUESTION 37

A solutions architect at an ecommerce company wants to back up application log data to Amazon S3. The solutions architect is unsure how frequently the logs will be accessed or which logs will be accessed the most. The company wants to keep costs as low as possible by using the appropriate S3 storage class. Which S3 storage class should be implemented to meet these requirements?

- A. S3 Glacier
- B. S3 Intelligent-Tiering
- C. S3 Standard-Infrequent Access (S3 Standard-IA)
- D. S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: D

Explanation:

S3 One Zone-IA is for data that is accessed less frequently, but requires rapid access when needed. Unlike other S3 Storage Classes which store data in a minimum of three Availability Zones (AZs), S3 One Zone-IA stores data in a single AZ and costs 20% less than S3 Standard-IA. S3 One Zone-IA is ideal for customers who want a lower-cost option for infrequently accessed data but do not require the availability and resilience of S3 Standard or S3 Standard-IA. It's a good choice for storing secondary backup copies of on-premises data or easily re-creatable data. You can also use it as cost-effective storage for data that is replicated from another AWS Region using S3 Cross-Region Replication.

NEW QUESTION 39

A company has a legacy application that processes data in two parts. The second part of the process takes longer than the first, so the company has decided to rewrite the application as two microservices running on Amazon ECS that can scale independently. How should a solutions architect integrate the microservices?

- A. Implement code in microservice 1 to send data to an Amazon S3 bucket.
- B. Use S3 event notifications to invoke microservice 2.
- C. Implement code in microservice 1 to publish data to an Amazon SNS topic. Implement code in microservice 2 to subscribe to this topic.
- D. Implement code in microservice 1 to send data to Amazon Kinesis Data Firehose.
- E. Implement code in microservice 2 to read from Kinesis Data Firehose.
- F. Implement code in microservice 1 to send data to an Amazon SQS queue. Implement code in microservice 2 to process messages from the queue.

Answer: C

NEW QUESTION 40

A company wants to host a scalable web application on AWS. The application will be accessed by users from different geographic regions of the world. Application users will be able to download and upload unique data up to gigabytes in size. The development team wants a cost-effective solution to minimize upload and download latency and maximize performance.

What should a solutions architect do to accomplish this?

- A. Use Amazon S3 with Transfer Acceleration to host the application.
- B. Use Amazon S3 with CacheControl headers to host the application.D18912E1457D5D1DDCBD40AB3BF70D5D
- C. Use Amazon EC2 with Auto Scaling and Amazon CloudFront to host the application.
- D. Use Amazon EC2 with Auto Scaling and Amazon ElastiCache to host the application.

Answer: C

NEW QUESTION 43

A company captures clickstream data from multiple websites and analyzes it using batch processing. The data is loaded nightly into Amazon Redshift and is consumed by business analysts. The company wants to move towards near-real-time data processing for timely insights. The solution should process the streaming data with minimal effort and operational overhead.

Which combination of AWS services are MOST cost-effective for this solution? (Choose two.)

- A. Amazon EC2
- B. AWS Lambda
- C. Amazon Kinesis Data Streams
- D. Amazon Kinesis Data Firehose
- E. Amazon Kinesis Data Analytics

Answer: AD

NEW QUESTION 45

A solutions architect is designing storage for a high performance computing (HPC) environment based on Amazon Linux. The workload stores and processes a large amount of engineering drawings that require shared storage and heavy computing.

Which storage option would be the optimal solution?

- A. Amazon Elastic File System (Amazon EFS)
- B. Amazon FSx for Lustre
- C. Amazon EC2 instance store
- D. Amazon EBS Provisioned IOPS SSD (io1)

Answer: B

NEW QUESTION 48

A media streaming company collects real-time data and stores it in a disk-optimized database system. The company is not getting the expected throughput and wants an in-memory database storage solution that performs faster and provides high availability using data replication.

Which database should a solutions architect recommend?

- A. Amazon RDS for MySQL
- B. Amazon RDS for PostgreSQL
- C. Amazon ElastiCache for Redis
- D. Amazon ElastiCache for Memcached

Answer: C

NEW QUESTION 52

A web application is deployed in the AWS Cloud. It consists of a two-tier architecture that includes a web layer and a database layer. The web server is vulnerable to cross-site scripting (XSS) attacks.

What should a solutions architect do to remediate the vulnerability?

- A. Create a Classic Load Balancer. Put the web layer behind the load balancer and enable AWS WAF.
- B. Create a Network Load Balancer. Put the web layer behind the load balancer and enable AWS WAF.
- C. Create an Application Load Balancer. Put the web layer behind the load balancer and enable AWS WAF.
- D. Create an Application Load Balancer. Put the web layer behind the load balancer and use AWS Shield Standard.

Answer: C

NEW QUESTION 55

A company has a two-tier application architecture that runs in public and private subnets. Amazon EC2 instances running the web application are in the public subnet and a database runs on the private subnet. The web application instances and the database are running in a single Availability Zone (AZ).

Which combination of steps should a solutions architect take to provide high availability for this architecture? (Select TWO.)

- A. Create new public and private subnets in the same AZ for high availability.
- B. Create an Amazon EC2 Auto Scaling group and Application Load Balancer spanning multiple AZs.
- C. Add the existing web application instances to an Auto Scaling group behind an Application Load Balancer.
- D. Create new public and private subnets in a new AZ. Create a database using Amazon EC2 in one AZ.
- E. Create new public and private subnets in the same VPC, each in a new AZ. Migrate the database to an Amazon RDS multi-AZ deployment.

Answer: BE

NEW QUESTION 59

A company is performing an AWS Well-Architected Framework review of an existing workload deployed on AWS. The review identified a public-facing website running on the same Amazon EC2 instance as a Microsoft Active Directory domain controller that was installed recently to support other AWS services. A solutions architect needs to recommend a new design that would improve the security of the architecture and minimize the administrative demand on IT staff. What should the solutions architect recommend?

- A. Use AWS Directory Service to create a managed Active Directory
- B. Uninstall Active Directory on the current EC2 instance.
- C. Create another EC2 instance in the same subnet and reinstall Active Directory on it
- D. Uninstall Active Directory.
- E. Use AWS Directory Service to create an Active Directory connection
- F. Proxy Active Directory requests to the Active domain controller running on the current EC2 instance.
- G. Enable AWS Single Sign-On (AWS SSO) with Security Assertion Markup Language (SAML) 2.0 federation with the current Active Directory controller
- H. Modify the EC2 instance's security group to deny public access to Active Directory.

Answer: C

NEW QUESTION 60

A company currently operates a web application backed by an Amazon RDS MySQL database. It has automated backups that are run daily and are not encrypted. A security audit requires future backups to be encrypted and the unencrypted backups to be destroyed. The company will make at least one encrypted backup before destroying the old backups. What should be done to enable encryption for future backups?

- A. Enable default encryption for the Amazon S3 bucket where backups are stored
- B. Modify the backup section of the database configuration to toggle the Enable encryption check box
- C. Create a snapshot of the database. Copy it to an encrypted snapshot. Restore the database from the encrypted snapshot
- D. Enable an encrypted read replica on RDS for MySQL. Promote the encrypted read replica to primary. Remove the original database instance

Answer: C

NEW QUESTION 64

A solutions architect is designing a web application that will run on Amazon EC2 instances behind an Application Load Balancer (ALB). The company strictly requires that the application be resilient against malicious internet activity and attacks, and protect against new common vulnerabilities and exposures. What should the solutions architect recommend?

- A. Leverage Amazon CloudFront with the ALB endpoint as the origin
- B. Deploy an appropriate managed rule for AWS WAF and associate it with the ALB
- C. Subscribe to AWS Shield Advanced and ensure common vulnerabilities and exposures are blocked
- D. Configure network ACLs and security groups to allow only ports 80 and 443 to access the EC2 instances

Answer: B

NEW QUESTION 66

A solutions architect is designing an application for a two-step order process. The first step is synchronous and must return to the user with little latency. The second step takes longer, so it will be implemented in a separate component. Orders must be processed exactly once and in the order in which they are received. How should the solutions architect integrate these components?

- A. Use Amazon SQS FIFO queues.
- B. Use an AWS Lambda function along with Amazon SQS standard queues
- C. Create an SNS topic and subscribe an Amazon SQS FIFO queue to that topic
- D. Create an SNS topic and subscribe an Amazon SQS Standard queue to that topic.

Answer: C

NEW QUESTION 68

A solutions architect needs to design a managed storage solution for a company's application that includes high-performance machine learning. This application runs on AWS Fargate and the connected storage needs to have concurrent access to files and deliver high performance. Which storage option should the solutions architect recommend?

- A. Create an Amazon S3 bucket for the application and establish an IAM role for Fargate to communicate with Amazon S3
- B. Create an Amazon FSx for Lustre file share and establish an IAM role that allows Fargate to communicate with FSx for Lustre.
- C. Create an Amazon Elastic File System (Amazon EFS) file share and establish an IAM role that allows Fargate to communicate with Amazon EFS.
- D. Create an Amazon Elastic Block Store (Amazon EBS) volume for the application and establish an IAM role that allows Fargate to communicate with Amazon EBS

Answer: B

NEW QUESTION 70

A company runs a multi-tier web application that hosts news content. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones and use an Amazon Aurora database. A solutions architect needs to make the application more resilient to periodic increases in request rates. Which architecture should the solutions architect implement? (Select TWO)

- A. Add AWS Shield.
- B. Add Aurora Replicas
- C. Add AWS Direct Connect
- D. Add AWS Global Accelerator.
- E. Add an Amazon CloudFront distribution in front of the Application Load Balancer

Answer: DE

NEW QUESTION 74

A company is managing health records on-premises. The company must keep these records indefinitely, disable any modifications to the records once they are stored, and granularly audit access at all levels. The chief technology officer (CTO) is concerned because there are already millions of records not being used by any application, and the current infrastructure is running out of space. The CTO has requested a solutions architect design a solution to move existing data and support future records.

Which services can the solutions architect recommend to meet these requirements?

- A. Use AWS DataSync to move existing data to AWS.
- B. Use Amazon S3 to store existing and new data. Enable Amazon S3 object lock and enable AWS CloudTrail with data events.
- C. Use AWS Storage Gateway to move existing data to AWS. Use Amazon S3 to store existing and new data. Enable Amazon S3 object lock and enable AWS CloudTrail with management events.
- D. Use AWS DataSync to move existing data to AWS. Use Amazon S3 to store existing and new data. Enable Amazon S3 object lock and enable AWS CloudTrail with management events.
- E. Use AWS Storage Gateway to move existing data to AWS. Use Amazon Elastic Block Store (Amazon EBS) to store existing and new data. Enable Amazon S3 object lock and enable Amazon S3 server access logging.

Answer: B

NEW QUESTION 76

A bicycle sharing company is developing a multi-tier architecture to track the location of its bicycles during peak operating hours. The company wants to use these data points in its existing analytics platform. A solutions architect must determine the most viable multi-tier option to support this architecture. The data points must be accessible from the REST API.

Which action meets these requirements for storing and retrieving location data?

- A. Use Amazon Athena with Amazon S3.
- B. Use Amazon API Gateway with AWS Lambda.
- C. Use Amazon QuickSight with Amazon Redshift.
- D. Use Amazon API Gateway with Amazon Kinesis Data Analytics.

Answer: D

NEW QUESTION 77

A company allows its developers to attach existing IAM policies to existing IAM roles to enable faster experimentation and agility. However, the security operations team is concerned that the developers could attach the existing administrator policy, which would allow the developers to circumvent any other security policies. How should a solutions architect address this issue?

- A. Create an Amazon SNS topic to send an alert every time a developer creates a new policy.
- B. Use service control policies to disable IAM activity across all accounts in the organizational unit.
- C. Prevent the developers from attaching any policies and assign all IAM duties to the security operations team.
- D. Set an IAM permissions boundary on the developer IAM role that explicitly denies attaching the administrator policy.

Answer: D

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/access_policies_boundaries.html

NEW QUESTION 79

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

SAA-C02 Practice Exam Features:

- * SAA-C02 Questions and Answers Updated Frequently
- * SAA-C02 Practice Questions Verified by Expert Senior Certified Staff
- * SAA-C02 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SAA-C02 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SAA-C02 Practice Test Here](#)