

Identity-and-Access-Management-Designer Dumps

Salesforce Certified Identity and Access Management Designer (SP19)

<https://www.certleader.com/Identity-and-Access-Management-Designer-dumps.html>



NEW QUESTION 1

Universal Containers (UC) uses Salesforce to allow customers to keep track of the order status. The customers can log in to Salesforce using external authentication providers, such as Facebook and Google. UC is also leveraging the App Launcher to let customers access an of platform application for generating shipping labels. The label generator application uses OAuth to provide users access. What license type should an Architect recommend for the customers?

- A. Customer Community license
- B. Identity license
- C. Customer Community Plus license
- D. External Identity license

Answer: B

NEW QUESTION 2

Universal containers (UC) built a customer Community for customers to buy products, review orders, and manage their accounts. UC has provided three different options for customers to log in to the customer Community: salesforce, Google, and Facebook. Which two role combinations are represented by the systems in the scenario? Choose 2 answers

- A. Google is the service provider and Facebook is the identity provider
- B. Salesforce is the service provider and Google is the identity provider
- C. Facebook is the service provider and salesforce is the identity provider
- D. Salesforce is the service provider and Facebook is the identity provider

Answer: BD

NEW QUESTION 3

Universal containers wants salesforce inbound OAuth-enabled integration clients to use SAML-BASED single Sign-on for authentication. What OAuth flow would be recommended in this scenario?

- A. User-Agent OAuth flow
- B. SAML assertion OAuth flow
- C. User-Token OAuth flow
- D. Web server OAuth flow

Answer: B

NEW QUESTION 4

Northern Trail Outfitters (NTO) is planning to roll out a partner portal for its distributors using Experience Cloud. NTO would like to use an external identity provider (IdP) and for partners to register for access to the portal. Each partner should be allowed to register only once to avoid duplicate accounts with Salesforce. What should a identity architect recommend to create partners?

- A. On successful creation of Partners using Self Registration page in Experience Cloud, create identity in Ping.
- B. Create a custom page m Experience Cloud to self register partner with Experience Cloud and Ping identity store.
- C. Create a custom web page in the Portal and create users in the IdP and Experience Cloud using published APIs.
- D. Allow partners to register through the IdP and create partner users in Salesforce through an API.

Answer: B

NEW QUESTION 5

Universal Containers (UC) wants to build a few applications that leverage the Salesforce REST API. UC has asked its Architect to describe how the API calls will be authenticated to a specific user. Which two mechanisms can the Architect provide? Choose 2 Answers

- A. Authentication Token
- B. Session ID
- C. Refresh Token
- D. Access Token

Answer: CD

NEW QUESTION 6

Universal Containers (UC) is rolling out its new Customer Identity and Access Management Solution built on top of its existing Salesforce instance. UC wants to allow customers to login using Facebook, Google, and other social sign-on providers. How should this functionality be enabled for UC, assuming ail social sign-on providers support OpenID Connect?

- A. Configure an authentication provider and a registration handler for each social sign-on provider.
- B. Configure a single sign-on setting and a registration handler for each social sign-on provider.
- C. Configure an authentication provider and a Just-In-Time (JIT) handler for each social sign-on provider.
- D. Configure a single sign-on setting and a JIT handler for each social sign-on provider.

Answer: A

NEW QUESTION 7

A leading fitness tracker company is getting ready to launch a customer community. The company wants its customers to login to the community and connect their fitness device to their profile. Customers should be able to obtain exercise details and fitness recommendation In the community. Which should be used to satisfy this requirement?

- A. Named Credentials
- B. Login Flows
- C. OAuth Device Flow
- D. Single Sign-On Settings

Answer: C

NEW QUESTION 8

Universal Containers (UC) is setting up Delegated Authentication to allow employees to log in using their corporate credentials. UC's security team is concerned about the risk of exposing the corporate login service on the Internet and has asked that a reliable trust mechanism be put in place between the login service and Salesforce. What mechanism should an architect put in place to enable a trusted connection between the login services and Salesforce?

- A. Include client ID and client secret in the login header callout.
- B. Set up a proxy server for the login service in the DMZ.
- C. Require the use of Salesforce security Tokens on password.
- D. Enforce mutual Authentication between systems using SSL.

Answer: C

NEW QUESTION 9

A technology enterprise is planning to implement single sign-on login for users. When users log in to the Salesforce User object custom field, data should be populated for new and existing users.

Which two steps should an identity architect recommend? Choose 2 answers

- A. Implement Auth.SamlJitHandler Interface.
- B. Create and update methods.
- C. Implement RegistrationHandler Interface.
- D. Implement SessionManagement Class.

Answer: AB

NEW QUESTION 10

Northern Trail Outfitters is implementing a business-to-business (B2B) collaboration site using Salesforce Experience Cloud. The partners will authenticate with an existing identity provider and the solution will utilize Security Assertion Markup Language (SAML) to provide single sign-on to Salesforce. Delegated administration will be used in the Experience Cloud site to allow the partners to administer their users' access.

How should a partner identity be provisioned in Salesforce for this solution?

- A. Create only a contact.
- B. Create a contactless user.
- C. Create a user and a related contact.
- D. Create a person account.

Answer: C

NEW QUESTION 10

Sales users at Universal Containers use Salesforce for Opportunity management. Marketing uses a third-party application called Nest for Lead nurturing that is accessed using username/password. The VP of sales wants to open up access to Nest for all sales users to provide them access to lead history and would like SSO for better adoption. Salesforce is already setup for SSO and uses Delegated Authentication. Nest can accept username/Password or SAML-based Authentication. IT teams have received multiple password-related issues for Nest and have decided to set up SSO access for Nest for Marketing users as well. The CIO does not want to invest in a new IDP solution and is considering using Salesforce for this purpose. Which are appropriate license type choices for sales and marketing users, given Salesforce is using Delegated Authentication? Choose 2 answers

- A. Salesforce license for sales users and Identity license for Marketing users
- B. Salesforce license for sales users and External Identity license for Marketing users
- C. Identity license for sales users and Identity connect license for Marketing users
- D. Salesforce license for sales users and platform license for Marketing users.

Answer: AD

NEW QUESTION 14

Universal Containers (UC) wants to integrate a third-party Reward Calculation system with Salesforce to calculate Rewards. Rewards will be calculated on a schedule basis and update back into Salesforce. The integration between Salesforce and the Reward Calculation System needs to be secure. Which are two recommended practices for using OAuth flow in this scenario. Choose 2 answers

- A. OAuth Refresh Token Flow
- B. OAuth Username-Password Flow
- C. OAuth SAML Bearer Assertion Flow
- D. OAuth JWT Bearer Token Flow

Answer: CD

NEW QUESTION 19

Universal Containers (UC) would like to enable self-registration for their Salesforce partner community users. UC wants to capture some custom data elements from the partner user, and based on these data elements, wants to assign the appropriate profile and account values. Which two actions should the architect recommend to UC? Choose 2 answers

- A. Modify the communitiesselfregcontroller to assign the profile and account.

- B. Modify the selfregistration trigger to assign profile and account.
- C. Configure registration for communities to use a custom visualforce page.
- D. Configure registration for communities to use a custom apex controller.

Answer: AC

NEW QUESTION 24

Northern Trail Outfitters (NTO) uses Salesforce Experience Cloud sites (previously known as Customer Community) to provide a digital portal where customers can login using their Google account.

NTO would like to automatically create a case record for first time users logging into Salesforce Experience Cloud. What should an Identity architect do to fulfill the requirement?

- A. Configure an authentication provider for Social Login using Google and a custom registration handler.
- B. Implement a Just-in-Time handler class that has logic to create cases upon first login.
- C. Create an authentication provider for Social Login using Google and leverage standard registration handler.
- D. Implement a login flow with a record create component for Case.

Answer: D

NEW QUESTION 29

Containers (UC) has implemented SAML-based single Sign-on for their Salesforce application and is planning to provide access to Salesforce on mobile devices using the Salesforce1 mobile app. UC wants to ensure that Single Sign-on is used for accessing the Salesforce1 mobile App. Which two recommendations should the Architect make? Choose 2 Answers

- A. Configure the Embedded Web Browser to use My Domain URL.
- B. Configure the Salesforce1 App to use the MY Domain URL.
- C. Use the existing SAML-SSO flow along with User Agent Flow.
- D. Use the existing SAML SSO flow along with Web Server Flow.

Answer: BC

NEW QUESTION 33

A global company's Salesforce Identity Architect is reviewing its Salesforce production org login history and is seeing some intermittent Security Assertion Markup Language (SAML SSO) 'Replay Detected and Assertion Invalid' login errors.

Which two issues would cause these errors? Choose 2 answers

- A. The subject element is missing from the assertion sent to salesforce.
- B. The certificate loaded into SSO configuration does not match the certificate used by the IdP.
- C. The current time setting of the company's identity provider (IdP) and Salesforce platform is out of sync by more than eight minutes.
- D. The assertion sent to Salesforce contains an assertion ID previously used.

Answer: AD

NEW QUESTION 35

Users logging into Salesforce are frequently prompted to verify their identity.

The identity architect is required to provide recommendations so that frequency of prompt verification can be reduced.

What should the identity architect recommend to meet the requirement?

- A. Implement 2FA authentication for the Salesforce org.
- B. Set trusted IP ranges for the organization.
- C. Implement an single sign-on for Salesforce using an external identity provider.
- D. Implement multi-factor authentication for the Salesforce org.

Answer: B

NEW QUESTION 37

Universal Containers (UC) is building a custom Innovation platform on their Salesforce instance. The Innovation platform will be written completely in Apex and Visualforce and will use custom objects to store the Data. UC would like all users to be able to access the system without having to log in with Salesforce credentials. UC will utilize a third-party idp using SAML SSO. What is the optimal Salesforce licence type for all of the UC employees?

- A. Identity Licence.
- B. Salesforce Licence.
- C. External Identity Licence.
- D. Salesforce Platform Licence.

Answer: D

NEW QUESTION 40

An Identity and Access Management (IAM) architect is tasked with unifying multiple B2C Commerce sites and an Experience Cloud community with a single identity. The solution needs to support more than 1,000 logins per minute.

What should the IAM do to fulfill this requirement?

- A. Configure both the community and the commerce sites as OAuth2 RPs (relying party) with an external identity provider.
- B. Configure community as a Security Assertion Markup Language (SAML) identity provider and enable Just-in-Time Provisioning to B2C Commerce.
- C. Create a default account for capturing all ecommerce contacts registered on the community because personAccount is not supported for this case.
- D. Confirm performance considerations with Salesforce Customer Support due to high peaks.

Answer: D

NEW QUESTION 41

Universal Containers (UC) has implemented SAML-based Single Sign-On to provide seamless access to its Salesforce Orgs, financial system, and CPQ system. Below is the SSO implementation landscape.

What role combination is represented by the systems in this scenario"

- A. Financial System and CPQ System are the only Service Providers.
- B. Salesforce Org1 and Salesforce Org2 are the only Service Providers.
- C. Salesforce Org1 and Salesforce Org2 are acting as Identity Providers.
- D. Salesforce Org1 and PingFederate are acting as Identity Providers.

Answer: D

NEW QUESTION 43

Ttie executive sponsor for an organization has asked if Salesforce supports the ability to embed a login widget into its service providers in order to create a more seamless user experience.

What should be used and considered before recommending it as a solution on the Salesforce Platform?

- A. OpenID Connect Web Server Flo
- B. Determine if the service provider is secure enough to store the client secret on.
- C. Embedded Logi
- D. Identify what level of UI customization will be required to make it match the service providers look and feel.
- E. Salesforce REST api
- F. Ensure that Secure Sockets Layer (SSL) connection for the integration is used.
- G. Embedded Logi
- H. Consider whether or not it relies on third party cookies which can cause browser compatibility issues.

Answer: C

NEW QUESTION 45

IT security at Unversal Containers (UC) us concerned about recent phishing scams targeting its users and wants to add additional layers of login protection. What should an Architect recommend to address the issue?

- A. Use the Salesforce Authenticator mobile app with two-step verification
- B. Lock sessions to the IP address from which they originated.
- C. Increase Password complexity requirements in Salesforce.

D. Implement Single Sign-on using a corporate Identity store.

Answer: A

NEW QUESTION 49

An identity architect wants to secure Salesforce APIs using Security Assertion Markup Language (SAML). For security purposes, administrators will need to authorize the applications that will be consuming the APIs. Which Salesforce OAuth authorization flow should be used?

- A. OAuth 2.0 SAML Bearer Assertion Flow
- B. OAuth 2.0 JWT Bearer Flow
- C. SAML Assertion Flow
- D. OAuth 2.0 User-Agent Flow

Answer: C

NEW QUESTION 50

Universal Containers(UC) has decided to build a new, highly sensitive application on Force.com platform. The security team at UC has decided that they want users to provide a fingerprint in addition to username/Password to authenticate to this application. How can an architect support fingerprints as a form of identification for Salesforce Authentication?

- A. Use Salesforce Two-factor Authentication with callouts to a third-party fingerprint scanning application.
- B. Use Delegated Authentication with callouts to a third-party fingerprint scanning application.
- C. Use an AppExchange product that does fingerprint scanning with native Salesforce identity confirmation.
- D. Use custom login flows with callouts to a third-party fingerprint scanning application.

Answer: D

NEW QUESTION 53

A global fitness equipment manufacturer uses Salesforce to manage its sales cycle. The manufacturer has a custom order fulfillment app that needs to request order data from Salesforce. The order fulfillment app needs to integrate with the Salesforce API using OAuth 2.0 protocol. What should an identity architect use to fulfill this requirement?

- A. Canvas App Integration
- B. OAuth Tokens
- C. Authentication Providers
- D. Connected App and OAuth scopes

Answer: D

NEW QUESTION 56

Universal Containers is using OpenID Connect to enable a connection from their new mobile app to its production Salesforce org. What should be done to enable the retrieval of the access token status for the OpenID Connect connection?

- A. Query using OpenID Connect discovery endpoint.
- B. Leverage OpenID Connect Token Introspection.
- C. Create a custom OAuth scope.
- D. Enable cross-origin resource sharing (CORS) for the /services/oauth2/token endpoint.

Answer: B

NEW QUESTION 59

Universal Containers(UC) has a customer Community that uses Facebook for authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate customer Community user. How can this requirement be met?

- A. Use the updateUser() method on the registration handler class.
- B. Use SAML just-in-time provisioning between Facebook and Salesforce
- C. Use information in the signed request that is received from Facebook.
- D. Develop a schedule job that calls out to Facebook on a nightly basis.

Answer: A

NEW QUESTION 64

Which two security risks can be mitigated by enabling Two-Factor Authentication (2FA) in Salesforce? Choose 2 answers

- A. Users leaving laptops unattended and not logging out of Salesforce.
- B. Users accessing Salesforce from a public Wi-Fi access point.
- C. Users choosing passwords that are the same as their Facebook password.
- D. Users creating simple-to-guess password reset questions.

Answer: BC

NEW QUESTION 65

Universal Containers (UC) is setting up their customer Community self-registration process. They are uncomfortable with the idea of assigning new users to a default account record. What will happen when customers self-register in the community?

- A. The self-registration process will produce an error to the user.
- B. The self-registration page will ask user to select an account.
- C. The self-registration process will create a person Account record.
- D. The self-registration page will create a new account record.

Answer: A

NEW QUESTION 70

A financial services company uses Salesforce and has a compliance requirement to track information about devices from which users log in. Also, a Salesforce Security Administrator needs to have the ability to revoke the device from which users log in. What should be used to fulfill this requirement?

- A. Use multi-factor authentication (MFA) to meet the compliance requirement to track device information.
- B. Use the Activations feature to meet the compliance requirement to track device information.
- C. Use the Login History object to track information about devices from which users log in.
- D. Use Login Flows to capture device from which users log in and store device and user information in a custom object.

Answer: B

NEW QUESTION 74

Northern Trail Outfitters (NTO) uses a Security Assertion Markup Language (SAML)-based Identity Provider (IdP) to authenticate employees to all systems. The IdP authenticates users against a Lightweight Directory Access Protocol (LDAP) directory and has access to user information. NTO wants to minimize Salesforce license usage since only a small percentage of users need Salesforce.

What is recommended to ensure new employees have immediate access to Salesforce using their current IdP?

- A. Install Salesforce Identity Connect to automatically provision new users in Salesforce the first time they attempt to login.
- B. Build an integration that queries LDAP periodically and creates new active users in Salesforce.
- C. Configure Just-in-Time provisioning using SAML attributes to create new Salesforce users as necessary when a new user attempts to login to Salesforce.
- D. Build an integration that queries LDAP and creates new inactive users in Salesforce and use a login flow to activate the user at first login.

Answer: C

NEW QUESTION 76

Universal Containers (UC) has built a custom token-based Two-factor authentication (2FA) system for their existing on-premise applications. They are now implementing Salesforce and would like to enable a Two-factor login process for it, as well. What is the recommended solution as Architect should consider?

- A. Use the custom 2FA system for on-premise applications and native 2FA for Salesforce.
- B. Replace the custom 2FA system with an AppExchange App that supports on-premise application and Salesforce.
- C. Use Custom Login Flows to connect to the existing custom 2FA system for use in Salesforce.
- D. Replace the custom 2FA system with Salesforce 2FA for on-premise applications and Salesforce.

Answer: D

NEW QUESTION 81

Universal Containers (UC) is building a customer community and will allow customers to authenticate using Facebook credentials. The first time the user authenticates using Facebook, UC would like a customer account created automatically in their Accounting system. The Accounting system has a web service accessible to Salesforce for the creation of accounts. How can the Architect meet these requirements?

- A. Create a custom application on Heroku that manages the sign-on process from Facebook.
- B. Use JIT Provisioning to automatically create the account in the accounting system.
- C. Add an Apex callout in the registration handler of the authorization provider.
- D. Use OAuth JWT flow to pass the data from Salesforce to the Accounting System.

Answer: C

NEW QUESTION 84

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the IdP to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

Answer: B

NEW QUESTION 88

Northern Trail Outfitters (NTO) leverages Microsoft Active Directory (AD) for management of employee usernames, passwords, permissions, and asset access. NTO also owns a third-party single sign-on (SSO) solution. The third-party SSO solution is used for all corporate applications, including Salesforce. NTO has asked an architect to explore Salesforce Identity Connect for automatic provisioning and deprovisioning of users in Salesforce. What role does Identity Connect play in the outlined requirements?

- A. Service Provider
- B. Single Sign-On
- C. Identity Provider
- D. User Management

Answer: D

NEW QUESTION 91

Universal containers (UC) has a mobile application that it wants to deploy to all of its salesforce users, including customer Community users. UC would like to minimize the administration overhead, which two items should an architect recommend? Choose 2 answers

- A. Enable the "Refresh Tokens is valid until revoked " setting in the Connected App.
- B. Enable the "Enforce Ip restrictions" settings in the connected App.
- C. Enable the "All users may self-authorize" setting in the Connected App.
- D. Enable the "High Assurance session required" setting in the Connected App.

Answer: AC

NEW QUESTION 95

An identity architect has been asked to recommend a solution that allows administrators to configure personalized alert messages to users before they land on the Experience Cloud site (formerly known as Community) homepage.

What is recommended to fulfill this requirement with the least amount of customization?

- A. Customize the registration handler Apex class to create a routing logic navigating to different home pages based on the user profile.
- B. Use Login Flows to add a screen that shows personalized alerts.
- C. Build a Lightning web Component (LWC) for a homepage that shows custom alerts.
- D. Create custom metadata that stores user alerts and use a LWC to display alerts.

Answer: B

NEW QUESTION 96

Universal containers (UC) would like to enable SAML-BASED SSO for a salesforce partner community. UC has an existing ldap identity store and a third-party portal. They would like to use the existing portal as the primary site these users access, but also want to allow seamless access to the partner community. What SSO flow should an architect recommend?

- A. User-Agent
- B. IDP-initiated
- C. Sp-Initiated
- D. Web server

Answer: B

NEW QUESTION 100

Universal Containers is considering using Delegated Authentication as the sole means of Authenticating of Salesforce users. A Salesforce Architect has been brought in to assist with the implementation. What two risks Should the Architect point out? Choose 2 answers

- A. Delegated Authentication is enabled or disabled for the entire Salesforce org.
- B. UC will be required to develop and support a custom SOAP web service.
- C. Salesforce users will be locked out of Salesforce if the web service goes down.
- D. The web service must reside on a public cloud service, such as Heroku.

Answer: BC

NEW QUESTION 105

Which two roles of the systems are involved in an environment where salesforce users are enabled to access Google Apps from within salesforce through App launcher and connected App set up? Choose 2 answers

- A. Google is the identity provider
- B. Salesforce is the identity provider
- C. Google is the service provider
- D. Salesforce is the service provider

Answer: D

NEW QUESTION 107

A large consumer company is planning to create a community and will require login through the customers social identity. The following requirements must be met:

- * 1. The customer should be able to login with any of their social identities, however salesforce should only have one user per customer.
- * 2. Once the customer has been identified with a social identity, they should not be required to authorize Salesforce.
- * 3. The customers personal details from the social sign on need to be captured when the customer logs into Salesforce using their social Identity.
- * 3. If the customer modifies their personal details in the social site, the changes should be updated in Salesforce.

Which two options allow the Identity Architect to fulfill the requirements? Choose 2 answers

- A. Use Login Flows to call an authentication registration handler to provision the user before logging the user into the community.
- B. Use authentication providers for social sign-on and use the custom registration handler to insert or update personal details.
- C. Redirect the user to a custom page that allows the user to select an existing social identity for login.
- D. Use the custom registration handler to link social identities to Salesforce identities.

Answer: BD

NEW QUESTION 108

How should an identity architect automate provisioning and deprovisioning of users into Salesforce from an external system?

- A. Call SOAP API upsertQ on user object.
- B. Use Security Assertion Markup Language Just-in-Time (SAML JIT) on incoming SAML assertions.
- C. Run registration handler on incoming OAuth responses.
- D. Call OpenID Connect (OIDC)-userinfo endpoint with a valid access token.

Answer: C

NEW QUESTION 110

An identity architect is implementing a mobile-first Consumer Identity Access Management (CIAM) for external users. User authentication is the only requirement. The users email or mobile phone number should be supported as a username. Which two licenses are needed to meet this requirement? Choose 2 answers

- A. External Identity Licenses
- B. Identity Connect Licenses
- C. Email Verification Credits
- D. SMS verification Credits

Answer: AD

NEW QUESTION 114

Universal Containers (UC) has a Customer Community that uses Facebook for authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate Customer Community user. How can this requirement be met?

- A. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.
- B. Use information in the Signed Request that is received from Facebook.
- C. Develop a scheduled job that calls out to Facebook on a nightly basis.
- D. Use the updateUser() method on the Registration Handler class.

Answer: D

NEW QUESTION 116

Universal Containers (UC) has implemented SAML SSO to enable seamless access across multiple applications. UC has regional salesforce orgs and wants its users to be able to access them from their main Salesforce org seamlessly. Which action should an architect recommend?

- A. Configure the main salesforce org as an Authentication provider.
- B. Configure the main salesforce org as the Identity provider.
- C. Configure the regional salesforce orgs as Identity Providers.
- D. Configure the main Salesforce org as a service provider.

Answer: B

NEW QUESTION 120

Refer to the exhibit.

Outfitters (NTO) is using Experience Cloud as an Identity for its application on Heroku. The application on Heroku should be able to handle two brands, Northern Trail Shoes and Northern Trail Shirts.

A user should select either of the two brands in Heroku before logging into the community. The app then performs Authorization using OAuth2.0 with the Salesforce Experience Cloud site.

NTO wants to make sure it renders login page images dynamically based on the user's brand preference selected in Heroku before Authorization. What should an identity architect do to fulfill the above requirements?

- A. For each brand create different communities and redirect users to the appropriate community using a custom Login controller written in Apex.
- B. Create multiple login screens using Experience Builder and use Login Flows at runtime to route to different login screens.
- C. Authorize third-party service by sending authorization requests to the community-url/services/oauth2/authorize/cookie_value.
- D. Authorize third-party service by sending authorization requests to thecommunity-url/services/oauth2/authonze/expid_value.

Answer: D

NEW QUESTION 121

Which two statements are capable of Identity Connect? Choose 2 answers

- A. Synchronization of Salesforce Permission Set Licence Assignments.
- B. Supports both Identity-Provider-Initiated and Service-Provider-Initiated SSO.
- C. Support multiple orgs connecting to multiple Active Directory servers.
- D. Automated user synchronization and de-activation.

Answer: BD

NEW QUESTION 126

Universal Containers has multiple Salesforce instances where users receive emails from different instances. Users should be logged into the correct Salesforce instance authenticated by their IdP when clicking on an email link to a Salesforce record.

What should be enabled in Salesforce as a prerequisite?

- A. My Domain
- B. External Identity

- C. Identity Provider
- D. Multi-Factor Authentication

Answer: A

NEW QUESTION 129

Containers (UC) has decided to implement a federated single Sign-on solution using a third-party Idp. In reviewing the third-party products, they would like to ensure the product supports the automated provisioning and deprovisioning of users. What are the underlining mechanisms that the UC Architect must ensure are part of the product?

- A. SOAP API for provisioning; Just-in-Time (JIT) for Deprovisioning.
- B. Just-In-time (JIT) for Provisioning; SOAP API for Deprovisioning.
- C. Provisioning API for both Provisioning and Deprovisioning.
- D. Just-in-Time (JIT) for both Provisioning and Deprovisioning.

Answer: D

NEW QUESTION 131

Universal containers (UC) has multiple salesforce orgs and would like to use a single identity provider to access all of their orgs. How should UC'S architect enable this behavior?

- A. Ensure that users have the same email value in their user records in all of UC's salesforce orgs.
- B. Ensure the same username is allowed in multiple orgs by contacting salesforce support.
- C. Ensure that users have the same Federation ID value in their user records in all of UC's salesforce orgs.
- D. Ensure that users have the same alias value in their user records in all of UC's salesforce orgs.

Answer: C

NEW QUESTION 135

Universal Containers is creating a mobile application that will be secured by Salesforce Identity using the OAuth 2.0 user-agent flow (this flow uses the OAuth 2.0 implicit grant type).

Which three OAuth concepts apply to this flow? Choose 3 answers

- A. Client ID
- B. Refresh Token
- C. Authorization Code
- D. Verification Code
- E. Scopes

Answer: ABE

NEW QUESTION 139

Universal Containers is budding a web application that will connect with the Salesforce API using JWT OAuth Flow.

Which two settings need to be configured in the connect app to support this requirement? Choose 2 answers

- A. The Use Digital Signature option in the connected app.
- B. The "web" OAuth scope in the connected app,
- C. The "api" OAuth scope in the connected app.
- D. The "edair_api" OAuth scope in the connected app.

Answer: AC

NEW QUESTION 140

Which three different attributes can be used to identify the user in a SAML 65> assertion when Salesforce is acting as a Service Provider? Choose 3 answers

- A. Federation ID
- B. Salesforce User ID
- C. User Full Name
- D. User Email Address
- E. Salesforce Username

Answer: ACD

NEW QUESTION 144

Containers (UC) uses a legacy Employee portal for their employees to collaborate. Employees access the portal from their company's internal website via SSO. It is set up to work with SiteMinder and Active Directory. The Employee portal has features to support posing ideas. UC decides to use Salesforce Ideas for voting and better tracking purposes. To avoid provisioning users on Salesforce, UC decides to integrate Employee portal ideas with Salesforce idea through the API. What is the role of Salesforce in the context of SSO, based on this scenario?

- A. Service Provider, because Salesforce is the application for managing ideas.
- B. Connected App, because Salesforce is connected with Employee portal via API.
- C. Identity Provider, because the API calls are authenticated by Salesforce.
- D. An independent system, because Salesforce is not part of the SSO setup.

Answer: D

NEW QUESTION 145

A pharmaceutical company has an on-premise application (see illustration) that it wants to integrate with Salesforce.

The IT director wants to ensure that requests must include a certificate with a trusted certificate chain to access the company's on-premise application endpoint. What should an Identity architect do to meet this requirement?

- A. Use open SSL to generate a Self-signed Certificate and upload it to the on-premise app.
- B. Configure the company firewall to allow traffic from Salesforce IP ranges.
- C. Generate a certificate authority-signed certificate in Salesforce and uploading it to the on-premise application Truststore.
- D. Upload a third-party certificate from Salesforce into the on-premise server.

Answer: B

NEW QUESTION 146

Universal containers (UC) has a mobile application that calls the salesforce REST API. In order to prevent users from having to enter their credentials everytime they use the app, UC has enabled the use of refresh Tokens as part of the salesforce connected App and updated their mobile app to take advantage of the refresh token. Even after enabling the refresh token, Users are still complaining that they have to enter their credentials once a day. What is the most likely cause of the issue?

- A. The Oauth authorizations are being revoked by a nightly batch job.
- B. The refresh token expiration policy is set incorrectly in salesforce
- C. The app is requesting too many access Tokens in a 24-hour period
- D. The users forget to check the box to remember their credentials.

Answer: B

NEW QUESTION 148

Universal Containers (UC) uses Salesforce for its customer service agents. UC has a proprietary system for order tracking which supports Security Assertion Markup Language (SAML) based single sign-on. The VP of customer service wants to ensure only active Salesforce users should be able to access the order tracking system which is only visible within Salesforce.

What should be done to fulfill the requirement? Choose 2 answers

- A. Setup Salesforce as an identity provider (IdP) for order Tracking.
- B. Set up the Corporate Identity store as an identity provider (IdP) for Order Tracking,
- C. Customize Order Tracking to initiate a REST call to validate users in Salesforce after login.

D. Setup Order Tracking as a Canvas app in Salesforce to POST IdP initiated SAML assertion.

Answer: AB

NEW QUESTION 149

Universal Containers (UC) has implemented SAML-based SSO solution for use with their multi-org Salesforce implementation, utilizing one of the the orgs as the Identity Provider. One user is reporting that they can log in to the Identity Provider org but get a generic SAML error message when accessing the other orgs. Which two considerations should the architect review to troubleshoot the issue? Choose 2 answers

- A. The Federation ID must be a valid Salesforce Username
- B. The Federation ID must is case sensitive
- C. The Federation ID must be in the form of an email address.
- D. The Federation ID must be populated on the user record.

Answer: BD

NEW QUESTION 150

Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate? Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate?

- A. Check the Refresh Token policy defined in the Salesforce Connected App.
- B. Validate that the users are checking the box to remember their passwords.
- C. Verify that the Callback URL is correctly pointing to the new URI Scheme.
- D. Confirm that the access Token's Time-To-Live policy has been set appropriately.

Answer: A

NEW QUESTION 153

The CIO of universal containers(UC) wants to start taking advantage of the refresh token capability for the UC applications that utilize OAuth 2.0. UC has listed an architect to analyze all of the applications that use OAuth flows to. See where refresh Tokens can be applied. Which two OAuth flows should the architect consider in their evaluation? Choose 2 answers

- A. Web server
- B. Jwt bearer token
- C. User-Agent
- D. Username-password

Answer: AC

NEW QUESTION 154

Universal Containers (UC) currently uses Salesforce Sales Cloud and an external billing application. Both Salesforce and the billing application are accessed several times a day to manage customers. UC would like to configure single sign-on and leverage Salesforce as the identity provider. Additionally, UC would like the billing application to be accessible from Salesforce. A redirect is acceptable.

Which two Salesforce tools should an identity architect recommend to satisfy the requirements? Choose 2 answers

- A. salesforce Canvas
- B. Identity Connect
- C. Connected Apps
- D. App Launcher

Answer: AD

NEW QUESTION 155

Universal Containers (UC) has an existing web application that it would like to access from Salesforce without requiring users to re-authenticate. The web application is owned UC and the UC team that is responsible for it is willing to add new javascript code and/or libraries to the application. What implementation should an Architect recommend to UC?

- A. Create a Canvas app and use Signed Requests to authenticate the users.
- B. Rewrite the web application as a set of Visualforce pages and Apex code.
- C. Configure the web application as an item in the Salesforce App Launcher.
- D. Add the web application as a ConnectedApp using OAuth User-Agent flow.

Answer: A

NEW QUESTION 156

Universal Containers (UC) wants to build a mobile application that twill be making calls to the Salesforce REST API. UC's Salesforce implementation relies heavily on custom objects and custom Apex code. UC does not want its users to have to enter credentials every time they use the app. Which two scope values should an Architect recommend to UC? Choose 2 answers.

- A. Custom_permissions
- B. Api
- C. Refresh_token

D. Full

Answer: BC

NEW QUESTION 159

Northern Trail Outfitters (NTO) wants to give customers the ability to submit and manage issues with their purchases. It is important for to give its customers the ability to login with their Facebook and Twitter credentials.

Which two actions should an identity architect recommend to meet these requirements? Choose 2 answers

- A. Create a custom external authentication provider for Facebook.
- B. Configure a predefined authentication provider for Facebook.
- C. Create a custom external authentication provider for Twitter.
- D. Configure a predefined authentication provider for Twitter.

Answer: BD

NEW QUESTION 161

A Salesforce customer is implementing Sales Cloud and a custom pricing application for its call center agents. An Enterprise single sign-on solution is used to authenticate and sign-in users to all applications. The customer has the following requirements:

* 1. The development team has decided to use a Canvas app to expose the pricing application to agents.

* 2. Agents should be able to access the Canvas app without needing to log in to the pricing application.

Which two options should the identity architect consider to provide support for the Canvas app to initiate login for users?

Choose 2 answers

- A. Select "Enable as a Canvas Personal App" in the connected app settings.
- B. Enable OAuth settings in the connected app with required OAuth scopes for the pricing application.
- C. Configure the Canvas app as a connected app and set Admin-approved users as pre-authorized.
- D. Enable SAML in the connected app and Security Assertion Markup Language (SAML) Initiation Method as Service Provider Initiated.

Answer: CD

NEW QUESTION 162

architect is troubleshooting some SAML-based SSO errors during testing. The Architect confirmed that all of the Salesforce SSO settings are correct. Which two issues outside of the Salesforce SSO settings are most likely contributing to the SSO errors the Architect is encountering? Choose 2 Answers

- A. The Identity Provider is also used to SSO into five other applications.
- B. The clock on the Identity Provider server is twenty minutes behind Salesforce.
- C. The Issuer Certificate from the Identity Provider expired two weeks ago.
- D. The default language for the Identity Provider and Salesforce are Different.

Answer: BC

NEW QUESTION 167

Universal Containers (UC) built an integration for their employees to post, view, and vote for ideas in Salesforce from an internal Company portal. When ideas are posted in Salesforce, links to the ideas are created in the company portal pages as part of the integration process. The Company portal connects to Salesforce using OAuth. Everything is working fine, except when users click on links to existing ideas, they are always taken to the Ideas home page rather than the specific idea, after authorization. Which OAuth URL parameter can be used to retain the original requested page so that a user can be redirected correctly after OAuth authorization?

- A. Redirect_uri
- B. State
- C. Scope
- D. Callback_uri

Answer: A

NEW QUESTION 170

Universal containers (UC) has implemented SAML -based single Sign-on for their salesforce application. UC is using pingfederate as the Identity provider. To access salesforce, Users usually navigate to a bookmarked link to my domain URL. What type of single Sign-on is this?

- A. Sp-Initiated
- B. IDP-initiated with deep linking
- C. IDP-initiated
- D. Web server flow.

Answer: A

NEW QUESTION 174

Northern Trail Outfitters would like to automatically create new employee users in Salesforce with an appropriate profile that maps to its Active Directory Department.

How should an identity architect implement this requirement?

- A. Use the createUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- B. Use the updateUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- C. Use a login flow to collect Security Assertion Markup Language attributes and assign the appropriate profile during Just-In-Time (JIT) provisioning.
- D. Make a callout during the login flow to query department from Active Directory to assign the appropriate profile.

Answer: B

NEW QUESTION 177

Universal containers (UC) has implemented a multi-org strategy and would like to centralize the management of their salesforce user profiles. What should the architect recommend to allow salesforce profiles to be managed from a central system of record?

- A. Implement jit provisioning on the SAML IDP that will pass the profile id in each assertion.
- B. Create an apex scheduled job in one org that will synchronize the other orgs profile.
- C. Implement Delegated Authentication that will update the user profiles as necessary.
- D. Implement an Oauthjwt flow to pass the profile credentials between systems.

Answer: A

NEW QUESTION 181

Universal Containers (UC) is building an authenticated Customer Community for its customers. UC does not want customer credentials stored in Salesforce and is confident its customers would be willing to use their social media credentials to authenticate to the community. Which two actions should an Architect recommend UC to take?

- A. Use Delegated Authentication to call the Twitter login API to authenticate users.
- B. Configure an Authentication Provider for LinkedIn Social Media Accounts.
- C. Create a Custom Apex Registration Handler to handle new and existing users.
- D. Configure SSO Settings For Facebook to serve as a SAML Identity Provider.

Answer: BC

NEW QUESTION 185

Universal containers uses an Employee portal for their employees to collaborate. employees access the portal from their company's internal website via SSO. It is set up to work with Active Directory. What is the role of Active Directory in this scenario?

- A. Identity store
- B. Authentication store
- C. Identity provider
- D. Service provider

Answer: C

NEW QUESTION 187

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is secure. What certificate is sent along with the Outbound Message?

- A. The Self-signed Certificates from the Certificate & Key Management menu.
- B. The default client Certificate from the Develop--> API menu.
- C. The default client Certificate or the Certificate and Key Management menu.
- D. The CA-signed Certificate from the Certificate and Key Management Menu.

Answer: B

NEW QUESTION 188

Universal containers (UC) is successfully using Delegated Authentication for their salesforce users. The service supporting Delegated Authentication is written in Java. UC has a new CIO that is requiring all company Web services be RESR-ful and written in . NET. Which two considerations should the UC Architect provide to the new CIO? Choose 2 answers

- A. Delegated Authentication will not work with a.net service.
- B. Delegated Authentication will continue to work with rest services.
- C. Delegated Authentication will continue to work with a.net service.
- D. Delegated Authentication will not work with rest services.

Answer: CD

NEW QUESTION 190

A company's external application is protected by Salesforce through OAuth. The identity architect for the project needs to limit the level of access to the data of the protected resource in a flexible way. What should be done to improve security?

- A. Select "Admin approved users are pre-authorized" and assign specific profiles.
- B. Create custom scopes and assign to the connected app.
- C. Define a permission set that grants access to the app and assign to authorized users.
- D. Leverage external objects and data classification policies.

Answer: B

NEW QUESTION 193

Northern Trail Outfitters (NTO) is planning to build a new customer service portal and wants to use passwordless login, allowing customers to login with a one-time passcode sent to them via email or SMS.

How should the quantity of required Identity Verification Credits be estimated?

- A. Each community comes with 10,000 Identity Verification Credits per month and only customers with more than 10,000 logins a month should estimate additional SMS verifications needed.
- B. Identity Verification Credits are consumed with each SMS (text message) sent and should be estimated based on the number of login verification challenges for SMS verification users.
- C. Identity Verification Credits are consumed with each verification sent and should be estimated based on the number of logins that will incur a verification challenge.
- D. Identity Verification Credits are a direct add-on license based on the number of existing member-based or login-based Community licenses.

Answer: B

NEW QUESTION 198

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your Identity-and-Access-Management-Designer Exam with Our Prep Materials Via below:

<https://www.certleader.com/Identity-and-Access-Management-Designer-dumps.html>