

## Exam Questions JN0-1332

Security Design. Specialist (JNCDS-SEC)

<https://www.2passeasy.com/dumps/JN0-1332/>



#### NEW QUESTION 1

Which feature is evaluated first when a packet is received on an interface of an SRX Series device?

- A. UTM
- B. ALG
- C. stateless firewall filter
- D. screens

Answer: A

#### NEW QUESTION 2

As part of your design to secure a service provider WAN, you are asked to design a destination-based remote triggered black hole (RTBH) solution. What are two reasons for using this design? (Choose two)

- A. The attack is focused on a single IP address
- B. You do not know the source address of DDoS packets
- C. The attack comes from a limited number of source IP addresses
- D. You want to ensure that the destination IP remains reachable

Answer: D

#### NEW QUESTION 3

As part of a high availability design for interfaces on an SRX chassis cluster, you are asked to deliver a design that provides both link redundancy and node redundancy. What would you use to satisfy the requirement?

- A. MC-LAG interfaces
- B. LAG interfaces
- C. reth interfaces
- D. reth LAG interfaces

Answer: B

#### NEW QUESTION 4


You are asked to provide a design proposal to secure a service provider's network against IP spoofing. As part of your design, you must ensure that only traffic sourced from the same subnet is followed on the customer-facing interfaces. Which solution will satisfy this requirement?

- A. BGP with source of origin community
- B. unicast RPF with strict mode
- C. unicast RPF with loose mode
- D. BGP labeled-unicast using the resolve-vpn option

Answer: B

#### NEW QUESTION 5

Refer to the Exhibit.



You are asked to provide a proposal for security elements in the service provider network shown in the exhibit. You must provide DDoS protection for Customer A from potential upstream attackers.

Which statements are correct in this scenario?

- A. You should implement DDoS protection to drop offending traffic on the edge devices closest to the destination of the attack.

- B. You should implement DDoS protection to drop offending traffic on the edge devices closest to the source of the attack.
- C. You should implement DDoS protection to drop offending traffic on the core devices.
- D. You should implement DDoS protection to drop offending traffic on the customer edge device.

**Answer:** C

#### NEW QUESTION 6

As part of a design requirement you are asked to allow users in a specific department to authenticate only on their laptops and no other devices on the same network port. Which mode of 802.1X authentication will you use to satisfy this requirement?

- A. multiple
- B. single-secure
- C. single
- D. MAC RADIUS

**Answer:** A

#### NEW QUESTION 7

Physical security devices are "blind" to which type of traffic?

- A. bare metal server to VM
- B. private VLAN
- C. intra-server traffic
- D. management

**Answer:** B

#### NEW QUESTION 8

When designing the security for a service provider core router, you are asked to add a firewall filter on the to0 interface in this scenario, which two protocols would you want to allow through the filter? (Choose two.)

- A. LLDP
- B. SSH
- C. BGP
- D. STP

**Answer:** AC

#### NEW QUESTION 9

Your company just purchased another company that uses the same IP address space as your company. You are asked to design a solution that allows both company's to use each other's IT resources. Which two actions would you use to accomplish this task? (Choose two.)

- A. Implement double NAT
- B. Implement two non-overlapping equal-size address blocks
- C. Implement three non-overlapping equal-size address blocks.
- D. Implement persisted mat

**Answer:** C

#### NEW QUESTION 10

You are designing a central management solution Your customer wants a logging solution that will support the collection of up to 10,000 events per second from many SRX Series devices that will be deployed in their network. In this scenario, which solution should you include in your design proposal?

- A. Log Collector
- B. Network Director
- C. Contrail Insights
- D. Contrail Server Orchestration

**Answer:** A

#### NEW QUESTION 10

What are two reasons for using a cSRX instance over a vSRX instance? (Choose two )

- A. cSRX instances launch faster than vSRX instances
- B. cSRX instances share the host OS unlike vSRX instances.
- C. A cSRX instance uses more memory but uses less disk space than a vSRX instance
- D. A cSRX instance supports more features than a vSRX instance

**Answer:** C

#### NEW QUESTION 14

You are designing a security solution that includes SRX Series firewalls in a chassis cluster. In this scenario, which two elements must be part of the design? (Choose two.)

- A. The physical interface on each SRX Series device making up the reth interface must be in the same L2 domain

- B. The physical interface on each SRX Series device making up the reth interface must be in separate L2 domains
- C. The duster ID must be the same on both SRX Series devices
- D. The node 10 must be the same on both SRX Series devices

**Answer:** B

#### NEW QUESTION 16

Which two features would provide protection from known malware? (Choose two.)

- A. ALGs
- B. screens
- C. Juniper ATP Cloud
- D. IPS

**Answer:** BC

#### NEW QUESTION 20

According to Juniper Networks, what are two focus points when designing a secure network? (Choose two.)

- A. performance
- B. automation
- C. distributed control
- D. classification

**Answer:** AD

#### NEW QUESTION 25

When using Contral networking, security policies are distributed as access control list to which component?

- A. vSwith
- B. vSRX
- C. vMX
- D. vRouter

**Answer:** D

#### NEW QUESTION 27

You are designing an IP camera solution for your warehouse You must block command and control servers from communicating with the cameras. In this scenario. which two products would you need to include in your design? (Choose two)

- A. SRX Series device
- B. Security Director
- C. Juniper ATP Cloud
- D. IPS

**Answer:** CD

#### NEW QUESTION 31

You are a security architect for a small managed service provider. The marketing team has proposed providing firewall services to the customers. The requirements for the solution are shown below

- The customer must be able to manage their own security device.
- You must provide segmentation using Layer 2 and Layer 3.
- You need to implement dynamic routing
- You need to provide UTM services

in this scenario. which product would you select to provide the firewall services?

- A. cSRX
- B. vSRX
- C. vMX
- D. vQFX

**Answer:** D

#### NEW QUESTION 34


When two security services process a packet whether it is being processed in the first-packet path or the fast path? (Choose two.)

- A. screen options
- B. ALG
- C. route lookup
- D. policy lookup

**Answer:** CD

#### NEW QUESTION 39

Refer to the exhibit.



You are designing a security solution using an SRX Series chassis duster in two separate buildings. In this scenario, what are three considerations? (Choose three)

- A. The switches connecting to interface fab1 must support jumbo frames
- B. Latency on the fabric path must be under 1000 ms
- C. Latency on the control path must be under 100 ms
- D. The switches connecting to interface fxp: must support jumbo frames
- E. Both HA links must be on physically different switches.

**Answer:** ACD

#### NEW QUESTION 41

You are designing a service provider network. As part of your design you must ensure that the OSPF, BGP, and RSVP protocol communications are secured using the same authentication method. Which authentication protocol will accomplish this task?

- A. HMAC-MD5
- B. simple authentication
- C. SHA-RSA
- D. SHA-256

**Answer:** B

#### NEW QUESTION 43

Which firewall service is used as a first line of defense and often used by a security device to protect itself?

- A. intrusion prevention system
- B. unified Threat management
- C. network address translation
- D. stateless firewall filter

**Answer:** A

#### NEW QUESTION 45

You are designing a security solution for an existing data center. All traffic must be secured using SRX Series devices, however, you are unable to change the existing IP addressing scheme. Which firewall deployment method satisfies this requirement?

- A. transparent deployment
- B. two-arm deployment
- C. one-arm deployment
- D. inline deployment

**Answer:** A

#### NEW QUESTION 47

Which technology enables IPS inspection for users browsing websites that use Transport Layer Security (TLS)?

- A. SSL reverse proxy
- B. defense in-depth
- C. SSL forward proxy
- D. screens

**Answer:** C

#### NEW QUESTION 48

What are two characteristics of an overlay network design? (Choose two.)

- A. The overlay network contains per-tenant state
- B. The overlay network uses tunnels to transfer traffic.
- C. The physical network contains per-tenant state.
- D. The physical network uses tunnels to transfer traffic

**Answer:** A

#### NEW QUESTION 51

You must design a separate network within your trust network with added security and separation. What is the common name for this type of network?

- A. guest
- B. DMZ
- C. enclave
- D. trust

**Answer:** C

#### NEW QUESTION 53

You are asked to design an automated vulnerability scanner that can actively check to see which ports are open and report on the findings. Which Juniper Networks product would you use in this scenario?

- A. Security Director
- B. Log Director
- C. Policy Enforcer
- D. JSA

**Answer:** C

#### NEW QUESTION 58

Which two steps should be included in your security design process? (Choose two )

- A. Define an overall routing strategy
- B. identify external attackers
- C. Identify permitted communications
- D. Identify security requirements for the customer's organization

**Answer:** BC

#### NEW QUESTION 61

You must ensure that all 10GbE interfaces have an MTU of 9192 and that all of the ge-0/0/4.0 interfaces on the SRX Series devices are in a specific zone. Which type of a script would you use to accomplish this task?

- A. REST script
- B. commit script
- C. event script
- D. op script

**Answer:** D

#### NEW QUESTION 64

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual JN0-1332 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the JN0-1332 Product From:

<https://www.2passeasy.com/dumps/JN0-1332/>

## Money Back Guarantee

### JN0-1332 Practice Exam Features:

- \* JN0-1332 Questions and Answers Updated Frequently
- \* JN0-1332 Practice Questions Verified by Expert Senior Certified Staff
- \* JN0-1332 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* JN0-1332 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year