

Avaya

Exam Questions 75940X

Avaya Converged Platform Integration Exam



NEW QUESTION 1

With ACP 4200, what is mandatory to ensure Avaya Aura® High Availability across the two Data Centers?

- A. A single vCenter Server that manages both Data Centers.
- B. Network connectivity to and in between the two Data Centers.
- C. Identical compute servers in both Data Centers.
- D. The same VLANs in both Data Centers.

Answer: A

NEW QUESTION 2

When powering up the virtual machines, what is the first virtual machine that needs to be powered on?

- A. vCenter Server
- B. WebLM
- C. System Manager
- D. Communication Manager

Answer: A

NEW QUESTION 3

An administrator needs to access Avaya Orchestrator.

How does an administrator log into the management interface of Avaya Orchestrator?

- A. By using a browser to login to System Manager, then clicking on the Avaya Orchestrator link.
- B. By using a browser to login to Avaya Orchestrator's FQDN or IP address.
- C. By downloading and using the System Manager Administrator client.
- D. By downloading and using the Avaya Orchestrator Administrator client.

Answer: B

NEW QUESTION 4

An Avaya Orchestrator administrator has been tasked with getting a copy of the Temperature Values chart for a Server. When doing this in the past, the administrator has navigated to the Compute Group Dashlet-Host

Up-Host IP Address-Performance Chart. However, the Temperatures Values chart cannot be found. What is potentially causing this issue?

- A. The SNMP credentials for the Server's thermostats subsystems are incorrect.
- B. The IP address chosen is of the ESXi host, not the iLO interface.
- C. The Host is currently unresponsive.
- D. The Temperatures Values are only available for VSP switches and Storage systems.

Answer: C

NEW QUESTION 5

How can the administrator check the status of all services being monitored by Avaya Orchestrator?

- A. It is not possible
- B. Services are displayed on a per-Host basis only.
- C. By navigating to Quick View-All Service Problems.
- D. By navigating to Details-Service Status.
- E. By navigating to ACP 4200 Configuration Wizard-Service.

Answer: B

NEW QUESTION 6

Which three examples of hardware equipment redundancy are built into the ACP 4200? (Choose three.)

- A. Redundant iLO connections to each HP server.
- B. Redundant storage processors in the storage arrays.
- C. Redundant hot swap switch CPU modules.
- D. Redundant power supplies in all hardware components.
- E. Redundant pairs of Power Distribution Units.

Answer: ACE

NEW QUESTION 7

Refer to the exhibit.

DRS Rules

Name	Type	Enabled	Conflicts	Defined...
SMRule	Separate Virtual Machines	Yes	0	User
MSCRule	Run VMs on Hosts	Yes	0	User
CMRule	Separate Virtual Machines	Yes	0	User

DRS Rule Details

The listed 2 Virtual Machines must run on different hosts.

Rule Members	Conflicts
SC-Avaya Aura Session Ma...	0
SC-Avaya Aura Session Ma...	0

What is the purpose of the “SMRule” DRS rule that states the two Avaya Aura® Session Managers must run off different ESXi hosts?

- A. To improve the latency of DRS load-balancing
- B. To prevent a single ESXi host from being overloaded with SIP traffic
- C. To preserve seamless failover/recovery across primary and secondary Session Managers
- D. To reduce the memory and CPU load on a single ESXi host

Answer: C

NEW QUESTION 8

What is the purpose of VMware vMotion as used in ACP 4200?

- A. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.
- B. It dynamically allocated and balances computing capacity across the logical resource pools.
- C. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.
- D. It creates a pool of virtual disk space that can be shared by multiple virtual machines.

Answer: A

NEW QUESTION 9

Aside from the difference in the depth of the enclosure, what other difference is there between the 48 Inch Model and 42 Inch Model of the ACP 4200 Avaya-branded Enclosure?

- A. There is no other difference between the 48 Inch Model and 42 Inch Model.
- B. The 48 Inch Model has a higher maximum wattage capacity compared to the 42 Inch Model.
- C. The 48 Inch Model has a higher maximum weight compared to the 42 Inch Model.
- D. The 48 Inch Model is only available in Grey while the 42 Inch Model is only available in Black.

Answer: B

Explanation:

Reference <https://downloads.avaya.com/css/P8/documents/101054952> (15)

NEW QUESTION 10

An administrator is examining the Hosts monitored by Avaya Orchestrator. Which two are examples of these Hosts? (Choose two.)

- A. Storage Devices
- B. vCenter Server Appliance
- C. Network Switches
- D. System Manager

Answer: AC

NEW QUESTION 10

Which two are valid levels of VMware performance monitoring? (Choose two.)


- A. Visualization Performance and Fault Manager (VPFM)
- B. Virtual Machine (VM)
- C. Data Center (DC)

D. Host

Answer: BD

NEW QUESTION 14

Refer to the exhibit.



An administrator notices that the Rack View of Avaya Orchestrator is highlighted with a Red X on the graphical representation of the rack. What does this indicate?

- A. At least 50% of the hosts in the rack contain a service which is in critical state.
- B. The rack has a front door that is currently unlocked.
- C. The rack is currently unreachable.
- D. At least one of the hosts in the rack contains a service which is in critical state.

Answer: D

NEW QUESTION 19

What is the purpose of the VMware Distributed Resource Scheduler (DRS) as used in ACP 4200?

- A. It enables a utility that balances computing workloads with available resources in a virtualized environment.
- B. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.
- C. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.
- D. It creates a pool of virtual disk space that can be shared by multiple virtual machines.

Answer: A

NEW QUESTION 23

Which three tasks must be completed in preparation of a site for an ACP 4200 installation? (Choose three.)

- A. Determine the list of Customer Administrators who will require login access to the ACP 4200.
- B. Install power connections for the ACP 4200.
- C. Plan the path from the delivery location to the permanent site.
- D. Determine a permanent location for the ACP 4200.
- E. Enable SNMP management on the network devices that will be connected to the ACP 4200.

Answer: ABC

NEW QUESTION 27

Which three tasks must be performed by the ACP 4200 implementation team at the customer site? (Choose three.)

- A. Connect the network switches to the customer network.
- B. Assign IP addresses to the existing Virtual Machines.
- C. Connect to the VMware vCenter Server Appliance and power up the virtual machines.
- D. Fill up the IP template.
- E. Install a ground connection for each enclosure.

Answer: ADE

NEW QUESTION 30

Which application can a technician use to remotely connect to the Management Server Console on an ACP 4200?

- A. VNC
- B. Remote Desktop Connection
- C. PuTTY
- D. Team Viewer

Answer: B

NEW QUESTION 34

A customer experienced an outage of one of their Host servers in their ACP 4200 solution. Additionally, after the failure, all of the applications that were running on the failed host, did not recover to another host.

To verify the configuration, which third party management tool needs to be used?

- A. SSH into the switches
- B. Avaya Orchestrator
- C. Nimble Storage web interface
- D. vSphere Web Client

Answer: D

NEW QUESTION 38

When a Layer 2-only networking topology is deployed, what is the behavior of the ACP 4200?

- A. It will support only a single management VLAN.
- B. It will extend VLANs out to the Data Center routers which will provide Layer 3 routing.
- C. It will support only a single application VLAN.
- D. It will have 802.1Q tagging enabled on all ports of the VSP switches.

Answer: B

NEW QUESTION 39

After implementing a new ACP 4200 solution, warnings about high temperatures on one of the host servers are reported by the Avaya Orchestrator.

To verify the temperature, fan speeds, and general hardware health of the HP Servers in the ACP 4200, which third party management tool can be used?

- A. Nimble storage web interface
- B. ESXi server client
- C. HP iLO web interface
- D. vSphere Web Client

Answer: C

NEW QUESTION 40


When a new instance and new VMs are added to ACP 4200, additional VLANs are added to the ACP 4200. To what are these VLANs added?

- A. The VSP Switches only.
- B. The ESXi Hosts only.
- C. The VSP Switches and ESXi Hosts.
- D. The VSP Switches, the ESXi Hosts, and the existing VMs.

Answer: C

NEW QUESTION 43

Refer to the exhibit.



An administrator navigates to the Avaya Orchestrator page shown in the exhibit. The 4850GTS switches and the PIPS Pro1 PDUs are displaying an Orange status icon.

What does this indicate?

- A. These devices have not been configured with correct credentials.
- B. These devices have power supply issues.
- C. These devices have services with status of warning.
- D. These devices have reachability issues.

Answer: C

NEW QUESTION 47

Refer to the exhibit.



Why is the usage measurement of CPU2 (in Purple) shown in the chart highlighted in the table?

- A. Because the CPU2 has been nominated as the primary CPU in this Virtual Machine.
- B. Because the CPU2 has been highlighted with an active alarm.
- C. Because the CPU2 usage is closest to the average usage of all the CPUs.
- D. Because the CPU2 has been selected in the table under the chart.

Answer: D

NEW QUESTION 50

When planning to add additional VMs to an ACP 4200, to determine if an additional host server would be required, which tool can be used?

- A. The Server resource calculator from the VMware vCenter client.
- B. The Server Calc worksheet in the Lifecycle workbook.
- C. The Server resource calculator tool in the Lifecycle workbook.
- D. The Server calculator tool from Avaya Orchestrator.

Answer: D

NEW QUESTION 53

What is the role of Avaya Aura® System Manager in an ACP 4200 4.0 system?

- A. It provides a Single-Sign On functionality to Avaya Orchestrator.
- B. It manages the license for Avaya Orchestrator.
- C. It provides the application launch point for Avaya Orchestrator.
- D. It is a component of the Avaya Aura® deployment.

Answer: B

NEW QUESTION 57

In which two situations does the Customer and Network Lifecycle workbook need to be updated? (Choose two.)

- A. On the 31st of January every year, even if no changes have been made to the ACP 4200.
- B. When an ACP 4200 component password is changed.
- C. When a new Administrator is given access to the ACP 4200.
- D. When a new host server is added to the ACP 4200.

Answer: BD

NEW QUESTION 62

Refer to the exhibit.

	A	B	C	D	E	F	G	H	I
	Build Code	Assembled Units	From Device RMU/Port	Connects to Unit	To Switch RMU/Port				
2									
1452	2D E3 S G GS	Gateway - 1	E5	VSP4K1	P1	1 - P1	G4501 - E5	10	Gray
1454	2D E3 S G GS	VSP 4800 - 2	P3	VSP4K1	P3	1 - P3	4k2 - P3	10	Gray
1455	2D E3 S G GS	VSP 4800 - 2	P4	VSP4K1	P4	1 - P4	4k2 - P4	10	Gray
1456	2D E3 S G GS	VSP 4800 - 2	P5	VSP4K1	P5	1 - P5	4k2 - P5	10	Gray
1457	2D E3 S G GS	VSP 4800 - 2	P6	VSP4K1	P6	1 - P6	4k2 - P6	10	Gray
1458	2D E3 S G GS	VSP 4800 - 2	P7	VSP4K1	P7	1 - P7	4k2 - P7	10	Gray
1459	2D E3 S G GS	VSP 4800 - 2	P8	VSP4K1	P8	1 - P8	4k2 - P8	10	Gray
1460	2D E3 S G GS	VSP 4800 - 2	P6	VSP4K1	P9	1 - P9	4k2 - P9	10	Gray
1461	2D E3 S G GS	VSP 4800 - 2	P10	VSP4K1	P10	1 - P10	4k2 - P10	10	Gray
1462	2D E3 S G GS	Server ACR - 1	N2	VSP4K1	P18	1 - P18	SVR01 - N2	15	Gray
1463	2D E3 S G GS	Server ACR - 2	N2	VSP4K1	P19	1 - P19	SVR02 - N2	15	Gray
1469	2D E3 S G GS	Server ACR - 1	N0	VSP4K1	P26	1 - P26	SVR01 - N0	15	Black
1470	2D E3 S G GS	Server ACR - 2	N0	VSP4K1	P27	1 - P27	SVR02 - N0	15	Black
1476	2D E3 S G GS	Server ACR - 1	IMM	VSP4K1	P35	1 - P35	SVR01 - IMM	15	Black
1482	2D E3 S G GS	EMC Storage	SPA LAN	VSP4K1	P43	1 - P43	VNX - SPA LAN	15	Black
1485	2D E3 S G GS	EMC Storage	SPA P0	VSP4K1	P50	1 - P50	VNX - SPA P0	5M	Aqua
1486	2D E3 S G GS	Gateway - 1	E6	VSP4K2	P1	2 - P1	G4501 - E6	10	Gray
1488	2D E3 S G GS	VSP 4800 - 1	P3	VSP4K2	P3	2 - P3	4k1 - P3	10	Gray
1489	2D E3 S G GS	VSP 4800 - 1	P4	VSP4K2	P4	2 - P4	4k1 - P4	10	Gray

An Administrator notices that a Service Status Warning is being received by Avaya Orchestrator indicating that port 27 on VSP 4850-1 is down. Based on the contents of the Customer and Network Lifecycle Workbook in the exhibit, which equipment is connected to this port?

- A. VSP4K1, port 27
- B. Server/ACR-2, Interface NO
- C. Server/ACR-1, Interface NO
- D. VSP4K1, Port 26

Answer: A

NEW QUESTION 63

Which Extreme Networks switch model is used in a new ACP 4200 release 4.0?

- A. VSP 4850
- B. VSP 7254
- C. VSP 8400
- D. VSP 7024

Answer: B

NEW QUESTION 66

How would an administrator display the IP addresses of the VSP switches of the ACP 4200 within the Avaya Orchestrator Home Dashboard?

- A. By right-clicking on the Dashboard menu item and downloading the network summary report.

- B. By right-clicking on the Admin menu item and downloading the network summary report.
- C. By right-clicking on the Report menu item and downloading the network summary report.
- D. By hovering the mouse pointer over the Up status indicator within the Network dashlet.

Answer: B

NEW QUESTION 67

When an administrator logs into Avaya Orchestrator and on the Home Dashboard, the administrator sees dashlets for Storage, Network, Power and Rack View. What does this indicate?

- A. The Home Dashboard is behaving normally.
- B. The Servers have Warning or Error messages.
- C. The Storage, Network, Power and Rack systems have Warning or Error messages.
- D. The Servers have not been added to Avaya Orchestrator's ACP 4200 Configuration Wizard.

Answer: A

NEW QUESTION 72


When preparing a site for an ACP 4200 installation, which task is optional?

- A. Identify potential obstacles, such as signs and fire extinguishers in the path from the delivery location to the permanent site.
- B. Plan the path from the delivery location to the permanent site.
- C. Ensure that a minimum of four people are available to move the ACP 4200 due to its size and weight.
- D. Ensure there is a room to maneuver the ACP 4200 around any tight corners in hallways.

Answer: A

NEW QUESTION 75

Refer to the exhibit.



display two Green status icon. What does this indicate?

- A. There are two Power Supplies associated with each server and both are responsive.
- B. There are two IP addresses associated with each server and both are responsive.
- C. The servers are paired together for redundancy purposes.
- D. The servers are very healthy.

Answer: D

NEW QUESTION 78

When used for an ACP 4200, which two features of the 48 inch Avaya branded enclosures are different from the 42 inch models? (Choose two.)

- A. More space for PDUs (up to 15000 Watts)
- B. More space for additional servers
- C. Higher operating temperature (up to 45 degrees Celsius)
- D. More space for fans and better cooling capacity (51,200 BTU)
- E. Use of vertical PDUs instead of horizontal

Answer: AC

NEW QUESTION 83

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

75940X Practice Exam Features:

- * 75940X Questions and Answers Updated Frequently
- * 75940X Practice Questions Verified by Expert Senior Certified Staff
- * 75940X Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 75940X Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 75940X Practice Test Here](#)