

# Fortinet

## Exam Questions NSE7\_EFW-6.4

Fortinet NSE 7 - Enterprise Firewall 6.4



### NEW QUESTION 1

View the exhibit, which contains a partial routing table, and then answer the question below.

Assuming all the appropriate firewall policies are configured, which of the following pings will FortiGate route? (Choose two.)

- A. Source IP address 10.1.0.24, Destination IP address 10.72.3.20.
- B. Source IP address 10.72.3.27, Destination IP address 10.1.0.52.
- C. Source IP address 10.72.3.52, Destination IP address 10.1.0.254.
- D. Source IP address 10.73.9.10, Destination IP address 10.72.3.15.

**Answer:** BC

### NEW QUESTION 2

View the exhibit, which contains the output of diagnose sys session stat, and then answer the question below.

Which statements are correct regarding the output shown? (Choose two.)

- A. There are 0 ephemeral sessions.
- B. All the sessions in the session table are TCP sessions.
- C. No sessions have been deleted because of memory pages exhaustion.
- D. There are 166 TCP sessions waiting to complete the three-way handshake.

**Answer:** AC

#### **Explanation:**

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD40578>

### NEW QUESTION 3

A FortiGate is rebooting unexpectedly without any apparent reason. What troubleshooting tools could an administrator use to get more information about the problem? (Choose two.)

- A. Firewall monitor.
- B. Policy monitor.
- C. Logs.
- D. Crashlogs.

**Answer:** CD

### NEW QUESTION 4

Refer to the exhibit, which contains partial output from an IKE real-time debug.

Which two statements about this debug output are correct? (Choose two.)

- A. The remote gateway IP address is 10.0.0.1.
- B. The initiator provided remote as its IPsec peer ID.
- C. It shows a phase 1 negotiation.
- D. The negotiation is using AES128 encryption with CBC hash.

**Answer:** BC

#### NEW QUESTION 5

What is the purpose of an internal segmentation firewall (ISFW)?

- A. It inspects incoming traffic to protect services in the corporate DMZ.
- B. It is the first line of defense at the network perimeter.
- C. It splits the network into multiple security segments to minimize the impact of breaches.
- D. It is an all-in-one security appliance that is placed at remote sites to extend the enterprise network.

**Answer:** C

**Explanation:**

ISFW splits your network into multiple security segments. They serve as a breach containers from attacks that come from inside.

#### NEW QUESTION 6

Examine the following partial output from two system debug commands; then answer the question below.

Which of the following statements are true regarding the above outputs? (Choose two.)

- A. The unit is running a 32-bit FortiOS
- B. The unit is in kernel conserve mode
- C. The Cached value is always the Active value plus the Inactive value
- D. Kernel indirectly accesses the low memory (LowTotal) through memory paging

**Answer:** AC

#### NEW QUESTION 7

View the exhibit, which contains the output of a debug command, and then answer the question below.

Which one of the following statements about this FortiGate is correct?

- A. It is currently in system conserve mode because of high CPU usage.
- B. It is currently in extreme conserve mode because of high memory usage.
- C. It is currently in proxy conserve mode because of high memory usage.
- D. It is currently in memory conserve mode because of high memory usage.

**Answer:** D

#### NEW QUESTION 8

Examine the following partial output from a sniffer command; then answer the question below.

What is the meaning of the packets dropped counter at the end of the sniffer?

- A. Number of packets that didn't match the sniffer filter.
- B. Number of total packets dropped by the FortiGate.
- C. Number of packets that matched the sniffer filter and were dropped by the FortiGate.
- D. Number of packets that matched the sniffer filter but could not be captured by the sniffer.

**Answer:** D

**Explanation:**

<https://kb.fortinet.com/kb/documentLink.do?externalID=11655>

#### NEW QUESTION 9

Which configuration can be used to reduce the number of BGP sessions in an IBGP network?

- A. Neighbor range
- B. Route reflector
- C. Next-hop-self
- D. Neighbor group

**Answer:** B

**Explanation:**

Route reflectors help to reduce the number of IBGP sessions inside an AS. A route reflector forwards the routers learned from one peer to the other peers. If you configure route reflectors, you don't need to create a full mesh IBGP network. All clients in a cluster only talk to route reflector to get sync routing updates. Route reflectors pass the routing updates to other route reflectors and border routers within the AS.

**NEW QUESTION 10**

View the IPS exit log, and then answer the question below.

```
# diagnose test application ipsmonitor 3 ipsengine exit log"
```

pid = 93 (cfg), duration = 5605322 (s) at Wed Apr 19 09:57:26 2017 code = 11, reason: manual

What is the status of IPS on this FortiGate?

- A. IPS engine memory consumption has exceeded the model-specific predefined value.
- B. IPS daemon experienced a crash.
- C. There are communication problems between the IPS engine and the management database.
- D. All IPS-related features have been disabled in FortiGate's configuration.

**Answer: D**

**Explanation:**

The command `diagnose test application ipsmonitor` includes many options that are useful for troubleshooting purposes. Option 3 displays the log entries generated every time an IPS engine process stopped. There are various reasons why these logs are generated: Manual: Because of the configuration, IPS no longer needs to run (that is, all IPS-related features have been disabled)

**NEW QUESTION 10**

An administrator has configured two FortiGate devices for an HA cluster. While testing HA failover, the administrator notices that some of the switches in the network continue to send traffic to the former primary device. The administrator decides to enable the setting `link-failed-signal` to fix the problem. Which statement about this setting is true?

- A. It sends an ARP packet to all connected devices, indicating that the HA virtual MAC address is reachable through a new master after a failover.
- B. It sends a link failed signal to all connected devices.
- C. It disabled all the non-heartbeat interfaces in all HA members for two seconds after a failover.
- D. It forces the former primary device to shut down all its non-heartbeat interfaces for one second, while the failover occurs.

**Answer: D**

**NEW QUESTION 15**

View the exhibit, which contains the output of a `diagnose` command, and then answer the question below.

Which statements are true regarding the Weight value?

- A. Its initial value is calculated based on the round trip delay (RTT).
- B. Its initial value is statically set to 10.
- C. Its value is incremented with each packet lost.
- D. It determines which FortiGuard server is used for license validation.

**Answer: C**

**NEW QUESTION 16**

Examine the output from the `'diagnose vpn tunnel list'` command shown in the exhibit; then answer the question below.

Which command can be used to sniff the ESP traffic for the VPN DialUP\_0?

- A. `diagnose sniffer packet any 'port 500'`
- B. `diagnose sniffer packet any 'esp'`
- C. `diagnose sniffer packet any 'host 10.0.10.10'`
- D. `diagnose sniffer packet any 'port 4500'`

**Answer: D**

**Explanation:**

NAT-T is enabled. `natt: mode=silent` Protocol ESP is used. ESP is encapsulated in UDP port 4500 when NAT-T is enabled.

**NEW QUESTION 21**

A FortiGate is configured as an explicit web proxy. Clients using this web proxy are reposting DNS errors when accessing any website. The administrator executes the following debug commands and observes that the `n-dns-timeout` counter is increasing:

What should the administrator check to fix the problem?

- A. The connectivity between the FortiGate unit and the DNS server.
- B. The connectivity between the client workstations and the DNS server.
- C. That DNS traffic from client workstations is allowed by the explicit web proxy policies.
- D. That DNS service is enabled in the explicit web proxy interface.

**Answer: A**

**NEW QUESTION 25**

Refer to the exhibit, which contains the debug output of diagnose dvm device list.

Which two statements about the output shown in the exhibit are correct? (Choose two.)

- A. ADOMs are disabled on the FortiManager
- B. The FortiGate configuration is in sync with latest running revision history.
- C. There are pending device-level changes yet to be installed on Local-FortiGate.
- D. The policy package has been modified for Local-FortiGate.

**Answer:** BC

#### NEW QUESTION 27

Refer to the exhibit, which contains partial output from an IKE real-time debug.

Based on the debug output, which phase 1 setting is enabled in the configuration of this VPN?

- A. auto-discovery-shortcut
- B. auto-discovery-forwarder
- C. auto-discovery-sender
- D. auto-discovery-receiver

**Answer:** C

#### NEW QUESTION 31

What global configuration setting changes the behavior for content-inspected traffic while FortiGate is in system conserve mode?

- A. av-failopen
- B. mem-failopen
- C. utm-failopen
- D. ips-failopen

**Answer:** A

#### Explanation:

[https://help.fortinet.com/fos50hlp/54/Content/FortiOS/fortigate-security-profiles-54/Other\\_Profile\\_Consideratio](https://help.fortinet.com/fos50hlp/54/Content/FortiOS/fortigate-security-profiles-54/Other_Profile_Consideratio)

#### NEW QUESTION 36

View the exhibit, which contains the output of a debug command, and then answer the question below.

Which of the following statements about the exhibit are true? (Choose two.)

- A. In the network on port4, two OSPF routers are down.
- B. Port4 is connected to the OSPF backbone area.
- C. The local FortiGate's OSPF router ID is 0.0.0.4
- D. The local FortiGate has been elected as the OSPF backup designated router.

**Answer:** BC

#### NEW QUESTION 40

A FortiGate device has the following LDAP configuration:

The administrator executed the 'dsquery' command in the Windows LDAP server 10.0.1.10, and got the following output:

```
>dsquery user -samid administrator
```

"CN=Administrator, CN=Users, DC=trainingAD, DC=training, DC=lab" Based on the output, what FortiGate LDAP setting is configured incorrectly?

- A. cnid.
- B. username.
- C. password.
- D. dn.

**Answer:** B

#### Explanation:

<https://kb.fortinet.com/kb/viewContent.do?externalId=FD37516>

#### NEW QUESTION 45

View the exhibit, which contains the output of a BGP debug command, and then answer the question below.

Which of the following statements about the exhibit are true? (Choose two.)

- A. The local router's BGP state is Established with the 10.125.0.60 peer.
- B. Since the counters were last reset; the 10.200.3.1 peer has never been down.
- C. The local router has received a total of three BGP prefixes from all peers.
- D. The local router has not established a TCP session with 100.64.3.1.

**Answer:** AD

#### NEW QUESTION 50

Refer to the exhibit, which contains a TCL script configuration on FortiManager.

An administrator has configured the TCL script on FortiManager, but failed to apply any changes to the managed device after being executed. Why did the TCL script fail to make any changes to the managed device?

- A. Changes in an interface configuration can only be done by CLI script.
- B. The TCL script must start with #include <>.
- C. Incomplete commands are ignored in TCL scripts.
- D. The TCL command run\_cmd has not been created.

**Answer:** D

#### NEW QUESTION 53

View the exhibit, which contains the output of get sys ha status, and then answer the question below.

Which statements are correct regarding the output? (Choose two.)

- A. The slave configuration is not synchronized with the master.

- B. The HA management IP is 169.254.0.2.
- C. Master is selected because it is the only device in the cluster.
- D. port 7 is used the HA heartbeat on all devices in the cluster.

**Answer:** AD

#### NEW QUESTION 54

View the exhibit, which contains the partial output of an IKE real-time debug, and then answer the question below.

Why didn't the tunnel come up?

- A. The pre-shared keys do not match.
- B. The remote gateway's phase 2 configuration does not match the local gateway's phase 2 configuration.
- C. The remote gateway's phase 1 configuration does not match the local gateway's phase 1 configuration.
- D. The remote gateway is using aggressive mode and the local gateway is configured to use man mode.

**Answer:** C

#### NEW QUESTION 57

Examine the output from the 'diagnose debug authd fssolist' command; then answer the question below.

# diagnose debug authd fssolist —FSSO logons-IP: 192.168.3.1 User: STUDENT Groups: TRAININGAD/USERS Workstation: INTERNAL2. TRAINING. LAB The IP address 192.168.3.1 is

NOT the one used by the workstation INTERNAL2. TRAINING. LAB.

What should the administrator check?

- A. The IP address recorded in the logon event for the user STUDENT.
- B. The DNS name resolution for the workstation name INTERNAL2. TRAININ
- C. LAB.
- D. The source IP address of the traffic arriving to the FortiGate from the workstation INTERNAL2.TRAININ
- E. LAB.
- F. The reserve DNS lookup forthe IP address 192.168.3.1.

**Answer:** C

#### NEW QUESTION 60

View these partial outputs from two routing debug commands:

Which outbound interface will FortiGate use to route web traffic from internal users to the Internet?

- A. Both port1 and port2
- B. port3
- C. port1
- D. port2

**Answer:** C

#### NEW QUESTION 64

When using the SSL certificate inspection method for HTTPS traffic, how does FortiGate filter web requests when the browser client does not provide the server name indication (SNI) extension?

- A. FortiGate uses CN information from the Subject field in the server's certificate.
- B. FortiGate switches to the full SSL inspection method to decrypt the data.
- C. FortiGate blocks the request without any further inspection.
- D. FortiGate uses the requested URL from the user's web browser.



**Answer:** A

#### NEW QUESTION 66

Which of the following statements is true regarding a FortiGate configured as an explicit web proxy?

- A. FortiGate limits the number of simultaneous sessions per explicit web proxy use
- B. This limit CANNOT be modified by the administrator.
- C. FortiGate limits the total number of simultaneous explicit web proxy users.
- D. FortiGate limits the number of simultaneous sessions per explicit web proxy user The limit CAN be modified by the administrator
- E. FortiGate limits the number of workstations that authenticate using the same web proxy user credentials. This limit CANNOT be modified by the administrator.

**Answer:** B

#### Explanation:

[https://help.fortinet.com/fos50hlp/52data/Content/FortiOS/fortigate-WAN-opt-52/web\\_proxy.htm#Explicit2](https://help.fortinet.com/fos50hlp/52data/Content/FortiOS/fortigate-WAN-opt-52/web_proxy.htm#Explicit2)

The explicit proxy does not limit the number of active sessions for each user. As a result the actual explicit proxy session count is usually much higher than the number of explicit web proxy users. If an excessive number of explicit web proxy sessions is compromising system performance you can limit the amount of users if the FortiGate unit is operating with multiple VDOMs.

#### NEW QUESTION 67

Refer to the exhibit, which contains the output of a BGP debug command.

Which statement about the exhibit is true?

- A. The local router has received a total of three BGP prefixes from all peers.
- B. The local router has not established a TCP session with 100.64.3.1.
- C. Since the counters were last reset, the 10.200.3.1 peer has never been down.
- D. The local router BGP state is OpenConfirm with the 10.127.0.75 peer.

**Answer:** B

#### NEW QUESTION 68

Which two conditions must be met for a statistic route to be active in the routing table? (Choose two.)

- A. The link health monitor (if configured) is up.
- B. There is no other route, to the same destination, with a higher distance.
- C. The outgoing interface is up.
- D. The next-hop IP address is up.

**Answer:** AC

#### NEW QUESTION 70

Which two statements about FortiManager is true when it is deployed as a local FDS? (Choose two.)

- A. It caches available firmware updates for unmanaged devices.
- B. It can be configured as an update server, or a rating server, but not both.
- C. It supports rating requests from both managed and unmanaged devices.
- D. It provides VM license validation services.

**Answer:** AD

#### NEW QUESTION 75

Examine the partial output from the IKE real time debug shown in the exhibit; then answer the question below.

Why didn't the tunnel come up?

- A. IKE mode configuration is not enabled in the remote IPsec gateway.
- B. The remote gateway's Phase-2 configuration does not match the local gateway's phase-2 configuration.
- C. The remote gateway's Phase-1 configuration does not match the local gateway's phase-1 configuration.
- D. One IPsec gateway is using main mode, while the other IPsec gateway is using aggressive mode.

**Answer:** C

#### NEW QUESTION 78

Four FortiGate devices configured for OSPF connected to the same broadcast domain. The first unit is elected as the designated router The second unit is elected as the backup designated router Under normal operation, how many OSPF full adjacencies are formed to each of the other two units?



- A. 1
- B. 2
- C. 3
- D. 4

**Answer:** B

#### NEW QUESTION 83

Examine the output of the 'get router info ospf interface' command shown in the exhibit; then answer the question below.

Which statements are true regarding the above output? (Choose two.)

- A. The port4 interface is connected to the OSPF backbone area.
- B. The local FortiGate has been elected as the OSPF backup designated router.
- C. There are at least 5 OSPF routers connected to the port4 network.
- D. Two OSPF routers are down in the port4 network.

**Answer:** AC

#### Explanation:

on BROADCAST network there are 4 neighbors, among which 1\*DR +1\*BDR. So our FG has 4 neighbors, but create adjacency only with 2 (with DR and BDR). 2 neighbors DRouter (not down).

#### NEW QUESTION 87

Examine the partial output from two web filter debug commands; then answer the question below:

Based on the above outputs, which is the FortiGuard web filter category for the web site www.fgt99.com?

- A. Finance and banking
- B. General organization.
- C. Business.
- D. Information technology.

**Answer:** C

#### NEW QUESTION 92

A FortiGate device has the following LDAP configuration:

The LDAP user student cannot authenticate. The exhibit shows the output of the authentication real time debug while testing the student account:

Based on the above output, what FortiGate LDAP settings must the administrator check? (Choose two.)

- A. cnid.
- B. username.
- C. password.
- D. dn.

**Answer:** BC

#### Explanation:

<https://kb.fortinet.com/kb/viewContent.do?externalId=13141>

#### NEW QUESTION 95

Which two tasks are automated using the Install Wizard on FortiManager? (Choose two.)

- A. Installing configuration changes to managed devices
- B. Importing interface mappings from managed devices
- C. Adding devices to FortiManager
- D. Previewing pending configuration changes for managed devices

**Answer:** AD

#### NEW QUESTION 98

Refer to the exhibit, which contains the output of diagnose sys session list.

If the HA ID for the primary unit is zero (0), which statement about the output is true?

- A. This session cannot be synced with the slave unit.
- B. The inspection of this session has been offloaded to the slave unit.
- C. The master unit is processing this traffic.
- D. This session is for HA heartbeat traffic.

**Answer:** C

#### NEW QUESTION 103

An administrator has configured the following CLI script on FortiManager, which failed to apply any changes to the managed device after being executed.

Why didn't the script make any changes to the managed device?

- A. Commands that start with the # sign are not executed.
- B. CLI scripts will add objects only if they are referenced by policies.
- C. Incomplete commands are ignored in CLI scripts.
- D. Static routes can only be added using TCL scripts.

**Answer:** A

#### Explanation:

[https://help.fortinet.com/fmgr/50hlp/56/5-6-2/FortiManager\\_Admin\\_Guide/1000\\_Device%20Manager/2400\\_Sc](https://help.fortinet.com/fmgr/50hlp/56/5-6-2/FortiManager_Admin_Guide/1000_Device%20Manager/2400_Sc)

A sequence of FortiGate CLI commands, as you would type them at the command line. A comment line starts with the number sign (#). A comment line will not be executed.

#### NEW QUESTION 105

View the exhibit, which contains the output of a diagnose command, and then answer the question below.

What statements are correct regarding the output? (Choose two.)

- A. This is an expected session created by a session helper.
- B. Traffic in the original direction (coming from the IP address 10.171.122.38) will be routed to the next-hop IP address 10.0.1.10.
- C. Traffic in the original direction (coming from the IP address 10.171.122.38) will be routed to the next-hop IP address 10.200.1.1.
- D. This is an expected session created by an application control profile.

**Answer:** AC

#### NEW QUESTION 109

View the exhibit, which contains the output of a BGP debug command, and then answer the question below.

Which of the following statements about the exhibit are true? (Choose two.)

- A. For the peer 10.125.0.60, the BGP state of is Established.
- B. The local BGP peer has received a total of three BGP prefixes.

- C. Since the BGP counters were last reset, the BGP peer 10.200.3.1 has never been down.
- D. The local BGP peer has not established a TCP session to the BGP peer 10.200.3.1.

**Answer:** AD

#### NEW QUESTION 110

Which real time debug should an administrator enable to troubleshoot RADIUS authentication problems?

- A. Diagnose debug application radius -1.
- B. Diagnose debug application fnbamd -1.
- C. Diagnose authd console –log enable.
- D. Diagnose radius console –log enable.

**Answer:** B

#### Explanation:

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD32838>

#### NEW QUESTION 111

Examine the output of the ‘get router info bgp summary’ command shown in the exhibit; then answer the question below.

Which statements are true regarding the output in the exhibit? (Choose two.)

- A. BGP state of the peer 10.125.0.60 is Established.
- B. BGP peer 10.200.3.1 has never been down since the BGP counters were cleared.
- C. Local BGP peer has not received an OpenConfirm from 10.200.3.1.
- D. The local BGP peer has received a total of 3 BGP prefixes.

**Answer:** AC

#### NEW QUESTION 114

View the exhibit, which contains a session entry, and then answer the question below.

Which statement is correct regarding this session?

- A. It is an ICMP session from 10.1.10.10 to 10.200.1.1.
- B. It is an ICMP session from 10.1.10.10 to 10.200.5.1.
- C. It is a TCP session in ESTABLISHED state from 10.1.10.10 to 10.200.5.1.
- D. It is a TCP session in CLOSE\_WAIT state from 10.1.10.10 to 10.200.1.1.

**Answer:** B

#### NEW QUESTION 116

An administrator has enabled HA session synchronization in a HA cluster with two members. Which flag is added to a primary unit’s session to indicate that it has been synchronized to the secondary unit?

- A. redir.
- B. dirty.
- C. synced
- D. nds.

**Answer:** C

#### Explanation:

The synced sessions have the ‘synced’ flag. The command ‘diag sys session list’ can be used to see the sessions on the member, with the associated flags.

#### NEW QUESTION 121

An administrator cannot connect to the GIU of a FortiGate unit with the IP address 10.0.1.254. The administrator runs the debug flow while attempting the connection using HTTP. The output of the debug flow is shown in the exhibit:

Based on the error displayed by the debug flow, which are valid reasons for this problem? (Choose two.)

- A. HTTP administrative access is disabled in the FortiGate interface with the IP address 10.0.1.254.
- B. Redirection of HTTP to HTTPS administrative access is disabled.
- C. HTTP administrative access is configured with a port number different than 80.
- D. The packet is denied because of reverse path forwarding check.

**Answer:** AC

#### NEW QUESTION 125

Examine the following routing table and BGP configuration; then answer the question below.

The BGP connection is up, but the local peer is NOT advertising the prefix 192.168.1.0/24. Which configuration change will make the local peer advertise this prefix?

- A. Enable the redistribution of connected routers into BGP.
- B. Enable the redistribution of static routers into BGP.
- C. Disable the setting network-import-check.
- D. Enable the setting ebgp-multipath.

**Answer:** C

#### NEW QUESTION 130

An administrator has configured two FortiGate devices for an HA cluster. While testing the HA failover, the administrator noticed that some of the switches in the network continue to send traffic to the former primary unit. The administrator decides to enable the setting link-failed-signal to fix the problem. Which statement is correct regarding this command?

- A. Forces the former primary device to shut down all its non-heartbeat interfaces for one second while the failover occurs.
- B. Sends an ARP packet to all connected devices, indicating that the HA virtual MAC address is reachable through a new master after a failover.
- C. Sends a link failed signal to all connected devices.
- D. Disables all the non-heartbeat interfaces in all the HA members for two seconds after a failover.

**Answer:** A

#### NEW QUESTION 131

An administrator is running the following sniffer in a FortiGate: diagnose sniffer packet any "host 10.0.2.10" 2  
What information is included in the output of the sniffer? (Choose two.)

- A. Ethernet headers.
- B. IP payload.
- C. IP headers.
- D. Port names.

**Answer:** BC

#### Explanation:

<https://kb.fortinet.com/kb/documentLink.do?externalID=11186>

#### NEW QUESTION 133

Which two statements about OCVPN are true? (Choose two.)

- A. Only root vdom supports OCVPN.
- B. OCVPN supports static and dynamic IPs in WAN interface.
- C. OCVPN offers only Hub-Spoke VPNs.
- D. FortiGate devices under different FortiCare accounts can be used to form OCVPN.

**Answer:** AB

#### NEW QUESTION 137

Refer to the exhibit, which contains the partial output of a diagnose command.

Based on the output, which two statements are correct? (Choose two.)

- A. Anti-replay is enabled.
- B. DPD is disabled.
- C. Remote gateway IP is 10.200.4.1.
- D. Quick mode selectors are disabled.

**Answer:** AC

#### NEW QUESTION 142

View the central management configuration shown in the exhibit, and then answer the question below.

Which server will FortiGate choose for antivirus and IPS updates if 10.0.1.243 is experiencing an outage?

- A. 10.0.1.240
- B. One of the public FortiGuard distribution servers
- C. 10.0.1.244
- D. 10.0.1.242

**Answer:** B

#### NEW QUESTION 145

View the exhibit, which contains a screenshot of some phase-1 settings, and then answer the question below.

The VPN is up, and DPD packets are being exchanged between both IPsec gateways; however, traffic cannot pass through the tunnel. To diagnose, the administrator enters these CLI commands:

However, the IKE real time debug does not show any output. Why?

- A. The debug output shows phases 1 and 2 negotiations onl
- B. Once the tunnel is up, it does not show any more output.
- C. The log-filter setting was set incorrectl
- D. The VPN's traffic does not match this filter.
- E. The debug shows only error message
- F. If there is no output, then the tunnel is operating normally.
- G. The debug output shows phase 1 negotiation onl
- H. After that, the administrator must enable the following real time debug: diagnose debug application ipsec -1.

**Answer:** B

#### NEW QUESTION 148

Examine the following partial outputs from two routing debug commands; then answer the question below.

```
# get router info kernel
```

```
tab=254 vf=0 scope=0type=1 proto=11 prio=0 0.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0 gwy=10.200.1.254 dev=2(port1)
tab=254 vf=0 scope=0type=1 proto=11 prio=10 0.0.0.0/0.0.0.0/0->0.0.0.0/0 pref=0.0.0.0 gwy=10.200.2.254 dev=3(port2)
```

tab=254 vf=0 scope=253type=1 proto=2 prio=0 0.0.0.0/0.0.0.0/->10.0.1.0/24 pref=10.0.1.254 gwy=0.0.0.0 dev=4(port3)  
# get router info routing-table all s\*0.0.0.0/0 [10/0] via 10.200.1.254, port1 [10/0] via 10.200.2.254, port2, [10/0] dO.0.1.0/24 is directly connected, port3  
dO.200.1.0/24 is directly connected, port1 d0.200.2.0/24 is directly connected, port2  
Which outbound interface or interfaces will be used by this FortiGate to route web traffic from internal users to the Internet?

- A. port1
- B. port2.
- C. Both port1 and port2.
- D. port3.

**Answer: B**

#### NEW QUESTION 150

Refer to the exhibit, which shows a FortiGate configuration.

An administrator is troubleshooting a web filter issue on FortiGate. The administrator has configured a web filter profile and applied it to a policy; however, the web filter is not inspecting any traffic that is passing through the policy.

What must the administrator change to fix the issue?

- A. The administrator must increase webfilter-timeout.
- B. The administrator must disable webfilter-force-off.
- C. The administrator must change protocol to TCP.
- D. The administrator must enable fortiguard-anycast.

**Answer: D**

#### NEW QUESTION 155

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### NSE7\_EFW-6.4 Practice Exam Features:

- \* NSE7\_EFW-6.4 Questions and Answers Updated Frequently
- \* NSE7\_EFW-6.4 Practice Questions Verified by Expert Senior Certified Staff
- \* NSE7\_EFW-6.4 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* NSE7\_EFW-6.4 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The NSE7\\_EFW-6.4 Practice Test Here](#)**