

Fortinet

Exam Questions NSE4_FGT-6.4

Fortinet NSE 4 - FortiOS 6.4



NEW QUESTION 1

Refer to the exhibits to view the firewall policy (Exhibit A) and the antivirus profile (Exhibit B).

Exhibit A





Exhibit B



Which statement is correct if a user is unable to receive a block replacement message when downloading an infected file for the first time?

- A. The firewall policy performs the full content inspection on the file.
- B. The flow-based inspection is used, which resets the last packet to the user.

- C. The volume of traffic being inspected is too high for this model of FortiGate.
- D. The intrusion prevention security profile needs to be enabled when using flow-based inspection mode.

Answer: A

NEW QUESTION 2


Which two statements are correct regarding FortiGate HA cluster virtual IP addresses? (Choose two.)

- A. Heartbeat interfaces have virtual IP addresses that are manually assigned.
- B. A change in the virtual IP address happens when a FortiGate device joins or leaves the cluster.
- C. Virtual IP addresses are used to distinguish between cluster members.
- D. The primary device in the cluster is always assigned IP address 169.254.0.1.

Answer: AB

NEW QUESTION 3

Refer to the exhibit.



The global settings on a FortiGate device must be changed to align with company security policies. What does the Administrator account need to access the FortiGate global settings?

- A. Change password
- B. Enable restrict access to trusted hosts
- C. Change Administrator profile
- D. Enable two-factor authentication

Answer: D

NEW QUESTION 4

Which two statements are true about the Security Fabric rating? (Choose two.)

- A. It provides executive summaries of the four largest areas of security focus.
- B. Many of the security issues can be fixed immediately by clicking Apply where available.
- C. The Security Fabric rating must be run on the root FortiGate device in the Security Fabric.
- D. The Security Fabric rating is a free service that comes bundled with all FortiGate devices.

Answer: AC

NEW QUESTION 5

View the exhibit.

Application Details

Name	Category	Technology	Popularity	Risk
Addicting Games	Game	Browser-Based	☆☆☆☆	Risk

Application Control Profile

Categories

- All Categories
- Business (149, 6)
- Email (80, 13)
- Industrial (1168)
- P2P (70)
- SocialMedia (120, 31)
- Video/Audio (164, 14)
- Unknown Applications
- Cloud.IT (42)
- Game (83)
- Mobile (3)
- Proxy (148)
- Storage.Backup (175, 17)
- VoIP (27)
- Collaboration (274, 10)
- GeneralInterest (233, 6)
- Network.Service (325)
- Remote.Access (84)
- Update (49)
- Web.Client (22)

Application Overrides

Application Signature	Category	Action
Addicting Games	Game	Allow

Filter Overrides

Filter Details	Action
Risk (2304, 52)	Block

A user behind the FortiGate is trying to go to <http://www.addictinggames.com> (Addicting Games). Based on this configuration, which statement is true?

- A. Addicting.Games is allowed based on the Application Overrides configuration.
- B. Addicting.Games is blocked on the Filter Overrides configuration.
- C. Addicting.Games can be allowed only if the Filter Overrides actions is set to Exempt.
- D. Addicting.Games is allowed based on the Categories configuration.

Answer: A

NEW QUESTION 6

Which CLI command allows administrators to troubleshoot Layer 2 issues, such as an IP address conflict?

- A. get system status
- B. get system performance status
- C. diagnose sys top
- D. get system arp

Answer: C

NEW QUESTION 7

View the exhibit.

<p>Destination Subnet Named Address Internet Service</p> <p>172.13.24.0/255.255.255.0</p> <p>Interface TunnelB</p> <p>Administrative Distance 5</p> <p>Comments</p> <p>Status Enabled Disabled</p> <p>Advanced Options</p> <p>Priority 30</p>	<p>Destination Subnet Named Address Internet Service</p> <p>172.13.24.0/255.255.255.0</p> <p>Interface TunnelA</p> <p>Administrative Distance 10</p> <p>Comments</p> <p>Status Enabled Disabled</p> <p>Advanced Options</p> <p>Priority 0</p>
---	---

Which of the following statements are correct? (Choose two.)

- A. This setup requires at least two firewall policies with the action set to IPsec.
- B. Dead peer detection must be disabled to support this type of IPsec setup.
- C. The TunnelB route is the primary route for reaching the remote sit
- D. The TunnelA route is used only if the TunnelB VPN is down.
- E. This is a redundant IPsec setup.

Answer: CD

NEW QUESTION 8

To complete the final step of a Security Fabric configuration, an administrator must authorize all the devices on which device?

- A. FortiManager

- B. Root FortiGate
- C. FortiAnalyzer
- D. Downstream FortiGate

Answer: B

NEW QUESTION 9

An administrator is configuring an IPsec VPN between site A and site B. The Remote Gateway setting in both sites has been configured as Static IP Address. For site A, the local quick mode selector is 192.160.1.0/24 and the remote quick mode selector is 192.168.2.0/24. Which subnet must the administrator configure for the local quick mode selector for site B?

- A. 192.168.1.0/24
- B. 192.168.0.0/24
- C. 192.168.2.0/24
- D. 192.168.3.0/24

Answer: B

NEW QUESTION 10

Which three statements about a flow-based antivirus profile are correct? (Choose three.)

- A. IPS engine handles the process as a standalone.
- B. FortiGate buffers the whole file but transmits to the client simultaneously.
- C. If the virus is detected, the last packet is delivered to the client.
- D. Optimized performance compared to proxy-based inspection.
- E. Flow-based inspection uses a hybrid of scanning modes available in proxy-based inspection.

Answer: CDE

NEW QUESTION 10

Refer to the exhibit.

Name	Type	IP/Netmask	VLAN ID
Physical Interface 15			
port1	Physical Interface	10.200.1.1/255.255.255.0	
port1-vlan10	VLAN	10.1.10.1/255.255.255.0	10
port1-vlan1	VLAN	10.200.5.1/255.255.255.0	1
port10	Physical Interface	10.0.11.1/255.255.255.0	
port2	Physical Interface	10.200.2.1/255.255.255.0	
port2-vlan10	VLAN	10.0.10.1/255.255.255.0	10
port2-vlan1	VLAN	10.0.5.1/255.255.255.0	1

Given the interfaces shown in the exhibit, which two statements are true? (Choose two.)

- A. port1-vlan1 and port2-vlan1 can be assigned in the same VDOM or to different VDOMs
- B. port1 is a native VLAN.
- C. port1-vlan10 and port2-vlan10 are part of the same broadcast domain.
- D. Traffic between port2 and port2-vlan1 is allowed by default.

Answer: CD

NEW QUESTION 11

Which two attributes are required on a certificate so it can be used as a CA certificate on SSL Inspection? (Choose two.)

- A. The keyUsage extension must be set to keyCertSign.
- B. The common name on the subject field must use a wildcard name.
- C. The issuer must be a public CA.
- D. The CA extension must be set to TRUE.

Answer: BD

NEW QUESTION 15

An administrator has configured a strict RPF check on FortiGate. Which statement is true about the strict RPF check?

- A. The strict RPF check is run on the first sent and reply packet of any new session.
- B. Strict RPF checks the best route back to the source using the incoming interface.
- C. Strict RPF checks only for the existence of at least one active route back to the source using the incoming interface.
- D. Strict RPF allows packets back to sources with all active routes.

Answer: A

NEW QUESTION 18

Refer to the exhibit.

```
NGFW-1 # diagnose sys virtual-wan-link health-check
Health Check(DC_PBX_SLA):
Seq(1 port1): state(alive), packet-loss(0.000%) latency(21.566), jitter(2.685) sla_map=0x
Seq(2 port2): state(alive), packet-loss(0.000%) latency(54.349), jitter(4.287) sla_map=0x
Seq(3 port3): state(alive), packet-loss(0.100%) latency(32.683), jitter(5.685) sla_map=0x
Seq(4 port4): state(alive), packet-loss(2.010%) latency(48.881), jitter(4.287) sla_map=0x
```

The exhibit contains the configuration for an SD-WAN Performance SLA, as well as the output of diagnose sys virtual-wan-link health-check. Which interface will be selected as an outgoing interface?

- A. port2
- B. port4
- C. port3
- D. port1

Answer: B

NEW QUESTION 23

Which two statements are correct regarding FortiGate FSSO agentless polling mode? (Choose two.)

- A. FortiGate points the collector agent to use a remote LDAP server.
- B. FortiGate uses the AD server as the collector agent.
- C. FortiGate uses the SMB protocol to read the event viewer logs from the DCs.
- D. FortiGate queries AD by using the LDAP to retrieve user group information.

Answer: CD

NEW QUESTION 26

Refer to the exhibit showing a debug flow output.

```
id=20085 trace_id=1 func=print_pkt_detail line=5594 msg="vd-root:0 received a packet(proto=1, 10.0.1.10:19938->10.0.1.250:2048) from port1. type=8, code=0, id=19938, seq=1."
id=20085 trace_id=1 func=init_ip_session_common line=5760 msg="allocate a new session-00003dd5"
id=20085 trace_id=1 func=vf_ip_route_input_common line=2598 msg="find a route: flag=84000000 gw-10.0.1.250 via root"
id=20085 trace_id=2 func=print_pkt_detail line=5594 msg="vd-root:0 received a packet(proto=1, 10.0.1.250:19938->10.0.1.10:0) from local. type=0, code=0, id=19938, seq=1."
id=20085 trace_id=2 func=resolve_ip_tuple_fast line=5675 msg="Find an existing session, id-00003dd5, reply direction"
```

Which two statements about the debug flow output are correct? (Choose two.)

- A. The debug flow is of ICMP traffic.
- B. A firewall policy allowed the connection.

- C. A new traffic session is created.
- D. The default route is required to receive a reply.

Answer: B

NEW QUESTION 29

An administrator has configured two-factor authentication to strengthen SSL VPN access. Which additional best practice can an administrator implement?

- A. Configure Source IP Pools.
- B. Configure split tunneling in tunnel mode.
- C. Configure different SSL VPN realms.
- D. Configure host check.

Answer: D

NEW QUESTION 33

Which statements best describe auto discovery VPN (ADVPN). (Choose two.)

- A. It requires the use of dynamic routing protocols so that spokes can learn the routes to other spokes.
- B. ADVPN is only supported with IKEv2.
- C. Tunnels are negotiated dynamically between spokes.
- D. Every spoke requires a static tunnel to be configured to other spokes so that phase 1 and phase 2 proposals are defined in advance.

Answer: AC

NEW QUESTION 35

An administrator is running the following sniffer command:

```
diagnose sniffer packet any "host 192.168.2.2" 5
```

Which three pieces of information will be included in the sniffer output? (Choose three.)

- A. Interface name
- B. Packet payload
- C. Ethernet header
- D. IP header
- E. Application header

Answer: BCE

NEW QUESTION 38

A network administrator is configuring a new IPsec VPN tunnel on FortiGate. The remote peer IP address is dynamic, in addition, the remote peer does not support a dynamic DNS update service. What type of remote gateway should the administrator configure on FortiGate for the new IPsec VPN tunnel to work?

- A. Static IP Address
- B. Dialup User
- C. Dynamic DNS
- D. Pre-shared Key

Answer: C

NEW QUESTION 41

Refer to the exhibit.

```
session info: proto=6 proto_state=02 duration=6 expire=6 timeout=3600 flags=0000
0000 socktype=0 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=may_dirty
statistic(bytes/packets/allow_err): org=180/3/1 reply=264/3/1 tuples=2
tx speed(Bps/kbps): 26/0 rx speed(Bps/kbps): 39/0
origin->sink: org pre->post, reply pre->post dev=3->5/5->3 gw=10.0.1.11/0.0.0.0
hook=pre dir=org act=dnat 10.200.3.1:38024->10.200.1.11:80(10.0.1.11:80)
hook=post dir=reply act=snat 10.0.1.11:80->10.200.3.1:38024(10.200.1.11:80)
pos/(before,after) 0/(0,0), 0/(0,0)
misc=0 policy_id=8 auth_info=0 chk_client_info=0 vd=0
serial=0001fb06 tos=ff/ff app_list=0 app=0 url_cat=0
rpd_link_id= 00000000 rpd_svc_id=0 ngfwid=n/a
npu_state=0x040000
```

Which contains a session diagnostic output. Which statement is true about the session diagnostic output?

- A. The session is in SYN_SEXT state.

- B. The session is in FIN_ACK state.
- C. The session is in FTN_WAIT state.
- D. The session is in ESTABLISHED state.

Answer: D

NEW QUESTION 43

An administrator has configured a route-based IPsec VPN between two FortiGate devices. Which statement about this IPsec VPN configuration is true?

- A. A phase 2 configuration is not required.
- B. This VPN cannot be used as part of a hub-and-spoke topology.
- C. A virtual IPsec interface is automatically created after the phase 1 configuration is completed.
- D. The IPsec firewall policies must be placed at the top of the list.

Answer: C

Explanation:

In a route-based configuration, FortiGate automatically adds a virtual interface with the VPN name (Infrastructure Study Guide, 206)

NEW QUESTION 44

Examine the IPS sensor and DoS policy configuration shown in the exhibit, then answer the question below.

The screenshot shows the configuration for an IPS sensor named 'EMAIL-SERVER-IPS'. It includes sections for IPS Signatures, IPS Filters, and Rate Based Signatures.

Name	Exempt IPs	Severity	Target	Service	OS	Action	Packet Logging
SMTPLoginBruteForce		Low	Server	TCP_SMT	All	Block	Yes

Filter Details	Action	Packet Logging
Location: server Protocol: SMTP	Block	Yes

Enable	Signature	Threshold	Duration(seconds)	Track By	Action	Block Duration(minutes)
<input checked="" type="checkbox"/>	IMAPLoginBruteForce	60	10	Source IP	Block	None

The screenshot shows the configuration for a DoS Policy. The Incoming Interface is 'port1'. The Source Address, Destination Address, and Services are all set to 'all'.

L3 Anomalies

Name	Status	Logging	Pass	Block	Action
ip_src_session	<input type="checkbox"/>	<input type="checkbox"/>	Pass	Block	Block
ip_dst_session	<input type="checkbox"/>	<input type="checkbox"/>	Pass	Block	Pass

When detecting attacks, which anomaly, signature, or filter will FortiGate evaluate first?

- A. SMTP.Login.Brute.Force
- B. IMAP.Login.brute.Force
- C. ip_src_session
- D. Location: server Protocol: SMTP

Answer: B

NEW QUESTION 48

Examine the following web filtering log.

```
Date=2016-08-31 time=12:50:06 logid=0316013057 type=utm subtype=webfilter eventtype=ftgd_blk level=warning
vd=root policyid=1 sessionid=149645 user= " " scrip=10.0.1.10 srcport=52919 srcintf= "port3"
dstip=54.230.128.169 dstport=80 dstintf= "port1" proto=6 service="HTTP" hostname= "miniclip.com"
profile= "default" action=blocked reqtype=direct url= "/" sentbyte=286 rcvbyte=0 direction=outgoing msg= "URL
belongs to a category with warnings enabled" method=domain cat=20 catdesc="Games" crscore=30 crlevel=high
```

Which statement about the log message is true?

- A. The action for the category Games is set to block.
- B. The usage quota for the IP address 10.0.1.10 has expired
- C. The name of the applied web filter profile is default.
- D. The web site miniclip.com matches a static URL filter whose action is set to Warning.

Answer: C

NEW QUESTION 53

Which statement correctly describes NetAPI polling mode for the FSSO collector agent?

- A. The collector agent uses a Windows API to query DCs for user logins.
- B. NetAPI polling can increase bandwidth usage in large networks.
- C. The collector agent must search security event logs.
- D. The NetSessionEnum function is used to track user logouts.

Answer: A

NEW QUESTION 57

A network administrator wants to set up redundant IPsec VPN tunnels on FortiGate by using two IPsec VPN tunnels and static routes.

- *All traffic must be routed through the primary tunnel when both tunnels are up
 - *The secondary tunnel must be used only if the primary tunnel goes down
 - *In addition, FortiGate should be able to detect a dead tunnel to speed up tunnel failover
- Which two key configuration changes are needed on FortiGate to meet the design requirements? (Choose two,)

- A. Enable Dead Peer Detection.
- B. Configure a lower distance on the static route for the primary tunnel, and a higher distance on the static route for the secondary tunnel.
- C. Enable Auto-negotiate and Autokey Keep Alive on the phase 2 configuration of both tunnels.
- D. Configure a higher distance on the static route for the primary tunnel, and a lower distance on the static route for the secondary tunnel.

Answer: A

NEW QUESTION 62

Refer to the exhibit.

Field	Value
Version	V3
Serial Number	98765432
Signature algorithm	SHA256RSA
Issuer	cn=RootCA,o=BridgeAuthority, Inc., c=US
Valid from	Tuesday, October 3, 2016 4:33:37 PM
Valid to	Wednesday, October 2, 2019 5:03:37 PM
Subject	cn=John Doe, o=ABC, Inc., c=US
Public key	RSA (2048 bits)
Key Usage	keyCertSign
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2)
Basic Constraints	CA=True, Path Constraint=None
CRL Distribution Points	URL=http://webserver.abcinc.com/arcert.crl

According to the certificate values shown in the exhibit, which type of entity was the certificate issued to?

- A. A user
- B. A root CA
- C. A bridge CA
- D. A subordinate

Answer: A

NEW QUESTION 63

Which of the following statements is true regarding SSL VPN settings for an SSL VPN portal?

- A. By default, FortiGate uses WINS servers to resolve names.
- B. By default, the SSL VPN portal requires the installation of a client's certificate.
- C. By default, split tunneling is enabled.
- D. By default, the admin GUI and SSL VPN portal use the same HTTPS port.

Answer: D


NEW QUESTION 65

Refer to the exhibits.

Exhibit A



Exhibit B



The exhibits show the SSL and authentication policy (Exhibit A) and the security policy (Exhibit B) for Facebook. Users are given access to the Facebook web application. They can play video content hosted on Facebook but they are unable to leave reactions on videos or other types of posts.

Which part of the policy configuration must you change to resolve the issue?

- A. The SSL inspection needs to be a deep content inspection.
- B. Force access to Facebook using the HTTP service.
- C. Additional application signatures are required to add to the security policy.
- D. Add Facebook in the URL category in the security policy.

Answer: A

NEW QUESTION 67

When browsing to an internal web server using a web-mode SSL VPN bookmark, which IP address is used as the source of the HTTP request?

- A. remote user's public IP address
- B. The public IP address of the FortiGate device.
- C. The remote user's virtual IP address.
- D. The internal IP address of the FortiGate device.

Answer: D

Explanation:

Source IP seen by the remote resources is FortiGate's internal IP address and not the user's IP address

NEW QUESTION 71

Which statement regarding the firewall policy authentication timeout is true?

- A. It is an idle timeout
- B. The FortiGate considers a user to be "idle" if it does not see any packets coming from the user's source IP.
- C. It is a hard timeout
- D. The FortiGate removes the temporary policy for a user's source IP address after this timer has expired.
- E. It is an idle timeout
- F. The FortiGate considers a user to be "idle" if it does not see any packets coming from the user's source MAC.
- G. It is a hard timeout
- H. The FortiGate removes the temporary policy for a user's source MAC address after this timer has expired.

Answer: A

NEW QUESTION 75

Refer to the exhibit.

A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 status is up, but phase 2 fails to come up.


Based on the phase 2 configuration shown in the exhibit, what configuration change will bring phase 2 up?

- A. On HQ-FortiGate, enable Auto-negotiate.
- B. On Remote-FortiGate, set Seconds to 43200.
- C. On HQ-FortiGate, enable Diffie-Hellman Group 2.
- D. On HQ-FortiGate, set Encryption to AES256.

Answer: D

NEW QUESTION 79

Refer to the exhibit.



The exhibit contains a network diagram, virtual IP, IP pool, and firewall policies configuration. The WAN (port1) interface has the IP address 10.200.1.1/24. The LAN (port3) interface has the IP address 10.0.1.254. /24. The first firewall policy has NAT enabled using IP Pool. The second firewall policy is configured with a VIP as the destination address. Which IP address will be used to source NAT the internet traffic coming from a workstation with the IP address 10.0.1.10?

- A. 10.200.1.1
- B. 10.200.3.1
- C. 10.200.1.100
- D. 10.200.1.10

Answer: A

NEW QUESTION 81

Why does FortiGate keep TCP sessions in the session table for some seconds even after both sides (client and server) have terminated the session?

- A. To remove the NAT operation.
- B. To generate logs
- C. To finish any inspection operations.
- D. To allow for out-of-order packets that could arrive after the FIN/ACK packets.

Answer: D

NEW QUESTION 85

Examine this PAC file configuration.

```
function FindProxyForURL (url, host) {
  if (shExpMatch (url, "*.fortinet.com/*")) {
    return "DIRECT";}
  if (isInNet (host, "172.25.120.0", "255.255.255.0")) {
    return "PROXY altproxy.corp.com: 8060";}
  return "PROXY proxy.corp.com: 8090";
}
```

Which of the following statements are true? (Choose two.)

- A. Browsers can be configured to retrieve this PAC file from the FortiGate.
- B. Any web request to the 172.25.120.0/24 subnet is allowed to bypass the proxy.
- C. All requests not made to Fortinet.com or the 172.25.120.0/24 subnet, have to go through altproxy.corp.com: 8060.
- D. Any web request fortinet.com is allowed to bypass the proxy.

Answer: AD

NEW QUESTION 90

Which statements are true regarding firewall policy NAT using the outgoing interface IP address with fixed port disabled? (Choose two.)

- A. This is known as many-to-one NAT.
- B. Source IP is translated to the outgoing interface IP.
- C. Connections are tracked using source port and source MAC address.
- D. Port address translation is not used.

Answer: AB

NEW QUESTION 92

Which two settings can be separately configured per VDOM on a FortiGate device? (Choose two.)

- A. System time
- B. FortiGuard update servers
- C. Operating mode
- D. NGFW mode

Answer: AD

NEW QUESTION 96

Which three authentication timeout types are availability for selection on FortiGate? (Choose three.)

- A. hard-timeout
- B. auth-on-demand
- C. soft-timeout
- D. new-session
- E. Idle-timeout

Answer: ADE

Explanation:

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD37221>

NEW QUESTION 98

An administrator does not want to report the logon events of service accounts to FortiGate. What setting on the collector agent is required to achieve this?

- A. Add the support of NTLM authentication.
- B. Add useraccounts to Active Directory (AD).
- C. Add user accounts to the FortiGate group filter.
- D. Add user accounts to the Ignore User List.

Answer: C

NEW QUESTION 102

Examine this FortiGate configuration:

```
config authentication setting
    set active-auth-scheme SCHEME1
end
config authentication rule
    edit WebProxyRule
        set srcaddr 10.0.1.0/24
        set active-auth-method SCHEME2
    next
end
```

How does the FortiGate handle web proxy traffic coming from the IP address 10.2.1.200 that requires authorization?

- A. It always authorizes the traffic without requiring authentication.
- B. It drops the traffic.
- C. It authenticates the traffic using the authentication scheme SCHEME2.
- D. It authenticates the traffic using the authentication scheme SCHEME1.

Answer: D

Explanation:

“What happens to traffic that requires authorization, but does not match any authentication rule? The active and passive SSO schemes to use for those cases is defined under config authentication setting”

NEW QUESTION 105

Refer to the exhibit.



Review the Intrusion Prevention System (IPS) profile signature settings. Which statement is correct in adding the FTP.Login.Failed signature to the IPS sensor profile?

- A. The signature setting uses a custom rating threshold.
- B. The signature setting includes a group of other signatures.
- C. Traffic matching the signature will be allowed and logged.
- D. Traffic matching the signature will be silently dropped and logged.

Answer: B

NEW QUESTION 110

Examine the two static routes shown in the exhibit, then answer the following question.

Destination	Gateway	Interface	Priority	Distance
172.20.168.0/24	172.25.1 76.1	port1	10	20
172.20.168.0/24	172.25.1 78.1	port2	20	20

Which of the following is the expected FortiGate behavior regarding these two routes to the same destination?

- A. FortiGate will load balance all traffic across both routes.
- B. FortiGate will use the port1 route as the primary candidate.
- C. FortiGate will route twice as much traffic to the port2 route
- D. FortiGate will only actuate the port1 route in the routing table

Answer: B

Explanation:

"If multiple static routes have the same distance, they are all active; however, only the one with the lowest priority is considered the best path."

NEW QUESTION 111

An administrator observes that the port1 interface cannot be configured with an IP address. What can be the reasons for that? (Choose three.)

- A. The interface has been configured for one-arm sniffer.
- B. The interface is a member of a virtual wire pair.
- C. The operation mode is transparent.
- D. The interface is a member of a zone.
- E. Captive portal is enabled in the interface.

Answer: ABC

Explanation:

https://help.fortinet.com/fos50hlp/54/Content/FortiOS/fortigate-whats-new-54/Top_VirtualWirePair.htm

NEW QUESTION 115

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NSE4_FGT-6.4 Practice Exam Features:

- * NSE4_FGT-6.4 Questions and Answers Updated Frequently
- * NSE4_FGT-6.4 Practice Questions Verified by Expert Senior Certified Staff
- * NSE4_FGT-6.4 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NSE4_FGT-6.4 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NSE4_FGT-6.4 Practice Test Here](#)