

XK0-004 Dumps

CompTIA Linux+ Certification Exam

<https://www.certleader.com/XK0-004-dumps.html>



NEW QUESTION 1

A Linux administrator needs to switch from text mode to GUI. Which of the following runlevels will start the GUI by default?

- A. Runlevel 3
- B. Runlevel 4
- C. Runlevel 5
- D. Runlevel 6

Answer: C

NEW QUESTION 2

A Linux administrator is testing a new web application on a local laptop and consistently shows the following 403 errors in the laptop's logs"

```
type=AVC msg=audit(126552035:37232) :avc:denied [read] for pid=24941 com=nginx
name="/home/user1" /dev/sda1 ino=2 scontext=unconfined_u:system_r:httpd_t:s0
tcontext=system_u:object_r:httpd_sys_content_t:s0
```

The web server starts properly, but an error is generated in the audit log. Which of the following settings should be enabled to prevent this audit message?

- A. httpd_can_network_connect = 1
- B. httpd_enable_scripting = 1
- C. httpd_enable_homedirs = 1
- D. httpd_enable_cgi = 1

Answer: A

NEW QUESTION 3

A user has connected a Bluetooth mouse to a computer, but it is not working properly. Which of the following commands should the systems administrator use to fix the issue?

- A. lsmod -i bluetooth
- B. insmod bluetooth
- C. modprobe -r bluetooth
- D. depmod -i bluetooth

Answer: C

NEW QUESTION 4

Given that a company's policy states that users cannot install third-party tools on Window servers, which of the following protocols will allow a Linux GUI to connect to a Windows server?

- A. VNC
- B. NX
- C. RDP
- D. X11

Answer: A

NEW QUESTION 5

A systems administrator must clean up all application files in the directory /var/log/app. However, the company's security policy requires the files to be kept on the backup server for one year. The Linux server has only the tar and bzip2 packages installed.

Which of the following commands will package and compress the files?

- A. tar -zcvf applicationfiles.tar.bz2 /var/log/app/*
- B. tar -jcvf applicationfiles.tar.bz2 /var/log/app/*
- C. tar -cvf applicationfiles.tar.bz2 /var/log/app/*
- D. tar -xvf applicationfiles.tar.bz2 /var/log/app/*

Answer: C

NEW QUESTION 6

A Linux administrator is setting up a testing environment and needs to connect to a separate testing server using the production server name. The administrator needs to override the hostname that the DNS is returning in order to use the test environment. Which of the following commands should be run on each of the testing systems to BEST meet this goal?

- A. # hostnamectl set-hostname "192.168.1.100 production.company.com"
- B. # grep -i IP "\${ip addr show} production.company.com" > /etc/resolv.conf
- C. # ip addr add 192.168.1.100/24 dev eth0 && rndc reload production.company.com
- D. # echo "192.168.1.100 production.company.com" >> /etc/hosts

Answer: A

NEW QUESTION 7

A user, jsmith, needs access to database files located on a server. Which of the following will add jsmith to the "dba" group and preserve existing group memberships?

- A. usermod -a -G dba jsmith
- B. usermod -g dba jsmith
- C. useradd -g dba jsmith
- D. groupmod dba -u jsmith

Answer: AC

Explanation:

According to the reference given below. Both AC is correct.

NEW QUESTION 8

A server is almost out of free memory and is becoming unresponsive. Which of the following sets of commands will BEST mitigate the issue?

- A. free, fack, partprobe
- B. lsof, lvcreate, mdadm
- C. df, du, rmmmod
- D. fdisk, mkswap, swapon -a

Answer: A

NEW QUESTION 9

The development team has automated their software build process so each time a change is submitted to the source code repository, a new software build is compiled. They are requesting that the Linux operations team look into automating the deployment of the software build into the test environment. Which of the following is the benefit to the development team for implementing deployment automation?

- A. To ensure the build commits are also deployed to the test environment
- B. To enable notifications when builds are deployed to the test environment
- C. To ensure software builds in test are not accidentally deployed to production
- D. To streamline the deployment process for deploying builds into test environments

Answer: D

NEW QUESTION 10

Which of the following can be used to boot a DVD from a remote device to initialize a Linux system setup on bare metal hardware as if it is a local DVD?

- A. UEFI
- B. PXE
- C. NFS
- D. GRUB

Answer: A

NEW QUESTION 10

A systems administrator wants to deploy several applications to the same server quickly. Each application should be abstracted from the host with its own dependencies and libraries and utilize a minimal footprint. Which of the following would be BEST in this scenario?

- A. Virtual machines
- B. Type 2 hypervisor
- C. Chroot jails
- D. Containers

Answer: D

NEW QUESTION 13

A systems administrator has finished building a new feature for the monitoring software in a separate Git branch. Which of the following is the BEST method for adding the new feature to the software's master branch?

- A. Merge the changes from the feature branch to the master branch.
- B. Save the changes to the master branch automatically with each Git commit.
- C. Clone the feature branch into the master branch.
- D. Pull the changes from the feature branch into the master branch.

Answer: A

NEW QUESTION 18

A systems administrator needs to retrieve specific fields from a csv file. Which of the following tools would accomplish this task?

- A. awk
- B. sort
- C. print
- D. echo

Answer: A

NEW QUESTION 20

A configuration management tool running every minute is enforcing the service HTTPd to be started. To perform maintenance, which of the following series of commands can be used to prevent the service from being started?

- A. `systemctl stop httpd && systemctl mask httpd`
- B. `systemctl disable httpd && systemctl mask httpd`
- C. `systemctl stop httpd && systemctl hide httpd`
- D. `systemctl disable httpd && systemctl hide httpd`

Answer: A

NEW QUESTION 23

A junior Linux administrator is trying to verify connectivity to the remote host `host1` and display round-trip statistics for ten ICMP. Which of the following commands should the administrator execute?

- A. `ping -c 10 host1`
- B. `traceroute -c 10 host1`
- C. `netstat host1`
- D. `pathping -c 10 host1`

Answer: A

NEW QUESTION 24

An administrator needs to deploy 100 identical CentOS workstations via PXE boot. Which of the following should the administrator use to minimize the amount of interaction with the consoles needed?

- A. Kickstart script
- B. Ghost image on a distribution server
- C. Hard disk duplicator
- D. Hard disk duplicator
- E. Ubiquity script

Answer: A

NEW QUESTION 26

Which of the following is the purpose of the monitoring server role?

- A. To aggregate web traffic to watch which websites employees are visiting
- B. To collect status and performance information about the servers in an environment
- C. To provide user authentication services to a network
- D. To provide real-time analysis of potential threats to the organization

Answer: B

NEW QUESTION 30

A Linux system is running normally when the systems administrator receives an alert that one application spawned many processes. The application is consuming a lot of memory, and it will soon cause the machine to become unresponsive. Which of the following commands will stop each application process?

- A. `kill 'pidof application'`
- B. `killall application`
- C. `kill -9 'ps -aux | grep application'`
- D. `pkill -9 application`

Answer: B

NEW QUESTION 34

A systems administrator configured a new kernel module, but it stopped working after reboot. Which of the following will allow the systems administrator to check for module problems during server startup?

- A. `lsmod`
- B. `modprobe`
- C. `modinfo`
- D. `dmesg`

Answer: C

NEW QUESTION 35

While creating a file on a volume, the Linux administrator receives the following message: No space left on device. Running the `df -m` command, the administrator notes there is still 50% of usage left. Which of the following is the NEXT step the administrator should take to analyze the issue without losing data?

- A. Run the `df -i` command and notice the inode exhaustion
- B. Run the `df -h` command and notice the space exhaustion
- C. Run the `df -B` command and notice the block size
- D. Run the `df -k` command and notice the storage exhaustion

Answer: A

NEW QUESTION 36

A systems administrator suspects a process with a PID of 2864 is consuming resources at an alarming rate. The administrator uses the command `renice -n -5 -p2864`, but it does not solve the issue. Which of the following commands should the administrator execute to correct the issue?

- A. `nice -n 5 -p 2864`
- B. `nice -n -5 -p 2864`
- C. `renice -n 10 -p 2864`
- D. `renice -n -10 -p 2864`

Answer: D

NEW QUESTION 40

A user wants to list the lines of a log, adding a correlative number at the beginning of each line separated by a set of dashes from the actual message. Which of the following scripts will complete this task?

- A.

```
#!/bin/bash
LOG='/var/log/auth.log'
nrlines=0
while read LINE
do
    nrlines=$((nrlines + 1))
    echo $nrlines --- ${LINE}
done < ${LOG}
```
- B.

```
#!/bin/bash
LOG='/var/log/auth.log'
nrlines=0
while read LINE
do
    nrlines=`nrlines ++ 1`
    echo $nrlines --- ${LINES}
done
```
- C.

```
#!/bin/bash
LOG='/var/log/auth.log'
nrlines=0
while read LINE
do
    nrlines=`expr nrlines + 1`
    echo $nrlines --- ${LINE}
done < ${LOG}
```
- D.

```
#!/bin/bash
LOG='/var/log/auth.log'
nrlines=0
while read LINE
do
    nrlines=$((nrlines + 1))
    echo $nrlines --- ${LINE}
done < ${LOG}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 41

A member of the production group issues the following command:

```
echo "Monday through Friday" > /production_docs/days
```

The command fails to execute, so the user obtains the following output: `drwxr--r-- root production 0 Jun 16 2018 production -rw-r--r-- production production 4096 Jun 14 2018 days`

Which of the following commands should the user execute to BEST fix the issue?

- A. `chmod g+w production` to change the permissions of the days file
- B. `chgrp root production_docs/days` to change the group ownership of the production_docs/ days file
- C. `chmod g+S production` to set the GUID on the production_docs directory
- D. `chown production` to change the ownership of the production_docs directory

Answer: D

NEW QUESTION 42

An administrator needs to see a list of the system user's encrypted passwords. Which of the following Linux files does the administrator need to read?

- A. `/etc/shadow`
- B. `/etc/skel`
- C. `/etc/passwd`
- D. `/etc/pw`

Answer: C

NEW QUESTION 47

An administrator is troubleshooting an application that has failed to start after the server was rebooted. Noticing the data volume is not mounted, the administrator attempts to mount it and receives this error:

```
[root@localhost comptia]# mount /dev/datavg/datalv /data
mount: special device /dev/datavg/datalv does not exist
```

Upon checking the logical volume status, the administrator receives this information:

```
[root@localhost comptia]# lvs
LV VG Attr LSize Pool Origin Data% Meta% Move Log Cpy%Sync Convert
root centos -wi-ao---- <6.20g
swap centos -wi-ao---- 820.00m
datalv datavg -wi----- 500.00m
[root@localhost comptia]#
```

Which of the following can be said about the data logical volume, and how can this problem be resolved?

- A. The logical volume is not active
- B. The administrator should make it active with `lvchange -ay /dev/ datavg/datalv` and then mount it.
- C. The logical volume file system has become corrupte
- D. The administrator should repair it with `xfs_repair/dev/datavg/datalv` and then mount it.
- E. The logical volume is OK but the `/dev` special files are missin
- F. The administrator should recreate them by running `/dev/MAKEDEV`.
- G. The file system is read-onl
- H. The administrator should remount it as read-write with the command `mount - o remount.rw /data`.

Answer: A

NEW QUESTION 48

A systems administrator has received reports of intermittent network connectivity to a particular website. Which of the following is the BEST command to use to characterize the location and type of failure over the course of several minutes?

- A. `mtr www.comptia.org`
- B. `tracert www.comptia.org`
- C. `ping www.comptia.org`
- D. `netstat www.comptia.org`

Answer: B

NEW QUESTION 49

Which of the following server roles would assign a host IP address?

- A. DHCP
- B. NTP
- C. DNS
- D. SSH

Answer: A

NEW QUESTION 54

A junior administrator of a physical server receives log messages indicating the out-of-memory killer has been active. All memory slots are in use on the motherboard, but additional disk space is available. Space has been allocated for a swap file.

Which of the following should the administrator use to reduce the output of memory messages?

- A. `free : swapoff / swapfile ; swapon -a`
- B. `mkswap /swapfile; swapon -a`
- C. `fallocate -l 2G /swapfile && swapon -a`
- D. `echo "1" > /proc/meminfo ; swapon / swapfile`

Answer: A

NEW QUESTION 55

A technician wants to secure a sensitive workstation by ensuring network traffic is kept within the local subnet. To accomplish this task, the technician executes the following command:

```
echo 0 > /proc/sys/net/ipv4/ip_default_ttl
```

Which of the following commands can the technician use to confirm the expected results? (Choose two.)

- A. `tcpdump`
- B. `traceroute`
- C. `route`
- D. `iperf`
- E. `ip`
- F. `arp`

Answer: CF

NEW QUESTION 59

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your XK0-004 Exam with Our Prep Materials Via below:

<https://www.certleader.com/XK0-004-dumps.html>