



ISTQB

Exam Questions CTFL-Foundation

Certified Tester Foundation Level

NEW QUESTION 1

Since the system is in the medical domain and therefore in the safety critical area, testing needs to be rigorous and evidence is required that the system has been adequately tested. Identify THREE measures that would typically be part of the test approach in this domain and which are not always applicable in other domains! 1 credit

- A. High level of documentation
- B. Failure Mode and Effect Analysis (FMEA) sessions
- C. Traceability to requirements
- D. Non-functional testing
- E. Master test planning
- F. Test design techniques
- G. Reviews

Answer: ABC

NEW QUESTION 2

You have been given responsibility for the non-functional testing of a safety-critical monitoring & diagnostics package in the medical area. Which of the following would you least expect to see addressed in the test plan? 1 credit

- A. Availability
- B. Safety
- C. Portability
- D. Reliability

Answer: C

NEW QUESTION 3

Consider the typical objectives of testing. Which of the following metrics can be used to measure the effectiveness of the testing process in achieving one of those objectives? 1 credit

- A. Average number of days between defect discovery and resolution
- B. Percentage of requirements covered
- C. Lines of code written per developer per day
- D. Percentage of test effort spent on regression testing

Answer: B

NEW QUESTION 4

Explain how the above mentioned report may differ from a report that you produce for the project manager, who is a test specialist Select TWO items from the following options that can be used to report to the project manager and would not be included in a report to senior management. 1 credit

- A. Show details on effort spent
- B. List of all outstanding defects with their priority and severity
- C. Give product risk status
- D. Show trend analysis
- E. State recommendations for release

Answer: AB

NEW QUESTION 5

Identify the THREE types of formal peer reviews that can be recognized. 1 credit

- A. Inspection
- B. Management review
- C. Walkthrough
- D. Audit
- E. Technical review
- F. Informal review
- G. Assessment

Answer: ACE

NEW QUESTION 6

Which of the following would you least expect to form part of the analysis of initial tool costs? 1 credit

- A. Integration with other tools
- B. Learning time required to use the new tool
- C. Tool portability
- D. Evaluation of suitable tools

Answer: C

NEW QUESTION 7

Select THREE issues from the options provided that should at least be raised. 1 credit

- A. Has there been sufficient comparison of tools?
- B. What are the problems we are trying to address?
- C. Do we have a set of tool requirements to validate the tool against?
- D. How will the implementation be organized?
- E. Which project will be selected to perform the tool pilot?
- F. Is customized training available?
- G. How will the change process be managed?

Answer: ABC

NEW QUESTION 8

Which of the following is a project risk mitigation step you might take as test manager? 1 credit

- A. Testing for performance problems
- B. Hiring a contractor after a test analyst leaves the company
- C. Arranging a back-up test environment in case the existing one fails during testing
- D. Performing a project retrospective meeting using the test results after each increment

Answer: C

NEW QUESTION 9

Which test management control option is most appropriate to adopt under these circumstances? 2 credits

- A. Introduce mandatory evening and weekend working to retrieve the 3 week slippage.
- B. Reconsider the exit criteria and review the test plan in the context of the current situation.
- C. Advise the user community regarding the reduced scope of requirements and the additional incremental delivery.
- D. Arrange a meeting with the user community representatives to discuss the user interface

Answer: B

NEW QUESTION 10

Risks should be constantly reviewed. Given the current situation, which one of the following factors is most likely to lead to a revised view of product risk? 3 credits

- A. The concerns over the user interface may lead to changes to the interface which cannot be implemented by development in time for the second test iteration.
- B. The concerns over the user interface raises the likelihood of a risk in that area and increases the amount of test effort needed for the user interface, thereby limiting the test effort available for other parts of the test management tool.
- C. The delivery of the application without the interface changes may upset the user community.
- D. The method used for test estimation is not accurate enough and hence the money spent on testing exceeded its budget

Answer: B

NEW QUESTION 10

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk? 2 credits

- A. Component testing: decision testing; System testing: exploratory testing
- B. Component testing: decision testing; System testing: decision table testing
- C. Component testing: statement testing; System testing: equivalence partitioning
- D. Component testing: statement testing; System testing: decision table partitioning

Answer: B

NEW QUESTION 13

What is the Risk Priority Number for risk item number 2? 2 credits

- A. 16
- B. 2
- C. 1
- D. 63

Answer: D

NEW QUESTION 16

Based on the information given in the scenario, identify how the team could be improved most effectively? 2 credits

- A. By providing training in the payroll domain
- B. By providing a workshop on test design techniques
- C. By providing specific training on the systems being tested
- D. By providing training on reviewing requirements

Answer: B

NEW QUESTION 19

Which aspect in the test estimate is the main risk in this project? 1 credit

- A. Quality of the specification

- B. Availability of end-users
- C. The costs of hardware and tools
- D. Unknown input quality due to third party development

Answer: D

NEW QUESTION 21

A test assessment has been carried out using the selected model as a reference framework. A number of recommendations have been identified and you are asked to prioritize them. Based on your knowledge of the project, you are expecting severe resistance to change. Which of the following would be the most important selection criterion for defining the priority of the recommendations? 2 credits

- A. Synchronized with the overall long-term organizational strategy
- B. Defined according to the maturity model used
- C. Most visible to stakeholders
- D. Low costs actions first

Answer: C

NEW QUESTION 22

Comparing TMMi and TPI, which is not a valid reason for choosing either TPI or TMMi? 2 credits

- A. If the scope of test performance improvement covers all test levels, TMMi is preferred since TPI focusses mainly on black-box testing.
- B. If the organization is already applying CMMI, TMMi may be preferred since it has the same structure and uses the same terminology
- C. TMMi addresses management commitment very strongly and is therefore more suitable to support a top-down improvement process.
- D. TPI is much more a bottom-up model that is suitable for addressing test topics for a specific (test) project.
- E. TMMi can only be used with the traditional V model, whereas TPI can be used with all types of software life cycle

Answer: D

NEW QUESTION 24

Model characteristics:

Which THREE of the below mentioned characteristics relate to TMMi? 1 credit

- A. 5 maturity levels
- B. Focussed on higher level testing
- C. 20 key areas
- D. Highly related to CMMI
- E. Continuous model
- F. Staged model
- G. Focussed on component and integration testing
- H. Is build around 12 critical testing processes

Answer: ADF

NEW QUESTION 29

As part of the test strategy, entry and exit criteria will be defined for each test level. Which is NOT a valid reason for using entry and exit criteria? 1 credit

- A. The expectation is that development testing is not adequate.
- B. Exit criteria are used to decide on when to stop testing.
- C. Entry and exit criteria are a principal way for getting adequate resources.
- D. Using entry and exit criteria will prevent software that is not or poorly tested from going to the next test level

Answer: C

NEW QUESTION 30

Regarding the process described above, what is the most important recommendation you would make using IEEE 1044 as a guide? 2 credits

- A. No priority or severity assigned
- B. Incident numbering is manual rather than automated
- C. No mentioning of reproduceability
- D. No classification on type of incident

Answer: A

NEW QUESTION 34

The effect of testing is to:

- A. Increase software quality;
- B. Give an indication of the software quality;
- C. Enable those responsible for software failures to be identified;
- D. Show there are no problems remaining?

Answer: B

NEW QUESTION 37

Which of the following is a structure-based (white-box) technique?

- A. Decision table testing
- B. State transition testing
- C. Statement testing
- D. Boundary value analysis

Answer: C

Explanation:

All other options are specification-based (black-box) techniques, and the main distracter is answer (A) because decision table testing could be confused with decision testing.

NEW QUESTION 39

The cost of fixing a fault:

- A. Is not important
- B. Increases as we move the product towards live use
- C. Decreases as we move the product towards live use
- D. Is more expensive if found in requirements than functional design
- E. Can never be determined

Answer: B

NEW QUESTION 42

Test Implementation and execution has which of the following major tasks?

- A. Developing and prioritizing test cases, creating test data, writing test procedures and optionally preparing the test harnesses and writing automated test scripts.i
- B. Creating the test suite from the test cases for efficient test execution.ii
- C. Verifying that the test environment has been set up correctly.i
- D. Determining the exit criteria.
- E. i, ii, iii are true and iv is false
- F. i, iv are true and ii is false
- G. i, ii are true and iii, iv are false
- H. ii, iii, iv are true and i is false

Answer: A

NEW QUESTION 47

Which of the following is most likely to cause failure in the implementation of a test tool?

- A. Underestimating the demand for a tool.
- B. The purchase price of the tool.
- C. No agreed requirements for the tool.
- D. The cost of resources to implement and maintain the too

Answer: C

NEW QUESTION 52

A test management tool is most likely to integrate with which of the following tools?

- A. Performance testing tool
- B. Test data preparation tool
- C. Static analysis tool
- D. Requirements management tool

Answer: D

Explanation:

Requirements management tools (option (D)) often have interfaces with test management tools. In some cases they will be sold as a package or in other cases a test management tool may have its own requirements module. The use of such interfaces or integrated packages aids traceability from requirements through to test scripts and defects.

Performance management tools (option (A)), test data preparation tools (option (B)) and static analysis tools (option (C)) are unlikely to have an interface or be integrated with a test management tool. They serve different purposes and therefore there is little need for such interfaces.

NEW QUESTION 53

According to the ISTQB Glossary, regression testing is required for what purpose?

- A. To verify the success of corrective actions.
- B. To prevent a task from being incorrectly considered completed.
- C. To ensure that defects have not been introduced by a modification.
- D. To motivate better unit testing by the programmer

Answer: C

NEW QUESTION 56

Which is not the testing objective?

- A. Finding defects
- B. Gaining confidence about the level of quality and providing information
- C. Preventing defects.
- D. Debugging defects

Answer: D

NEW QUESTION 57

A new system is about to be developed. Which of the following functions has the highest level of risk?

- A. Likelihood of failure = 20%; impact value = £100,000
- B. Likelihood of failure = 10%; impact value = £150,000
- C. Likelihood of failure = 1%; impact value = £500,000
- D. Likelihood of failure = 2%; impact value = £200,000

Answer: A

Explanation:

In (B) the product of probability × impact has the value £15,000; in (C) the value is £5,000 and in (D) it is £4,000. The value of £20,000 in (A) is therefore the highest.

NEW QUESTION 62

Which of the following defects is most likely to be found by a test harness?

- A. Variance from programming standards.
- B. A defect in middleware.
- C. Memory leaks.
- D. Regression defects.

Answer: B

Explanation:

Variance from programming standards defects (option (A)) are found during the review or static testing process.

Therefore a test harness is unlikely to find a defect in programming standards.

Memory leak defects (option (C)) could potentially be found by a test harness designed to run many test cases. Regression defects (option (D)) could be found using many types of test tool.

Defects in middleware (option (B)) are generally more likely to be found by a test harness or a dynamic analysis tool than by any other type of tool.

NEW QUESTION 64

Which of the following are most characteristic of structure-based testing?

- (i) Information about how the software is constructed is used to derive test cases.
- (ii) Statement coverage and/or decision coverage can be measured for existing test cases.
- (iii) The knowledge and experience of people are used to derive test cases.
- (iv) Test cases are derived from a model or specification of the system.

- A. (i) and (ii)
- B. (ii) and (iii)
- C. (ii) and (iv)
- D. (i) and (iii)

Answer: A

NEW QUESTION 67

Which of the following statements is the MOST valid goal for a test team?

- A. Determine whether enough component testing was executed.
- B. Cause as many failures as possible so that faults can be identified and corrected.
- C. Prove that all faults are identified.
- D. Prove that any remaining faults will not cause any failure

Answer: B

NEW QUESTION 69

The difference between re-testing and regression testing is:

- A. Re-testing is running a test again; regression testing looks for unexpected side effects
- B. Re-testing looks for unexpected side effects; regression testing is repeating those tests
- C. Re-testing is done after faults are fixed; regression testing is done earlier
- D. Re-testing uses different environments, regression testing uses the same environment
- E. Re-testing is done by developers, regression testing is done by independent testers

Answer: A

NEW QUESTION 73

A washing machine has three temperature bands for different kinds of fabrics: fragile fabrics are washed at temperatures between 15 and 30 degrees Celsius; normal fabrics are washed at temperatures between 31 and 60 degrees Celsius; heavily soiled and tough fabrics are washed at temperatures between 61 and 100 degrees Celsius.

Which of the following contains only values that are in different equivalence partitions? A. 15, 30, 60

- A. 20, 35, 60
- B. 25, 45, 75
- C. 12, 35, 55

Answer: C

Explanation:

Answer (A) includes two values from the lower partition, answer (B) contains two values from the second partition, answer (D) contains one value that is invalid (out of range).

NEW QUESTION 75

Which of the following is in the correct order (typically)?

- A. Unit testing, system testing, acceptance testing, maintenance testing.
- B. System testing, unit testing, acceptance testing, maintenance testing.
- C. Acceptance testing, system testing, maintenance testing, unit testing.
- D. Unit testing, maintenance testing, system testing, acceptance testin

Answer: A

NEW QUESTION 79

Which of the following is correct? Debugging is:

- A. Testing/checking whether the software performs correctly.
- B. Checking that a previously reported defect has been corrected.
- C. Identifying the cause of a defect, repairing the code and checking the fix is correct.
- D. Checking that no unintended consequences have occurred as a result of a fix.

Answer: C

Explanation:

- A. Is a brief definition of testing.
- B. Is retesting.
- D. Is regression testing.

NEW QUESTION 80

During the software development process, at what point can the test process start?

- A. When the code is complete.
- B. When the design is complete.
- C. When the software requirements have been approved.
- D. When the first code module is ready for unit testing

Answer: C

NEW QUESTION 83

Which list of levels of tester independence is in the correct order, starting with the most independent first?

- A. Tests designed by the author; tests designed by another member of the development team; tests designed by someone from a different company.
- B. Tests designed by someone from a different department within the company; tests designed by the author; tests designed by someone from a different company.
- C. Tests designed by someone from a different company; tests designed by someone from a different department within the company; tests designed by another member of the development team.
- D. Tests designed by someone from a different department within the company; tests designed by someone from a different company; tests designed by the author.

Answer: C

Explanation:

This option has someone nearer to the written code in each statement. All other options are not in this order.

NEW QUESTION 85

In the MASPAR case study..?

- A. Security failures were the result of untested parts of code
- B. The development team achieved complete statement and branch coverage but missed a serious bug in the MASPAR operating system
- C. An error in the code was so obscure that you had to test the function with almost every input value to find its two special-case failures
- D. All the above

Answer: C

NEW QUESTION 88

Which of the following defines the expected result of a test?

- A. Test case
- B. Test procedure
- C. Test execution schedule
- D. Test condition

Answer: A

NEW QUESTION 92

The five parts of the fundamental test process have a broad chronological order. Which of the options gives three different parts in the correct order?

- A. Implementation and execution, planning and control, analysis and design.
- B. Analysis and design, evaluating exit criteria and reporting, test closure activities.
- C. Evaluating exit criteria and reporting, implementation and execution, analysis and design.
- D. Evaluating exit criteria and reporting, test closure activities, analysis and design.

Answer: B

Explanation:

All other answers have at least one stage of the fundamental test process in the wrong sequence.

NEW QUESTION 93

What if the project isn't big enough to justify extensive testing..?

- A. Use risk based analysis to find out which areas need to be tested
- B. Use automation tool for testing
- C. Both a and b
- D. None of the above

Answer: A

NEW QUESTION 96

When what is visible to end-users is a deviation from the specific or expected behavior, this is called..?

- A. An error
- B. A fault
- C. A failure
- D. A defect
- E. A mistake

Answer: C

NEW QUESTION 98

During which test activity could faults be found most cost effectively?

- A. Execution
- B. Design
- C. Planning
- D. Check Exit criteria completion

Answer: C

NEW QUESTION 100

Which of these are objectives for software testing?

- A. Determine the productivity of programmers
- B. Eliminate the need for future program maintenance
- C. Eliminate every error prior to release
- D. Uncover software errors

Answer: D

NEW QUESTION 105

Reporting Discrepancies as incidents is a part of which phase:

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

Answer: B

NEW QUESTION 107

Which statement is most true?

- A. Different testing is needed depending upon the application.
- B. All software is tested in the same way.
- C. A technique that finds defects will always find defects.
- D. A technique that has found no defects is not useful.

Answer: A

Explanation:

This is a restatement of the testing principle 'Testing is context dependent'

NEW QUESTION 109

Which of the following are static techniques?

- A. Walkthrough.
- B. State transition testing.
- C. Decision table testing.
- D. Statement testing.

Answer: A

Explanation:

Options (B), (C) and (D) are all dynamic test techniques.

NEW QUESTION 110

Acceptance test cases are based on what?

- A. Requirements
- B. Design
- C. Code
- D. Decision table

Answer: A

NEW QUESTION 112

Which option is part of the 'implementation and execution' area of the fundamental test process?

- A. Developing the tests.
- B. Comparing actual and expected results.
- C. Writing a test summary.
- D. Analyzing lessons learnt for future releases.

Answer: B

Explanation:

- A. is part of 'Analysis and design'.
- C. is part of 'Evaluating exit criteria and reporting'.
- D. is part of 'Test closure activities'.

NEW QUESTION 115

Important consequences of the impossibility of complete testing are:

- A. We can never be certain that the program is bug free.
- B. We have no definite stopping point for testing, which makes it easier for some managers to argue for very little testing.
- C. We have no easy answer for what testing tasks should always be required, because every task takes time that could be spent on other high importance tasks.
- D. All of the above

Answer: D

NEW QUESTION 116

What are the key features to be concentrated upon when doing a testing for world wide web sites ..?

- A. Interaction between html pages
- B. Performance on the client side
- C. Security aspects
- D. All of the above

Answer: D

NEW QUESTION 117

What is the purpose of a test completion criterion?

- A. to know when a specific test has finished its execution
- B. to ensure that the test case specification is complete
- C. to set the criteria used in generating test inputs

D. to determine when to stop testing

Answer: B

NEW QUESTION 122

When assembling a test team to work on an enhancement to an existing system, which of the following has the highest level of test independence?

- A. A business analyst who wrote the original requirements for the system.
- B. A permanent programmer who reviewed some of the new code, but has not written any of it.
- C. A permanent tester who found most defects in the original system.
- D. A contract tester who has never worked for the organization before.

Answer: D

Explanation:

In this scenario, the contract tester who has never worked for the organization before has the highest level of test independence. The three others are less independent as they are likely to make assumptions based on their previous knowledge of the requirements, code and general functionality of the original system. Note that independence does not necessarily equate to most useful. In practice most test or project managers would recruit a permanent tester who has worked on the original system in preference to a contract tester with no knowledge of the system. However, when assembling a team it would be useful to have staff with varying levels of test independence and system knowledge.

NEW QUESTION 126

Which of the following statements are true?

- (i) For every development activity there is a corresponding testing activity.
- (ii) Each test level has the same test objectives.
- (iii) The analysis and design of tests for a given test level should begin after the corresponding development activity.
- (iv) Testers should be involved in reviewing documents as soon as drafts are available in the development life cycle.

- A. (i) and (ii)
- B. (iii) and (iv)
- C. (ii) and (iii)
- D. (i) and (iv)

Answer: D

Explanation:

Option (ii) is incorrect: each test level has a different objective.

Option (iii) is also incorrect: test analysis and design should start once the documentation has been completed.

NEW QUESTION 127

Which of the following is a non-functional requirement?

- A. The system will enable users to buy books.
- B. The system will allow users to return books.
- C. The system will ensure security of the customer details.
- D. The system will allow up to 100 users to log in at the same time.

Answer: D

Explanation:

The other options are functional requirements. Note that security is regarded as a functional requirement in this syllabus.

NEW QUESTION 131

One of the roles in a review is that of moderator, which of the following best describes this role?

- A. Plans the review, runs the review meeting and ensures that follow-up activities are completed.
- B. Allocates time in the plan, decides which reviews will take place and that the benefits are delivered.
- C. Writes the document to be reviewed, agrees that the document can be reviewed, and updates the document with any changes.
- D. Documents all issues raised in the review meeting, records problems and open point

Answer: A

NEW QUESTION 132

Which of the following is true of iterative development?

- A. It uses fully defined specifications from the start.
- B. It involves the users in the testing throughout.
- C. Changes to the system do not need to be formally recorded.
- D. It is not suitable for developing website

Answer: B

NEW QUESTION 136

What benefits do static analysis tools have over test execution tools?

- A. Static analysis tools find defects earlier in the life cycle.

- B. Static analysis tools can be used before code is written.
- C. Static analysis tools test that the delivered code meets business requirements.
- D. Static analysis tools are particularly effective for regression testing.

Answer: A

NEW QUESTION 138

Which pair of definitions is correct?

- A. Regression testing is checking that the reported defect has been fixed; retesting is testing that there are no additional problems in previously tested software.
- B. Regression testing is checking there are no additional problems in previously tested software; retesting enables developers to isolate the problem.
- C. Regression testing involves running all tests that have been run before; retesting runs new tests.
- D. Regression testing is checking that there are no additional problems in previously tested software, retesting is demonstrating that the reported defect has been fixed.

Answer: D

Explanation:

Regression testing is testing that nothing has regressed. Retesting (or confirmation testing) confirms the fix is correct by running the same test after the fix has been made. No other option has both of these as true.

NEW QUESTION 139

“How much testing is enough?”

- A. This question is impossible to answer
- B. This question is easy to answer
- C. The answer depends on the risk for your industry, contract and special requirements
- D. This answer depends on the maturity of your developers

Answer: C

NEW QUESTION 143

Which is not the fundamental test process?

- A. Planning and control
- B. Test closure activities
- C. Analysis and design
- D. None

Answer: D

NEW QUESTION 146

One Key reason why developers have difficulty testing their own work is:

- A. Lack of technical documentation
- B. Lack of test tools on the market for developers
- C. Lack of training
- D. Lack of Objectivity

Answer: C

NEW QUESTION 147

Which of the following statements are TRUE?

- A. Regression testing and acceptance testing are the sam
- B. Regression tests show if all defects have been resolve
- C. Regression tests are typically well-suited for test automatio
- D. Regression tests are performed to find out if code changes have introduced or uncovered defect
- E. Regression tests should be performed in integration testing.
- F. A, C and D and E are true; B is false.
- G. A, C and E are true; B and D are false.
- H. C and D are true; A, B and E are false.
- I. B and E are true; A, C and D are false.

Answer: C

NEW QUESTION 149

What do static analysis tools analyze?

- A. Design
- B. Test cases
- C. Requirements
- D. Program code

Answer: D

NEW QUESTION 150

Which of the following comparisons of component testing and system testing are TRUE?

- A. Component testing verifies the functioning of software modules, program objects, and classes that are separately testable, whereas system testing verifies interfaces between components and interactions with different parts of the system.
- B. Test cases for component testing are usually derived from component specifications, design specifications, or data models, whereas test cases for system testing are usually derived from requirement specifications, functional specifications or use cases.
- C. Component testing focuses on functional characteristics, whereas system testing focuses on functional and non- functional characteristics.
- D. Component testing is the responsibility of the technical testers, whereas system testing typically is the responsibility of the users of the system.

Answer: B

NEW QUESTION 155

Which of the following statements about risks is most accurate?

- A. Project risks rarely affect product risk.
- B. Product risks rarely affect project risk.
- C. A risk-based approach is more likely to be used to mitigate product rather than project risks.
- D. A risk-based approach is more likely to be used to mitigate project rather than product risks.

Answer: C

Explanation:

In general, project risk and product risk can be hard to differentiate. Anything that impacts on the quality of the delivered system is likely to lead to delays or increased costs as the problem is tackled. Anything causing delays to the project is likely to threaten the delivered system's quality. The risk-based approach is an approach to managing product risk through testing, so it impacts most directly on product risk.

NEW QUESTION 157

Which of the following statements best characterises maintenance testing? [K2]

- A. Maintenance testing is triggered by changes to delivered software and uses impact analysis to minimise the amount of regression testing needed
- B. Maintenance testing is triggered by changes to software under development before initial delivery and uses the test plan to determine how much regression testing to do
- C. Maintenance testing is triggered by changes to the test environment and uses testing tools to perform regression testing
- D. Maintenance testing is triggered by changes to the software environment and uses structural testing to ensure the changes function correctly

Answer: A

NEW QUESTION 159

Equivalence Partitioning is best defined as:

- A. An analysis technique that divides inputs into groups that are expected to exhibit similar behaviors.
- B. Applying to time-related data classes only.
- C. A form of white-box testing.
- D. A method to reduce test coverag

Answer: A

NEW QUESTION 163

Which statement correctly describes debugging? [K2]

- A. Testers identify defects, developers locate and correct defects, testers confirm the correction has cleared the original defect
- B. Developers identify defects, testers locate defects, developers correct and confirm the correction has cleared the original defect
- C. Testers identify and locate defects, developers correct defects and confirm the correction has cleared the original defect
- D. Developers identify, locate and correct defects, testers confirm the correction has cleared the original defect

Answer: A

NEW QUESTION 166

What is static analysis?

- A. The decision between using white or black box test techniques.
- B. Executing software to validate the most common path through the code.
- C. A technique to find defects in software source code and software models, performed without executing code.
- D. It is a testing technique used during system testin

Answer: C

NEW QUESTION 167

Which of the following correctly states a limitation in the use of static analysis tools? [K1]

- A. Static analysis tools can be applied to new code but cannot be applied to existing code
- B. Static analysis tools can be used to enforce coding standards
- C. Static analysis tools always generate large numbers of warning messages when applied to new code, even if the code meets coding standards
- D. Static analysis tools do not generate warning messages when applied to existing code

Answer: B

NEW QUESTION 169

Which of the following BEST defines static techniques? [K1]

- A. Executing the software work product
- B. Manually examining the code or project documentation
- C. Automated analysis of the code or project documentation
- D. Manual examination and automated analysis of code or project documentation

Answer: D

NEW QUESTION 172

The four test levels defined for a common V-model testing approach are:

- A. Unit, integration, system and maintenance.
- B. Functional, glass box, incremental and maintenance.
- C. Component, integration, system and acceptance.
- D. Unit, component, functional and alpha/bet

Answer: C

NEW QUESTION 177

System testing is:

- A. Used to search for defects in software modules that are separately testable.
- B. The responsibility of the users of a system.
- C. Concerned with the behavior of a whole system/product as defined by the scope of a development project.
- D. Triggered by modifications, migration or retirement of the software syste

Answer: C

NEW QUESTION 182

Which of the following is a white box testing design characteristic?

- A. To be based on specifications
- B. To be based on an analysis of the test basis documentation
- C. To be based on an analysis of the structure of the component or system
- D. To include both functional and non-functional testing

Answer: C

NEW QUESTION 186

What is decision table testing?

- A. It's a testing design technique based in the internal software structure.
- B. It's a static test design technique.
- C. It's a testing design technique to verify decisions.
- D. It's a testing design technique based in the system requirement

Answer: D

NEW QUESTION 191

Which of the following BEST describes the relationship between test planning and test execution? [K2]

- A. Test planning ensures the level of detail in test procedures is appropriate for test execution
- B. Test planning schedules test execution but does not assign resources
- C. Test planning defines the overall approach to testing but does not schedule specific activities such as test execution
- D. Test planning identifies test objectives related to scope and risk but does not define the level of detail for test procedures used in test execution

Answer: A

NEW QUESTION 196

Which of the following is a valid objective of testing? [K1]

- A. Correcting defects
- B. Locating defects in the code
- C. Preventing defects
- D. Ensuring no defects are present

Answer: C

NEW QUESTION 201

Test objectives for systems testing of a safety critical system include completion of all outstanding defect correction. Regression testing is required following defect

correction at all test levels. Which TWO of the following metrics would be MOST suitable for determining whether the test objective has been met? [K2]

- A. Regression tests run and passed in systems testing
- B. Incidents closed in systems testing
- C. Planned tests run and passed in system testing
- D. Planned tests run and passed at all levels of testing
- E. Incidents raised and closed at all levels of testing
- F. a and e
- G. b and c
- H. d and e
- I. a and b

Answer: A

NEW QUESTION 206

What factors should be considered to determine whether enough testing has been performed? (i)The exit criteria. (ii)The budget. (iii)How big the test team is. (iv)The product's risk profile. (v)How good the testing tools are. (vi)Sufficient details of the system status to allow decisions

- A. i and ii and iv and vi
- B. i and ii and iii and vi
- C. ii and iii and iv and v
- D. i and ii and v and vi

Answer: A

NEW QUESTION 210

Which of the following statements is most true about test conditions?

- A. An item or event of a component or system that can be verified by one or more test cases.
- B. The grouping of a composite set of test cases which, when tested as a whole, reveal a positive or negative result.
- C. A testable component derived from business requirements.
- D. Applies to software testing onl

Answer: A

NEW QUESTION 212

Which from the following list are typically found to enable the review process to be successful? [K2]

- A. Each review has clear defined objectives
- B. The lower the number of defects, the better the review process
- C. The right people for the review objective are involved
- D. There is an emphasis on learning and process improvement
- E. Management are not involved in the process at all
- F. Checklists should not be used, as these slow down the process
- G. Defects found are welcomed and expressed objectively
- H. a, f and g.
- I. b, c and f.
- J. a, c and d.
- K. d, e and

Answer: C

NEW QUESTION 215

"Experience based" test design techniques, typically...

- A. Use decision tables to generate the Boolean test conditions to be executed.
- B. Identify the structure of the system or software at the component, integration or system level.
- C. Use the skill, intuition and experience of the tester to derive the test cases, using error guessing and exploratory testing.
- D. Establish traceability from test conditions back to the specifications and requirement

Answer: C

NEW QUESTION 219

Which of the main activities of the fundamental test process does the task 'verify the test environment set up is correct' relate to? [K1]

- A. Planning and control
- B. Analysis and design
- C. Implementation and execution
- D. Evaluating exit criteria and reporting

Answer: C

NEW QUESTION 222

Functional and structural tests are alternative test types that may be used separately or together at which test level? [K1]

- A. At the component test level only

- B. At all test levels
- C. At integration testing and system testing levels only
- D. At all levels from integration testing to acceptance testing

Answer: B

NEW QUESTION 224

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost- effective
- D. To ensure the tools fits existing processes without change

Answer: C

NEW QUESTION 227

Test script TransVal 3.1 tests transaction validation via screen TRN 003B. According to the specification (PID ver 1.3 10b iv) the validation screen should not accept future dated transactions. Test script TransVal 3.1 passes. Test script eod 1.4 tests end of day processing and is run after the execution of TransVal 3.1 using data entered during that test Which of the following is the BEST detail on an incident report? [K3]

- A. Titl
- B. End of Day failure.. Reproducibl
- C. Ye
- D. Descriptio
- E. Script eod 1.4 fails when the first transaction of the day is a future dated transactio
- F. Screen shot of the failure attached.
- G. Titl
- H. Transaction input screen validation..Reproducibl
- I. Ye
- J. Descriptio
- K. Script eod 1..4 fails . Screen shot of the failure attache
- L. Validation of transaction entryon screen TRN-003B should not allow future dated transactions – see PID ver 1.3 para 10b iv.
- M. Titl
- N. Screen TRN-003B validation of transaction date.. Reproducibl
- O. N
- P. Descriptio
- Q. When a future dated transaction is processed by the end of day process, a failure can occu
- R. This does not always happe
- S. Screen shot of thefailure attached.
- T. Titl
- . Screen TRN-003B validation of transaction dat
- . Reproducibl
- . Ye
- . Descriptio
- . Script eod 1.4 fails when the first transaction of the day is a future dated transactio
- . Screen shot of the failure attache
- . Validation of transaction entry on screen TRN-003B should not allow future dated transactions– see PID ver 1.3 para 10b i

Answer: D

NEW QUESTION 230

From the following list, which of the following apply to experience-based techniques? [K2]

- A. Test cases are derived from a model of the problem to be solved or the software
- B. Test cases are derived from the knowledge of the testers
- C. The knowledge of testers, developers and users is used to drive testing
- D. The internal structure of the code is used to derive test cases
- E. a and b.
- F. c and d.
- G. a and d.
- H. b and

Answer: D

NEW QUESTION 233

Which of the following is NOT a valid objective of testing?

- A. Preventing defects from being introduced into the code
- B. Investigating and fixing defects in the software under test
- C. Gaining confidence that the system is fit-for-purpose
- D. Providing information for stakeholders' decision making

Answer: D

NEW QUESTION 238

A new testing tool has been selected for an organisation and a pilot project has successfully completed. The next step is to deploy the tool within the organization.

What is a key success factor in tool deployment?

- A. Estimate a cost-benefit ratio based on a firm business case
- B. Determine whether benefits will be achieved at reasonable cost
- C. Provide support for the test team using the tool
- D. Assessment of organisational maturity, strengths and weaknesses

Answer: A

NEW QUESTION 241

Your company is developing a system with complex business rules and many branches in the structure of its code components. You need to choose one black box technique and one white box technique for test case design. Which one of the following offers the BEST choice?

- A. Statement testing and exploratory testing
- B. Decision testing and equivalence partitioning
- C. Decision testing and decision table testing
- D. Boundary value analysis and decision table testing

Answer: D

NEW QUESTION 242

Which of the following is NOT a valid use of decision coverage?

- A. Checking that all decisions have been exercised in a single program
- B. Checking that all decisions have been exercised in a business process
- C. Checking that all calls from one program module to another have been made correctly
- D. Checking that at least 50% of decisions have been exercised by a test case suite

Answer: D

NEW QUESTION 243

Which of the following would achieve the HIGHEST level of testing independence for a project's test level?

- A. Training developers to design good tests for the test team to execute
- B. Outsourcing test design and execution to a different company
- C. Having the company's independent test team design and execute the tests
- D. Minimising contact between testers and developers during test design to avoid bias

Answer: A

NEW QUESTION 248

A booking system for a city bus service prices its fares according to the time of travel:

- Peak-time tariff starts at 0600 and finishes at 1000 am
- Off-peak tariff applies during all other times of service
- The bus service does not operate between 2300 and the start of the next day's peak service Note that all times mentioned are inclusive.

When applying the equivalence partitioning test design technique, which of the following options, shows test case inputs that each fall into a different equivalence partition?

- A. 0600, 1000, 1200
- B. 1001, 1300, 2259
- C. 0100, 0800, 2200
- D. 2400, 1000, 2301

Answer: D

NEW QUESTION 250

When considering the roles of test leader and tester, which of the following tasks would NOT typically be performed by a tester?

- A. Prepare and acquire the test data
- B. Set up and check the test environment
- C. Write test summary reports
- D. Review tests developed by others

Answer: D

NEW QUESTION 251

Which of the following would you NOT expect to see on an incident report from test execution?

- A. The version(s) of the software under test
- B. The test execution schedule
- C. Expected results and actual results
- D. Precise steps to reproduce the problem

Answer: D

NEW QUESTION 254

Which of the following would be a good test technique to use when under severe time pressure?

- A. Exploratory testing
- B. Structure based testing
- C. Specification based testing
- D. Use Case testing

Answer: B

NEW QUESTION 259

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

CTFL-Foundation Practice Exam Features:

- * CTFL-Foundation Questions and Answers Updated Frequently
- * CTFL-Foundation Practice Questions Verified by Expert Senior Certified Staff
- * CTFL-Foundation Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CTFL-Foundation Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The CTFL-Foundation Practice Test Here](#)